VMELEKTRO AS

lys & kontrol-lamper - 8

indicator lights 374
LED 383
screw-on/push-on fit 384
linear lamps 386
hard-glass infrared lamps 389
fluorescent lamps 389
fridge lamps 391
microwave lamps 391
oven lamps 392
residual heat indicators 401
hand lamps 401

lamps

indicator lights

indicator lights 2-piece (lens and indicator lamp)

indicator light lenses

ø 6mm (type SQ-20)

fig.	Vare nr.	colour	Qty (pcs)	fig.	Vare nr.	colour	Qty (pcs)
1	359806	clear	1	3	359805	red	1
2	359803	green	1	4	359804	yellow	1

ø 8mm (type RL-2)



fig.	Vare nr.	colour	Qty (pcs)	fig.	Vare nr.	colour	Qty (pcs)
1	359948	clear	1	3	359833	red	1
2	359819	green	1	4	359820	yellow	1

ø 9mm (type SA-4)



fig.	Vare nr.	colour	Qty (pcs)	fig.	Vare nr.	colour	Qty (pcs)
1	359956	clear	1	3	359955	red	1
2	359954	green	1	4	359953	yellow	1

ø 9mm (type SA-7)

fig.	Vare nr.	colour	Qty (pcs)	fig.	Vare nr.	colour	Qty (pcs)
1	359952	clear	1	3	359951	red	1
1	357032	clear	10	3	357031	red	10
2	359950	green	1	4	359949	yellow	1
2	357030	green	10	4	357029	yellow	10

ø10mm (type SC-1)

fig.	Vare nr.	colour	Qty (pcs)	fig.	Vare nr.	colour	Qty (pcs)
1	359965	clear	1	3	359964	red	1
2	359963	green	1	4	359962	yellow	1

ø10mm (type SC-3)



fig.	Vare nr.	colour	Qty (pcs)	fig.	Vare nr.	colour	Qty (pcs)
1	359969	clear	1	3	359968	red	1
1	357040	clear	10	3	357039	red	10
2	359967	green	1	4	359966	yellow	1
2	357038	green	10	4	357037	yellow	10

ø10mm (type SR-3)



fig.	Vare nr.	colour	Qty (pcs)	fig.	Vare nr.	colour	Qty (pcs)
1	359815	clear	1	3	359957	red	1
1	357036	clear	10	4	359414	yellow	1
2	359816	green	1				

ø10mm (type SR-6)



fig.	Vare nr.	colour	Qty (pcs)	fig.	Vare nr.	colour	Qty (pcs)
1	359961	clear	1	3	359960	red	1
2	359959	green	1	4	359958	yellow	1

ø10mm (type SRZ-3)

fig.	Vare nr.	colour	Qty (pcs)	fig.	Vare nr.	colour	Qty (pcs)
1	359228	clear	1	3	359125	red	1
2	359123	green	1	4	359124	yellow	1

ø10mm (type SRZ-4)

fig.	Vare nr.	colour	Qty (pcs)	fig.	Vare nr.	colour	Qty (pcs)
1	359120	green	1	3	359121	yellow	1
2	359122	red	1				

ø12mm (type SD-3)

fig.	Vare nr.	colour	Qty (pcs)	fig.	Vare nr.	colour	Qty (pcs)
1	359973	clear	1	2	359971	green	1
1	357044	clear	10	2	357042	green	10

Table continues overleaf

vm-elektro - +45 87262300 - vm@vm-elektro.dk - www.vm-elektro.dk



fig.	Vare nr.	colour	Qty (pcs)	fig.	Vare nr.	colour	Qty (pcs)
3	359972	red	1	4	359970	yellow	1
3	357043	red	10	4	357041	yellow	10

ø12mm (type SDK-3)

fig.	Vare nr.	colour	Qty (pcs)	fig.	Vare nr.	colour	Qty (pcs)
1	359792	blue	1	4	359276	red	1
2	359275	clear	1	5	359278	yellow	1
3	359277	green	1				

ø12mm (type SDK-4)

fig.	Vare nr.	colour	Qty (pcs)	fig.	Vare nr.	colour	Qty (pcs)
1	357230	green	1	2	357229	yellow	1

ø12mm (type SDY-3)

fig.	Vare nr.	colour	Qty (pcs)	fig.	Vare nr.	colour	Qty (pcs)
1	359280	clear	1	3	359261	red	1
2	359262	green	1	4	359260	yellow	1

ø13mm (type SF-2)



fig.	Vare nr.	colour	Qty (pcs)	fig.	Vare nr.	colour	Qty (pcs)
1	359981	clear	1	3	359980	red	1
2	359979	green	1	4	359978	yellow	1

ø13mm (type SF-3)



fig.	Vare nr.	colour	Qty (pcs)	fig.	Vare nr.	colour	Qty (pcs)
1	359977	clear	1	3	359976	red	1
1	357048	clear	10	3	357047	red	10
2	359975	green	1	4	359974	yellow	1
2	357046	green	10	4	357045	yellow	10

ø13mm (type SFK-3)

fig.	Vare nr.	colour	Qty (pcs)	fig.	Vare nr.	colour	Qty (pcs)
1	359225	clear	1	3	359128	red	1
2	359126	green	1	4	359127	yellow	1

indicator lamps for socket type

fig.	Vare nr.	volt. (V)	colour	connection
1	347476	5	green	cable 170mm
2	359801	12	white	F6.3
2	359802	24	white	F6.3
2	359109	230	green	F6.3
2	359110	230	white	F6.3
3	359931	230	green	cable 400mm
3	359930	230	white	cable 400mm
4	359747	250	green	grip connection
4	360638	250	white	grip connection

indicator lamps for socket type

fig.	Vare nr.	volt. (V)	colour	connection
1	357227	230	clear	cable 250mm
1	357228	230	green	cable 250mm
2	359818	230	clear	F6.3
2	359817	230	green	F6.3

indicator lamps for socket type SA / SC / SD / SF / SR

fig.	Vare nr.	volt. (V)	colour	connection	Qty (pcs)
1	359814	230	clear	cable 400mm	1
1	359987	230	green	cable 400mm	1
1	359521	400	clear	cable 400mm	1
1	359520	400	green	cable 400mm	1
2	359984	230	clear	F4.8	1
2	359985	230	green	F4.8	1
3	359982	230	clear	F6.3	1
3	357049	230	clear	F6.3	10
3	359983	230	green	F6.3	1
3	357050	230	green	F6.3	10
3	359523	400	clear	F6.3	1
3	359522	400	green	F6.3	1

indicator lamps for socket type SRZ / SDK / SDY / SFK

fig.	Vare nr.	volt. (V)	colour	connection
1	359279	12	clear	F6.3
1	359129	24	clear	F6.3
1	359130	230	clear	F6.3
1	359132	250	green	F6.3
1	359131	400	clear	F6.3
1	359133	400	green	F6.3
2	359350	230	blue	F6.3
3	359430	230	clear	cable 400mm
3	359431	230	green	cable 400mm
3	359435	400	clear	cable 400mm

rings for socket type SC-1

fig.	Vare nr.	description
1	359242	frame chrome-plated

indicator lights 3-piece (housing, lens and bulb)

ø16.2mm

fig.	Vare nr.	description
1	359832	lamp socket ø16,2mm socket Ba9s connection male faston 6,3mm
1	359060	lamp socket ø16,2mm E10 connection screw connection
2	359070	indicator light lens yellow
3	359071	indicator light lens green
4	359073	indicator light lens clear
5	359072	indicator light lens red

fig.	Vare nr.	description
1	359685	lamp socket ø16,2mm E10
2	359687	indicator light lens yellow
3	359688	indicator light lens green
4	359686	indicator light lens clear
5	359689	indicator light lens red

ø18.2mm

fig.	Vare nr.	description
1	359853	lamp socket ø18.2mm socket Ba9s connection male faston 6.3mm
2	359856	indicator light lens yellow
3	359857	indicator light lens green
4	359989	indicator light lens clear
5	358502	indicator light lens red with gasket

ø19.2mm

fig.	Vare nr.	description
1	359063	lamp socket ø19,2mm E14 connection screw connection
2	359080	indicator light lens yellow
3	359081	indicator light lens green
4	359083	indicator light lens clear
5	359082	indicator light lens red

ø22.3mm

fig.	Vare nr.	description
1	359064	lamp socket ø22,3mm E14 connection screw connection 250/380V
2	359085	indicator light lens yellow
3	359086	indicator light lens green
4	359088	indicator light lens clear
5	359087	indicator light lens red

ø30.5mm

fig.	Vare nr.	description
1	359988	lamp socket ø30.5mm 250 V connection F6.3 temp.-resist. 55 °C E14
2	359990	indicator light lens yellow
3	359991	indicator light lens green
4	359993	indicator light lens clear
5	359992	indicator light lens red

vm-elektro - +45 87262300 - vm@vm-elektro.dk - www.vm-elektro.dk

lamps

light bulbs

fig.	Vare nr.	socket	volt. (V)	P (W)	ø (mm)	L (mm)
1	359597	T10	24	2	10	28
2	359598	Ba15d	230	5-7	16	35
3	359609	Ba15d	220-260	10/15	16	50

fig.	Vare nr.	socket	volt. (V)	P (W)	ø (mm)	L (mm)
4	359868	Ba9s	12	2	10	28
4	359807	Ba9s	24	2	10	28
4	359869	Ba9s	48	2	10	28
4	359656	Ba9s	130	2	10	28
5	359236	E10	24	3	10	28
6	359608	E14	230	10/15	16	51
6	359587	E14	220-260	6-10	16	51

fig.	Vare nr.	socket	volt. (V)	P (W)	ø (mm)	L (mm)
7	359055	T1 1/2	12	-	4.9	13
8	357005	T1 3/4	24	-	5	15
9	359592	T5.5K	12	3	5.5	22
9	359590	T5.5K	24	3	5.5	22
9	359591	T5.5K	48	3	5.5	22

neon light bulbs

fig.	Vare nr.	socket	volt. (V)	colour	ø (mm)	L (mm)
1	359000	Ba9s	24	clear	10	24
2	359606	Ba9s	220	clear	10	28
2	359607	Ba9s	380	clear	10	28
3	359600	E10	220	clear	10	28
3	359585	E10	230	green	10	28
3	359601	E10	380	clear	10	28
4	359604	E14	220	clear	16	54
4	359605	E14	380	clear	16	54

fig.	Vare nr.	socket	volt. (V)	colour	ø (mm)	L (mm)
5	359602	E14	230	clear	14	30
5	359588	E14	230	green	14	30
5	359603	E14	380	clear	14	30
5	359589	E14	400	green	14	30
6	357006	T1 3/4	230	clear	4	15

indicator lights (complete)

ø 6mm

fig.	Vare nr.	colour	volt. (V)	CL (mm)
1	359037	clear	230	400
2	359284	green	24	150
2	359004	green	230	400
3	359009	red	230	400

fig.	Vare nr.	colour	volt. (V)	CL (mm)
4	359285	yellow	24	150
4	359569	yellow	230	250
4	359005	yellow	230	400



fig.	Vare nr.	volt. (V)	colour	connection
1	357016	230	green	grip connection
2	357017	230	red	grip connection

ø 9mm



fig.	Vare nr.	colour	volt. (V)	connection
1	359134	clear	230	F6.3
2	359136	green	230	F6.3
2	345597	green	400	F6.3
3	359135	red	230	F6.3
4	359137	yellow	230	F6.3
4	345598	yellow	400	F6.3



fig.	Vare nr.	colour	volt. (V)	connection
1	359318	green	24	2-wire
2	359319	yellow	24	2-wire

ø10mm

screw-on fit

fig.	Vare nr.	colour	volt. (V)	connection
1	359867	clear	230	F4.8
1	359995	clear	230	F6.3
1	359529	clear	400	F6.3
2	359870	green	230	F4.8
2	359378	green	230	F6.3
2	359527	green	400	F6.3
3	359872	red	230	F4.8
3	359380	red	230	F6.3
3	359528	red	400	F6.3
4	359871	yellow	230	F4.8
4	359379	yellow	230	F6.3
4	359526	yellow	400	F6.3



fig.	Vare nr.	colour	volt. (V)	connection
1	359525	clear	230	F6.3
2	359238	green	230	F6.3
3	359237	red	230	F6.3
4	359524	yellow	230	F6.3

fig.	Vare nr.	colour	volt. (V)	connection
1	360512	blue	230	F6.3
2	346882	green	230	
3	346881	red	230	F6.3
4	346883	yellow	230	

fig.	Vare nr.	colour	volt. (V)	connection
1	359475	green	125	F6.3
2	359476	red	110/250	F6.3

fig.	Vare nr.	colour	volt. (V)
1	360148	green	24
2	360111	red	24

fig.	Vare nr.	colour	volt. (V)
3	360502	yellow	24

fig.	Vare nr.	colour	volt. (V)	connection
1	360578	white	24	cable
2	360579	yellow	24	cable

push-on fit

fig.	Vare nr.	colour	volt. (V)	connection	Qty (pcs)
1	359227	clear	24	F6.3	1
1	359232	clear	230	F2.8	1
1	359036	clear	230	F6.3	1
1	357058	clear	230	F6.3	5
1	359035	clear	400	F6.3	1
1	357062	clear	400	F6.3	5
2	360479	green	6	F2.8	1
2	359422	green	12	F2.8	1
2	359216	green	24	F6.3	1
2	359230	green	230	F2.8	1
2	359139	green	230	F6.3	1
2	357056	green	230	F6.3	5
2	359019	green	400	F6.3	1
2	357060	green	400	F6.3	5
3	359219	red	24	F6.3	1
3	359040	red	230	F2.8	1
3	359138	red	230	F6.3	1
3	357055	red	230	F6.3	5
3	359020	red	400	F6.3	1
3	357061	red	400	F6.3	5
4	360480	yellow	6	F2.8	1
4	359334	yellow	24	F6.3	1
4	359231	yellow	230	F2.8	1
4	359140	yellow	230	F6.3	1
4	357057	yellow	230	F6.3	5
4	359034	yellow	400	F6.3	1
4	357059	yellow	400	F6.3	5

ø12mm

screw-on fit

fig.	Vare nr.	colour	volt. (V)	connection
1	359047	clear	24	F6.3
1	359021	clear	230	F6.3
1	359994	clear	400	F6.3
2	359023	green	24	F6.3
2	359027	green	250	F6.3
2	359291	green	400	F6.3

Table continues overleaf

vm-elektro - +45 87262300 - vm@vm-elektro.dk - www.vm-elektro.dk

fig.	Vare nr.	colour	volt. (V)	connection
3	359024	red	24	F6.3
3	359026	red	230	F6.3
3	359292	red	400	F6.3
4	359025	yellow	24	F6.3
4	359048	yellow	230	F6.3
4	359290	yellow	400	F6.3

fig.	Vare nr.	colour	volt. (V)	connection
1	359890	green	24	cable 200mm
1	359893	green	400	cable 200mm
2	359891	red	24	cable 200mm
2	359894	red	400	cable 200mm
3	359892	yellow	24	cable 200mm
3	359895	yellow	400	cable 2000mm

push-on fit

fig.	Vare nr.	colour	volt. (V)	connection	Qty (pcs)
1	359044	clear	230	F6.3	1
1	357064	clear	230	F6.3	5
2	359041	green	230	F6.3	1
2	357069	green	230	F6.3	5
2	359494	green	400	F6.3	1
3	359043	red	230	F6.3	1
3	357063	red	230	F6.3	5
4	359042	yellow	230	F6.3	1
4	357070	yellow	230	F6.3	5

fig.	Vare nr.	colour	volt. (V)	connection	symbol
1	359846	green	230	F6.3	Sinus
2	359571	green	230	F6.3	steaming
3	359570	green	230	F6.3	temperature
4	359572	green	230	F6.3	timer

fig.	Vare nr.	colour	volt. (V)	connection	symbol
5	357110	green	400	F6.3	stand-by/on
6	360509	yellow	230	F6.3	thermometer
6	357111	yellow	400	F6.3	thermometer

ø12.5mm



fig.	Vare nr.	colour	volt. (V)	connection
1	359999	clear	230	F6.3
2	359997	green	230	F6.3
3	359998	red	230	F6.3
4	359996	yellow	230	F6.3

fig.	Vare nr.	colour	volt. (V)	connection
1	357009	green	230	F4.8

ø13mm

screw-on fit

fig.	Vare nr.	colour	volt. (V)	connection
1	357076	green	400	screw
2	357136	red	24	screw
2	357135	red	240	screw
3	357137	red	380	F6.3
4	357077	yellow	400	screw

fig.	Vare nr.	colour	volt. (V)	connection
1	357125	red	400	screw clamp

push-on fit

fig.	Vare nr.	colour	volt. (V)	connection	Qty (pcs)
1	359045	clear	230	F6.3	1
1	357068	clear	230	F6.3	5
2	359119	green	24	F6.3	1
2	359142	green	230	F6.3	1
2	357066	green	230	F6.3	5
3	359141	red	230	F6.3	1
3	357065	red	230	F6.3	5
4	359143	yellow	230	F6.3	1
4	357067	yellow	230	F6.3	5

vm-elektro - +45 87262300 - vm@vm-elektro.dk - www.vm-elektro.dk

ø14mm

screw-on fit

fig.	Vare nr.	colour	volt. (V)	connection
1	360622	green	24	F4.8
2	360621	yellow	24	F4.8

push-on fit

fig.	Vare nr.	colour	volt. (V)	connection
1	359342	clear	230	F6.3
2	359148	green	230	F6.3
3	359147	red	230	F6.3
4	359149	yellow	230	F6.3

fig.	Vare nr.	colour	volt. (V)	connection
1	359151	green	400	F6.3
2	359150	red	400	F6.3
3	359152	yellow	400	F6.3

ø16mm

screw-on fit

fig.	Vare nr.	colour	volt. (V)	connection
1	359835	green	230	F6.3
1	359901	green	400	F6.3
2	359831	red	230	F6.3
2	359903	red	400	F6.3
3	359829	white	230	F6.3
3	359902	white	400	F6.3
4	359834	yellow	230	F6.3
4	359830	yellow	400	F6.3

push-on fit

fig.	Vare nr.	colour	volt. (V)	CL (mm)	fig.	Vare nr.	colour	volt. (V)	CL (mm)
1	359909	green	230	200	3	359093	white	400	200
1	359828	green	400	200	4	359908	yellow	230	200
2	359910	red	230	200	4	359094	yellow	400	200
2	359905	red	400	200					

fig.	Vare nr.	colour	volt. (V)	connection
1	359345	blue	230	F6.3
2	359790	clear	230	F6.3
3	359788	green	230	F6.3
4	359344	red	230	F6.3
5	359789	yellow	230	F6.3

fig.	Vare nr.	colour	volt. (V)	connection
1	359474	green	230	F6.3
2	359472	red	230	F6.3
3	359473	yellow	230	F6.3

ø20mm

fig.	Vare nr.	colour	volt. (V)	connection
1	359514	green	230	F6.3

fig.	Vare nr.	colour	volt. (V)	connection
1	357073	red	250	F4.8

ø22mm

fig.	Vare nr.	colour	volt. (V)	connection
1	359508	clear	230	screw
1	359512	clear	400	screw
2	359506	green	230	screw
2	359510	green	400	screw
3	359511	red	400	screw
4	359505	yellow	230	screw
4	359509	yellow	400	screw

fig.	Vare nr.	colour	volt. (V)	connection
1	357020	white	230-440	screw
2	357021	yellow	230-440	screw

vm-elektro - +45 87262300 - vm@vm-elektro.dk - www.vm-elektro.dk

ø25mm

fig.	Vare nr.	colour	volt. (V)	connection
1	359204	green	230	F6.3
2	359202	red	230	F6.3
3	360551	white	230	F6.3
4	359203	yellow	230	F6.3

fig.	Vare nr.	colour	volt. (V)	connection
1	359079	white	230	F6.3

14x11mm

fig.	Vare nr.	colour	volt. (V)	connection
1	359270	green	230	F6.3
2	359218	yellow	230	F6.3

19x13mm

fig.	Vare nr.	colour	volt. (V)	connection
1	359201	green	230	F6.3
2	359200	red	230	F6.3

22x10mm

fig.	Vare nr.	colour	volt. (V)	connection
1	359215	clear	230	F6.3
2	359214	green	230	F6.3
3	359213	yellow	230	F6.3

25x11mm



fig.	Vare nr.	colour	volt. (V)	connection
1	359223	green	230	F6.3
2	359224	yellow	230	F6.3

26.5x25.6mm

fig.	Vare nr.	colour	volt. (V)	connection
1	357172	blue	250	F6.3
2	345853	green	230	F6.3
3	345854	green	230	F6.3
4	345855	green	230	F6.3

fig.	Vare nr.	colour	volt. (V)	connection
5	358102	green	220-250	F6.3
6	357173	red	230	F6.3
7	345796	white	230	F6.3
8	347446	white	250	F6.3

fig.	Vare nr.	colour	volt. (V)	connection
9	347869	white	250	F6.3
10	359010	yellow	230	F6.3
11	359011	yellow	230	F6.3
12	359012	yellow	230	F6.3

27.2x22.2mm

fig.	Vare nr.	colour	volt. (V)	connection
1	359209	red	230	F6.3
2	359631	yellow	230	F6.3
3	359911	yellow	230	F6.3

27x12mm

fig.	Vare nr.	colour	volt. (V)	connection
1	348056	red	28	F6.3
2	348057	white	28	F6.3

28.5x28.5mm

1 2

fig.	Vare nr.	description
1	345926	light bulb housing 28.5x28.5mm orange connection cycle
2	345927	light bulb housing 28.5x28.5mm red level

1 2 3 4 5

fig.	Vare nr.	description
1	345728	indicator light lens 23x23 orange defrost
2	345610	indicator light lens 23x23 orange operating
3	345616	indicator light lens 23x23 orange Sinus
4	345614	indicator light lens orange heating
5	345617	indicator light lens orange thermometer

1 2

fig.	Vare nr.	description
1	359799	light bulb housing 28.5x28.5mm red
2	359798	light bulb housing 28.5x28.5mm yellow

28.5x52.6mm

1

fig.	Vare nr.	colour	volt. (V)	connection
1	345877	green	230	F6.3

28.5x77.5mm

1 2

fig.	Vare nr.	colour	volt. (V)	connection
1	345873	green	230	F6.3
2	359008	white/blue/green	230	F6.3

30x11mm

1 2 3

fig.	Vare nr.	colour	volt. (V)	connection
1	359160	green	230	F6.3
2	359158	red	230	F6.3
3	359159	yellow	230	F6.3

30x13mm

1 2

fig.	Vare nr.	colour	volt. (V)	connection
1	346548	green	220	F6.3
2	346547	red	230	F6.3

30x22mm

1 2 3 4

fig.	Vare nr.	colour	volt. (V)	connection
1	359180	yellow	230	F6.3
2	359178	green	230	F6.3
3	359179	clear	230	F6.3
4	359177	red	230	F6.3

5 6 7 8

fig.	Vare nr.	colour	volt. (V)	connection
5	359251	yellow	24	F6.3
5	359156	yellow	230	F6.3
6	359250	green	24	F6.3
6	359157	green	230	F6.3
7	359155	red	230	F6.3
8	359154	white	230	F6.3

9

fig.	Vare nr.	colour	volt. (V)	connection
9	359354	blue	230	F6.3

vm-elektro - +45 87262300 - vm@vm-elektro.dk - www.vm-elektro.dk

fig.	Vare nr.	colour	volt. (V)	connection
10	357011	white	230	F6.3
11	359409	white	230	F6.3
12	347641	red	230	F6.3

fig.	Vare nr.	colour	volt. (V)	connection	symbol
1	359407	white	230	F6.3	temperature
2	359406	white	230	F6.3	programme
3	359029	green	230	F6.3	flash
4	359030	green	230	F6.3	machine stand-by

fig.	Vare nr.	colour	volt. (V)	connection	symbol
5	357022	yellow	250	F6.3	coffee

fig.	Vare nr.	colour	volt. (V)	connection
1	359164	green/white	230	F6.3
2	301138	red/green	230	F6.3
3	346968	yellow/red	230	F6.3

33x10mm

fig.	Vare nr.	colour	volt. (V)	connection
1	359452	green	400	F6.3
2	359451	yellow	400	F6.3

34.1x23.1mm

fig.	Vare nr.	colour	volt. (V)	connection
1	347313	green	230	F6.3
2	347559	green	230	F6.3
3	347314	red	230	F6.3

34x10mm

fig.	Vare nr.	colour	volt. (V)	connection
1	359211	green	230	F6.3
2	359239	red	230	F6.3
2	359899	red	380	F6.3
3	359210	yellow	230	F6.3

miscellaneous



fig.	Vare nr.	description	suitable for
1	359429	indicator light 230 V connection male faston 6.3mm mounting ø 18 mm	Palux
2	357124	indicator light 230V green/red connection screw connection	Repagas
3	359273	indicator light 230V yellow	Giorik
4	359066	indicator light 30x21mm green 230 V	Krefft Rational
4	359065	indicator light 30x21mm white 230 V	Krefft Rational

fig.	Vare nr.	description	suitable for
5	359851	indicator light 32.5x8.5mm white 230 V	Cookmax Sirman
6	360619	indicator light green 125/250V connection male faston 6.3mm	Pitco
7	359887	lamp socket ø21mm E10	Krefft Küppersbusch Rational

LED

indicator lamps

mounting diameter 6mm

fig.	Vare nr.	colour	voltage	connection
1	359404	green	5VDC	cable 200mm
2	358098	yellow	5VDC	cable 200mm

mounting diameter 8mm

fig.	Vare nr.	colour	voltage	connection
1	359357	green	24VDC	F2.8x0.8
2	360650	red	12VDC	F2.8x0.8
2	359403	red	24VDC	F2.8x0.8
3	360651	yellow	12VDC	F2.8x0.8
3	359402	yellow	24VDC	F2.8x0.8

mounting diameter 14mm

fig.	Vare nr.	colour	voltage	connection
1	359382	green	230VAC	F2.8x0.8
2	359398	red	230VAC	F2.8x0.8
3	359397	yellow	230VAC	F2.8x0.8

mounting diameter 24mm

fig.	Vare nr.	colour	voltage	connection
1	360603	green	230VAC	F2.8
2	360602	yellow	230VAC	F2.8

mounting diameter 25mm

fig.	Vare nr.	colour	voltage	connection
1	360584	blue	3VDC	cable 1000mm
2	360585	green	3VDC	cable 1000mm
3	360583	red	3VDC	cable 1000mm

fig.	Vare nr.	colour	voltage	connection
1	360605	green	24VDC	F2.8
2	360604	red	24VDC	F2.8

miscellaneous

fig.	Vare nr.	version	voltage	colour	connection
1	359217	LED	220-240	green	Ba9s

LED bars

Frenox

fig.	Vare nr.	L (mm)	W (mm)	H (mm)
1	357212	300	20	20
1	357215	500	19	7
1	357214	690	20	20
1	357218	700	20	20

fig.	Vare nr.	L (mm)	W (mm)	H (mm)
1	357216	1200	20	20
1	357211	1230	20	20
1	357213	1435	15	7
1	357217	1600	20	20

Horeca-Select

fig.	Vare nr.	L (mm)	W (mm)	H (mm)
1	357138	698	13	13

accessories



fig.	Vare nr.	description
1	357178	power supply for LEDs 3W primary 100-240V secondary 0,35A 50/60Hz Qty 1 pcs
2	357152	power supply for LEDs RT-130-2-24cm Qty 1 pcs

screw-on/push-on fit

neon light bulbs

fig.	Vare nr.	socket	volt. (V)	colour	ø (mm)	L (mm)
1	359000	Ba9s	24	clear	10	24
2	359606	Ba9s	220	clear	10	28
2	359607	Ba9s	380	clear	10	28
3	359600	E10	220	clear	10	28
3	359585	E10	230	green	10	28
3	359601	E10	380	clear	10	28
4	359604	E14	220	clear	16	54
4	359605	E14	380	clear	16	54

vm-elektro - +45 87262300 - vm@vm-elektro.dk - www.vm-elektro.dk

fig.	Vare nr.	socket	volt. (V)	colour	ø (mm)	L (mm)
5	359602	E14	230	clear	14	30
5	359588	E14	230	green	14	30
5	359603	E14	380	clear	14	30
5	359589	E14	400	green	14	30
6	357006	T1 3/4	230	clear	4	15

light bulbs

for lighting

fig.	Vare nr.	socket	volt. (V)	P (W)	ø (mm)	L (mm)	Qty (pcs)
1	359613	E27	230	25	45	71	1
1	359614	E27	230	40	45	71	1
1	357102	E27	220-260	25	45	72	1
1	357103	E27	220-260	40	45	72	1
2	357177	E27	230	40	45	75	10
3	359849	E27	230	60	48	102	1

fig.	Vare nr.	socket	volt. (V)	P (W)	ø (mm)	L (mm)	Qty (pcs)
4	357219	E27	250	40	47	88	1

for ovens

fig.	Vare nr.	t.max. (°C)	P (W)	volt. (V)	ø (mm)	L (mm)	type
1	359740	300	15	230	22	20	IMPORT
1	359610	300	15	230	22	46	Philips
1	357153	300	25	230	25	55	-
1	359612	300	25	230	25	55	Philips
1	357099	500	15	235	22	50	-
1	359448	500	25	230	26	57	-
2	359615	300	25	230	45	76	IMPORT
2	359611	300	40	230	45	75	IMPORT
2	357154	300	40	230	45	75	Philips
2	357100	500	25	220-260	45	75	K4500
2	357101	500	40	220-260	45	75	K4500
3	357118	500	40	230/240	25	70	-

for indicator lights

fig.	Vare nr.	socket	volt. (V)	P (W)	ø (mm)	L (mm)
1	359597	T10	24	2	10	28
2	359598	Ba15d	230	5-7	16	35
3	359609	Ba15d	220-260	10/15	16	50

fig.	Vare nr.	socket	volt. (V)	P (W)	ø (mm)	L (mm)
4	359868	Ba9s	12	2	10	28
4	359807	Ba9s	24	2	10	28
4	359869	Ba9s	48	2	10	28
4	359656	Ba9s	130	2	10	28
5	359236	E10	24	3	10	28
6	359608	E14	230	10/15	16	51
6	359587	E14	220-260	6-10	16	51

fig.	Vare nr.	socket	volt. (V)	P (W)	ø (mm)	L (mm)
7	359055	T1 1/2	12	-	4.9	13
8	357005	T1 3/4	24	-	5	15
9	359592	T5.5K	12	3	5.5	22
9	359590	T5.5K	24	3	5.5	22
9	359591	T5.5K	48	3	5.5	22

halogen lamp

for socket E14 / E27

fig.	Vare nr.	socket	volt. (V)	P (W)	producer	Qty
1	357197	E14	230	25	OSRAM	1
1	359728	E14	230	40	-	1
2	359683	E27	240	60	-	1

for socket G4 / G6.35 / G9

1

2

3

fig.	Vare nr.	socket	volt. (V)	P (W)	Temp.Res. (°C)	producer
1	357188	G4	12	5	300	OSRAM
1	359579	G4	12	5	500	-
1	357189	G4	12	5	-	OSRAM
1	357191	G4	12	10	300	OSRAM
1	359596	G4	12	10	500	-
1	357190	G4	12	10	-	OSRAM
1	357193	G4	12	20	300	OSRAM
1	359599	G4	12	20	500	-
1	357192	G4	12	20	-	OSRAM
2	359074	G6.35	12	35	500	-
2	357194	G6.35	12	35	-	OSRAM
3	359945	G9	230	25	300	-
3	357195	G9	230	25	300	OSRAM
3	359946	G9	230	40	300	-
3	357196	G9	230	40	300	OSRAM

for socket GU5.3 / GU10 / GZ5.3

1

2

fig.	Vare nr.	socket	volt. (V)	P (W)	Temp.Res. (°C)
1	359665	GU10	230	50	-
2	357054	GU5.3	12	20	-
2	359496	GU5.3	12	50	-

3

fig.	Vare nr.	socket	volt. (V)	P (W)	Temp.Res. (°C)
3	359300	GZ5.3	235	25	400

linear lamps

halogen lamps

1

fig.	Vare nr.	socket	L (mm)	volt. (V)	P (W)	producer
1	357198	R7s	74.9	230	48	OSRAM
1	360556	R7s	74.9	230	80	OSRAM
1	357199	R7s	74.9	230	120	OSRAM
1	357090	R7s	117.6	230	120	OSRAM
1	357200	R7s	117.6	230	160	OSRAM
1	357201	R7s	117.6	230	230	OSRAM
1	357202	R7s	117.6	230	400	OSRAM

2

fig.	Vare nr.	socket	L (mm)	volt. (V)	P (W)	producer
2	359305	R7s	78.3	230	60	IMPORT
2	359616	R7s	78.3	230	150	IMPORT
2	359313	R7s	117.6	230	150	IMPORT
2	359647	R7s	117.6	230	200	IMPORT
2	359620	R7s	117.6	230	300	IMPORT
2	359621	R7s	117.6	230	500	IMPORT

infrared lamps

with fitting type KSSV

1

fig.	Vare nr.	L (mm)	volt. (V)	P (W)
1	359632	260	230	500
1	359629	260	230	650

fig.	Vare nr.	L (mm)	volt. (V)	P (W)
1	359638	330	230	1000
1	359624[1]	340	230	1000

[1]with reflector

with base type R7s

1

fig.	Vare nr.	L (mm)	volt. (V)	P (W)	producer
1	359628	117.6	240	300	IMPORT
1	357075	190	230	200	IMPORT
1	359676	190	230	350	IMPORT
1	357233	190	235	200	OSRAM
1	359331	220	230	300	IMPORT
1	359693	220	230	400	IMPORT
1	359627	220	230	500	IMPORT
1	357019	254	235	500	IMPORT
1	357207	254	235	500	OSRAM

2

fig.	Vare nr.	L (mm)	volt. (V)	P (W)	producer
2	357210	214	235	500	OSRAM

3

fig.	Vare nr.	L (mm)	volt. (V)	P (W)	producer
3	360507[1]	255	240	1300	IMPORT

[1]with gold-plating

vm-elektro - +45 87262300 - vm@vm-elektro.dk - www.vm-elektro.dk

pos.	Vare nr.	L (mm)	volt. (V)	P (W)	pos.	Vare nr.	L (mm)	volt. (V)	P (W)
1	359750	117.6	240	300	4	358116	349	240	365
2	359535	218	240	300	5	359537	349	240	1000
3	359536	218	240	500	6	358115	650	240	765

pos.	Vare nr.	L (mm)	volt. (V)	P (W)	CL (mm)
1	359622	428	230	1000	100

with base type X lug

pos.	Vare nr.	L (mm)	volt. (V)	P (W)	producer
1	359618	214	110	500	-
2	359617	340	220	1000	-
3	357208	365	235	1000	OSRAM

with base type Z ceramic

1

fig.	Vare nr.	L (mm)	volt. (V)	P (W)	CL (mm)	producer
1	359694	122	220-240	300	300	IMPORT
1	359581	218	240	300	205	IMPORT
1	359625	226	220-250	500	195	IMPORT
1	357209	349	235	1000	200	OSRAM
1	359626	349	220-250	1000	195	IMPORT

2

fig.	Vare nr.	L (mm)	volt. (V)	P (W)	CL (mm)	producer
2	359582	218	240	500	205	IMPORT

3

fig.	Vare nr.	L (mm)	volt. (V)	P (W)	CL (mm)	producer
3	357206[1]	251	240	1300		OSRAM
3	347971[1]	290	240	1300	600	IMPORT

[1]with gold-plating

pos.	Vare nr.	L (mm)	volt. (V)	P (W)	CL (mm)
1	359539	218	240	500	205
2	359678	349	230	365	205
3	359679	640	240	833	1300

sockets for linear lamps

KSSV

1

fig.	Vare nr.	description	ø (mm)	H (mm)
1	359650	lamp holder	12	25

R7s

1 2

fig.	Vare nr.	description	ø (mm)	H (mm)	connection	MD (mm)
1	359726	lamp socket	18	28	cable 230mm	-
1	357234	lamp socket	18	27	cable 2000mm	-
2	359445	bracket				36

3 4 5

fig.	Vare nr.	description	ø (mm)	H (mm)	connection	MD (mm)
3	359717	lamp socket	18	31	cable 320mm	28
4	359734	lamp socket	18	32	cable 200mm	27
5	359733	lamp socket	18	40	cable 230mm	27
5	360555	lamp socket	20	36	cable 400mm	28

6 7 8

fig.	Vare nr.	description	ø (mm)	H (mm)	connection	MD (mm)
6	359648	lamp socket	20	32	cable 320mm	24/33
7	359727	lamp socket	22	45	cable 300mm	30
8	359732	lamp socket	22	45	cable 320mm	30

vm-elektro - +45 87262300 - vm@vm-elektro.dk - www.vm-elektro.dk



fig.	Vare nr.	description	ø (mm)	H (mm)	connection	MD (mm)
9	359649	lamp socket	-	35	cable 350mm	8/35
10	359735	lamp socket	-	40	cable 230mm	-

fig.	Vare nr.	description	for length of lamp	H (mm)	connection	MD (mm)
1	359753[1]	lamp socket	117.6	62	cable 450mm	175

[1]only suitable for linear halogen lamps up to max. 150W



fig.	Vare nr.	description	for length of lamp	H (mm)	connection	MD (mm)
2	359544	lamp socket	117.6	40	cable 230mm	70
3	359545	reflector				



fig.	Vare nr.	description	for length of lamp	H (mm)	connection	MD (mm)
4	359542	lamp socket	78.3	50	cable 150mm	15
4	359663	lamp socket	117.6	47	cable 150mm	65
5	359547	lamp socket	78.3	43	cable 250mm	
5	359543	lamp socket	117.6	43	cable 150mm	64

fig.	Vare nr.	description	for length of lamp	H (mm)	connection	MD (mm)
6	359583	lamp socket	218	62	cable 200mm	120
6	359584	lamp socket	349	62	cable 200mm	250

X lug

fig.	Vare nr.	description	L (mm)	W (mm)	H (mm)	MD (mm)
1	359710	lamp socket	70	70	49	50

Z ceramic

fig.	Vare nr.	description	for length of lamp	L (mm)	W (mm)	H (mm)	MD (mm)
1	359658	lamp socket	218	220	47	62	120
2	359541	lamp socket	349	349	47	62	250

fig.	Vare nr.	description	for length of lamp	L (mm)	W (mm)	H (mm)	MD (mm)
3	359546	lamp socket		45	28	20	20

vm-elektro - +45 87262300 - vm@vm-elektro.dk - www.vm-elektro.dk

hard-glass infrared lamps

1

2

fig.	Vare nr.	volt. (V)	P (W)	ø (mm)	L (mm)
1	357205	240	275	125	170
1	360623	240	300	125	180
1	360539	240	375	120	180
1	357095	240	150	125	173
1	358097	240	250	125	173
2	357094	240	150	125	173
2	359463	240	250	125	173

fluorescent lamps

fluorescent lamps

G5

pos.	Vare nr.	L (mm)	P (W)	volt. (V)	Qty (pcs)
1	357132	212	6	230	1
2	357156	285	8	230	1
3	357155	285	8	230	5
4	359384	287	8	230	1
5	357148	547	14	230	1
6	357140	547	14	230	5
7	357203	549	14	230	1
8	359745	560	18	230	1
9	357204	849	21	230	1
10	359746	860	21	230	1

G13

pos.	Vare nr.	L (mm)	P (W)	volt. (V)	Qty (pcs)
1	359385	360	14	230	1
2	357145	438	15	230	1
3	359383	438	15	230	1
4	357112	438	15	230	10
5	359737	516	13	230	1
6	359371	590	18	230	1
7	357007	895	30	230	1
8	357146	895	30	230	1
9	357147	895	30	230	1
10	359372	895	30	230	1
11	357113	895	30	230	5
12	357139	895	30	230	10
13	359738	970	23	230	1
14	357008	1198	36	230	1
15	359386	1198	36	230	1
16	359390	1500	58	230	1

G23

pos.	Vare nr.	L (mm)	P (W)	volt. (V)
1	357024	108	5	230
2	359933	237	11	230

2G11

pos.	Vare nr.	L (mm)	P (W)	volt. (V)
1	359640	217	18	230
2	359635	310	24	230
3	359634	411	36	230

complete with holder

1

fig.	Vare nr.	L (mm)	W (mm)	P (W)	volt. (V)	suitable for
1	360610	343	23	8	220-240	Fagor

2

fig.	Vare nr.	L (mm)	W (mm)	P (W)	volt. (V)	suitable for
2	359743	600	42	18	230	Inomak
2	359744	900	42	21	230	Inomak
2	359481	1204		28	230	Öztiryakiler

3

fig.	Vare nr.	L (mm)	W (mm)	P (W)	volt. (V)	suitable for
3	357115	1224	23	28	220/240	Izmak Philips

4

fig.	Vare nr.	L (mm)	W (mm)	P (W)	volt. (V)	suitable for
4	359391	1245	37	36		Emainox GE General Electric
4	359392	1545	37	58		Emainox

accessories

sockets

1

2

3

fig.	Vare nr.	socket	suitable for
1	359730	2G11	Mercury
2	381156	2G11	Eloma
3	357025	G23	Marco

4

5

6

fig.	Vare nr.	socket	suitable for
4	359684	G5	Scholl
5	359395	G13	CB
6	381169	G13	Dukers Horeca-Select

7

8

fig.	Vare nr.	socket	suitable for
7	358176	G13	Emainox
8	358175	G13	Emainox

9

10

fig.	Vare nr.	socket	suitable for
9	359389	G13	—
10	359388	G13	—

11

12

fig.	Vare nr.	socket	suitable for
11	359682	G13	Scholl
12	359681	G13	Scholl

starter holders

1

2

3

fig.	Vare nr.	P (W)	suitable for
1	359394		CB
2	380466		Desmon Scholl
3	381170		Dukers Horeca-Select

starter

1

2

fig.	Vare nr.	P (W)
1	357150	11
2	380464	4-65

ballasts

1

2

3

fig.	Vare nr.	P (W)	volt. (V)	Qty (pcs)	suitable for
1	403191	9	220	1	Dukers Horeca-Select
1	403176	9	220	5	Dukers Horeca-Select
2	402063	15	230	1	Cookmax Mafirol
3	403192	15	220-240	1	Dukers Horeca-Select

4

5

6

fig.	Vare nr.	P (W)	volt. (V)	Qty (pcs)	suitable for
4	403177	15	220-240	5	Dukers Horeca-Select
5	401504	18	230	1	CB Cookmax Fagor IARP Mafirol
6	402064	25	230	1	Cookmax Mafirol

vm-elektro - +45 87262300 - vm@vm-elektro.dk - www.vm-elektro.dk

7

8

9

fig.	Vare nr.	P (W)	volt. (V)	Qty (pcs)	suitable for
7	401141	30	230	1	Coldmaster Desmon Emainox Scholl
8	402065	30	230	1	Cookmax Mafirol
9	403190	30	220-240	1	Dukers Horeca-Select
9	403175	30	220-240	5	Dukers Horeca-Select
9	358134	76	230	1	Dukers Horeca-Select
9	358124	76	230	5	Dukers Horeca-Select

10

11

fig.	Vare nr.	P (W)	volt. (V)	Qty (pcs)	suitable for
10	401505	36	230	1	CB Cookmax Fagor IARP Ilsa Mafirol
11	402066	58	230	1	Cookmax Mafirol

fridge lamps

1

fig.	Vare nr.	description	socket	P (W)	volt. (V)	ø (mm)	L (mm)
1	359595	light bulb	E14	15	230-240	25	56

producer-specific fridge lamps

ELECTROLUX

1

fig.	Vare nr.	description
1	357106	lamp glass L 103 mm W 65 mm plastic

NINGBO ROTOR

1

2

3

fig.	Vare nr.	description	Ref. No.
1	357127	LED fridge GHR1040 white 220 V PCB voltage AC	—
2	357143	cover for lamp plastic ø 62mm clear Qty 1 pcs	RW40.38
3	357144	lamp holder for LEDs ø 84mm Qty 1 pcs	RW40.37

1

fig.	Vare nr.	description	Ref. No.
1	357149	lamp socket T140 250V L 34,5mm H 31mm plastic Qty 1 pcs 500W hole distance 254mm	GGC1078-32

NINGBO ROTOR

1

fig.	Vare nr.	description
1	357149	lamp socket T140 250V L 34,5mm H 31mm plastic Qty 1 pcs 500W hole distance 254mm

RWA

1

2

3

fig.	Vare nr.	description
1	357144	lamp holder for LEDs ø 84mm Qty 1 pcs
2	357127	LED fridge GHR1040 white 220 V PCB voltage AC
3	357143	cover for lamp plastic ø 62mm clear Qty 1 pcs

microwave lamps

lamps (complete)

1

2

3

fig.	Vare nr.	socket	volt. (V)	P (W)	ø (mm)	L (mm)	Qty (pcs)	suitable for
1	359561	-	220-240	25	25	67	1	—
2	358149	E14	250	75	25	125	1	ACP
3	357221	flange 52x27mm	240	25	25	62	1	ACP

sockets

fig.	Vare nr.	socket	volt. (V)	P (W)	ø (mm)	L (mm)	Qty (pcs)	suitable for
1	357141	E14	250		26	37	1	Galanz Horeca-Select
2	360597	E14	250	75	27	44	1	ACP

light bulbs

fig.	Vare nr.	socket	volt. (V)	P (W)	ø (mm)	L (mm)	Qty (pcs)
1	357142	E14	230	20	22	58	1
1	357134	E14	230	20	22	58	5
1	357175	E14	230	20	25	63	1
1	357174	E14	230	20	25	63	50
1	359549	E14	220-240	25	25	60	1
2	357220	E14	240	20	25	40	1
3	357222	E14	240	25	24.8	81.5	1

fig.	Vare nr.	socket	volt. (V)	P (W)	ø (mm)	L (mm)	Qty (pcs)
4	359551	E14	240	15	26	57	1
5	359559	F4.8	220-240	20	24	80	1

oven lamps

universal oven lamps

mounting diameter 28.5mm

fig.	Vare nr.	description
1	359317	oven lamp mounting ø 28,5 mm 12 V 5 W socket G4 cable length 300 mm
2	359308	oven lamp glass

mounting diameter 35.5mm

fig.	Vare nr.	volt. (V)	P (W)	socket	connection	version
1	357162	12	20	G4	cable 450mm	borosilicate glass
2	359720	230	15	E14	F6.3	borosilicate glass
3	359718	230	15	E14	F6.3	hard glas

fig.	Vare nr.	volt. (V)	P (W)	socket	connection	version
4	359660	230	25	E14	F6.3	hard glas
5	359934	230	25	E14	F6.3	hard glas
5	359457	230	25	G9	F6.3	borosilicate glass
6	360601	230	25	G4	F6.3	hard glas

fig.	Vare nr.	volt. (V)	P (W)	socket	connection	version
7	357232	230	40	G9	cable 85mm	borosilicate glass
8	359259	230	40	G9	cable 380mm	borosilicate glass

fig.	Vare nr.	description	socket	connection
1	359701	lamp socket	E14	F6.3
2	359762	lamp socket	G4	cable 350mm
2	357080	lamp socket	G4	cable 2400mm
2	359841	lamp socket	G4	cable 3500mm
3	357160	lamp socket	G9	cable 100mm
3	357161	lamp socket	G9	cable 380mm

fig.	Vare nr.	description	socket	connection
4	359427	lamp socket	G9	F6.3

vm-elektro - +45 87262300 - vm@vm-elektro.dk - www.vm-elektro.dk

fig.	Vare nr.	description	ø (mm)	version	Temp.Res. (°C)
1	359033	oven lamp glass	41	hard glas	350
2	359942	oven lamp glass	41	hard glas	350
3	359709	oven lamp glass	42	hard glas	350

fig.	Vare nr.	description	ø (mm)	version	Temp.Res. (°C)
4	359723	oven lamp glass	51	borosilicate glass	550
5	359705	oven lamp glass	52	borosilicate glass	550
6	359661	oven lamp glass	58	hard glas	350

fig.	Vare nr.	description	material	ID ø (mm)	ED ø (mm)	T (mm)
1	359700	gasket	fibre glass	32.5	55	5
2	358135[1]	gasket	PTFE	44	53	3
3	358128	gasket	silicone	30	38	2
4	359721	gasket	silicone	48	39.5	5

[1]with silicone O-ring

mounting diameter 47.8mm

fig.	Vare nr.	volt. (V)	P (W)	socket	connection	version
1	357187	230	15	E14	F6.3	hard glas
2	359711	230	25	E14	F6.3	hard glas

fig.	Vare nr.	volt. (V)	P (W)	socket	connection	version
3	359703	230	15	E14	F6.3	hard glas
4	357165	230	40	G9	F6.3	hard glas

fig.	Vare nr.	description	socket	connection
1	359499	lamp socket	E14	F6.3
2	360541	lamp socket	G9	F6.3

fig.	Vare nr.	description	ø (mm)	version	Temp.Res. (°C)
1	357166	oven lamp glass	54	hard glas	350
2	359725	oven lamp glass	54	hard glas	350

mounting diameter 65.5mm



fig.	Vare nr.	volt. (V)	P (W)	socket	connection	version
1	357078	230	40	E14	F6.3	hard glas
2	359712	230	40	E14	F6.3	hard glas

fig.	Vare nr.	volt. (V)	P (W)	socket	connection	version
3	357167	230	40	G9	F6.3	borosilicate glass

fig.	Vare nr.	description	socket	connection
1	359022	lamp socket	E14	F6.3
2	357002	lamp socket	G9	F6.3

1

fig.	Vare nr.	description	ø (mm)	version	Temp.Res. (°C)
1	359724	oven lamp glass	74	hard glas	350

1 2 3

fig.	Vare nr.	description	material	ID ø (mm)	ED ø (mm)	T (mm)
1	357083	sealing ring	metal	63	78	3
2	359729	gasket	PTFE	57	67	5
3	359722	gasket	silicone	57.5	68	2

30x70mm

1 2

fig.	Vare nr.	description
1	359337	oven lamp connection Faston 6,3mm
2	359338	lamp glass

55x70mm

1 2

fig.	Vare nr.	volt. (V)	P (W)	socket	connection
1	358111	12	20	G4	cable 135mm
2	359659	230	25	E14	F6.3

3

fig.	Vare nr.	volt. (V)	P (W)	socket	connection
3	358130	230	25	G9	cable 300mm

1 2

fig.	Vare nr.	socket	connection
1	357159	E14	F6.3
2	358148	G4	cable 135mm

3 4

fig.	Vare nr.	socket	connection
3	358131	G9	cable 300mm
4	357105	G9	F6.3

1

fig.	Vare nr.	description
1	359937	lamp glass L 80 mm W 65 mm 52x67mm

1 2

fig.	Vare nr.	description
1	357171	oven lamp complete 230 V 25 W socket G9 L 70 mm W 55 mm 55x70mm connection male faston 6.3mm
2	359937	lamp glass L 80 mm W 65 mm 52x67mm

1 2

fig.	Vare nr.	description
1	360608	lamp L 95mm W 80mm 230-240V 25W E14 complete temp.-resist. 300°C connection F6,3
2	357105	lamp socket socket G9 250 V 55x70mm connection male faston 6.3mm H 32 mm



3 4

fig.	Vare nr.	description
3	359299	gasket for oven lamp L 91mm W 77mm hole ø 3mm
4	359296	lamp glass L 74 mm W 58 mm thickness 3 mm

vm-elektro - +45 87262300 - vm@vm-elektro.dk - www.vm-elektro.dk



fig.	Vare nr.	description
5	358147	gasket for oven lamp L 75mm W 65mm thickness 1mm
6	359297	frame L 95mm W 81mm thickness 6mm mounting distance 68/83mm

55x100mm

fig.	Vare nr.	description
1	359696	oven lamp complete 25W 230V L 100mm W 55mm E14 temp.-resist. 300°C
2	359698	lamp socket E14 L 100mm W 55mm connection male faston 6,3mm

fig.	Vare nr.	description
3	359938	borosilicate glass L 115 mm W 69 mm

fig.	Vare nr.	description
1	101372	oven lamp complete 25W 230V L 100mm W 55mm E14 rectangular temp.-resist. 300°C
2	359698	lamp socket E14 L 100mm W 55mm connection male faston 6,3mm

fig.	Vare nr.	description
3	359715	lamp glass L 110 mm W 65 mm thickness 5 mm
4	359714	gasket for bulb socket

fig.	Vare nr.	description
5	359716	frame for bulb socket

60x100mm

fig.	Vare nr.	description
1	359767	oven lamp temp.-resist. 300°C connection male faston 6,3mm
2	359944	borosilicate glass

50x75.5mm

fig.	Vare nr.	description
1	359309	oven lamp L 75mm W 50mm 230V 40W E14 temp.-resist. 300°C connection male faston 6,3mm
2	360484	lamp socket L 75mm W 50mm 230V 40W socket E14 temp.-resist. 300°C connection male faston 6,3mm
3	359303	oven lamp glass L 88 mm W 54 mm for oven lamp

producer-specific oven lamps

ANGELO PO

fig.	Vare nr.	description	Ref. No.
1	359701	lamp socket socket E14 220-230V mounting ø 35,5 mm connection male faston 6.3mm 15 W	32W2561
2	359340	glass panel ø 78mm thickness 3mm round	3036650
3	359339	gasket thickness 1mm ID ø 65mm ED ø 80mm	37Q7840

BERTO'S

fig.	Vare nr.	description	Ref. No.
1	359839	lamp socket G4 for halogen lamp	10867
2	359840	frame for oven lamp	40863
3	359299	gasket for oven lamp L 91mm W 77mm hole ø 3mm	10304

fig.	Vare nr.	description	Ref. No.
4	359296	lamp glass L 74 mm W 58 mm thickness 3 mm	10305
5	359297	frame L 95mm W 81mm thickness 6mm mounting distance 68/83mm	24289500

BOURGEOIS

fig.	Vare nr.	description	Ref. No.
1	359580	lamp socket for halogen lamp	Lamp012
2	360530	lamp glass L 47,4 mm W 32,8 mm glas thickness 3,2 mm	HUBL009
3	511690	gasket for lamp L 78mm W 42mm silicone thickness 3mm hole distance 66,5mm	JOIN109

CONVOTHERM

fig.	Vare nr.	description
1	360639	oven lamp complete 230 V 25 W socket G9 55x70mm connection male faston 6.3mm
2	359488	oven lamp complete 55x70mm 230 V 15 W socket E14 rectangular connection male faston 6.3mm L 87 mm

fig.	Vare nr.	description
3	357105	lamp socket socket G9 250 V 55x70mm connection male faston 6.3mm H 32 mm
4	357159	lamp socket socket E14 55x70mm connection male faston 6.3mm Qty 1 pcs



fig.	Vare nr.	description
5	358180	gasket for oven lamp L 94mm W 78mm thickness 3mm PTFE
6	694335	lamp glass L 87 mm W 72 mm thickness 3 mm



fig.	Vare nr.	description
7	360641	gasket for oven lamp L 86 mm W 71 mm thickness 0,5 mm PTFE
8	360640	frame L 98 mm W 83 mm thickness 6,5 mm mounting distance mm stainless steel



fig.	Vare nr.	description	Ref. No.
1	359701	lamp socket socket E14 220-230V mounting ø 35,5 mm connection male faston 6.3mm 15 W	5005016
2	359643	lamp glass ø 69 mm thickness 4 mm	—
3	359642	gasket thickness 5,5mm graphite ID ø 62mm ED ø 70mm	6005013

fig.	Vare nr.	description	Ref. No.
4	692171	frame for lamp lenses bore ø 6,3mm D1 ø 72mm D2 ø 56mm L 83mm W 83mm thickness 1mm	5005020

fig.	Vare nr.	description	Ref. No.
1	360629	oven lamp mounting ø 10mm 12V 10W socket G4 CONVOTHERM temp.-resist. 300°C	2628501

ELECTROLUX

fig.	Vare nr.	description	Ref. No.
1	359841	lamp socket socket G4 mounting ø 35,5 mm connection cable 3500mm	007105
1	359762	lamp socket socket G4 mounting ø 35,5 mm connection cable 350mm	0C1555
2	359764	lamp glass ø 44 mm	002627
3	359763	frame without socket	002626
4	359765	lamp holder ED ø 76mm ID ø 38mm	002628

fig.	Vare nr.	description	Ref. No.
1	359376	lamp socket E14	054320
2	359377	oven lamp glass H 30 mm ø 47 mm	054318

vm-elektro - +45 87262300 - vm@vm-elektro.dk - www.vm-elektro.dk

FAGE

fig.	Vare nr.	description	Ref. No.
1	359690	lamp socket E27 ø 52mm	PORLAM27
2	693486	glass panel L 81mm W 81mm thickness 4mm square	VETRO85

FAGOR

fig.	Vare nr.	description	Ref. No.
1	359432	lamp socket socket G4 25V H 18mm connection male faston 4,8mm	12019933
2	359433	gasket	12017827

fig.	Vare nr.	description	Ref. No.
1	359432	lamp socket socket G4 25V H 18mm connection male faston 4,8mm	12019933
2	359428	reflector	12012053
3	359426	lamp glass L 38 mm W 38 mm thickness 3 mm	12016678

fig.	Vare nr.	description	Ref. No.
4	359425	gasket for oven lamp L 71mm W 71mm thickness 1,5mm rubber	12020892
5	359424	frame L 75mm W 75mm mounting distance 61mm	12012381

fig.	Vare nr.	description	Ref. No.
1	359295	lamp socket for halogen lamp 12V 20W G4 55 x 70mm cable length 135mm	12024545
2	359405	gasket L 95mm W 80mm thickness 2mm graphite hole ø 5mm	12023578
3	359408	glass panel L 74mm W 59mm thickness 3mm	12023668



fig.	Vare nr.	description	Ref. No.
4	359415	gasket for oven lamp L 78mm W 62mm thickness 1mm graphite	12023532
5	359423	frame for oven lamp L 95mm W 80mm thickness 6mm	12024464

FOINOX

fig.	Vare nr.	description	Ref. No.
1	359839	lamp socket G4 for halogen lamp	10867
2	359840	frame for oven lamp	—
3	359299	gasket for oven lamp L 91mm W 77mm hole ø 3mm	10304

fig.	Vare nr.	description	Ref. No.
4	359296	lamp glass L 74 mm W 58 mm thickness 3 mm	10305
5	359297	frame L 95mm W 81mm thickness 6mm mounting distance 68/83mm	10306

FORNITALIA

fig.	Vare nr.	description	Ref. No.
1	359369	lamp socket socket G4/G5.3/G6.35 24 V ø 17 mm H 10 mm connection cable 730mm	—
2	359495	frame without socket	65/65Z11
3	359496	halogen lamp GU5,3 12V 50W	K65/65

fig.	Vare nr.	description	Ref. No.
4	359497	lamp glass ø 52 mm	K65/6509
5	359498	spring for lens	K65/6507

GEMINI FORNI

fig.	Vare nr.	description	Ref. No.
1	359698	lamp socket E14 L 100mm W 55mm connection male faston 6,3mm	550181
2	358122	gasket for bulb socket L 112mm W 68mm thickness 3mm silicone	233054
3	358123	lamp glass L 112 mm W 68 mm	233186

fig.	Vare nr.	description	Ref. No.
4	358119	frame for bulb socket L 118mm W 72mm mounting distance 143mm	233185

GIORIK



fig.	Vare nr.	description	Ref. No.
1	359499	lamp socket socket E14 mounting ø 47,8 mm connection male faston 6.3mm	—
2	532649	O-ring Viton thickness 2,62mm ID ø 63,17mm Qty 1 pcs	—
3	360552	borosilicate glass ø 88 mm H 28 mm thickness 4 mm	—



fig.	Vare nr.	description	Ref. No.
4	525313	O-ring Viton thickness 3,53mm ID ø 60,33mm Qty 1 pcs	—

HATCO

fig.	Vare nr.	description	Ref. No.
1	359500	lamp socket socket E27 250V ø 35mm H 38mm connection cable 250mm Qty 1 pcs	X02.30.102.00
2	359847	lamp socket E27 for HATCO heat bridge GR	02.30.044.00
3	359848	lamp socket E27 double for HATCO heat bridge GR	02.30.045.00

HOUNÖ

fig.	Vare nr.	description	Ref. No.
1	357092	lamp socket G4 ø 17mm H 9mm mounting distance 12mm with 2 hole fixing cord length 450mm	066019
2	360618	lamp glass with rubber gasket mounting ø 85 mm	20120131

fig.	Vare nr.	description	Ref. No.
1	357092	lamp socket G4 ø 17mm H 9mm mounting distance 12mm with 2 hole fixing cord length 450mm	066019
2	694503	gasket for lamp lenses ø 82mm hole ø 51mm	014575
3	694502	lamp glass metal glas with frame and gasket ø 85 mm	037519

IZMAK

fig.	Vare nr.	description	Ref. No.
1	357098	lamp socket E14 L 150mm H 45mm mounting distance 124mm	101011
2	694500	glass panel L 85mm W 85mm thickness 5mm	101012

LAINOX

fig.	Vare nr.	description	Ref. No.
1	359674	lamp socket socket G4 24V H 16mm connection cable 100mm mounting distance 20mm	LAR65270450
2	359670	lamp glass L 105 mm W 40 mm thickness 4 mm	LAR71500150
3	359671	gasket	LAR70044200
4	359672	frame	LAR11401450

fig.	Vare nr.	description	Ref. No.
1	359669	lamp socket G4 for halogen lamp	LAR50304510
2	357131	lamp socket socket G4 L 90mm W 65mm H 21mm connection cable 100mm mounting distance 20mm	LAR65270400
3	359667	reflector L 141mm	LAR10400150

vm-elektro - +45 87262300 - vm@vm-elektro.dk - www.vm-elektro.dk

fig.	Vare nr.	description	Ref. No.
4	359668	gasket	LAR70040800

MKN

fig.	Vare nr.	description	Ref. No.
1	357184	lamp socket G4 ø 17 mm H 9 mm connection male faston 6,3mm	203678
2	693050	gasket graphite D1 ø 71mm D2 ø 94mm thickness 1mm Qty 1 pcs suitable for MKN	211128
3	694294	glass panel ø 90mm thickness 8mm	216115

OEM

fig.	Vare nr.	description	Ref. No.
1	359639	lamp socket E14 with grip fixing	EL06900
2	698562	reflector L 120 mm W 108 mm H 33 mm ø 120 mm	QAT2200
3	359700	gasket for pizza oven fibre glass ID ø 32,5 mm ED ø 55 mm thickness 5 mm	AL26600
4	359661	oven lamp glass thread 32,1 ø 58 mm hard glas temp.-resist. 350 °C	AL20100

fig.	Vare nr.	description	Ref. No.
1	359320	lamp socket socket G6,35 24V ø 16mm H 10mm connection male faston 6,3mm	EL05600
2	698561	bracket for lamp L 178 mm W 98 mm H 40 mm	HAT6400
3	698562	reflector L 120 mm W 108 mm H 33 mm ø 120 mm	QAT2200
4	359700	gasket for pizza oven fibre glass ID ø 32,5 mm ED ø 55 mm thickness 5 mm	AL26600

fig.	Vare nr.	description	Ref. No.
5	359661	oven lamp glass thread 32,1 ø 58 mm hard glas temp.-resist. 350 °C	AL20100

fig.	Vare nr.	description	Ref. No.
1	359320	lamp socket socket G6,35 24V ø 16mm H 10mm connection male faston 6,3mm	EL05600
2	359322	lamp holder for bulb socket	HAT5910

fig.	Vare nr.	description	Ref. No.
1	359639	lamp socket E14 with grip fixing	EL06900
2	359323	lamp glass with gasket L 154 mm W 63 mm thickness 8 mm	AL04000
3	359325	gasket	AL03220

RATIONAL

fig.	Vare nr.	description	Ref. No.
1	359873	lamp socket G4 for halogen lamp	8514.1018
2	359879	gasket	5110.1023
3	359877	lamp glass L 95 mm W 72 mm thickness 4 mm	5201.1000

fig.	Vare nr.	description	Ref. No.
4	359880	gasket L 95mm W 72mm	5110.1022
5	359876	frame SS for lamp lenses	8514.1017

fig.	Vare nr.	description	Ref. No.
1	359874	lamp socket G4 for halogen lamp	40.00.098
2	359881	gasket L 85mm W 70mm	40.00.094
3	359878	lamp glass L 80 mm W 65 mm thickness 4 mm	40.00.095

fig.	Vare nr.	description	Ref. No.
4	359882	gasket L 81mm W 65mm	40.00.093
5	359875	lamp glass with gasket and frame	40.00.091

RETIGO

fig.	Vare nr.	description	Ref. No.
1	359922	lamp socket with 2 hole fixing 25 V socket G4 connection cablel 140mm ø 17 mm H 10 mm	EA13-0101
2	357182	lamp glass ø 37 mm thickness 3 mm	AX07-0001
3	357183	gasket for bulb socket thickness 1,5mm ø 37mm graphite ID ø 31mm	AX07-0002

fig.	Vare nr.	description	Ref. No.
1	359922	lamp socket with 2 hole fixing 25 V socket G4 connection cablel 140mm ø 17 mm H 10 mm	EA13-0101
2	680001	lamp glass ø 69 mm thickness 2,9 mm	AX07-0004
3	680000	gasket cavity lighting ø 92mm ID ø 58mm rubber thickness 7,6mm suitable for	AX07-0006

SALVA

fig.	Vare nr.	description	Ref. No.
1	359922	lamp socket with 2 hole fixing 25 V socket G4 connection cablel 140mm ø 17 mm H 10 mm	—
2	357107	lamp glass L 126 mm W 37 mm thickness 4 mm	—

ZANOLLI



fig.	Vare nr.	description	Ref. No.
1	359666	lamp socket socket E27 250V ø 40mm H 46mm connecti-on screw with fastening angle	ELET0227
2	693380	glass panel L 100mm W 100mm thickness 6mm square	CRIS0023

fig.	Vare nr.	description	Ref. No.
1	359664	lamp socket W 21 mm socket GU10 connection grip connection ø 17 mm H 12 mm	LAMP0021
2	359665	halogen lamp GU10 230V 50W	LAMP0037
3	693379	glass panel L 180mm W 90mm thickness 6mm rectan-gular	CRIS0006

lamps

light bulbs

fig.	Vare nr.	socket	volt. (V)	P (W)	t.max. (°C)
1	359610	E14	230	15	300
1	359740	E14	230	15	300
1	357153	E14	230	25	300
1	359612	E14	230	25	300
1	359448	E14	230	25	500
1	357099	E14	235	15	500
2	357118	E14	230/240	40	500
3	359615	E14	230	25	300
3	357154	E14	230	40	300
3	359611	E14	230	40	300
3	357100	E14	220-260	25	500
3	357101	E14	220-260	40	500
4	359613	E27	230	25	300
4	359614	E27	230	40	300
4	357102	E27	220-260	25	500
4	357103	E27	220-260	40	500

fig.	Vare nr.	socket	volt. (V)	P (W)	t.max. (°C)
5	359849	E27	230	60	-

halogen lamps

for socket E14 / E27

fig.	Vare nr.	socket	volt. (V)	P (W)	producer	Qty
1	359728	E14	230	40	-	1
2	359683	E27	240	60	-	1

for socket G4 / G6.35 / G9

fig.	Vare nr.	socket	volt. (V)	P (W)	Temp.Res. (°C)	producer
1	357188	G4	12	5	300	OSRAM
1	359579	G4	12	5	500	-
1	357189	G4	12	5	-	OSRAM
1	357191	G4	12	10	300	OSRAM
1	359596	G4	12	10	500	-
1	357190	G4	12	10	-	OSRAM
1	357193	G4	12	20	300	OSRAM
1	359599	G4	12	20	500	-
1	357192	G4	12	20	-	OSRAM
2	359074	G6.35	12	35	500	-

Table continues overleaf

vm-elektro - +45 87262300 - vm@vm-elektro.dk - www.vm-elektro.dk

3

fig.	Vare nr.	socket	volt. (V)	P (W)	Temp.Res. (°C)	producer
2	357194	G6.35	12	35	-	OSRAM
3	359945	G9	230	25	300	-
3	357195	G9	230	25	300	OSRAM
3	359946	G9	230	40	300	-
3	357196	G9	230	40	300	OSRAM

for socket GU5,3 / GU10

1

2

3

fig.	Vare nr.	socket	volt. (V)	P (W)	Temp.Res. (°C)
1	359665	GU10	230	50	-
2	357054	GU5.3	12	20	-
2	359496	GU5.3	12	50	-
3	359300	GZ5.3	235	25	400

sockets

G4 / G5,3 / G6,35

1

2

3

fig.	Vare nr.	socket	ø (mm)	H (mm)	MD (mm)	CL (mm)
1	359304	G4	17	9	12	120
1	357185	G4/G5.3/G6.35	17	9	12	750
2	359369	G4/G5.3/G6.35	17	10	11.5	730
3	359923	G4/G5.3/G6.35	17	10	26	140
3	359646	G4/G5.3/G6.35	17	15	26	130

E14

1

technical data:
diameter 43,5mm
connection screw

fig.	Vare nr.	H (mm)	MD (mm)
1	357130	46.5	-

E27

1

2

3

technical data:
connection screw

fig.	Vare nr.	ø (mm)	H (mm)	MD (mm)
1	359917	45	56	-
1	359918	45	63	-

fig.	Vare nr.	ø (mm)	H (mm)	MD (mm)
2	359921	52	52	54
3	359919	53	38	-

residual heat indicators

1

2

fig.	Vare nr.	version	volt. (V)	connection	mounting ø (mm)
1	359429		230	F6.3	18
2	357003	single	250	F6.3	14

hand lamps

1

fig.	Vare nr.	description
1	550441	inspection lamp cable PVC cable length 5m

2

fig.	Vare nr.	description
2	801398	torch LED 1 W ø 27 mm handle ø 19 mm L 155 mm

3

fig.	Vare nr.	description
3	801327	torch LED 1 W ø 35 mm handle ø 27 mm L 143 mm