




Reservedele til

DIHR

2018



heating elements

coil heating elements


			
Vare Nr.	419039	Ref. No.	002000359 DW2000359
description	heating element 2000/2180W 230/240V L 395mm W 93mm thread 3/8" connection M6 connection length 45mm dishwasher dry heating element heating circuits 1 2 hole fixing		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX300, CX, FX, LC80, LC90, LC90-2, LC90-4, LC90-900, LC97-4, LC97-5		

immersion heating elements


3 hole flange ø38.5mm

			
Vare Nr.	415261	Ref. No.	0018206 DW18206
description	heating element 2400W 230V mounting ø 38.5mm heating circuits 1 L 242mm W 31mm H 22mm number of thermostat sleeves 1 thermostat sleeves ø 7.5mm length thermostat sleeves 180mm thermostat sleeve eccentric, non clinging tube ø 6.3mm hole distance 57mm hole ø 10mm cable length 130mm 3 hole flange connection male faston 6.3mm immersion heater		
For models:	C40-CF, C40-LS, DS35, Electron400, Electron400, Electron400CleanWater, GS35-RL09-NEW, Gastro400S, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS40, GS-40, GS-40-RL09-NEW, GS40-RL09-NEW, Star, STAR-CF, STAR-LS, Tekno4		
spare parts for	415261		
	Vare Nr.	521120	Ref. No. 13010
O-ring EPDM thickness 5.34mm ID ø 37.47mm Qty 1 pcs			
accessories for	415261		
	Vare Nr.	532577	Ref. No. —
O-ring EPDM thickness 5.34mm ID ø 40.65mm Qty 1 pcs			


			
Vare Nr.	416277	Ref. No.	0018206/D DW18206/D
description	heating element 2800W 230V mounting ø 38.5mm heating circuits 1 L 302mm W 37mm H 28mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 199mm thermostat sleeve not clinging tube ø 6.4mm hole distance 57mm hole ø 10mm cable length 114mm 3 hole flange connection 26 immersion heater		
For models:	DS35, DS37, DS40, DS40, Electron400, Electron400, Electron400CleanWater, Gastro400S, GS37, GS37-RL09-NEW, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS		
accessories for	416277		
	Vare Nr.	532577	Ref. No. —
O-ring EPDM thickness 5.34mm ID ø 40.65mm Qty 1 pcs			

 			
1			
Vare Nr.	416398	Ref. No.	0018215 DW18215
description	heating element 4000W 230V mounting ø 38.5mm heating circuits 3 L 287mm W 26mm H 34mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 255mm thermostat sleeve centred, adjacent tube ø 6.3mm hole distance 57mm hole ø 10mm 3 hole flange connection male faston 6.3mm immersion heater		
For models:	DS40, DS40, Electron400, Electron400, Electron400CleanWater, Gastro400S, GS40, GS40, GS40, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS		
accessories for	416398		
	Vare Nr.	521120	Ref. No. 13010
O-ring EPDM thickness 5.34mm ID ø 37.47mm Qty 1 pcs			

3 hole flange ø47.5mm

1  				
Vare Nr.	420359	Ref. No.	00590121 DW590121	
description	heating element 6000W 230V mounting ø 47.5mm heating circuits 3 L 275mm W 32mm H 40mm number of thermostat sleeves 1 thermostat sleeves ø 7.5mm length thermostat sleeves 150mm thermostat sleeve eccentric, non clinging tube ø 8.5mm hole distance 62mm hole ø 10mm connection male faston 6.3mm 3 hole flange immersion heater			
For models:	TwinStar			
accessories for	420359			
	Vare Nr.	510408	Ref. No.	0013005 13005 DW13005
O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs				
	Vare Nr.	510562	Ref. No.	—
O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs				

3 hole flange ø57.5mm

 			
Vare Nr.	419191	Ref. No.	0010300011 DW10300011
description	heating element 3000-3270W 230-240V mounting ø 57.5mm heating circuits 3 L 195mm W 35mm H 40mm with O-ring		


with compression flange 62 x 26mm





1


Vare Nr.	415267	Ref. No.	0017201 DW17201	
description	heating element 1800W 230V heating circuits 1 compression flange flange 62x26mm L 190mm W 41mm Hmm connection male faston 6.3mm tube ø 6.3mm immersion heater			
For models:	Synthesis, TURBO-CF, TURBO-LS			
accessories for	415267			
	Vare Nr.	510387	Ref. No.	—
 gasket L 46mm W 22mm ømm EPDM for heating element for flange 50x26mm				

 			
Vare Nr.	415266	Ref. No.	0010714 DW10714
description	heating element 2000W 230V heating circuits 1 compression flange flange 62x26mm L 300mm W 41mm Hmm connection male faston 6.3mm tube ø 6.3mm immersion heater		
For models:	C40-CF, C40-LS, Derby, Derby400, DERBY-CF, G35		

 			
Vare Nr.	415268	Ref. No.	0016035/A DW16035/A
description	heating element 1850-2020W 230-240V heating circuits 1 expansion flange flange 62x26mm L 245mm W 40mm H 25mm tube ø 6.5mm connection male faston 6.3mm immersion heater		
For models:	DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, Gastro450, GASTRO-450, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS40, GS-40, GS-40-RL09-NEW, GS40-RL09-NEW, GS50, Linear, LINEAR-CF, LINEAR-LS		

 			
Vare Nr.	415270	Ref. No.	00150047 DW150047
description	heating element 2700W 230V heating circuits 1 compression flange flange 62x26mm L 335mm W 43mm H 25mm tube ø 6.3mm connection male faston 6.3mm immersion heater		
For models:	DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron500, Electron500, Electron500Plus, Electron600, G600S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS-100, GS-100-DEPUR, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, Tekno6, TEKNO-6, TEKNO-6-Break-Tank		

with expansion flange 40 x 14mm

 			
Vare Nr.	416276	Ref. No.	00540401 DW540401
description	heating element 1100W 230V flange 40x14mm L 203mm W 40mm H 27mm heating circuits 1 connection male faston 6.3mm immersion heater		
For models:	Electron400, Electron400, Gastro400S, Optima400, Optima500, Optima500, Optima-Cutlery, Tekno4, TEKNO-4-CF, TEKNO-4-LS		



with round flange ø47.5mm



Vare Nr.	415260	Ref. No.	0016036/A DW16036/A
description	heating element 2180/2370W 230/240V heating circuits 1 mounting ø 47.5mm L 185mm W 40mm H 36mm round flange cable length 130mm immersion heater tube ø 6.3mm thermostat sleeves ø 7mm number of thermostat sleeves 1 length thermostat sleeves 165mm		
For models:	DS50, DS50T, DS50-Touche, Dupla50, Linear, LINEAR-CF, LINEAR-LS, Synthesis, TURBO-CF, TURBO-LS		
accessories for	415260		
	Vare Nr.	510408	Ref. No. 0013005 13005 DW13005
O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs			
	Vare Nr.	520235	Ref. No. 0030001024 30001024 DW30001024
3 hole flange hole distance 70.5mm perforation ø 6.5mm ID ø 53.5mm			
	Vare Nr.	520236	Ref. No. —
flange for heating element ID ø 50mm ED ø 90mm hole ø 6.5mm 3 holes			
	Vare Nr.	521012	Ref. No. —
gasket graphite ED ø 15mm ID ø 5mm thickness 1.2mm Qty 1 pcs			
	Vare Nr.	550002	Ref. No. 0016045 16045 DW16045
tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element			
	Vare Nr.	550362	Ref. No. —
blind flange ø 64mm mounting ø 47.5mm			



Vare Nr.	415269	Ref. No.	0015047 0015047/A DW15047 DW15047/A
description	heating element 2700W 230V heating circuits 3 mounting ø 47.5mm L 257mm W 28mm H 45mm round flange connection male faston 6.3mm immersion heater tube ø 6.3mm H1 11mm H2 34mm connection length 28mm		
For models:	G600, G600, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-500, GASTRO-750, GASTRO-900, H600, H600Electronic, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP-ZERO, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		
accessories for	415269		
	Vare Nr.	510408	Ref. No. 0013005 13005 DW13005
O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs			
	Vare Nr.	510562	Ref. No. —
O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs			
	Vare Nr.	520235	Ref. No. 0030001024 30001024 DW30001024
3 hole flange hole distance 70.5mm perforation ø 6.5mm ID ø 53.5mm			

accessories for	415269		
	Vare Nr.	520236	Ref. No. —
flange for heating element ID ø 50mm ED ø 90mm hole ø 6.5mm 3 holes			
	Vare Nr.	550002	Ref. No. 0016045 16045 DW16045
tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element			
	Vare Nr.	550362	Ref. No. —
blind flange ø 64mm mounting ø 47.5mm			

Vare Nr.	420056	Ref. No.	0015089/D DW15089/D
description	heating element 2800W 230V heating circuits 1 L 380mm W 34mm H 33mm tube ø 6mm thermostat sleeves ø 8.5mm number of thermostat sleeves 1 length thermostat sleeves 230mm		
For models:	DS45, DS50T, DS50-Touche, GS45, GS50, GS-50-230Vac, GS50-230VAC		
accessories for	420056		
	Vare Nr.	510408	Ref. No. 0013005 13005 DW13005
O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs			

Vare Nr.	415262	Ref. No.	0015046 DW15046
description	heating element 3000W 230V heating circuits 3 mounting ø 47.5mm L 260mm W 40mm H 36mm round flange connection male faston 6.3mm immersion heater tube ø 6.3mm thermostat sleeves ø 7mm number of thermostat sleeves 1 length thermostat sleeves 250mm thermostat sleeve upper centre not clinging		
For models:	DS45, DS50, Electron500, G600, Gastro12S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, GASTRO-750, GASTRO-900, GS45, GS-45, GS50, GS50, GS-50, GS85, H600, HT12-Elettronica, Linear, LP1S, LP1-S, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus, STAR, Tekno6, TEKNO-6, TEKNO-6-Break-Tank		
accessories for	415262		
	Vare Nr.	510408	Ref. No. 0013005 13005 DW13005
O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs			
	Vare Nr.	510562	Ref. No. —
O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs			
	Vare Nr.	520235	Ref. No. 0030001024 30001024 DW30001024
3 hole flange hole distance 70.5mm perforation ø 6.5mm ID ø 53.5mm			
	Vare Nr.	520236	Ref. No. —
flange for heating element ID ø 50mm ED ø 90mm hole ø 6.5mm 3 holes			
	Vare Nr.	550002	Ref. No. 0016045 16045 DW16045
tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element			
	Vare Nr.	550362	Ref. No. —
blind flange ø 64mm mounting ø 47.5mm			

1

				
Vare Nr.	415263	Ref. No.	0015089 15809 DW15089	
description	heating element 4500W 230V heating circuits 3 mounting ø 47.5mm L 375mm W 38mm H 46mm round flange connection male faston 6.3mm immersion heater tube ø 6.3mm thermostat sleeves ø 7mm number of thermostat sleeves 1 length thermostat sleeves 240mm thermostat sleeve not clinging			
For models:	DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron500, Electron500, Electron500CleanWater, Electron-500Plus, Electron600, G12D, G12S, G600, G600, G600S, Gastro12S, GASTRO-500, Gastro500Plus, Gastro500S, Gastro500S, GASTRO-750, GASTRO-900, GS45, GS-45, GS50, GS50, GS-50, GS85, H600, HT12-Elettronica, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus, Optima400, Optima500, Optima500, Optima-Cutlery, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank			
accessories for	415263			
	Vare Nr.	510408	Ref. No.	0013005 13005 DW13005
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs			
	Vare Nr.	520235	Ref. No.	0030001024 30001024 DW30001024
	3 hole flange hole distance 70.5mm perforation ø 6.5mm ID ø 53.5mm			
	Vare Nr.	520236	Ref. No.	—
	flange for heating element ID ø 50mm ED ø 90mm hole ø 6.5mm 3 holes			
	Vare Nr.	521012	Ref. No.	—
	gasket graphite ED ø 15mm ID ø 5mm thickness 1.2mm Qty 1 pcs			
	Vare Nr.	550002	Ref. No.	0016045 16045 DW16045
	tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element			
	Vare Nr.	550362	Ref. No.	—
	blind flange ø 64mm mounting ø 47.5mm			

			
Vare Nr.	419040	Ref. No.	0015089/E DW15089/E
description	heating element 6000/6530W 230/240V heating circuits 3 mounting ø 47.5mm L 375mm W 38mm H 39mm round flange connection male faston 6.3mm immersion heater tube ø 6.3mm thermostat sleeves ø 7mm number of thermostat sleeves 1 length thermostat sleeves 240mm thermostat sleeve eccentric, non clinging		
For models:	DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600S, GASTRO-500, Gastro500Plus, Gastro500S, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS45, GS-45, GS50, GS85, Optima400, Optima500, Optima500, Optima-Cutlery, Tekno6, Tekno6.1-Acqua-pulita		

with round flange ø57.5mm			
			
1			
Vare Nr.	416279	Ref. No.	0030001011/A DW30001011/A
description	heating element 12000W 230V heating circuits 3 mounting ø 57.5mm L 470mm W 48mm H 34mm round flange connection M5 immersion heater tube ø 8.5mm connection length 30mm thermostat sleeves ø 7mm number of thermostat sleeves 1 length thermostat sleeves 295mm thermostat sleeve eccentric, non clinging		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, Gastro11S, Gastro1200, Gastro12S, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, LP1-S8, LP1S-Plus, LP2, LP2S-PLUS... (Other models you can see in the webshop)		
accessories for	416279		
	Vare Nr.	550002	Ref. No. 0016045 16045 DW16045
tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element			

			
Vare Nr.	420055	Ref. No.	0030001011/B DW30001011/B
description	heating element 14000W 230V heating circuits 3 L 480mm W 36mm H 44mm connection M5 tube ø 8.5mm thermostat sleeves ø 7.7mm number of thermostat sleeves 1 length thermostat sleeves 280mm		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, LP1-S8, LP1S-Plus, LP4-800, TX1500, UX220		

			
Vare Nr.	415264	Ref. No.	001008842 0030001010 DW1008842 DW30001010
description	heating element 6000W 230V heating circuits 3 mounting ø 57.5mm L 480mm W 33mm H 42mm round flange connection M5 immersion heater tube ø 8.5mm connection length 19mm thermostat sleeves ø 7.5mm number of thermostat sleeves 1 length thermostat sleeves 268mm thermostat sleeve not clinging		
For models:	AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, DW020H, Electron1000, FX, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, Gastro12S, GS100, GS-100, GS-100-DEPUR, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL...(Other models you can see in the webshop)		
spare parts for	415264		
	Vare Nr.	510409	Ref. No. 0013015 0013020 13015 13020 DW13015 DW13020
O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs			

Table continues overleaf



accessories for 415264			
	Vare Nr.	550002	Ref. No. 0016045 16045 DW16045
tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element			

	Vare Nr.	415265	Ref. No. 0016303 0030001011 DW16303 DW30001011
description heating element 9000W 230V heating circuits 3 mounting ø 57.5mm L 470mm W 35mm H 41mm round flange connection M5 immersion heater tube ø 8.5mm connection length upper centre not clinging-mm thermostat sleeves ø 7.5mm number of thermostat sleeves 1 length thermostat sleeves 295mm			
For models: AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, G12D, G12S, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, Gastro12S, GRANUL1000, GRANUL900, GRANUL900, H600, H600, H600Electronic, HT11, HT11E...(Other models you can see in the webshop)			

spare parts for 415265			
	Vare Nr.	510409	Ref. No. 0013015 0013020 13015 13020 DW13015 DW13020
O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs			

accessories for 415265			
	Vare Nr.	550002	Ref. No. 0016045 16045 DW16045
tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element			

accessories for 415265			
	Vare Nr.	550002	Ref. No. 0016045 16045 DW16045
tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element			

1 1/4"			
	Vare Nr.	415271	Ref. No. 0010300022 DW10300022
description heating element 4500W 230V heating circuits 3 thread 1 1/4" L 88mm W 285mm H 60mm L1 100mm L2 185mm W1 33mm W2 272mm H1 35mm H2 25mm tube ø 6.3mm connection male faston 6.3mm connection length 36mm flange with thread immersion heater			
For models: GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, SILVER-1500, SILVER-1500-Insulated			

accessories for 415271			
	Vare Nr.	510405	Ref. No. 0010200056 10200056 DW10200056
flat gasket fibre ED ø 56mm ID ø 42mm thickness 2mm for thread 1 1/4" Qty 1 pcs			
	Vare Nr.	520232	Ref. No. 0010200080 10200080 DW10200080
nut thread 1 1/4" H 5mm nickel-plated brass WS 47 Qty 1 pcs			
	Vare Nr.	528021	Ref. No. —
flat gasket PTFE ED ø 53mm ID ø 42.5mm thickness 3mm Qty 1 pcs equiv. no. 12001/02286 suitable for Astoria/Aurora/Brasilia/Wega			

accessories for 415271			
	Vare Nr.	510405	Ref. No. 0010200056 10200056 DW10200056
flat gasket fibre ED ø 56mm ID ø 42mm thickness 2mm for thread 1 1/4" Qty 1 pcs			
	Vare Nr.	520232	Ref. No. 0010200080 10200080 DW10200080
nut thread 1 1/4" H 5mm nickel-plated brass WS 47 Qty 1 pcs			
	Vare Nr.	528021	Ref. No. —
flat gasket PTFE ED ø 53mm ID ø 42.5mm thickness 3mm Qty 1 pcs equiv. no. 12001/02286 suitable for Astoria/Aurora/Brasilia/Wega			

accessories

hexagonal nuts




1

Vare Nr.	520232	Ref. No.	0010200080 10200080 DW10200080
description nut thread 1 1/4" H 5mm nickel-plated brass WS 47 Qty 1 pcs			
For models: GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, SILVER-1500, SILVER-1500-Insulated			


sealing washers

fibre gaskets



1


Vare Nr.	521122	Ref. No.	0010200212 10200212 DW10200212
description flat gasket fibre ED ø 31mm ID ø 21.5mm thickness 2mm for thread 1/2" Qty 1 pcs			
For models: GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, GASTRO-1200S, LP1, LP1-800			



1


Vare Nr.	510405	Ref. No.	0010200056 10200056 DW10200056
description flat gasket fibre ED ø 56mm ID ø 42mm thickness 2mm for thread 1 1/4" Qty 1 pcs			
For models: GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, SILVER-1500, SILVER-1500-Insulated			


O-rings





1

Vare Nr.	510893	Ref. No.	0013003 13003 DW13003
description O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs			
For models: C40-CF, C40-LS, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, G12D, G12S, G35, G35-RL09-NEW, G600, G600, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, Gastro12S, Gastro450, GASTRO-450, GASTRO-500, GASTRO-750, GASTRO-900, GS100, GS-100, GS-100-DEPUR, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS40, GS-40, GS-40-RL09-NEW, GS40-RL09-NEW, GS50, GS50-230VAC, H600, H600, H600Electronic, HT11, HT11E, HT11E...(Other models you can see in the webshop)			

			
Vare Nr.	510899	Ref. No.	0013022 DW13022
description	O-ring EPDM thickness 3.53mm ID ø 37.69mm Qty 1 pcs		
For models:	Gastro11S, Gastro1200, LP1, LP1-800, LP1-800EL, LP-ZERO		

			
Vare Nr.	521120	Ref. No.	13010
description	O-ring EPDM thickness 5.34mm ID ø 37.47mm Qty 1 pcs		
For models:	C40-CF, C40-LS, DS35, DS37, DS40, DS40, Electron400, Electron400CleanWater, Gastro400S, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS40, GS-40, GS-40-RL09-NEW, GS40-RL09-NEW, Star, STAR-CF, STAR-LS, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS		

			
Vare Nr.	510408	Ref. No.	0013005 DW13005
description	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
For models:	DS45, DS50, DS50T, DS50-Touche, Dupla50, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600, G600, G600S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, Linear, LINEAR-CF, LINEAR-LS, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP-ZERO, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT, Synthesis, Tekno6...(Other models you can see in the webshop)		


			
Vare Nr.	510409	Ref. No.	0013015 0013020 DW13015 DW13020
description	O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron500, Electron500, Electron500Plus, Electron600, FX, G12D, G12S, G600S, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200...(Other models you can see in the webshop)		

flange gaskets

counterflanges

			
Vare Nr.	520235	Ref. No.	0030001024 DW30001024
description	3 hole flange hole distance 70.5mm perforation ø 6.5mm ID ø 53.5mm		
For models:	G12D, G12S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, GS-100, GS-100-DEPUR, LP1, LP1-800, LP2, LP3, LP4, SILVER-1500, SILVER-1500-Insulated		

			
Vare Nr.	550002	Ref. No.	0016045 DW16045
description	tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, TX1500, UX220		

			
Vare Nr.	550002	Ref. No.	0016045 DW16045
description	tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, TX1500, UX220		

thermostats

bi-metal thermostats

safety bi-metal thermostats

			
Vare Nr.	390480	Ref. No.	0015550 DW15550
description	bi-metal safety thermostat hole distance 23.8mm switch-off temp. 105°C 1NC 1-pole 16A connection F6.3 2 hole fixing		
For models:	C40-CF, C40-LS, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600, G600, G600S, Gastro400S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS40, GS-40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45...(Other models you can see in the webshop)		

control and safety thermostats

EGO

control thermostats

55.10/19_ series



Vare Nr.	375002	Ref. No.	009010 DW9010
description	thermostat t.max. 320°C temperature range 55-320°C 1-pole 1NO 16A probe ø 3.1mm probe L 226mm capillary pipe 870mm capillary pipe isolated 850mm gland nut shaft L 23mm shaft position upper rotation 270°		
For models:	CREPE1, CREPE2, CREPE-1, CREPE-2, CX, Double-grill, FX, GRILL-XAL-2, GRILL-XAR-2, GRILL-XBL-2, GRILL-XBM, GRILL-XBR-2, K1L, K1R, K2L, K2M, K2R, Single-grill, X1, X1-TK20, X2, X2-TK21, XAL, XAL-2, XAR, XAR-2, XBL, XBM, XBR		

safety thermostats

55.32_ series




Vare Nr.	390907	Ref. No.	0015553 DW15553
description	safety thermostat switch-off temp. 110°C 3-pole 3NC 20A probe ø 6mm probe L 95mm capillary pipe 1500mm capillary pipe isolated 1400mm gland nut probe		
For models:	DS50, DS50T, DS50-Touche, Dupla50, Electron500, GS50		

IMIT / TEMPOMATIC / ARTHERMO

control thermostats



Vare Nr.	390421	Ref. No.	0015621 DW15621
description	thermostat t.max. 85°C temperature range 0-90°C 1-pole 1CO 16A probe ø 6.5mm probe L 95mm capillary pipe 1500mm capillary pipe isolated 1450mm gland nut shaft ømm shaft Lmm shaft position rotation 270° probe material copper		




Vare Nr.	390192	Ref. No.	0010707/2 DW10707/2
description	thermostat t.max. 90°C temperature range 0-90°C 1-pole 1CO 16A probe ø 6.5mm probe L 95mm capillary pipe 2000mm capillary pipe isolated 2000mm gland nut shaft ø 6x4.6mm shaft L 19mm shaft position upper° rotation 270° probe material copper		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BM100, BM100, BM200, BM200, BM300, BM300, BX230, BX300, LC80, LC90, LC90-2, LC90-4, LC90-900, LC97-4, LC97-5		



Vare Nr.	390460	Ref. No.	0010707/1 DW10707/1
description	thermostat t.max. 90°C temperature range 30-90°C 1-pole 1CO 16A probe ø 6.5mm probe L 95mm capillary pipe 2000mm capillary pipe isolated 1950mm gland nut shaft ømm shaft Lmm shaft position rotation 270° probe material copper		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, C40-CF, C40-LS, CX, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, Electron1000, Electron400, Electron400Clean-Water, Electron500, Electron500CleanWater, FX, G12D, G12S...(Other models you can see in the webshop)		

CAMPINI

control thermostats



Vare Nr.	375934	Ref. No.	0010707/3 DW10707/3
description	thermostat t.max. 280°C temperature range 50-280°C 1-pole 1NO 16A probe ø 3mm probe L 185mm capillary pipe 960mm capillary pipe isolated 700mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270° probe material SS 250V		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX300, LC97-4, LC97-5		

various

safety thermostats



Vare Nr.	390194	Ref. No.	002000430 DW2000430
description	safety thermostat switch-off temp. 90-110°C 1-pole 16A probe ø 6.5mm probe L 87mm capillary pipe 1500mm capillary pipe isolated 1497mm connection male faston 6.3mm adjustable		
For models:	5+5M, 5+5M, 5M, 6+6M, 6+6T, 6M, 6T, 8+8T, 8T, AX151, AX151-high-speed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, DW020H, Electron1000, FX, G12D, G12S, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-1200S...(Other models you can see in the webshop)		

accessories

plunger sockets



Vare Nr.	517292	Ref. No.	0012510 DW12510
description	thermowell thread M10x1 ID ø 7.7mm L 108mm SS single ø 10mm		
For models:	BM100, BM100, BM200, BM200, BM300, BM300, G600, G600, Gastro450, GASTRO-450, GASTRO-500, GASTRO-750, GASTRO-900, Linear, LINEAR-CF, LINEAR-LS		

switches and momentary switches
push/momentary push switches

28.5x28.5mm



Vare Nr.	345973	Ref. No.	0015860 DW15860
description	momentary push switch mounting measurements 28.5x28.5mm blue 1NO 250V 16A connection male faston 6.3mm ambient temperature max. 150°C protection IP40		
For models:	C40-CF, C40-LS		



Vare Nr.	345974	Ref. No.	0015859 DW15859
description	momentary push switch mounting measurements 28.5x28.5mm yellow 1NO 250V 16A connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	C40-CF, C40-LS, LP1, LP1-800		



Vare Nr.	345979	Ref. No.	0015863 DW15863
description	push switch mounting measurements 28.5x28.5mm blue 2CO 250V 16A connection male faston 6.3mm ambient temperature max. 150°C protection IP40		
For models:	LP1, LP1-800		



Vare Nr.	345977	Ref. No.	0015861/A DW15861/A
description	momentary push switch mounting measurements 28.5x28.5mm green/red 2NO 250V 16A outflow connection male faston 6.3mm ambient temperature max. 150°C protection IP40		
For models:	G12S		



Vare Nr.	345976	Ref. No.	0015865 DW15865
description	push switch mounting measurements 28.5x28.5mm green/red 2CO 250V 16A main switch connection male faston 6.3mm ambient temperature max. 150°C protection IP40 with indicator green/red		
For models:	C40-CF, C40-LS, G12D		

			
Vare Nr.	345975	Ref. No.	0015849 0015861 DW15849 DW15861
description	push switch mounting measurements 28.5x28.5mm green/red 2NO 250V 16A main switch connection male faston 6.3mm ambient temperature max. 150°C protection IP40 with indicator green/red		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, C40-CF, C40-LS, CX, F12, F12, F120, F120-TK120P, F6, F6, F60, F60-TK60P, FX, GM, GM, GM2, GM-2, GM-2-BK11, GM-BK10, GM-BK11, LP1, LP1-800...(Other models you can see in the webshop)		

28.5x52.6mm			
			
Vare Nr.	345875	Ref. No.	0015899/C DW15899/C
description	switch combination momentary mounting measurements 28.5x52.6mm green 1NO/indicator light 250V 16A drain/temperature connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	GS-35, GS-37		

			
Vare Nr.	345874	Ref. No.	0015899/B DW15899/B
description	switch combination momentary mounting measurements 28.5x52.6mm green 1NO/indicator light 250V 16A temperature/regeneration connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	GS-35, GS-37		

			
Vare Nr.	345876	Ref. No.	0015899 DW15899
description	switch combination momentary mounting measurements 28.5x52.6mm green 1NO/indicator light 250V 16A temperature/regeneration connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	GS-35		

28.5x77.5mm



1

Vare Nr.	347856	Ref. No.	0027315 DW27315	
description	double momentary switch mounting measurements 28.5x77.5mm green/blue 2NO/indicator light/2NO 250V 16A drain pump/rinsing/temperature connection male faston 6.3mm ambient temperature max. 85°C momentary protection IP40			
spare parts for	347856			
	Vare Nr.	345601	Ref. No.	0015827 15827 DW15827
indicator lamp holder V ø 11mm				
	Vare Nr.	345603	Ref. No.	0015843 15843 DW15843
element holder triple mounting measurements 28.5x77.5mm black for push buttons 23x23mm				
	Vare Nr.	345720	Ref. No.	0015812 15812 DW15812
switch 2NO 250V 16A connection male faston 6.3mm				
	Vare Nr.	346249	Ref. No.	0015876 15876 DW15876
indicator light lens size 23x23mm green temperature				
	Vare Nr.	359350	Ref. No.	—
indicator light 230V blue connection male faston 6.3mm ø 11mm				

			
Vare Nr.	345867	Ref. No.	0015891 DW15891
description	switch combination latching mounting measurements 28.5x77.5mm green 2CO/indicator light/1NO 250V 16A START/indicator light/on-off connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	GS-35, GS40, GS-40, GS-45, GS50, GS-50, GS-50-230Vac, GS50-230VAC		

			
Vare Nr.	345866	Ref. No.	0015888 DW15888
description	switch combination latching mounting measurements 28.5x77.5mm green 2NO/1NO/indicator light 250V 16A START/indicator light/on-off connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	G600, GS-35, GS-37, GS40, GS-40, GS-45, GS50, GS-50, GS-50-230Vac, GS50-230VAC		

			
Vare Nr.	345871	Ref. No.	0015796 DW15796
description	switch combination momentary mounting measurements 28.5x77.5mm green 1CO/indicator light 250V 16A rinsing/temperature connection male faston 6.3mm ambient temperature max. 150°C protection IP40		
For models:	GS-40, GS-45, GS-50, GS-50-230Vac		

			
Vare Nr.	345869	Ref. No.	0015894 DW15894
description	switch combination momentary mounting measurements 28.5x77.5mm green 1NO/indicator light/indicator light 250V 16A temperature/regeneration connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	GS40, GS-40, GS-45, GS50, GS-50, GS-50-230Vac, GS50-230VAC		

			
Vare Nr.	345870	Ref. No.	0015892 DW15892
description	switch combination momentary mounting measurements 28.5x77.5mm green 2NO/1NO/indicator light 250V 16A drain/temperature/regeneration connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	GS40, GS-40, GS-45, GS50, GS-50, GS-50-230Vac, GS50-230VAC		

			
Vare Nr.	345872	Ref. No.	0015893/A DW15893/A
description	switch combination momentary mounting measurements 28.5x77.5mm green 2NO/1NO/indicator light 250V 16A drain/temperature/regeneration connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	GS-40, GS-45, GS-50, GS-50-230Vac		

			
Vare Nr.	345868	Ref. No.	0015893 DW15893
description	switch combination momentary mounting measurements 28.5x77.5mm green 2NO/indicator light 250V 16A drain/temperature connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	GS40, GS-40, GS-45, GS-50, GS-50-230Vac, GS50-230VAC		

			
Vare Nr.	347731	Ref. No.	0075090 DW75090
description	switch combination mounting measurements 28.5x77.5mm green/yellow 2NO/2CO/indicator light 250V 16A connection male faston 6.3mm ambient temperature max. 150°C		

h2>accessories

h3>frame

			
Vare Nr.	347946	Ref. No.	00590092 DW590092
description	frame for position switch SS mounting distance 32.5mm mounting ø 46mm hole ø 10.5mm H 31mm		
For models:	TwinStar		

h2>microswitches

h3>lever actuated

			
Vare Nr.	345257	Ref. No.	0010704 DW10704
description	microswitch with lever 250V 16A 1CO connection male faston 6.3mm L 29mm L1 33mm ambient temperature max. 120°C mounting distance 22mm actuating force: 130g lever length 31.5mm		
For models:	Derby, Derby400, DERBY-CF, DW020H, Electron1000, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, F1, F1-KF1, F2, F2-KF2, FRULLATORI-F1S, FRULLATORI-F2S, G600, G600, G600S, Gastro400S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GM, GM, GM2, GM-2, GM2-2, GM2-2, GM-2-BK11, GM3, GM3, GM3-BK12, GM4, GM4, GM4-BK13, GM-BK10, GM-BK11, GS100, GS-100...(Other models you can see in the webshop)		

h3>pin-plunger actuated

h4>M10

			
Vare Nr.	347945 ¹	Ref. No.	00590021 DW590021
description	microswitch with plunger thread M10x0.75 thread L 13mm 250V 5A 1CO connection male faston 6.3mm stroke 6mm mounting distance 25mm L 49mm L1 13mm ambient temperature max. 85°C IP65 type MKH12D09 actuating force: 340g		
For models:	TwinStar		

¹protection class IP65

roller actuated

roller 90°



1

Vare Nr.	347096	Ref. No.	0070305 DW70305
description	microswitch with roller plunger 250V 20A 1CO connection screw L1 49mm ambient temperature max. 125°C thread L 14.5mm thread M12x1 mounting distance 25mm actuating force: 370g type Z15G1318		
For models:	CAN-MASTER, G12D, G12S, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, Gastro12S, H600, H600, H600Electronic, HT11, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Electronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		

position switches

PIZZATO

FR series



1

Vare Nr.	345181	Ref. No.	0010600138 DW10600138
description	position switch plastic 1NC/1NO 400V 3A L 92mm W 31mm H 31mm protection IP67 actuating force: 450g screw connection PG13.5 mounting distance 22mm screw		
For models:	GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, SILVER-1500, SILVER-1500-Insulated		

system switches (ROLD)



1

Vare Nr.	346229	Ref. No.	0015880 DW15880
description	blank size 23x23mm grey		
For models:	DS40, Dupla50, GS37-prima-serie, GS40, HT11		



1

Vare Nr.	345721	Ref. No.	0015844 DW15844
description	blank cap holder		
For models:	Derby, Derby400, DS40, Dupla50, G600, Gastro11S, Gastro1200, Gastro12S, Gastro450, GS100, GS37-prima-serie, GS40, H600, H600, HT11, HT11S, HT12S, Linear, LP1, LP1-800, LP1-800EL, LP1S, LP1-S8, LP1-S8EL, LP-ZERO, Star, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Bre-ak-Tank		

SWITCHES AND MOMENTARY SWITCHES DIHR



1

Vare Nr.	347592	Ref. No.	0015815 DW15815
description	element holder single mounting measurements 28.5x28.5mm grey for push buttons 23x23mm		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, G12D, G12S, HT11, LP1-S, TX1500, UX220		



1

Vare Nr.	345603	Ref. No.	0015843 DW15843
description	element holder triple mounting measurements 28.5x77.5mm black for push buttons 23x23mm		
For models:	DS40, Dupla50, GS37-prima-serie, GS40		



1

Vare Nr.	347620	Ref. No.	0015836 DW15836
description	element holder triple mounting measurements 28.5x77.5mm grey for push buttons 23x23mm		
For models:	DS40, Dupla50, GS37-prima-serie, GS40		



1

Vare Nr.	345601	Ref. No.	0015827 DW15827
description	indicator lamp holder V ø 11mm		
For models:	DS40, Dupla50, GS37-prima-serie, GS40, HT11		

			
1			
Vare Nr.	346245	Ref. No.	0015825 DW15825
description	indicator light lens size 23x23mm green		
For models:	DS40, Dupla50, GS37-prima-serie, GS40, HT11		

			
1			
Vare Nr.	346249	Ref. No.	0015876 DW15876
description	indicator light lens size 23x23mm green temperature		
For models:	DS40, Dupla50, GS37-prima-serie, GS40		

			
1			
Vare Nr.	346250	Ref. No.	0015875 DW15875
description	indicator light lens size 23x23mm green washing cycle		
For models:	DS40, Dupla50, GS37-prima-serie, GS40		

			
1			
Vare Nr.	347193	Ref. No.	0015813 DW15813
description	momentary switch unit 1NO 250V 16A connection male faston 6.3mm		
For models:	Derby, Derby400, DS35, DS37, DS40, DS40, DS45, DS50, Dupla50, G35, G35-RL09-NEW, G600, Gastro11S, Gastro1200, Gastro12S, Gastro400S, Gastro450, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS37, GS37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85, H600, H600, HT11, HT11S, HT12S, Linear, LP1, LP1-800, LP1-800EL, LP1S, LP1-S, LP1-S8, LP1-S8EL, LP2, LP3...(Other models you can see in the webshop)		

			
1			
Vare Nr.	345606	Ref. No.	0015811/A DW15811/A
description	momentary switch unit 2CO 250V 16A connection male faston 6.3mm		
For models:	DS40, DS40, Dupla50, G35, Gastro11S, Gastro1200, Gastro400S, Gastro500Plus, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS37, GS37, GS37-prima-serie, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85, HT11, HT11S, Linear, LP1, LP1-800, LP1-800EL, LP1S, LP1-S8, LP1-S8EL, LP-ZERO, Synthesis, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank		

			
1			
Vare Nr.	345980	Ref. No.	0015800 DW15800
description	momentary switch unit 2NO 250V 16A connection male faston 6.3mm		
For models:	DS35, DS37, DS40, DS40, DS45, DS50, Dupla50, G12D, G12S, G35, G35-RL09-NEW, Gastro11S, Gastro1200, Gastro12S, Gastro400S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS37, GS37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85, H600, H600, HT11, HT11S, HT12S, Linear, LP1, LP1-800, LP1-800EL, LP1S, LP1-S8, LP1-S8EL, LP-ZERO, Synthesis, Tekno4, Tekno4.1-Acqua-pulita, Tekno6...(Other models you can see in the webshop)		

			
1			
Vare Nr.	345539	Ref. No.	0084001 DW84001
description	push button size 17x13mm grey		
For models:	Dupla50, HT11		

			
1			
Vare Nr.	347895	Ref. No.	0015817 DW15817
description	push button size 23x23mm blue		
For models:	DS40, Dupla50, GS37-prima-serie, GS40, HT11		

			
1			
Vare Nr.	347892	Ref. No.	0015990 DW15990
description	push button size 23x23mm blue drain pump		
For models:	DS40, Dupla50, GS37-prima-serie, GS40, HT11		

			
1			
Vare Nr.	347893	Ref. No.	0015988 DW15988
description	push button size 23x23mm blue ON-OFF with lens		
For models:	DS40, Dupla50, GS37-prima-serie, GS40, HT11		

			
1			
Vare Nr.	347701	Ref. No.	0015877 DW15877
description	push button size 23x23mm blue programme		
For models:	HT11, LP1-S		

			
1			
Vare Nr.	347891	Ref. No.	0015993 DW15993
description	push button size 23x23mm blue regeneration		
For models:	DS40, Dupla50, GS37-prima-serie, GS40, GS50, HT11		

			
1			
Vare Nr.	347894	Ref. No.	0015986 DW15986
description	push button size 23x23mm blue START		
For models:	DS40, Dupla50, GS37-prima-serie, GS40, HT11		

			
1			
Vare Nr.	347896	Ref. No.	0015872 DW15872
description	push button size 23x23mm green cold rinsing		
For models:	DS40, Dupla50, GS37-prima-serie, GS40		

			
1			
Vare Nr.	347590	Ref. No.	0015854 DW15854
description	push button size 23x23mm green drain pump		
For models:	DS40, Dupla50, GS37-prima-serie, GS40, HT11		

			
1			
Vare Nr.	346221	Ref. No.	0015857 0015874 DW15857 DW15874
description	push button size 23x23mm green ON-OFF with lens		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, DS40, Dupla50, FX, GS37-prima-serie, GS40, HT11, LP1-S, TX1500, UX220		

			
1			
Vare Nr.	346224	Ref. No.	0015871 DW15871
description	push button size 23x23mm green regeneration		
For models:	DS40, Dupla50, GS37-prima-serie, GS40, HT11		

			
1			
Vare Nr.	346222	Ref. No.	0015873 DW15873
description	push button size 23x23mm green START		
For models:	DS40, Dupla50, GS37-prima-serie, GS40, HT11, LP1-S		

			
1			
Vare Nr.	346214	Ref. No.	0015819 DW15819
description	push button size 23x23mm yellow		
For models:	DS40, Dupla50, GS37-prima-serie, GS40, HT11		

			
1			
Vare Nr.	347889	Ref. No.	0015991 DW15991
description	push button size 23x23mm yellow drain pump		
For models:	DS40, Dupla50, GS37-prima-serie, GS40, HT11		

			
1			
Vare Nr.	347484	Ref. No.	0015818 0015855 0015989 DW15818 DW15855 DW15989
description	push button size 23x23mm yellow ON-OFF with lens		
For models:	DS40, Dupla50, GS37-prima-serie, GS40, HT11		

			
1			
Vare Nr.	347890	Ref. No.	0015858 DW15858
description	push button size 23x23mm yellow regeneration		
For models:	DS40, Dupla50, G12D, GS37-prima-serie, GS40, HT11		

			
1			
Vare Nr.	347888	Ref. No.	0015987 DW15987
description	push button size 23x23mm yellow START		
For models:	DS40, Dupla50, GS37-prima-serie, GS40, HT11		

			
1			
Vare Nr.	346251	Ref. No.	0015824 0015824/A DW15824 DW15824/A
description	rotary disc orange/green disc ø 20.6mm		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, DS40, Dupla50, FX, GS37-prima-serie, GS40, HT11, LP1-S, TX1500, UX220		

			
1			
Vare Nr.	345605	Ref. No.	0015811 DW15811
description	switch 2CO 250V 16A connection male faston 6.3mm		
For models:	DS35, DS37, DS40, DS40, Dupla50, G35, G35-RL09-NEW, Gastro11S, Gastro1200, Gastro12S, Gastro400S, Gastro500Plus, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS37, GS37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85, H600, HT11, HT11S, Linear, LP1, LP1-800, LP1-800EL, LP1S, LP1-S, LP1-S8, LP1-S8EL, LP-ZERO, Star, Synthesis, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank		

			
1			
Vare Nr.	345720	Ref. No.	0015812 DW15812
description	switch 2NO 250V 16A connection male faston 6.3mm		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, Derby, Derby400, DS35, DS37, DS40, DS40, DS45, DS50, Dupla50, FX, G35, G35-RL09-NEW, G600, Gastro11S, Gastro1200, Gastro12S, Gastro400S, Gastro450, Gastro500Plus, Gastro500S...(Other models you can see in the webshop)		

system switches

DIHR / KROMO

oval

element holders

			
1			
Vare Nr.	345899	Ref. No.	0089303 DW89303
description	blank housing blue-grey		
For models:	DS35, DS37, DS40, DS45, DS50, G35, G35-RL09-NEW, Gastro400S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS37, GS37, GS37-RL09-NEW, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85, Synthesis		

			
Vare Nr.	345897	Ref. No.	0089302 DW89302
description	element holder blue-grey mounting pos. centre illuminable		
For models:	DS35, DS37, DS40, DS45, DS50, G35, G35-RL09-NEW, Gastro400S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS37, GS37, GS37-RL09-NEW, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85, Synthesis		

2

				
Vare Nr.	345895	Ref. No.	0089300 DW89300	
description	element holder blue-grey mounting pos. format oval illuminable			
For models:	Derby, Derby400, G600, Gastro11S, Gastro1200, Gastro12S, Gastro450, GS100, H600, H600, HT11S, HT12S, Linear, LP1, LP1-800, LP1-800EL, LP1S, LP1-S8, LP1-S8EL, LP2, LP3, LP4-800, LP-ZERO, Star			
accessories for	345895			
	Vare Nr.	345887	Ref. No.	0089340 89340 DW89340
	push button blue-grey ON-OFF			
	Vare Nr.	345896	Ref. No.	0089332 89332 DW89332
	O-ring EPDM thickness 1.5mm ID ø 37mm Qty 1 pcs			
	Vare Nr.	345980	Ref. No.	0015800 15800 DW15800
	momentary switch unit 2NO 250V 16A connection male faston 6.3mm			
	Vare Nr.	359132	Ref. No.	0015826 15826 DW15826
	indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C			

			
Vare Nr.	345906	Ref. No.	0089301 DW89301
description	element holder blue-grey mounting pos. left temperature / pump illuminable		
For models:	DS35, DS37, DS40, DS45, DS50, G35, G35-RL09-NEW, Gastro400S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS37, GS37, GS37-RL09-NEW, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85, Synthesis		

			
Vare Nr.	345898	Ref. No.	0089304 DW89304
description	element holder blue-grey mounting pos. right illuminable		
For models:	DS35, DS37, DS40, DS45, DS50, G35, G35-RL09-NEW, Gastro400S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS37, GS37, GS37-RL09-NEW, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85, Synthesis		

push buttons			
			
Vare Nr.	345894	Ref. No.	0089348 DW89348
description	blank blue-grey		
For models:	Derby, Derby400, G600, Gastro11S, Gastro1200, Gastro12S, Gastro450, GS100, H600, H600, HT11S, HT12S, Linear, LP1, LP1-800, LP1-800EL, LP1S, LP1-S8, LP1-S8EL, LP-ZERO, Star		

			
Vare Nr.	345888	Ref. No.	0089341 DW89341
description	push button black START		
For models:	Derby, Derby400, G600, Gastro11S, Gastro1200, Gastro450, GS100, H600, HT11S, HT12S, Linear, LP1, LP1-800, LP1-800EL, LP1S, LP1-S8, LP1-S8EL, LP2, LP3, LP4-800, LP-ZERO, Star		

			
Vare Nr.	345891	Ref. No.	0089344 DW89344
description	push button blue-grey cold rinsing		
For models:	Derby, Derby400, DS35, DS37, DS40, DS45, DS50, G35, G35-RL09-NEW, Gastro400S, Gastro450, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS37, GS37, GS37-RL09-NEW, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85, Linear, Star, Synthesis		

			
Vare Nr.	345890	Ref. No.	0089343 DW89343
description	push button blue-grey drain pump		
For models:	DS35, DS37, DS40, DS45, DS50, G35, G35-RL09-NEW, G600, Gastro11S, Gastro1200, Gastro12S, Gastro400S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS37, GS37, GS37-RL09-NEW, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85, H600, H600, HT11S, HT12S, Linear, LP1, LP1-800, LP1-800EL, LP1S, LP1-S8, LP1-S8EL, LP-ZERO, Star		

			
Vare Nr.	345887	Ref. No.	0089340 DW89340
description	push button blue-grey ON-OFF		
For models:	Derby, Derby400, DS35, DS37, DS40, DS45, DS50, G35, G35-RL09-NEW, G600, Gastro11S, Gastro1200, Gastro12S, Gastro400S, Gastro450, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS37, GS37, GS37-RL09-NEW, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85, H600, H600, HT11S, HT12S, Linear, LP1, LP1-800, LP1-800EL, LP1S, LP1-S8, LP1-S8EL, LP2, LP3, LP4-800, LP-ZERO, Star, Synthesis		

			
Vare Nr.	345893	Ref. No.	0083346 0089346 DW83346 DW89346
description	push button blue-grey ON-OFF		
For models:	LP1, LP1-800, LP1-800EL, LP1S, LP1-S8, LP1-S8EL, LP-ZERO		

			
Vare Nr.	345889	Ref. No.	0089342 DW89342
description	push button blue-grey programme		
For models:	DS45, DS50, G600, Gastro11S, Gastro1200, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS50, GS85, HT11S, LP1, LP1-800, LP1-800EL, LP1S, LP1-S8, LP1-S8EL, LP-ZERO		

			
Vare Nr.	345892	Ref. No.	0089345 DW89345
description	push button blue-grey regeneration		
For models:	DS35, DS37, DS40, DS45, DS50, G35, G35-RL09-NEW, G600, Gastro11S, Gastro1200, Gastro12S, Gastro400S, Gastro450, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS37, GS37, GS37-RL09-NEW, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85, H600, H600, HT11S, HT12S, Linear, Star		

			
Vare Nr.	345907	Ref. No.	0089347 DW89347
description	push button blue-grey START		
For models:	DS35, DS37, DS40, DS45, DS50, G35, G35-RL09-NEW, Gastro400S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS37, GS37, GS37-RL09-NEW, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85, Synthesis		

switches			
			
Vare Nr.	345606	Ref. No.	0015811/A DW15811/A
description	momentary switch unit 2CO 250V 16A connection male faston 6.3mm		
For models:	DS40, DS40, Dupla50, G35, Gastro11S, Gastro1200, Gastro400S, Gastro500Plus, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS37, GS37, GS37-prima-serie, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85, HT11, HT11S, Linear, LP1, LP1-800, LP1-800EL, LP1S, LP1-S8, LP1-S8EL, LP-ZERO, Synthesis, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank		

			
Vare Nr.	345980	Ref. No.	0015800 DW15800
description	momentary switch unit 2NO 250V 16A connection male faston 6.3mm		
For models:	DS35, DS37, DS40, DS40, DS45, DS50, Dupla50, G12D, G12S, G35, G35-RL09-NEW, Gastro11S, Gastro1200, Gastro12S, Gastro400S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS37, GS37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85, H600, H600, HT11, HT11S, HT12S, Linear, LP1, LP1-800, LP1-800EL, LP1S, LP1-S8, LP1-S8EL, LP-ZERO, Synthesis, Tekno4, Tekno4.1-Acqua-pulita, Tekno6...(Other models you can see in the webshop)		

			
Vare Nr.	345605	Ref. No.	0015811 DW15811
description	switch 2CO 250V 16A connection male faston 6.3mm		
For models:	DS35, DS37, DS40, DS40, Dupla50, G35, G35-RL09-NEW, Gastro11S, Gastro1200, Gastro12S, Gastro400S, Gastro500Plus, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS37, GS37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85, H600, HT11, HT11S, Linear, LP1, LP1-800, LP1-800EL, LP1S, LP1-S, LP1-S8, LP1-S8EL, LP-ZERO, Star, Synthesis, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank		

			
Vare Nr.	345720	Ref. No.	0015812 DW15812
description	switch 2NO 250V 16A connection male faston 6.3mm		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, Derby, Derby400, DS35, DS37, DS40, DS40, DS45, DS50, Dupla50, FX, G35, G35-RL09-NEW, G600, Gastro11S, Gastro1200, Gastro12S, Gastro400S, Gastro450, Gastro500Plus, Gastro500S...(Other models you can see in the webshop)		



accessories



Vare Nr.	345721	Ref. No.	0015844 DW15844
description	blank cap holder		
For models:	Derby, Derby400, DS40, Dupla50, G600, Gastro11S, Gastro1200, Gastro12S, Gastro450, GS100, GS37-prima-serie, GS40, H600, H600, HT11, HT11S, HT12S, Linear, LP1, LP1-800, LP1-800EL, LP1S, LP1-S8, LP1-S8EL, LP-ZERO, Star, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank		



Vare Nr.	359132	Ref. No.	0015826 DW15826
description	indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C		
For models:	Derby, Derby400, DS35, DS37, DS40, DS40, DS45, DS50, Dupla50, G35, G35-RL09-NEW, G600, Gastro11S, Gastro1200, Gastro12S, Gastro400S, Gastro450, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS37, GS37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85, H600, H600, HT11, HT11S, HT12S, Linear, LP1, LP1-800, LP1-800EL, LP1S, LP1-S8, LP1-S8EL, LP2, LP3, LP3...(Other models you can see in the webshop)		



Vare Nr.	345896	Ref. No.	0089332 DW89332
description	O-ring EPDM thickness 1.5mm ID ø 37mm Qty 1 pcs		
For models:	Derby, Derby400, G600, Gastro11S, Gastro1200, Gastro12S, Gastro450, GS100, H600, H600, HT11S, HT12S, Linear, LP1, LP1-800, LP1-800EL, LP1S, LP1-S8, LP1-S8EL, LP2, LP3, LP4-800, LP-ZERO, Star		

round

push buttons



Vare Nr.	345885	Ref. No.	00560534/A DW560534/A
description	push button blue-grey cold rinsing		
For models:	Tekno4, TEKNO-4-CF, TEKNO-4-LS		

SWITCHES AND MOMENTARY SWITCHES DIHR



Vare Nr.	345881	Ref. No.	00560528/A DW560528/A
description	push button blue-grey drain pump		
For models:	Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank		



Vare Nr.	345880	Ref. No.	00560512 00560527/A DW560512 DW560527/A
description	push button blue-grey ON-OFF		
For models:	Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank		



Vare Nr.	345878	Ref. No.	00560523/A DW560523/A
description	push button blue-grey point		
For models:	Tekno4, TEKNO-4-CF, TEKNO-4-LS, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank		



Vare Nr.	345879	Ref. No.	00560526/A DW560526/A
description	push button blue-grey point		
For models:	Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank		



Vare Nr.	345886	Ref. No.	00560538 DW560538
description	push button blue-grey point		
For models:	Tekno4, Tekno4.1-Acqua-pulita, Tekno6.1-Acqua-pulita		

			
1			
Vare Nr.	345883	Ref. No.	00560530/A DW560530/A
description	push button blue-grey programme		
For models:	Tekno6, TEKNO-6, TEKNO-6-Break-Tank		

			
1			
Vare Nr.	345884	Ref. No.	00560531/A DW560531/A
description	push button blue-grey regeneration		
For models:	Tekno4, TEKNO-4-CF, TEKNO-4-LS, Tekno6, TEKNO-6, TEKNO-6-Break-Tank		

			
1			
Vare Nr.	345882	Ref. No.	00560514 00560529/A DW560514 DW560529/A
description	push button blue-grey START		
For models:	Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank		

h2>switches

			
1			
Vare Nr.	345606	Ref. No.	0015811/A DW15811/A
description	momentary switch unit 2CO 250V 16A connection male faston 6.3mm		
For models:	DS40, DS40, Dupla50, G35, Gastro11S, Gastro1200, Gastro400S, Gastro500Plus, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS37, GS37, GS37-prima-serie, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85, HT11, HT11S, Linear, LP1, LP1-800, LP1-800EL, LP1S, LP1-S8, LP1-S8EL, LP-ZERO, Synthesis, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank		

			
1			
Vare Nr.	345980	Ref. No.	0015800 DW15800
description	momentary switch unit 2NO 250V 16A connection male faston 6.3mm		
For models:	DS35, DS37, DS40, DS40, DS45, DS50, Dupla50, G12D, G12S, G35, G35-RL09-NEW, Gastro11S, Gastro1200, Gastro12S, Gastro400S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS37, GS37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85, H600, H600, HT11, HT11S, HT12S, Linear, LP1, LP1-800, LP1-800EL, LP1S, LP1-S8, LP1-S8EL, LP-ZERO, Synthesis, Tekno4, Tekno4.1-Acqua-pulita, Tekno6...(Other models you can see in the webshop)		

			
1			
Vare Nr.	345605	Ref. No.	0015811 DW15811
description	switch 2CO 250V 16A connection male faston 6.3mm		
For models:	DS35, DS37, DS40, DS40, Dupla50, G35, G35-RL09-NEW, Gastro11S, Gastro1200, Gastro12S, Gastro400S, Gastro500Plus, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS37, GS37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85, H600, HT11, HT11S, Linear, LP1, LP1-800, LP1-800EL, LP1S, LP1-S, LP1-S8, LP1-S8EL, LP-ZERO, Star, Synthesis, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank		

			
1			
Vare Nr.	345720	Ref. No.	0015812 DW15812
description	switch 2NO 250V 16A connection male faston 6.3mm		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, Derby, Derby400, DS35, DS37, DS40, DS40, DS45, DS50, Dupla50, FX, G35, G35-RL09-NEW, G600, Gastro11S, Gastro1200, Gastro12S, Gastro400S, Gastro450, Gastro500Plus, Gastro500S...(Other models you can see in the webshop)		

h2>accessories

			
1			
Vare Nr.	345721	Ref. No.	0015844 DW15844
description	blank cap holder		
For models:	Derby, Derby400, DS40, Dupla50, G600, Gastro11S, Gastro1200, Gastro12S, Gastro450, GS100, GS37-prima-serie, GS40, H600, H600, HT11, HT11S, HT12S, Linear, LP1, LP1-800, LP1-800EL, LP1S, LP1-S8, LP1-S8EL, LP-ZERO, Star, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank		



rectangular



Vare Nr.	347591	Ref. No.	0015834 DW15834
description	element holder mounting measurements 13x20mm green format rectangular		



Vare Nr.	347193	Ref. No.	0015813 DW15813
description	momentary switch unit 1NO 250V 16A connection male faston 6.3mm		
For models:	Derby, Derby400, DS35, DS37, DS40, DS40, DS45, DS50, Dupla50, G35, G35-RL09-NEW, G600, Gastro11S, Gastro1200, Gastro12S, Gastro400S, Gastro450, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS37, GS37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85, H600, H600, HT11, HT11S, HT12S, Linear, LP1, LP1-800, LP1-800EL, LP1S, LP1-S, LP1-S8, LP1-S8EL, LP2, LP3...(Other models you can see in the webshop)		



Vare Nr.	347589	Ref. No.	0015835 DW15835
description	push button size 11x15.5mm green START		

rotary switches

BREMAS

A1200 series



Vare Nr.	345019	Ref. No.	0030009001 DW30009001
description	rotary switch sets of contacts 2 2 0-1 type CA0120002 380V 12A shaft ø 5x5mm shaft L 23mm shaft square connection screw		
For models:	LP2, LP3, LP4, LP4-Elettronica		

SWITCHES AND MOMENTARY SWITCHES DIHR



Vare Nr.	345913	Ref. No.	0010300207 0010300208 DW10300207 DW10300208
description	rotary switch sets of contacts 4 4 1-2-3-4 type CS012M014 400V 12A shaft ø 5x5mm shaft L 23mm shaft square with knob connection screw		
For models:	G12D, G12S, Gastro12S, H600, H600, HT11, HT11S, HT12S, SILVER-1500, SILVER-1500-Insulated		



Vare Nr.	347857	Ref. No.	003002031 DW3002031
description	rotary switch sets of contacts 6 4 0-1-2-3 type CA0127042 600V 12A shaft ø 5x5mm shaft L 25mm shaft square with knob connection screw		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, BX230, BX230Special, BX280, UX220		

producer-specific rotary switches

DIHR / KROMO



Vare Nr.	345911	Ref. No.	0089349 DW89349
description	element holder blue-grey format round 0-3		
For models:	Gastro12S, H600, H600, HT11S, HT12S		



Vare Nr.	697909	Ref. No.	0089322 DW89322
description	fastening angle for rotary switch plastic L 76mm W 31mm		
For models:	Gastro12S, H600, H600, HT11S, HT12S, LP2, LP3, LP4-800		



Vare Nr.	697910	Ref. No.	0089323 DW89323
description	fixing plate for rotary switch L 80mm W 60mm thickness 1mm		
For models:	Gastro12S, H600, H600, HT11S, HT12S, LP2, LP3, LP4-800		

			
1			
Vare Nr.	110731	Ref. No.	0089321 DW89321
description	knob switch zero mark ø 29mm black shaft special		
For models:	Gastro12S, H600, H600, HT11S, HT12S		

			
1			
Vare Nr.	345896	Ref. No.	0089332 DW89332
description	O-ring EPDM thickness 1.5mm ID ø 37mm Qty 1 pcs		
For models:	Derby, Derby400, G600, Gastro11S, Gastro1200, Gastro12S, Gastro450, GS100, H600, H600, HT11S, HT12S, Linear, LP1, LP1-800, LP1-800EL, LP1S, LP1-S8, LP1-S8EL, LP2, LP3, LP4-800, LP-ZERO, Star		

			
1			
Vare Nr.	345913	Ref. No.	0010300207 0010300208 DW10300207 DW10300208
description	rotary switch sets of contacts 4 4 1-2-3-4 type CS012M014 400V 12A shaft ø 5x5mm shaft L 23mm shaft square with knob connection screw		
For models:	G12D, G12S, Gastro12S, H600, H600, HT11, HT11S, HT12S, SILVER-1500, SILVER-1500-Insulated		

magnetic switches

			
1			
Vare Nr.	345990	Ref. No.	0010778 DW10778
description	magnetic switch L 40mm W 13mm 1NO 250V 0.04A P max. 10W connection male faston 6.3mm cable length 2000mm		
For models:	AX161, AX290, C40-CF, C40-LS, DS45, DS50, DS50T, DS50-Touche, Dupla50, GS40, GS40, GS40, GS-40, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85, Synthesis, TURBO-CF, TURBO-LS		

65x20mm

1


Vare Nr.	345116	Ref. No.	003003112 DW3003112
description	magnetic switch L 65mm W 20mm 1NO 250V 0.4A P max. 100W connection cable cable length 3000mm		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, FX, GRANUL1000, GRANUL900, GRANUL900, LC90-4, LC97-2, LC97-3, LC97-4, LC97-5, LP1S, LP1-S, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus, LP-2PLUS, LP2S-PLUS, LP-3PLUS, LP3S-PLUS...(Other models you can see in the webshop)		
accessories for	345116		
	Vare Nr.	345399	Ref. No.
			00391046 391046 DW391046
magnet ø 3.3mm L 40mm H 8mm W 13mm hole distance 30mm M3			

ø 9mm


			
1			
Vare Nr.	345991	Ref. No.	002000309 DW2000309
description	magnetic switch 250V 0.04A P max. 10W probe L 30mm 1NO connection cable cable length 2000mm		
For models:	F1, F1-KF1, F2, F2-KF2, LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP2, LP2, LP3, LP3, LP4, LP4-800, LP4-Electronica, LP-ZERO		

accessories

magnets




Vare Nr.	345399	Ref. No.	00391046 DW391046
description	magnet ø 3.3mm L 40mm H 8mm W 13mm hole distance 30mm M3		
For models:	AX161, AX290		



Vare Nr.	345336	Ref. No.	0080232 DW80232
description	magnet ø 4.8mm L 63mm H 11mm W 18.8mm hole distance 51mm M4		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, GRANUL1000, GRANUL900, GRANUL900, LC97-3, LC97-5, LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP1S, LP1-S, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus, LP2, LP2, LP-2PLUS, LP2S-PLUS, LP3, LP3, LP-3PLUS, LP3S-PLUS, LP4, LP4-800...(Other models you can see in the webshop)		

magnetic holders



Vare Nr.	524655	Ref. No.	003004184 DW3004184
description	screw cap for magnet holder thread M16x1.25 SS WS 19		

control equipment

ERSCE

push buttons



Vare Nr.	346654	Ref. No.	002000284 DW2000284
description	push button mounting measurements ø22mm green illuminated		
For models:	AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX300, CX, FX, TX1500		



Vare Nr.	346659	Ref. No.	003002052 DW3002052
description	contact block ERSCE C02 2NC max 400V 10(4)A red/red		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, LC80, LC81, LC90, LC90-2, LC90-4, LC90-900, LC91, LC97-4, LC97-5, TX1500, UX220		



Vare Nr.	346658	Ref. No.	003002051 DW3002051
description	contact block ERSCE C02 2NO max 400V 10(4)A green/green		
For models:	AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX300, CX, FX, TX1500, UX220		

TELEMECANIQUE (EFA)

XB4 series

signal element



1

Vare Nr.	347700	Ref. No.	002000232 DW2000232
description	signal element mounting measurements ø22mm green metal		
For models:	AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX300		



2

Vare Nr.	347730	Ref. No.	002000234 DW2000234
description	signal element mounting measurements ø22mm metal		
For models:	AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX300, CX, FX		



1

Vare Nr.	347727	Ref. No.	002000231 DW2000231
description	signal element mounting measurements ø22mm red metal		
For models:	AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX300		



1

Vare Nr.	347728	Ref. No.	002000230 DW2000230
description	signal element mounting measurements ø22mm yellow metal		
For models:	AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX300		

momentary mushroom switches



1

Vare Nr.	347485	Ref. No.	003002050 DW3002050
description	emergency switch mounting measurements ø22mm red		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, FX, TX1500, UX220		

rotary switches



1

Vare Nr.	347729	Ref. No.	002000311 DW2000311
description	rotary selector mounting measurements ø22mm black		
For models:	AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX300, GS-100, GS-100-DEPUR, TX1500		

miscellaneous



1

Vare Nr.	347698	Ref. No.	003002055 DW3002055
description	push button mounting measurements ø22mm black metal		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, TX1500, UX220		



1

Vare Nr.	347699	Ref. No.	002000310 DW2000310
description	rotary selector mounting measurements ø22mm black metal		
For models:	AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX300, UX220		

lamps

			
1			
Vare Nr.	359807	Ref. No.	003002068 DW3002068
description	light bulb socket Ba9s 24V 2W ø 10mm L 28mm clear		
For models:	AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, BX300, CX, FX		

lamps

indicator lights

indicator lights 2-piece (lens and indicator lamp)

indicator lamps for socket type SRZ / SDK / SDY / SFK

			
1			
Vare Nr.	359132	Ref. No.	0015826 DW15826
description	indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C		
For models:	Derby, Derby400, DS35, DS37, DS40, DS40, DS45, DS50, Dupla50, G35, G35-RL09-NEW, G600, Gastro11S, Gastro1200, Gastro12S, Gastro400S, Gastro450, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS37, GS37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85, H600, H600, HT11, HT11S, HT12S, Linear, LP1, LP1-800, LP1-800EL, LP1S, LP1-S8, LP1-S8EL, LP2, LP3, LP3...(Other models you can see in the webshop)		

indicator lights 3-piece (housing, lens and bulb)

lamps

light bulbs

			
1			
Vare Nr.	359807	Ref. No.	003002068 DW3002068
description	light bulb socket Ba9s 24V 2W ø 10mm L 28mm clear		
For models:	AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, BX300, CX, FX		

indicator lights (complete)

ø 6mm

			
1			
Vare Nr.	359004	Ref. No.	0010711 DW10711
description	indicator light ø 6mm 230V green cable length 400mm temp.-resist. 106°C		
For models:	BM100, BM100, BM200, BM200, BM300, BM300, Dupla50, G600, GASTRO-450, GASTRO-500, GASTRO-750, GASTRO-900, LINEAR-CF, LINEAR-LS, STAR-CF, STAR-LS, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank		

ø10mm

with screw socket

			
1			
Vare Nr.	360148	Ref. No.	003002066 DW3002066
description	indicator light ø 10mm 24V green cable length 200mm socket screw base		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, BX230, BX230Special, BX280, TX1500, UX220		

			
1			
Vare Nr.	360111	Ref. No.	003002065 DW3002065
description	indicator light ø 10mm 24V red cable length 200mm socket screw base		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, BX230, BX230Special, BX280, TX1500, UX220		

			
1			
Vare Nr.	360502	Ref. No.	003002067 DW3002067
description	indicator light ø 10mm 24V yellow cable length 200mm socket screw base		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, BX230, BX230Special, BX280, UX220		

with plug-in socket

			
1			
Vare Nr.	359139	Ref. No.	0010711/B DW10711/B
description	indicator light ø 10mm green 230V connection male faston 6.3mm Qty 1 pcs		
For models:	5+5M, 5+5M, 5M, 6+6M, 6+6T, 6M, 6T, 8+8T, 8T, C40-CF, C40-LS, CREPE1, CREPE2, CREPE-1, CREPE-2, Double-grill, DS40, Dupla50, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro12S, GRILL-XAL-2, GRILL-XAR-2, GRILL-XBL-2, GRILL-XBM, GRILL-XBR-2, GS-100, GS-100-DEPUR, GS-35, GS37-prima-serie, GS40, GS-40, GS-45, GS-50, GS-50-230Vac, GS50-230VAC, H600, H600, HT11, HT12S, K1L, K1R, K2L, K2M, K2R, LP1-S, S2, Single-grill, X1, X1-TK20...(Other models you can see in the webshop)		

ø12mm

with screw socket

			
1			
Vare Nr.	359027	Ref. No.	009108 DW9108
description	indicator light ø 12mm 250V green connection male faston 6.3mm		
For models:	S1, S2, SALAMANDRA-S1, SALAMANDRA-S2		

28.5x52.6mm



1

Vare Nr.	345877	Ref. No.	0015899/A DW15899/A
description	indicator light mounting measurements 28.5x52.6mm 230V green connection male faston 6.3mm protection IP40 ambient temperature max. 85°C		
For models:	GS-35, GS-37		

28.5x77.5mm



1

Vare Nr.	345873	Ref. No.	0015889 DW15889
description	indicator light mounting measurements 28.5x77.5mm 230V green connection male faston 6.3mm protection IP40 ambient temperature max. 85°C		
For models:	G600, GS40, GS-40, GS-45, GS50, GS-50, GS-50-230Vac, GS50-230VAC		

LED

indicator lamps

mounting diameter 25mm



1

Vare Nr.	360584	Ref. No.	00590066 DW590066
description	indicator light LED mounting ø 25mm 3VDC blue connection cable 1000mm 1W 350mA mounting thread M25x1.25		
For models:	TwinStar		



1

Vare Nr.	360585	Ref. No.	00590067 DW590067
description	indicator light LED mounting ø 25mm 3VDC green connection cable 1000mm 1W 350mA mounting thread M25x1.25		
For models:	TwinStar		



1

Vare Nr.	360583	Ref. No.	00590065 DW590065
description	indicator light LED mounting ø 25mm 3VDC red connection cable 1000mm 1W 350mA mounting thread M25x1.25		
For models:	TwinStar		

accessories



1

Vare Nr.	357178	Ref. No.	00590068 DW590068
description	power supply for LEDs 3W primary 100-240V secondary 0.35A 50/60Hz KPB-3F35I Qty 1 pcs		
For models:	TwinStar		

screw-on/push-on fit

light bulbs

for indicator lights



1

Vare Nr.	359807	Ref. No.	003002068 DW3002068
description	light bulb socket Ba9s 24V 2W ø 10mm L 28mm clear		
For models:	AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, BX300, CX, FX		

timers

programme timers



1

Vare Nr.	360411	Ref. No.	0010708 DW10708
description	timer CDC 11803 engines 1 chambers 3 operation time 120s 230V shaft ømm shaft Lmm motor type M48R ATS		
For models:	STAR		
spare parts for	360411		



Vare Nr.	360118	Ref. No.	—
motor CDC pinion ø 4.9mm teeth 10 230V voltage AC 50/60Hz turn direction right motor ø 47mm H 19.3mm motor type M48R ATS for timer cable length 260mm 1.9/2.5W			



1

Vare Nr.	360273	Ref. No.	0016064/A DW16064/A
description	timer CDC 11803 engines 1 chambers 3 operation time 18min 230V shaft ømm shaft Lmm manuf. no. 11803F1 / 16064/A motor type M48R ATS		
For models:	C40-CF, C40-LS, DS35, DS40, Electron1000, Electron400, Electron500, G12D, G35, G600, G600, Gastro11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, Gastro12S, Gastro400S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS100, GS-100-DEPUR, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS40, GS40, GS40, GS40, GS-40, GS45, GS-45, GS50, GS50, GS-50, GS85, H600, Linear, LINEAR-CF, LINEAR-LS, Star...(Other models you can see in the webshop)		
spare parts for	360273		
	Vare Nr.	360118	Ref. No. —
motor CDC pinion ø 4.9mm teeth 10 230V voltage AC 50/60Hz turn direction right motor ø 47mm H 19.3mm motor type M48R ATS for timer cable length 260mm 1.9/2.5W			



1

Vare Nr.	360666	Ref. No.	DW10708/E
description	timer CDC 11803 engines 1 chambers 4 operation time 120s 115V shaft ømm shaft Lmm manuf. no. 11803F1 / 10708E motor type M48R ATS /60Hz connection F4.8 supply at 60Hz 115V		



1

Vare Nr.	360569	Ref. No.	0010708/B DW10708/B
description	timer CDC 11804F engines 1 chambers 3 operation time 120s 230V 60Hz shaft ømm shaft Lmm manuf. no. 11804F1ADY000.0010 motor type M48R ATS voltage AC		
For models:	Derby, DS35, DS37, DS40, DS40, Electron400, G35, G600, G600, Gastro400S, Gastro450, GS37, GS37, GS37-prima-serie, GS40, GS40, GS40, GS50, Linear, Star, Synthesis		



1

Vare Nr.	360290	Ref. No.	0010708/T DW10708/T
description	timer CDC 11804F engines 1 chambers 4 operation time 120s 230V shaft ømm shaft Lmm manuf. no. 11804F1 / 10708T motor type M48R ATS connection F4.8		
For models:	DS35, DS37, DS40, Electron400, G35, G35-RL09-NEW, Gastro11S, Gastro1200, Gastro400S, Gastro450, GS37, GS37-RL09-NEW, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS50, Linear, TEK-NO-4-CF, TEKNO-4-LS		
spare parts for	360290		
	Vare Nr.	360118	Ref. No.
	—		
motor CDC pinion ø 4.9mm teeth 10 230V voltage AC 50/60Hz turn direction right motor ø 47mm H 19.3mm motor type M48R ATS for timer cable length 260mm 1.9/2.5W			



1

Vare Nr.	360427	Ref. No.	0010708/N DW10708/N
description	timer CDC 11804F engines 1 chambers 4 operation time 90s 230V shaft ømm shaft Lmm motor type M48R ATS		
For models:	DS35, DS40, Electron400, G600, Gastro11S, Gastro1200, Gastro400S, GS85, HT11, HT11S		




1

Vare Nr.	360389	Ref. No.	0010300122 DW10300122	
description	timer CDC 4904F engines 1 chambers 4 operation time 5min 230V shaft ømm shaft Lmm manuf. no. 4904F3 / 10300122 motor type M48L ATS			
For models:	Gastro11S, Gastro1200, Gastro12S, H600, HT12S			
spare parts for	360389			
	Vare Nr.	360083	Ref. No.	—
	motor CDC pinion ø 4.9mm teeth 10 230V turn direction left motor ø 47mm H 19.3mm motor type M48L ATS for timer			

			
1			
Vare Nr.	360464	Ref. No.	0010300118 DW10300118
description	timer CDC 4904F engines 1 chambers 4 operation time 6min 230V 60Hz shaft ømm shaft Lmm voltage AC		
For models:	Gastro11S, Gastro1200, Gastro12S, HT11, HT11S		

			
1			
Vare Nr.	360257	Ref. No.	0010300117 DW10300117
description	timer CDC 4904F engines 1 chambers 4 operation time 6min 230V shaft ømm shaft Lmm manuf. no. 4904F3 / 360257 motor type M48L ATS		
For models:	G12D, G12S, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, Gastro12S, SILVER-1500, SILVER-1500-Insulated		
spare parts for	360257		
	Vare Nr.	360083	Ref. No. —
	motor CDC pinion ø 4.9mm teeth 10 230V turn direction left motor ø 47mm H 19.3mm motor type M48L ATS for timer		

			
1			
Vare Nr.	360296	Ref. No.	0010300123 DW10300123
description	timer CDC 7804DV engines 2 chambers 4 operation time 6s / 3min 230V shaft ømm shaft Lmm manuf. no. 7804DV / 10300123 motor type M37RN/M37LN		
For models:	Electron500, Gastro500S, Gastro750Plus, Gastro750S, Tekno6		
spare parts for	360296		
	Vare Nr.	360119	Ref. No. —
	motor CDC pinion ø 5.4mm teeth 12 230V turn direction right motor ø 37mm motor type M37RN for timer		
	Vare Nr.	360131	Ref. No. —
	motor CDC pinion ø 5.4mm teeth 12 230V turn direction left motor ø 37mm motor type M37LN for timer		

			
1			
Vare Nr.	360293	Ref. No.	0030001027 DW30001027
description	timer CDC 7804DV engines 2 chambers 4 operation time 6s / 3min 230V shaft ømm shaft Lmm manuf. no. 7804DV / 30001027 motor type M37RN/M37LN		
For models:	DS50, Dupla50, Electron500, Gastro500Plus, Gastro500S, Gastro-750Plus, Gastro750S, GS50, Tekno6, TEKNO-6, TEKNO-6-Break-Tank		
spare parts for	360293		
	Vare Nr.	360119	Ref. No. —
	motor CDC pinion ø 5.4mm teeth 12 230V turn direction right motor ø 37mm motor type M37RN for timer		
	Vare Nr.	360131	Ref. No. —
	motor CDC pinion ø 5.4mm teeth 12 230V turn direction left motor ø 37mm motor type M37LN for timer		

			
1			
Vare Nr.	360295	Ref. No.	0022011 DW22011
description	timer CDC 7805DV engines 2 chambers 5 operation time 6s / 4min 230V shaft ømm shaft Lmm manuf. no. 7805DV / 22011 motor type M37RN/M37LN		
For models:	Electron1000, GS100, GS-100, GS-100-DEPUR, LP1, LP1, LP1-800, LP1-800, LP1-800EL, LP1S, LP1-S, LP1-S8, LP1-S8EL, LP-ZERO		
spare parts for	360295		
	Vare Nr.	360119	Ref. No. —
	motor CDC pinion ø 5.4mm teeth 12 230V turn direction right motor ø 37mm motor type M37RN for timer		
	Vare Nr.	360131	Ref. No. —
	motor CDC pinion ø 5.4mm teeth 12 230V turn direction left motor ø 37mm motor type M37LN for timer		



1

Vare Nr.	360294	Ref. No.	0030001031 DW30001031
description	timer CDC 7806DV engines 2 chambers 6 operation time 6s / 3min 230V shaft ømm shaft Lmm manif. no. 7806DV / 30001031 motor type M37RN/M37LN		
For models:	DS50, Dupla50, Electron500, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS50, Tekno6, TEKNO-6, TEKNO-6-Bre-ak-Tank		
spare parts for	360294		
	Vare Nr.	360119	Ref. No. —
	motor CDC pinion ø 5.4mm teeth 12 230V turn direction right motor ø 37mm motor type M37RN for timer		
	Vare Nr.	360131	Ref. No. —
	motor CDC pinion ø 5.4mm teeth 12 230V turn direction left motor ø 37mm motor type M37LN for timer		



1

Vare Nr.	360346	Ref. No.	0030001032 DW30001032
description	timer CDC 7806DV engines 2 chambers 6 operation time 6s / 3min 230V shaft ømm shaft Lmm manif. no. 7806DV / 30001032 motor type M37RN/M37LN		
For models:	Electron500, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, Tekno6		
spare parts for	360346		
	Vare Nr.	360119	Ref. No. —
	motor CDC pinion ø 5.4mm teeth 12 230V turn direction right motor ø 37mm motor type M37RN for timer		
	Vare Nr.	360131	Ref. No. —
	motor CDC pinion ø 5.4mm teeth 12 230V turn direction left motor ø 37mm motor type M37LN for timer		



1

Vare Nr.	360289	Ref. No.	0010708/L DW10708/L
description	timer CROUZET engines 1 chambers 2 operation time 120s 230V shaft ømm shaft Lmm manif. no. 627/5309 motor type 600		
For models:	C40-CF, C40-LS, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, DS50, Dupla50, Electron400, G35, Gastro11S, Gastro1200, Gastro400S, Gastro450, GASTRO-450, GASTRO-500, GASTRO-750, GASTRO-900, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS40, GS40, GS40, GS40, GS-40, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, Linear, LINEAR-CF, LINEAR-LS, Star, STAR-CF, STAR-LS, Synthesis, Tekno4, TEKNO-4-CF, TEKNO-4-LS, TURBO-CF, TURBO-LS		

contactors

GENERAL ELECTRIC (AEG)

power contactors



1

Vare Nr.	380239	Ref. No.	0010300391 0015086/B DW10300391 DW15086/B
description	power contactor resistive load 20A 230VAC (AC3/400V) 8.4A/4kW main contacts 3NO auxiliary contacts 1NC connection screw connection type LS05 01A type AEG LS05 01A type GE MC1A 301A		
For models:	DW020H, Electron1000, Electron400, Electron400, Electron400Clean-Water, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G12D, G12S, G600, G600, G600S, Gastro11S, Gastro1200, Gastro12S, Gastro450, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GRANUL1000, GRANUL900, GRANUL900, GS100, GS-100, GS45, GS50, GS-50, H600, H600E-electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, Linear, LP1-800, LP1-800...(Other models you can see in the webshop)		



1

Vare Nr.	380238	Ref. No.	0010300392 DW10300392
description	power contactor resistive load 20A 230VAC (AC3/400V) 8.4A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type LS0510A type AEG LS0510A type GE MC1A 310A		
For models:	Gastro11S, Gastro1200, Gastro12S, H600, H600Electronic, HT11, HT11E, HT11S, HT11-T, HT-11-Touche, HT12S, HT12SElectronic		

			
1			
Vare Nr.	380839	Ref. No.	002000370 DW2000370
description	power contactor resistive load 20A 24VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type LS0510A type AEG LS0510A type GE MC1A 310A		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, FX, LC80, LC81, LC90, LC90-2, LC90-4, LC90-900, LC91, LC97-2, LC97-3, LC97-4, LC97-5, TX1500, UX220		

			
1			
Vare Nr.	380244	Ref. No.	0010300050 DW10300050
description	power contactor resistive load 25A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type AEG LS4K 10A type GE CL00A 310		
For models:	Electron1000, G12D, G12S, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, Gastro12S, GRANUL1000, GRANUL900, GRANUL900, GS100, GS-100, GS-100-DEPUR, H600, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Electronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP1S, LP1-S, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus, LP2, LP2, LP2-PLUS, LP2S-PLUS...(Other models you can see in the webshop)		

			
1			
Vare Nr.	381136	Ref. No.	002000380 DW2000380
description	power contactor resistive load 25A 24VAC (AC3/400V) 12A/5.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type AEG type GE CL01A310T1		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, LC80, LC90, TX1500, UX220		

			
1			
Vare Nr.	380262	Ref. No.	0010300052 DW10300052
description	power contactor resistive load 32A 230VAC (AC3/400V) 17A/7.5kW main contacts 3NO auxiliary contacts 1NC connection screw connection type AEG LS7K01A type GE CL02A 301 H 85mm		
For models:	Electron1000, Electron500, Electron500Plus, Electron600, G600S, Gastro11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, Gastro12S, GRANUL900, GS100, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP1-800, LP1-S8, LP1S-Plus, LP2, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		

			
1			
Vare Nr.	381154	Ref. No.	0010300054 DW10300054
description	power contactor resistive load 32A 230VAC (AC3/400V) 17A/7.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type AEG type GE CL02A310R6		
For models:	Gastro11S, Gastro1200, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP2, LP2, LP3, LP4, LP4-800, LP4-Electronica, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		

			
1			
Vare Nr.	380671	Ref. No.	002000385 DW2000385
description	power contactor resistive load 45A 24VAC (AC3/400V) 25A/11kW main contacts 3NO auxiliary contacts connection screw connection type AEG LS11K 00A type GE CL25A300T1		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, LC90, LC90-2, LC90-900, LC97-4, LC97-5, TX1500, UX220		

motor protection circuit breakers



Vare Nr.	380940	Ref. No.	002000394 DW2000394
description	motor protection circuit breaker type GPS1BSAH setting range 2.5-4A DIN rail contacts screw clamp		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, FX, LC80, LC90, LC90-2, LC90-900, TX1500, UX220		



Vare Nr.	380939	Ref. No.	002000400 DW2000400
description	motor protection circuit breaker type GPS1BSAJ setting range 4-6.3A DIN rail connection screw		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, LC90-2, LC90-4, LC90-900, LC97-4, LC97-5, TX1500, UX220		

ISKRA (FANAL)


power contactors



Vare Nr.	380213	Ref. No.	0015086 DW15086
description	power contactor resistive load 20A 230VAC (AC3/400V) 8.5A/5.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type Fanal DSL7 10 type ISKRA K07M 10		
For models:	5+5M, 5+5M, 5M, 6+6M, 6+6T, 6M, 6T, 8+8T, 8T, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G12D, G12S, G600, G600, G600S, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-1200-S, GASTRO-1200-S-Isolata, Gastro12S, Gastro400S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GRANUL1000, GRANUL900...(Other models you can see in the webshop)		

ABL SURSUM

motor protection circuit breakers



Vare Nr.	380300	Ref. No.	002000390 DW2000390
description	motor protection circuit breaker type Mbs25-016 setting range 1-1.6A (AC3/400V) 0.55kW		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, LC81, LC91, LC97-2, LC97-3, LC97-4, LC97-5, LP2, TX1500, UX220		
accessories for	380300		
	Vare Nr.	380305	Ref. No. —
auxiliary contact contacts 1NO/1NC HMS11			

relays

power relays


with bracket mounting



Vare Nr.	380139	Ref. No.	0015620 DW15620
description	power relays FINDER 230VAC 16A 2CO connection F6.3 bracket mounting dimensions 68x38.2x35.8mm manuf. no. 62.82.8.230.0000		
For models:	CAN-MASTER, DS35, DS37, DS40, DS40, DS50, Electron1000, Electron400, Electron500, Electron500CleanWater, F1, F1-KF1, F2, F2-KF2, G12D, G35, G35-RL09-NEW, G600, Gastro11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, Gastro12S, Gastro400S, Gastro450, GASTRO-450, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GM3, GM4, GS100, GS-100, GS-100-DEPUR, GS37, GS37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS40, GS-40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS-45, GS50...(Other models you can see in the webshop)		

			
1			
Vare Nr.	380403	Ref. No.	0016047 DW16047
description	power relays FINDER 230VAC 16A 3CO connection F6.3 bracket mounting manuf. no. 62.83.8.230.0500		
For models:	DS35, DS40, G35-RL09-NEW, Gastro500S, GS37, GS37-RL09-NEW, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS-50, GS-50-230Vac, GS85, Linear, Star, TwinStar		

plug-in/print relays

 			
1			
Vare Nr.	381151	Ref. No.	003006078 DW3006078
description	print relay 24VAC 2CO 2-pole at 250V 8A connection pins raster size 5mm FINDER manuf. no. 40.52.8.024.0000 95.65/95.75		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, TwinStar, TX1500, UX220		

relay sockets

 			
1			
Vare Nr.	381181	Ref. No.	003006079 DW3006079
description	relay socket 2-pole 40.51/40.52/40.61 connection screw clamp dimensions 15.8x78.6mm 250V voltage AC 10A FINDER manuf. no. 95.75		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, TwinStar, TX1500, UX220		
accessories for	381181		
	Vare Nr.	381455	Ref. No. —
	support bracket		

time relays

time relays

			
1			
Vare Nr.	380878	Ref. No.	003006225 003006226 DW3006225 DW3006226
description	time relay FINDER 80.11.0.240 time range 0.1s-20h 12-240V AC/DC 16A mounting measurements DIN railmm 1CO connection grip connection		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, CX, FX, GASTRO-11-S, GASTRO-11-S-Isolata, LC80, LC81, LC90, LC90-2, LC90-4, LC90-900, LC91, LC97-4, LC97-5, TX1500, UX220		

electronic controllers

DIXELL


refrigeration controllers

built-in version

			
1			
Vare Nr.	378249	Ref. No.	003006120 DW3006120
description	electronic controller DIXELL XR20C-1P3CO mounting measurements 71x29mm 24V voltage AC/DC NTC/PTC relay outputs 1 CO-8A(3) NTC/PTC DI protection IP54 -50 up to +150°C display 3½ digits		
For models:	AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX300		

electronic thermometers

built-in version



1

Vare Nr.	378046	Ref. No.	002000402 DW2000402
description	thermometer DIXELL XT11S mounting measurements 58x25.5mm 24V voltage AC/DC NTC 0 up to +60°C display 2½ digit 1 Templn1 NTC Digiln1 defr. funct. front measurements 31x64mm		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, BX230, BX280, UX220		

probes

universal probes

temperature probes



1

Vare Nr.	379161	Ref. No.	002000401 DW2000401
description	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, BX230, BX280, UX220		



1

Vare Nr.	379199	Ref. No.	003006121 DW3006121
description	temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C probe ø6x30mm cable length 5m without screw connection 2-wire		
For models:	AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX300		

producer-specific probes

probes



1

Vare Nr.	378347	Ref. No.	00590104 DW590104
description	temperature probe 2x NTC 10K cable silicone probe -40 up to +110°C cable -50 up to +180°C connection coded plug thread M10x1 probe ø6x15/32mm cable length 3m		
For models:	TwinStar		



1

Vare Nr.	378248	Ref. No.	0050562 DW50562
description	temperature probe NTC 10kOhm cable PVC probe -40 up to +110°C cable -10 up to 100°C connection coded plug thread probe ø6x14mm cable length 2m		
For models:	DS40, DS40, DS50, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600S, Gastro11S, Gastro1200, Gastro500S, GRANUL1000, GRANUL900, GRANUL900, GS50, H600, H600Electronic, HT11E, HT11E, HT11S, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SE-electronic, LP1-800, LP1-800, LP1-800EL, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus, LP2, LP-2PLUS, LP2S-PLUS, LP-3PLUS, LP3S-PLUS, LP-4PLUS, LP4S8-PLUS, Optima400, Optima500, Optima500...(Other models you can see in the webshop)		



1

Vare Nr.	378312	Ref. No.	00392047/A DW392047/A
description	temperature probe NTC 10kOhm cable PVC probe -40 up to +110°C cable -10 up to 100°C connection coded plug thread probe ø6x14mm cable length 3.5m		
For models:	AX161, AX290		



1

Vare Nr.	378314	Ref. No.	003006165 DW3006165
description	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C connection coded plug thread probe ø5x30mm cable length 0.35m		
For models:	AX161, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX300, CX, FX, TX1500		



1

Vare Nr.	378313	Ref. No.	00392047 DW392047
description	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C connection coded plug thread probe ø6x14mm cable length 3m		
For models:	AX161, AX290		




1

Vare Nr.	378268	Ref. No.	0050563 DW50563
description	temperature probe NTC cable silicone probe -40 up to +110°C cable -50 up to +180°C connection coded plug thread probe ø6x15mm cable length 1.1m		
For models:	LP2, LP3, LP3, LP4, LP4-800, LP4-Elettronica		

electronics

PCBs



1

Vare Nr.	403893	Ref. No.	0050553/F DW50553/F
description	control		
For models:	HT11-T, HT-11-Touche		



1

Vare Nr.	403222	Ref. No.	0050570/H DW50570/H
description	control PCB dishwasher AX 161/ AX 290 L 160mm W 115mm cable length 970mm with housing Qty 1 pcs		
For models:	AX161, AX290		




1

Vare Nr.	403724	Ref. No.	50602 DW50602
description	control PCB dishwasher L 175mm W 30mm		
For models:	Electron400, Electron500, Electron500Plus		



1

Vare Nr.	403288	Ref. No.	00590107 DW590107
description	control PCB dishwasher TWIN STAR L 157mm W 112mm with display buttons 6		
For models:	TwinStar		



1

Vare Nr.	403731	Ref. No.	0011600931 DW11600931
description	control PCB L 135mm W 80mm		
For models:	HT11E, HT11S, HT12E-Lift, HT12E-Plus, LP1-800		
accessories for	403731		



Vare Nr.	400706	Ref. No.	0050651 50651 DW50651
ribbon cable 16-pole L 1100mm plug type FC-16P raster size 2.54mm			



1

Vare Nr.	403231	Ref. No.	0050570/D DW50570/D
description	keypad PCB dishwasher 80E/81E L 155mm W 100mm with display H 25mm buttons 6		
For models:	LP-2PLUS, LP-3PLUS, LP-4PLUS		



1

Vare Nr.	403891	Ref. No.	0050552 DW50552
description	keypad PCB L 135mm W 30mm		
For models:	DS50T, DS50-Touche, HT11-T, HT-11-Touche		



1

Vare Nr.	403221	Ref. No.	003006164 DW3006164
description	main PCB dishwasher AX 250/300/310/320/330 L 168mm W 148mm for display PCB Qty 1 pcs		
For models:	AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX300, CX, FX, TX1500		



1

Vare Nr.	403770	Ref. No.	0091120 DW91120
description	main PCB dishwasher L 190mm W 103mm		
For models:	LP2S-PLUS, LP3S-PLUS, LP4S8-PLUS		



1

Vare Nr.	403286	Ref. No.	00590105 DW590105
description	PCB dishwasher 116EK L 250mm W 118mm Qty 1 pcs		



1

Vare Nr.	403230	Ref. No.	0050603 DW50603
description	PCB dishwasher 125EU L 190mm W 110mm with housing H 70mm		
For models:	Electron400, Electron500		



1

Vare Nr.	402687	Ref. No.	0050584 DW50584
description	PCB dishwasher DS40/DS50 for flow meter		
For models:	DS40, DS40, DS50, Dupla50, DW020H, Electron1000, Electron400, Electron400CleanWater, Electron500, Electron500CleanWater, Electron600, G600S, GS50		



1

Vare Nr.	402677	Ref. No.	0050580 DW50580
description	PCB dishwasher DS40/DS50 L 161mm W 90mm		
For models:	DS40, DS40, DS50, Dupla50, DW020H, Electron1000, Electron400, Electron400CleanWater, Electron500, Electron500CleanWater, Electron600, G600S, GS50		



1

Vare Nr.	403285	Ref. No.	0050553/E DW50553/E
description	PCB dishwasher DS50 L 117mm W 96mm with housing H 43mm Qty 1 pcs		
For models:	DS50T, DS50-Touche		



1

Vare Nr.	403284	Ref. No.	0050604 DW50604
description	PCB dishwasher Elektron500 L 190mm W 110mm with housing programmable H 70mm Qty 1 pcs		
For models:	Electron500Plus		



1

Vare Nr.	402676	Ref. No.	0050559 DW50559
description	PCB dishwasher HT11/12 L 102mm W 62mm timer		
For models:	DW020H, Electron1000, Electron500, G12D, G12S, Gastro12S, Gastro500S, GRANUL900, H600, H600Electronic, HT11E, HT12-Electronica, HT12S, HT12SElectronic, LP1-800, LP1-800EL, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus, LP2, LP-2PLUS, LP-3PLUS, LP-4PLUS, Tekno6		



1

Vare Nr.	402682	Ref. No.	0050557 DW50557
description	PCB dishwasher HT600/HT11/HT12 L 160mm W 102mm timer run-time 60/100/180s		
For models:	G12D, G12S, Gastro11S, Gastro1200, Gastro12S, H600, H600Electronic, HT12-Elettronica, HT12S, HT12SElectronic		



1

Vare Nr.	402675	Ref. No.	0050581 DW50581
description	PCB dishwasher KD60 L 185mm W 30mm buttons 4		
For models:	DS40, DS40, DS50, Dupla50, DW020H, Electron1000, Electron400, Electron400CleanWater, Electron500, Electron500CleanWater, Electron600, G600S, GS50		
accessories for	402675		
	Vare Nr.	400066	Ref. No.
			005058 0050589 5058 50589 DW5058 DW50589
ribbon cable 10-pole L 1000mm plug type FC-10P raster size 2.54mm			



1

Vare Nr.	403283	Ref. No.	00540201 DW540201
description	PCB dishwasher Optima 400 L 190mm W 110mm with housing H 70mm Qty 1 pcs		
For models:	Optima400		



1

Vare Nr.	403282	Ref. No.	00561060 DW561060
description	PCB dishwasher Optima L 190mm W 110mm with housing H 70mm Qty 1 pcs		
For models:	Optima500, Optima-Cutlery		



1

Vare Nr.	403287	Ref. No.	00590106 DW590106
description	PCB dishwasher TWIN STAR L 215mm W 140mm Qty 1 pcs		



1

Vare Nr.	403558	Ref. No.	0050650 DW50650
description	PCB for dishwasher GR800/900/1000, LP2S, LP3S, LP4S8		
For models:	GRANUL1000, GRANUL900, LP2S-PLUS, LP3S-PLUS, LP4S8-PLUS		

central units



1

Vare Nr.	402683	Ref. No.	0050556 DW50556
description	control box timer operation time 3/6/9min		
For models:	LP2, LP2, LP3, LP3, LP4, LP4-800, LP4-Elettronica		



1

Vare Nr.	402681	Ref. No.	0050553/A DW50553/A
description	control box timer run-time 50/120/180s		
For models:	HT11, HT11S		



1

Vare Nr.	402684	Ref. No.	0050569 DW50569
description	control box without EPROM		
For models:	DW020H, Electron1000, Electron500, Gastro500S, GRANUL900, H600Electronic, HT11E, HT12S, HT12SElectronic, LP1-800, LP1-800EL, LP1-S8, LP1-S8EL, LP1S-Plus, LP-2PLUS, LP-3PLUS, LP-4PLUS, Tekno6		



1

Vare Nr.	379026	Ref. No.	0050553 DW50553
description	electronic timer for dishwasher		
For models:	DS35, DS37, DS40, DS40, DS45, DS50, Dupla50, G35, G35-RL09-NEW, G600, Gastro500S, GS37, GS37-RL09-NEW, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85, HT11S		

keypads

front foils



1

Vare Nr.	403256	Ref. No.	00560039 00560042 DW560039 DW560042
description	keypad foil dishwasher 20/29/83ELK 20S5 blue L 557mm W 36mm buttons 4		
For models:	DW020H, Electron1000, Electron500, Electron500, Electron500Clean-Water, Electron500Plus, Electron600, G600S		



1

Vare Nr.	402914	Ref. No.	00550256 00550262 DW550256 DW550262
description	keypad foil dishwasher G100/K90 blue L 190mm W 190mm		
For models:	GS-100		



1

Vare Nr.	402685	Ref. No.	0050571 0050575 0050578 DW50571 DW50575 DW50578
description	keypad foil dishwasher H63/373E/144E L 134mm W 79mm buttons 6		
For models:	H600Electronic, HT11E, HT12S, HT12SElectronic, LP1-800, LP1-800EL, LP1-S8, LP1-S8EL, LP-2PLUS, LP-3PLUS, LP-4PLUS		



1

Vare Nr.	403289	Ref. No.	0096704 DW96704
description	keypad foil dishwasher LP25/LP35/LP48/GR800/TwinStar blue L 200mm W 135mm buttons 6		
For models:	GRANUL1000, GRANUL900, LP2S-PLUS, LP3S-PLUS, LP4S8-PLUS, TwinStar		

membrane keypads



1

Vare Nr.	403732	Ref. No.	0011600933 DW11600933
description	keypad foil buttons 5 L 155mm W 95mm		
For models:	HT11E, HT11S, HT12E-Lift, HT12E-Plus, LP1-800		

keypad units



1

Vare Nr.	402679	Ref. No.	0050570/C DW50570/C
description	keypad unit dishwasher 17U/70U buttons 6 L 158mm W 103mm		
For models:	LP1-800, LP1-800EL, LP1-S8, LP1-S8EL		

			
Vare Nr.	402913	Ref. No.	0050570/A DW50570/A
description	keypad unit dish washer 37E/80E/81E/18ER/19E buttons 6 suitable for Dihr L 145mm W 90mm with cable		
For models:	HT12SElectronic, LP-2PLUS, LP-3PLUS		

			
Vare Nr.	402678	Ref. No.	0050570 DW50570
description	keypad unit dish washer H63/373E/144E buttons 6 L 158mm W 103mm		
For models:	H600Electronic, HT11E, HT12-Elettronica, HT12S, HT12SElectronic		
accessories for	402678		
	Vare Nr.	402685	Ref. No.
			0050571
			0050575
			0050578
			50571
			50575
			50578
			DW50571
			DW50575
			DW50578
keypad foil dish washer H63/373E/144E L 134mm W 79mm buttons 6			

solenoid valves

solenoid valves (water)

ELBI

straight

			
Vare Nr.	373025	Ref. No.	0015099 DW15099
description	solenoid valve triple straight 230VAC inlet 3/4" outlet 11.5mm DN10 ELBI		
For models:	C40-CF, C40-LS, Electron400, Electron400, G600, Gastro400S, Gastro450, GASTRO-450, GASTRO-500, GASTRO-750, GASTRO-900, GS40, GS50, GS-50, Linear, LINEAR-CF, LINEAR-LS, LP1-S8, LP1-S8EL, STAR, Star, STAR-CF, STAR-LS, Tekno4, TEKNO-4-CF, TEKNO-4-LS		
spare parts for	373025		
	Vare Nr.	370467	Ref. No.
			—
solenoid valve filter suitable for ELBI			

RPE

			
Vare Nr.	374017	Ref. No.	0010703 DW10703
description	solenoid valve single straight 230VAC inlet 3/4" outlet 10mm input 6l/min DN10 RPE polyamide flow regulating valve inlet white membranes NBR pressure range 0.2-10bar		
For models:	Derby, DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G35, G35-RL09-NEW, G600, G600, G600S, Gastro400S, Gastro450, GASTRO-500, Gastro500Plus, Gastro500S, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GRANUL1000, GRANUL900, GRANUL900, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS40, GS-40, GS-40-RL09-NEW...(Other models you can see in the webshop)		

			
Vare Nr.	374016	Ref. No.	0030001000 DW30001000
description	solenoid valve single angled 230VAC inlet 3/4" outlet 13mm DN10 duty cycle 100% RPE polyamide		
For models:	Electron1000, G12D, G12S, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, Gastro12S, GS100, GS-100, GS-100-DEPUR, H600, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP1S, LP1-S, LP1-S8, LP1-S8EL, LP-ZERO, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT, SILVER-1500, SILVER-1500-Insulated		

			
Vare Nr.	374060	Ref. No.	002000093 DW2000093
description	solenoid valve single angled 24V inlet 3/4" outlet 13mm DN10 duty cycle 100% RPE polyamide		
For models:	AX151, AX151-highspeed, AX161, AX290, LC81, TX1500		

solenoid valves with reducers

2-fold



Vare Nr.	374010	Ref. No.	002000094 DW2000094
description	solenoid valve double angled 24VAC inlet 3/4" outlet 14.5mm input 10-12l/min t.max. 60°C RPE plastic flow regulating valve inlet white		
For models:	AX161, AX290, CAN-MASTER		



Vare Nr.	370742	Ref. No.	0015214 DW15214
description	solenoid valve double straight 230VAC inlet 3/4" outlet 11.5mm input 10-12l/min t.max. 60°C RPE plastic flow regulating valve inlet white 1NO/1NC		
For models:	HT12-Optima-HR-Plus, Optima400, Optima500, Optima500, Optima-Cutlery, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT, TwinStar		

3-fold



Vare Nr.	371153	Ref. No.	002000095 DW2000095
description	solenoid valve triple angled 24V inlet 3/4" outlet 14mm input 10-12l/min t.max. 60°C RPE plastic flow regulating valve inlet white		
For models:	AX161, AX290		

TP



Vare Nr.	370021	Ref. No.	0015098 DW15098
description	solenoid valve double straight 230VAC inlet 3/4" outlet 11.5mm DN10 TP flow regulating valve inlet white		
For models:	C40-CF, C40-LS, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron500, Electron500, Electron500Plus, Electron600, G12D, G35, G35-RL09-NEW, G600, G600, G600S, Gastro11S, Gastro1200, Gastro125, Gastro400S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS100, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40...(Other models you can see in the webshop)		
spare parts for	370021		
	Vare Nr.	371013	Ref. No. —
	solenoid coil TP 230VAC 50/60Hz		
accessories for	370021		
	Vare Nr.	371220	Ref. No. —
	reducer TP flow rate 3l/min red tolerance ±15%		
	Vare Nr.	371221	Ref. No. —
	reducer TP flow rate 5.5l/min yellow tolerance ±15%		
	Vare Nr.	371222	Ref. No. —
	reducer TP flow rate 6l/min grey tolerance ±15%		
	Vare Nr.	371223	Ref. No. —
	reducer TP flow rate 10l/min white tolerance ±15%		
	Vare Nr.	371224	Ref. No. —
	reducer TP flow rate 12l/min bronze tolerance ±15%		
	Vare Nr.	371225	Ref. No. —
	reducer TP flow rate 16l/min light brown tolerance ±15%		
	Vare Nr.	371226	Ref. No. —
	reducer TP flow rate 20l/min red tolerance ±15%		
	Vare Nr.	371230	Ref. No. —
	reducer TP flow rate 0.25l/min red tolerance ±25%		
	Vare Nr.	371231	Ref. No. —
	reducer TP flow rate 0.35l/min violet tolerance ±25%		
	Vare Nr.	371232	Ref. No. —
	reducer TP flow rate 0.5l/min orange tolerance ±25%		
	Vare Nr.	371233	Ref. No. —
	reducer TP flow rate 0.8l/min white tolerance ±25%		
	Vare Nr.	371234	Ref. No. —
	reducer TP flow rate 1l/min light blue tolerance ±25%		

Table continues overleaf



various



1

Vare Nr.	370636	Ref. No.	0015213 DW15213
description	solenoid valve single CO 230VAC outlet 10.5mm MILANO 00168401 plastic 3-ways inlet 10.5mm 50/60Hz male faston 6.3mm		
For models:	Dupla50, Electron400, Electron500, Electron500Plus, G35-RL09-NEW, GS37-RL09-NEW, GS-40-RL09-NEW, GS40-RL09-NEW, HT11, HT11E, HT11S, HT12E-Lift, HT12-Optima-HR-Plus, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		
accessories for	370636		
	Vare Nr.	371142	Ref. No. —
	 reducer for solenoid valve ø 8.2mm		

metal

BÜRKERT

solenoid valves (various)



1

Vare Nr.	370464	Ref. No.	003002030 DW3002030
description	solenoid valve 2-ways 24VAC connection 1/2" DN 13mm t.max. -10 up to +90°C membranes NBR p max 10bar brass water		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, LC91, TX1500, UX220		

SOLENOID VALVES/PRESSURE SWITCHES DIHR

pressure switches

for warewashing

ø 58mm with male faston 6.3mm

with connection horizontal



1

Vare Nr.	541136	Ref. No.	0080225 DW80225
description	pressure control pressure range 100/18mbar connection 6mm ø 58mm pressure connection horizontal warewashing		
For models:	Electron500CleanWater, Electron600, G600S, LP2, LP2		



1

Vare Nr.	541975	Ref. No.	0090023 DW90023
description	pressure control pressure range 190/60mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 5.5mm		
For models:	GRANUL1000, GRANUL900, LP1S, LP1-S, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus		



1

Vare Nr.	541619	Ref. No.	0088110 DW88110
description	pressure control pressure range 250/40mbar connection 6mm ø 58mm pressure connection ø 6mm		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, G12D, G12S, Gastro12S, GRANUL1000, GRANUL900, H600, H600, H600Electronic, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP-2PLUS, LP2S-PLUS, LP3, LP3, LP-3PLUS...(Other models you can see in the webshop)		

			
1			
Vare Nr.	541314	Ref. No.	0010706/A DW10706/A
description	pressure control pressure range 46/26mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm		
For models:	AX161, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX300, C40-CF, C40-LS, CAN-MASTER, CX, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, FX, G12S, G35, G35-RL09-NEW, G600...(Other models you can see in the webshop)		

			
1			
Vare Nr.	541133	Ref. No.	00540450 DW540450
description	pressure control pressure range 60/25mbar connection male faston 6.3mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm		
For models:	Electron400, Electron400, Gastro400S		

			
1			
Vare Nr.	541311	Ref. No.	0010300026 DW10300026
description	pressure control pressure range 76/38mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm		
For models:	DW020H, Electron1000, Electron500CleanWater, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, Gastro500S, GS100, GS-100, GS-100-DEPUR, LP1, LP1-800, SILVER-1500, SILVER-1500-Insulated		

			
1			
Vare Nr.	541312	Ref. No.	0075950 DW75950
description	pressure control pressure range 86/59mbar connection 6mm ø 58mm pressure connection horizontal warewashing pressure connection ø 6mm		
For models:	Electron400, Electron400CleanWater, Gastro11S, Gastro1200, HT11E, HT11E, HT11S, LP1, LP1-800, LP1-800, LP1-800EL, LP-ZERO		

pressure transmitters

			
1			
Vare Nr.	541149	Ref. No.	00540205 DW540205
description	pressure transmitter pressure range 0-30mbar output voltage 0.5-3.5VDC input voltage 5VDC max 200mbar		
For models:	Optima400, Optima500, Optima500, Optima-Cutlery, TwinStar		

miscellaneous

			
1			
Vare Nr.	541976	Ref. No.	00590100 DW590100
description	pressure control pressure range -10/-20mbar connection M8x1.25 ø 38mm		
For models:	TwinStar		

			
1			
Vare Nr.	541977	Ref. No.	003060195 DW3060195
description	pressure control pressure range 200-3000mbar connection 1/4" ø 38mm 250V 1CO 16A MA-TER pressure connection 1/4"		
For models:	TwinStar		

flow meters and flow sensors

flow meters

miscellaneous



1

Vare Nr.	402680	Ref. No.	0050583 DW50583
description	flow meter pressure range 0.2-10bar connection 10mm L 69mm		
For models:	DS40, DS40, DS50, Dupla50, DW020H, Electron1000, Electron400, Electron400CleanWater, Electron500, Electron500CleanWater, Electron600, G600S, GS50		

motors

gear motors

for dishwashers




1

Vare Nr.	501405	Ref. No.	003000120 DW3000120
description	motor without gearbox 180/220W 230/400-280/480V 50/60Hz 3 phase 1.2/0.7-1.15/0.67A shaft ø 11mm shaft length 26mm flange ø 89mm 1340/1608rpm type MS63B-4 ø 119mm H 163mm L 215mm E.M.C. for drying 0.18/0.22kW		
For models:	AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX280, BX300, CX, FX, LC91, TX1500		

fans

hot air fans

miscellaneous

1

Vare Nr.	602149	Ref. No.	003000300 DW3000300
description	fan motor 230/400V 0.55W type N552		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, LC80, LC90		

motors

for dishwashers



1

Vare Nr.	501477	Ref. No.	003000110 DW3000110
description	motor 260W 400V 50Hz 0.8A shaft ø 14mm shaft length 40mm flange ø 156mm 900rpm ø 140mm H 215mm OLYMPIA 0.26kW		
For models:	AX151-highspeed, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, LC97-2, LC97-3, LC97-4, LC97-5		



1

Vare Nr.	501405	Ref. No.	003000120 DW3000120
description	motor without gearbox 180/220W 230/400-280/480V 50/60Hz 3 phase 1.2/0.7-1.15/0.67A shaft ø 11mm shaft length 26mm flange ø 89mm 1340/1608rpm type MS63B-4 ø 119mm H 163mm L 215mm E.M.C. for drying 0.18/0.22kW		
For models:	AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX280, BX300, CX, FX, LC91, TX1500		

accessories

fan wheels



1

Vare Nr.	601749	Ref. No.	003000125 DW3000125
description	fan wheel ø 174mm shaft intake ø 11mm H 54.5mm		
For models:	AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX280, BX300, CX, FX, LC91, TX1500		

pumps

wash and rinse pumps

FIR

pumps



1

Vare Nr.	501446	Ref. No.	0010508 DW10508
description	pump inlet ø 28mm outlet ø 26mm type 4213E2250 220-240V 50Hz 1 phase 0.19kW 0.26HP L 190mm rotation direction left capacitor 5µF FIR		
For models:	Electron500, HT12S, HT12SElectronic, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus, Tekno6		
spare parts for	501446		
	Vare Nr.	365017	Ref. No. 0010702 10702 DW10702
operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection			
	Vare Nr.	510384	Ref. No. —
pump cover inlet ø 28mm outlet ø 26mm ø 100mm ID ø 76mm			
	Vare Nr.	510695	Ref. No. 0010505 10505 DW10505
mechanical shaft seal height counter ring 5.5mm ID ø 11mm			
	Vare Nr.	521203	Ref. No. —
impellor ø 72mm H 18mm thread M7 shaft ø 11mm shaft length 32mm blades 3			

spare parts for	501446		
	Vare Nr.	521703	Ref. No. 0010506 003786579 10506 3786579 DW10506 DW3786579
pump cover gasket EPDM thickness 2.5mm ID ø 75mm Qty 1 pcs			



1

Vare Nr.	500527	Ref. No.	0015908/A DW15908/A
description	pump inlet ø 60mm outlet ø 50/30mm type 2233.B140 230V 50Hz 1 phase 0.55kW 0.75HP L 210mm rotation direction right capacitor 12.5µF FIR inlet ø 60mm		
For models:	Accessories, Electron500, GASTRO-500, Gastro500Plus, Gastro500S, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS50, Pompa-Lavaggio, Tekno6, TEKNO-6, TEKNO-6-Break-Tank		
spare parts for	500527		
	Vare Nr.	365014	Ref. No. —
operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3D5.12.5 protection			
	Vare Nr.	510552	Ref. No. 0015079/D 15079/D DW15079/D
pump cover gasket pump type 1292-2/3942/3981/3911/3983			
	Vare Nr.	510608	Ref. No. 0015019/B 0015079/B 15019/B 15079/B DW15019/B DW15079/B
impellor ø 93mm H 32mm shaft intake ø 9/8mm blades 6 inner height 11mm			
	Vare Nr.	510692	Ref. No. —
mechanical shaft seal for shaft ø 11mm slide ringext. ø 24mm slide ring H 13mm counter ring mounting ø 26mm height counter ring 8mm counter ring int. ø 14mm			
	Vare Nr.	521511	Ref. No. 0015031/E 15031/E DW15031/E
pump cover inlet ø 60mm outlet ø 50/30mm supporting pressure M12x1.75 supporting pressure open pump type 2233 turn direction right ø 160mm ID ø 120mm inner height 23mm			




1

Vare Nr.	500528	Ref. No.	0015908/D DW15908/D
description	pump inlet ø 60mm outlet ø 50mm type 4233.1500 230V 50Hz 1 phase 0.74kW 1HP L 220mm rotation direction right capacitor 16µF FIR		
For models:	Electron500, G600, G600, Gastro500S, Gastro750Plus, Gastro750S, GS50, Tekno6		
spare parts for	500528		
	Vare Nr.	365021	Ref. No. —
	operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection		
	Vare Nr.	510552	Ref. No. 0015079/D 15079/D DW15079/D
	pump cover gasket pump type 1292-2/3942/3981/3911/3983		
	Vare Nr.	510693	Ref. No. 0010200055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	Vare Nr.	517319	Ref. No. 0012524 12524 DW12524
	hose connector T1: M12x1.75 hose ø 11mm brass		
	Vare Nr.	521177	Ref. No. 0015912 15912 DW15912
	impellor ø 93mm H 23mm thread M10L suitable for FIR		
	Vare Nr.	521511	Ref. No. 0015031/E 15031/E DW15031/E
	pump cover inlet ø 60mm outlet ø 50/30mm supporting pressure M12x1.75 supporting pressure open pump type 2233 turn direction right ø 160mm ID ø 120mm inner height 23mm		



1

Vare Nr.	499139	Ref. No.	0080912 DW80912
description	pump inlet ø 62mm outlet ø 62mm type 2275.2722 230/400V 50Hz 3 phase 2.6kW L 400mm rotation direction right FIR		
For models:	LP4, LP4-800, LP4-Electronica, LP-4PLUS, LP4S8-PLUS		
spare parts for	499139		
	Vare Nr.	510687	Ref. No. 0080912/B 80912/B DW80912/B
	mechanical shaft seal for shaft ø 18mm height counter ring 8mm ID ø 17mm ED ø 39mm H 15mm mounting ø 42mm int. ø 1 21mm		
	Vare Nr.	521026	Ref. No. 0080912/D 80912/D DW80912/D
	pump cover gasket ID ø 182.5mm thickness 5x4.5mm		
	Vare Nr.	521028	Ref. No. 0080912/C 80912/C DW80912/C
	pump cover FIR inlet ø 62mm outlet ø 62mm turn direction right ø 215mm ID ø 175mm inner height 40mm		
	Vare Nr.	521277	Ref. No. 0080912/A 80912/A DW80912/A
	impellor ø 135mm H 39mm pump type Fir 2275 - 3.6HP thread M14L		
	Vare Nr.	524676	Ref. No. —
	fan wheel ø 160mm shaft intake ø 24mm plastic blades 12 W 30mm		

			
1			
Vare Nr.	500023	Ref. No.	0010300057 DW10300057
description	pump inlet ø 63mm outlet ø 47mm type 1225.2725 230/400V 50Hz 3 phase 1.1kW 1.5HP L 335mm rotation direction right FIR		
For models:	Accessories, GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, Pompa-Lavaggio, SILVER-1500, SILVER-1500-Insulated		
spare parts for	500023		
	Vare Nr.	510602	Ref. No. —
	impellor ø 110mm H 34mm rotation direction right thread M8L shaft ø 28mm seat ø 12.2mm blades 6		
	Vare Nr.	510693	Ref. No. 0010200055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	Vare Nr.	521513	Ref. No. 0010200222 10200222 DW10200222
	pump cover FIR inlet ø 63mm outlet ø 47mm turn direction right ID ø 150mm inner height 32mm		
	Vare Nr.	524416	Ref. No. 0010200290 10200290 DW10200290
	pump cover gasket thickness 4x4mm Qty 1 pcs		

			
1			
Vare Nr.	499297	Ref. No.	0088106 DW88106
description	pump inlet ø 63mm outlet ø 53mm type 1205.2820 230/400V 50Hz 3 phase 2.7HP L 330mm rotation direction left FIR		
For models:	AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX300, CX, FX, LP1-800, LP1-800, LP1-800, LP1-800EL, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus, LP3, LP3, LP-3PLUS, LP3S-PLUS		
spare parts for	499297		
	Vare Nr.	510357	Ref. No. 0088222 88222 DW88222
	impellor ø 124mm H 34/16mm thread M8R blades 6		
	Vare Nr.	510523	Ref. No. —
	fan wheel ø 142mm shaft intake ø 15mm blades 12		
	Vare Nr.	510531	Ref. No. —
	pump cover FIR inlet ø 63mm outlet ø 53mm auxiliary pressure connection M16x1.5mm supporting pressure open turn direction left ø 185mm ID ø 150mm inner height 37mm		
	Vare Nr.	510693	Ref. No. 0010200055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	Vare Nr.	524416	Ref. No. 0010200290 10200290 DW10200290
	pump cover gasket thickness 4x4mm Qty 1 pcs		

LOWARA

pumps



1

Vare Nr.	499255	Ref. No.	0015100/L DW15100/L
description	pump inlet ø 1 1/4" IT outlet ø 1" IT type CEAM/70/3/A 220-240V 50Hz 1 phase 0.6kW L 310mm rotation direction left capacitor 14µF LOWARA		
For models:	LP4, LP4-800, LP4-Elettronica		

OLYMPIA

pumps



1

Vare Nr.	500521	Ref. No.	00135501 DW135501
description	pump inlet ø 1" IT outlet ø 26mm type T33 230V 50Hz 1 phase 0.25kW 0.34HP L 225mm rotation direction right capacitor 5µF auxiliary pressure connection 11mm supporting pressure closed OLYMPIA		
For models:	Accessories, GS40, GS40, GS40, GS40, GS-40, Pompa-Lavaggio		
spare parts for	500521		
	Vare Nr.	365017	Ref. No. 0010702 10702 DW10702
	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
	Vare Nr.	510693	Ref. No. 001020055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		

spare parts for	500521		
	Vare Nr.	521256	Ref. No. 00133505 00135505 133505 135505 DW133505 DW135505
	impellor ø 74mm H 14mm thread M10L shaft ø 12mm shaft length 7.5mm blades 8		
	Vare Nr.	521554	Ref. No. 00135503 135503 DW135503
	pump cover OLYMPIA inlet 1" ø 90mm ID ø 66mm inner height 5mm		
	Vare Nr.	521724	Ref. No. 00135506 0025029 135506 25029 DW135506 DW25029
	O-ring EPDM thickness 1.78mm ID ø 72.75mm Qty 1 pcs		
	Vare Nr.	528800	Ref. No. 00135502 135502 DW135502
	O-ring EPDM thickness 2.62mm ID ø 75.87mm Qty 1 pcs		

1			
Vare Nr.	499257	Ref. No.	00401402 DW401402
description	pump inlet ø 1" IT outlet ø 30mm type L63.T45F_2V 230V 50Hz 1 phase 0.33kW L 230mm rotation direction left capacitor 8µF OLYMPIA		
For models:	DS40		
spare parts for	499257		
	Vare Nr.	365013	Ref. No. —
	operating capacitor capacity 8µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 31.5mm L 55mm M8 plastic connection male faston 6.3mm protection		
	Vare Nr.	509007	Ref. No. —
	impellor ø 85mm H 20mm rotation direction left thread M10R shaft ø 12mm shaft length 7.5mm blades 12		
	Vare Nr.	510693	Ref. No. 001020055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	Vare Nr.	521167	Ref. No. DW401402/B
	pump cover OLYMPIA inlet ø 1"mm outlet ø 30/30mm ID ø 94mm		


Table continues overleaf

spare parts for 499257				
	Vare Nr.	521723	Ref. No.	0018245
				18245
				DW18245
	pump cover gasket EPDM thickness 2mm ID ø 90mm Qty 1 pcs			




1

Vare Nr.	499131	Ref. No.	00351400
			DW351400
description	pump inlet ø 1" IT outlet ø 30mm type T.19DX 230V 50Hz 1 phase 0.19kW L 195mm rotation direction left capacitor 5µF OLYMPIA outlet ø 30mm		
For models:	DS35, DS37		
spare parts for	499131		
	Vare Nr.	365017	Ref. No.
			0010702
			10702
			DW10702
operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection			
	Vare Nr.	510693	Ref. No.
			001020055
			0015080
			0015080/E
			10200055
			15080
			15080/E
			DW1020055
			DW15080
			DW15080/E
mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm			
	Vare Nr.	521168	Ref. No.
			371402/A
pump cover OLYMPIA inlet ø 1"mm outlet ø 30mm pump type T.19DX			
	Vare Nr.	521169	Ref. No.
			—
impellor ø 64mm H 15mm pump type T.19DX thread M7R shaft ø 12mm shaft length 30mm			
	Vare Nr.	521723	Ref. No.
			0018245
			18245
			DW18245
pump cover gasket EPDM thickness 2mm ID ø 90mm Qty 1 pcs			



1

Vare Nr.	499258	Ref. No.	0015100/QO
			DW15100/QO
description	pump inlet ø 15mm outlet ø 13mm type R63.T33 PRS 400V 50Hz 3 phase 0.25kW L 185mm rotation direction left OLYMPIA		
For models:	AX161, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, BX300		
spare parts for	499258		
	Vare Nr.	510693	Ref. No.
			0010200055
			0015080
			0015080/E
			10200055
			15080
			15080/E
			DW10200055
			DW15080
			DW15080/E
mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm			
	Vare Nr.	521165	Ref. No.
			—
pump cover OLYMPIA inlet ø 15mm outlet ø 13mm pump type R63. T33 PRS			
	Vare Nr.	521166	Ref. No.
			0015100/U
			15100/U
			DW15100/U
impellor ø 90mm H 9mm pump type R63.T33 PRS thread M10R shaft ø 12mm shaft length 8mm			
	Vare Nr.	525022	Ref. No.
			—
O-ring EPDM thickness 1.78mm ID ø 75.92mm Qty 1 pcs			



Vare Nr.	499095	Ref. No.	0015100/DO DW15100/DO
description	pump inlet ø 15mm outlet ø 14mm type T.33PRS 230V 50Hz 1 phase 0.25kW L 185mm rotation direction right capacitor 8µF OLYMPIA		
For models:	DW020H, Electron1000, Electron400CleanWater, Electron500, Electron500Plus, Electron600, G600S, Gastro500S, GRANUL1000, GRANUL900, GRANUL900, H600, H600Electronic, HT11E, HT11S, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP1-800, LP1-800EL, LP1-S8, LP1-S8EL, LP1S-Plus, LP-2PLUS, LP2S-PLUS, LP-3PLUS, LP3S-PLUS, LP-4PLUS, LP4S8-PLUS, Optima400, Optima500, Optima-Cutlery, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		
spare parts for	499095		
	Vare Nr.	365013	Ref. No. —
	operating capacitor capacity 8µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 31.5mm L 55mm M8 plastic connection male faston 6.3mm protection		
	Vare Nr.	510693	Ref. No. 0010200055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	Vare Nr.	521165	Ref. No. —
	pump cover OLYMPIA inlet ø 15mm outlet ø 13mm pump type R63. T33 PRS		
	Vare Nr.	521166	Ref. No. 0015100/U 15100/U DW15100/U
	impellor ø 90mm H 9mm pump type R63.T33 PRS thread M10R shaft ø 12mm shaft length 8mm		
	Vare Nr.	525022	Ref. No. —
	O-ring EPDM thickness 1.78mm ID ø 75.92mm Qty 1 pcs		



Vare Nr.	499318	Ref. No.	0010501/A DW10501/A
description	pump inlet ø 28mm outlet ø 28mm type L63.T19 230V 50Hz 1 phase 0.19kW L 185mm rotation direction right capacitor 5µF OLYMPIA inlet ø 28mm outlet ø 28mm		
For models:	Accessories, Derby, Derby400, DERBY-CF, DW020H, Electron1000, G12S, G3S, Gastro11S, Gastro1200, Gastro12S, GS100, GS-100, GS-35, GS37, GS37, GS-37, GS37-prima-serie, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Electro-nica, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP1, LP1-800, LP1-800, LP1-800EL, LP1S, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus, LP2, LP-2PLUS, LP2S-PLUS, LP3, LP-3PLUS, LP3S-PLUS, LP-ZERO, Pompa-La-vaggio		
spare parts for	499318		
	Vare Nr.	365017	Ref. No. 0010702 10702 DW10702
	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
	Vare Nr.	510693	Ref. No. 0010200055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	Vare Nr.	521163	Ref. No. 10502 Olympia
	pump cover OLYMPIA inlet ø 28mm outlet ø 26mm pump type L63. T19		
	Vare Nr.	521164	Ref. No. 10504 Olympia
	impellor ø 64mm H 15mm pump type L63.T19 thread M7L shaft ø 12mm shaft length 30mm		
	Vare Nr.	521724	Ref. No. 00135506 0025029 135506 25029 DW135506 DW25029
	O-ring EPDM thickness 1.78mm ID ø 72.75mm Qty 1 pcs		



1

Vare Nr.	499229	Ref. No.	0025021 DW25021
description	pump inlet ø 28mm outlet ø 30mm type L63.T19 230V 50Hz 1 phase 0.19kW L 215mm rotation direction right capacitor 5µF OLYMPIA		
For models:	G35-RL09-NEW, GS37-RL09-NEW		
spare parts for	499229		
	Vare Nr.	365017	Ref. No. 0010702 10702 DW10702
	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
	Vare Nr.	510693	Ref. No. 0010200055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	Vare Nr.	521164	Ref. No. 10504 Olympia
	impellor ø 64mm H 15mm pump type L63.T19 thread M7L shaft ø 12mm shaft length 30mm		
	Vare Nr.	521170	Ref. No. 0025001 25001 DW25001
	pump cover OLYMPIA outlet ø 30mm auxiliary pressure connection 11mm pump type L63.T19		
	Vare Nr.	521724	Ref. No. 00135506 0025029 135506 25029 DW135506 DW25029
	O-ring EPDM thickness 1.78mm ID ø 72.75mm Qty 1 pcs		



1

Vare Nr.	499256	Ref. No.	0025024 DW25024
description	pump inlet ø 28mm outlet ø 30mm type L63.T40 230V 50Hz 1 phase 0.4kW L 235mm rotation direction right capacitor 5µF OLYMPIA		
For models:	GS37-RL09-NEW, GS-40-RL09-NEW, GS40-RL09-NEW		
spare parts for	499256		
	Vare Nr.	365017	Ref. No. 0010702 10702 DW10702
	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
	Vare Nr.	510693	Ref. No. 0010200055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	Vare Nr.	521170	Ref. No. 0025001 25001 DW25001
	pump cover OLYMPIA outlet ø 30mm auxiliary pressure connection 11mm pump type L63.T19		
	Vare Nr.	521171	Ref. No. 0025024/A 25024/A DW25024/A
	impellor ø 74mm H 16mm pump type L63.T40 thread M10L		
	Vare Nr.	521724	Ref. No. 00135506 0025029 135506 25029 DW135506 DW25029
	O-ring EPDM thickness 1.78mm ID ø 72.75mm Qty 1 pcs		




Vare Nr.	500522	Ref. No.	0016042 DW16042
description	pump inlet ø 29mm outlet ø 27mm type T41 230V 50Hz 1 phase 0.29kW 0.4HP L 200mm rotation direction left capacitor 8µF OLYMPIA		
For models:	Accessories, Linear, LINEAR-CF, LINEAR-CR, Pompa-Lavaggio		
spare parts for	500522		
	Vare Nr.	365013	Ref. No. —
	operating capacitor capacity 8µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 31.5mm L 55mm M8 plastic connection male faston 6.3mm protection		
	Vare Nr.	510693	Ref. No. 0010200055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	Vare Nr.	521259	Ref. No. 007135 7135 DW7135
	impellor ø 94mm H 11mm rotation direction left thread M10R blades 6		
	Vare Nr.	521555	Ref. No. 007133 7133 DW7133
	pump cover OLYMPIA inlet ø 29mm outlet ø 28mm ø 132mm ID ø 123mm inner height 18mm		
	Vare Nr.	521726	Ref. No. —
	pump cover gasket EPDM thickness 2mm ID ø 120mm Qty 1 pcs		



Vare Nr.	499296	Ref. No.	00590046 DW590046
description	pump inlet ø 30mm outlet ø 30mm type L71.T730_30 230V 50Hz 1 phase 0.52kW L 230mm rotation direction right capacitor 12.5µF OLYMPIA		
For models:	TwinStar		
spare parts for	499296		
	Vare Nr.	365014	Ref. No. —
	operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection		
	Vare Nr.	510554	Ref. No. 007130 7130 DW7130
	O-ring EPDM thickness 2mm ID ø 120mm Qty 1 pcs		
	Vare Nr.	510693	Ref. No. 0010200055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	Vare Nr.	521159	Ref. No. —
	pump cover OLYMPIA inlet 30 inlet ø 30mm auxiliary pressure connection 10mm pump type L71.T730_30		
	Vare Nr.	521160	Ref. No. —
	impellor ø 97mm H 22mm thread M10L		

			
1			
Vare Nr.	499295	Ref. No.	00590108 DW590108
description	pump inlet ø 30mm outlet ø 30mm type L71.T730_30 230V 50Hz 1 phase 0.52kW L 230mm rotation direction right capacitor 12.5µF OLYMPIA inlet ø 30mm outlet ø 30mm		
For models:	TwinStar		
spare parts for	499295		
	Vare Nr.	365014	Ref. No. —
	operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection		
	Vare Nr.	510554	Ref. No. 007130 7130 DW7130
	O-ring EPDM thickness 2mm ID ø 120mm Qty 1 pcs		
	Vare Nr.	510693	Ref. No. 0010200055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E
	mechanical shaft seal for shaft ø 12mm slide ringext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	Vare Nr.	521159	Ref. No. —
	pump cover OLYMPIA inlet 30 inlet ø 30mm auxiliary pressure connection 10mm pump type L71.T730_30		
	Vare Nr.	521160	Ref. No. —
	impellor ø 97mm H 22mm thread M10L		

			
1			
Vare Nr.	500520	Ref. No.	0018242 0018242B DW18242 DW18242B
description	pump inlet ø 33mm outlet ø 30/28mm type T33 230V 50Hz 1 phase 0.25kW 0.34HP L 190mm rotation direction left capacitor 5µF OLYMPIA		
For models:	Accessories, C40-LS, Electron400, Electron400, Electron400CleanWater, Gastro400S, GS37, GS37, GS37-prima-serie, GS40, GS40, GS40, Optima400, Pompa-Lavaggio, Star, STAR-LS, Synthesis, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-LS, TURBO-LS		
spare parts for	500520		
	Vare Nr.	365017	Ref. No. 0010702 10702 DW10702
	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
	Vare Nr.	510693	Ref. No. 0010200055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E
	mechanical shaft seal for shaft ø 12mm slide ringext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	Vare Nr.	521151	Ref. No. —
	impellor ø 71mm H 19mm pump type OLYMPIA thread M10R shaft ø 12mm shaft length 8mm		
	Vare Nr.	521551	Ref. No. 0018247 18247 DW18247
	pump cover OLYMPIA inlet ø 33mm outlet ø 30mm outlet 2 ø 28 turn direction left ø 103mm ID ø 93mm inner height 30mm		
	Vare Nr.	521723	Ref. No. 0018245 18245 DW18245
	pump cover gasket EPDM thickness 2mm ID ø 90mm Qty 1 pcs		



Vare Nr.	500958	Ref. No.	0018300 DW18300
description	pump inlet ø 33mm outlet ø 30/28mm type T45 230V 50Hz 1 phase 0.33kW 0.45HP L 215mm rotation direction left capacitor 8µF OLYMPIA		
For models:	Electron400, GS40, GS40, GS40, Tekno4		
spare parts for	500958		
	Vare Nr.	365013	Ref. No. —
	operating capacitor capacity 8µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 31.5mm L 55mm M8 plastic connection male faston 6.3mm protection		
	Vare Nr.	510693	Ref. No. 0010200055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	Vare Nr.	521257	Ref. No. 0018246 18246 DW18246
	impellor ø 80mm H 12mm rotation direction left thread M10R shaft ø 12mm shaft length 7.5mm blades 6		
	Vare Nr.	521551	Ref. No. 0018247 18247 DW18247
	pump cover OLYMPIA inlet ø 33mm outlet ø 30mm outlet 2 ø 28 turn direction left ø 103mm ID ø 93mm inner height 30mm		
	Vare Nr.	521723	Ref. No. 0018245 18245 DW18245
	pump cover gasket EPDM thickness 2mm ID ø 90mm Qty 1 pcs		




Vare Nr.	499320	Ref. No.	0010501/C DW10501/C
description	pump inlet ø 33mm outlet ø 30mm type L63.T20SX 230V 50Hz 1 phase 0.2kW L 200mm rotation direction right capacitor 5µF auxiliary pressure connection 10mm supporting pressure closed OLYMPIA		
For models:	AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, CAN-MASTER, CX, FX, UX220		
spare parts for	499320		
	Vare Nr.	365017	Ref. No. 0010702 10702 DW10702
	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
	Vare Nr.	510693	Ref. No. 0010200055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	Vare Nr.	521173	Ref. No. —
	pump cover OLYMPIA inlet ø 33mm outlet ø 30mm auxiliary pressure connection 10mm pump type L63.T20SX		
	Vare Nr.	521174	Ref. No. —
	impellor ø 60mm H 16mm pump type L63.T20SX shaft ø 12mm shaft length 8mm		
	Vare Nr.	521723	Ref. No. 0018245 18245 DW18245
	pump cover gasket EPDM thickness 2mm ID ø 90mm Qty 1 pcs		



Vare Nr.	500519	Ref. No.	0018243 DW18243
description	pump inlet ø 33mm outlet ø 30mm type T33 230V 50Hz 1 phase 0.25kW 0.34HP L 195mm rotation direction left capacitor 5µF OLYMPIA		
For models:	Accessories, C40-CF, Electron400, Gastro400S, Pompa-Lavaggio, Star, STAR-CF, Synthesis, Tekno4, TEKNO-4-CF, TURBO-CF		
spare parts for	500519		
	Vare Nr.	365017	Ref. No. 0010702 10702 DW10702
	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
	Vare Nr.	510693	Ref. No. 0010200055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	Vare Nr.	521257	Ref. No. 0018246 18246 DW18246
	impellor ø 80mm H 12mm rotation direction left thread M10R shaft ø 12mm shaft length 7.5mm blades 6		
	Vare Nr.	521553	Ref. No. 0018248 18248 DW18248
	pump cover OLYMPIA inlet ø 33mm outlet ø 30mm turn direction left ø 103mm ID ø 93mm inner height 25mm		
	Vare Nr.	521723	Ref. No. 0018245 18245 DW18245
	pump cover gasket EPDM thickness 2mm ID ø 90mm Qty 1 pcs		



Vare Nr.	500523	Ref. No.	0016176 DW16176
description	pump inlet ø 50mm outlet ø 30mm type T5 230V 50Hz 1 phase 0.35kW 0.48HP L 205mm rotation direction right capacitor 10µF auxiliary pressure connection 10mm supporting pressure open OLYMPIA		
For models:	Accessories, Linear, LINEAR-LS, Pompa-Lavaggio		
spare parts for	500523		
	Vare Nr.	365015	Ref. No. 0018043 18043 DW18043
	operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		
	Vare Nr.	510554	Ref. No. 007130 7130 DW7130
	O-ring EPDM thickness 2mm ID ø 120mm Qty 1 pcs		
	Vare Nr.	510693	Ref. No. 0010200055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	Vare Nr.	521260	Ref. No. 0015079 15079 DW15079
	impellor ø 90mm H 12mm M10L type B		
	Vare Nr.	521556	Ref. No. 0016182 16182 DW16182
	pump cover OLYMPIA inlet ø 50mm outlet ø 30mm outlet 2 ø 30 auxiliary pressure connection 10mm supporting pressure open turn direction right ø 130mm ID ø 124mm inner height 20mm		



Vare Nr.	500524	Ref. No.	0026176 DW26176
description	pump inlet ø 50mm outlet ø 30mm type T6 230V 50Hz 1 phase 0.48kW 0.65HP L 215mm rotation direction right capacitor 10µF OLYMPIA		
For models:	Accessories, Gastro450, GASTRO-450, Pompa-Lavaggio		
spare parts for	500524		
	Vare Nr.	365015	Ref. No. 0018043 18043 DW18043
	operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		
	Vare Nr.	510554	Ref. No. 007130 7130 DW7130
	O-ring EPDM thickness 2mm ID ø 120mm Qty 1 pcs		
	Vare Nr.	510693	Ref. No. 0010200055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	Vare Nr.	521262	Ref. No. 0022009/A 22009/A DW22009/A
	impellor ø 102mm H 19mm rotation direction right thread M10L blades 6		
	Vare Nr.	521556	Ref. No. 0016182 16182 DW16182
	pump cover OLYMPIA inlet ø 50mm outlet ø 30mm outlet 2 ø 30 auxiliary pressure connection 10mm supporting pressure open turn direction right ø 130mm ID ø 124mm inner height 20mm		



Vare Nr.	500525	Ref. No.	00150906 00150908 00150914 DW150906 DW150908 DW150914
description	pump inlet ø 50mm outlet ø 30mm type T7 230V 50Hz 1 phase 0.52kW 0.71HP L 230mm rotation direction right capacitor 12.5µF OLYMPIA		
For models:	Accessories, DS45, DS50, DS50T, DS50-Touche, Dupla50, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600S, Gastro500S, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, Optima500, Optima500, Optima-Cutlery, Pompa-Lavaggio, Tekno6.1-Acqua-pulita		
spare parts for	500525		
	Vare Nr.	365014	Ref. No. —
	operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection		
	Vare Nr.	510554	Ref. No. 007130 7130 DW7130
	O-ring EPDM thickness 2mm ID ø 120mm Qty 1 pcs		
	Vare Nr.	510693	Ref. No. 0010200055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	Vare Nr.	517368	Ref. No. 0015079/F 15079/F DW15079/F
	impellor ø 102mm H 21mm rotation direction right thread M10L suitable for Dihr blades 8		
	Vare Nr.	521556	Ref. No. 0016182 16182 DW16182
	pump cover OLYMPIA inlet ø 50mm outlet ø 30mm outlet 2 ø 30 auxiliary pressure connection 10mm supporting pressure open turn direction right ø 130mm ID ø 124mm inner height 20mm		



Vare Nr.	499260	Ref. No.	0022041 DW22041
description	pump inlet ø 60mm outlet ø 48mm type A.4.5/2.6 220-240/380-415V 50Hz 3 phase 1.12kW 1.5HP L 310mm rotation direction right OLYMPIA		
For models:	Gastro11S, Gastro1200, HT11, HT11E, HT11E, HT11S, HT11-T, HT-11-Touche		
spare parts for	499260		
	Vare Nr.	510693	Ref. No. 001020055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	Vare Nr.	521175	Ref. No. —
	pump cover OLYMPIA inlet ø 60mm outlet ø 48mm outlet 2 ø 31 auxiliary pressure connection 10mm		
	Vare Nr.	521262	Ref. No. 0022009/A 22009/A DW22009/A
	impellor ø 102mm H 19mm rotation direction right thread M10L blades 6		
	Vare Nr.	521727	Ref. No. 0015080/A 15080/A DW15080/A
	pump cover gasket EPDM thickness 1.78mm ID ø 145mm Qty 1 pcs		



Vare Nr.	500529	Ref. No.	0015913 DW15913
description	pump inlet ø 60mm outlet ø 48mm type T12 230V 50Hz 1 phase 0.88kW 1.2HP L 270mm rotation direction right capacitor 16µF auxiliary pressure connection 10mm supporting pressure open OLYMPIA		
For models:	Accessories, GASTRO-500, GASTRO-750, GASTRO-900, GS85, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, Pompa-Lavaggio		
spare parts for	500529		
	Vare Nr.	365021	Ref. No. —
	operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection		
	Vare Nr.	510693	Ref. No. 0010200055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	Vare Nr.	521010	Ref. No. 0015079/I 15079/I DW15079/I
	impellor ø 98mm H 12mm M10L blades 8		
	Vare Nr.	521559	Ref. No. 0015078 15078 DW15078
	pump cover OLYMPIA inlet ø 60mm outlet ø 48mm outlet 2 ø 31 auxiliary pressure connection 10mm supporting pressure open turn direction right ø 170mm ID ø 150mm inner height 22mm		
	Vare Nr.	521727	Ref. No. 0015080/A 15080/A DW15080/A
	pump cover gasket EPDM thickness 1.78mm ID ø 145mm Qty 1 pcs		



1

Vare Nr.	500530	Ref. No.	0022009 DW22009
description	pump inlet ø 60mm outlet ø 48mm type T15 230V 50Hz 1 phase 1.1kW 1.5HP L 305mm rotation direction right OLYMPIA		
For models:	Accessories, DW020H, Electron1000, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GS100, GS-100, GS-100-DEPUR, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, Pompa-Lavaggio		
spare parts for	500530		
	Vare Nr.	365021	Ref. No. —
	operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection		
	Vare Nr.	510693	Ref. No. 0010200055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	Vare Nr.	521039	Ref. No. —
	fanwheel cover ID ø 156mm ED ø 161mm H 76mm for wash pump		
	Vare Nr.	521262	Ref. No. 0022009/A 22009/A DW22009/A
	impellor ø 102mm H 19mm rotation direction right thread M10L blades 6		
	Vare Nr.	521559	Ref. No. 0015078 15078 DW15078
	pump cover OLYMPIA inlet ø 60mm outlet ø 48mm outlet 2 ø 31 auxiliary pressure connection 10mm supporting pressure open turn direction right ø 170mm ID ø 150mm inner height 22mm		
	Vare Nr.	521727	Ref. No. 0015080/A 15080/A DW15080/A
	pump cover gasket EPDM thickness 1.78mm ID ø 145mm Qty 1 pcs		



1

Vare Nr.	500526	Ref. No.	0015908 DW15908
description	pump inlet ø 60mm outlet ø 48mm type T75 230V 50Hz 1 phase 0.55kW 0.75HP L 250mm rotation direction right capacitor 12.5µF auxiliary pressure connection 10mm supporting pressure open OLYMPIA		
For models:	Accessories, GASTRO-500, GASTRO-750, GASTRO-900, Pompa-Lavaggio		
spare parts for	500526		
	Vare Nr.	365014	Ref. No. —
	operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 455.C3DS.12.5 protection		
	Vare Nr.	510693	Ref. No. 0010200055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	Vare Nr.	521260	Ref. No. 0015079 15079 DW15079
	impellor ø 90mm H 12mm M10L type B		
	Vare Nr.	521559	Ref. No. 0015078 15078 DW15078
	pump cover OLYMPIA inlet ø 60mm outlet ø 48mm outlet 2 ø 31 auxiliary pressure connection 10mm supporting pressure open turn direction right ø 170mm ID ø 150mm inner height 22mm		
	Vare Nr.	521727	Ref. No. 0015080/A 15080/A DW15080/A
	pump cover gasket EPDM thickness 1.78mm ID ø 145mm Qty 1 pcs		

			
1			
Vare Nr.	499259	Ref. No.	003000082 DW3000082
description	pump inlet ø 62mm outlet ø 52mm type MEC.T120DX 220-240/380-415V 50Hz 3 phase 0.89kW 1.2HP L 310mm rotation direction left OLYMPIA		
For models:	AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, CX, FX, TX1500		
spare parts for	499259		
	Vare Nr.	510693	Ref. No.
			0010200055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	Vare Nr.	521152	Ref. No.
			—
	pump cover OLYMPIA inlet 62 ø 190mm		
	Vare Nr.	521153	Ref. No.
	pump casing OLYMPIA outlet ø 52mm		
	Vare Nr.	521154	Ref. No.
	O-ring ID ø 152.7mm thickness 2.62mm EPDM Qty 1 pcs		
	Vare Nr.	521172	Ref. No.
	impellor ø 107mm H 28mm pump type MEC.T120DX thread M8R		
	Vare Nr.	521172	Ref. No.
			—

			
1			
Vare Nr.	499226	Ref. No.	0022037 DW22037
description	pump inlet ø 62mm outlet ø 52mm type MEC80.T200SX 230/400V 50Hz 3 phase 1.5kW 2HP L 340mm rotation direction right OLYMPIA		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX300, CX, FX, Gastro12S, H600, H600, H600Electronic, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP1, LP1, LP1S, LP1-S, LP-2PLUS, LP2S-PLUS, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		
spare parts for	499226		
	Vare Nr.	510693	Ref. No.
			0010200055 0015080 0015080/E 10200055 15080 15080/E DW10200055 DW15080 DW15080/E
	mechanical shaft seal for shaft ø 12mm slide ring ext. ø 24mm slide ring H 15.5mm slide ring int. ø 11mm counter ring mounting ø 24mm height counter ring 8mm counter ring int. ø 13.5mm		
	Vare Nr.	521152	Ref. No.
			—
	pump cover OLYMPIA inlet 62 ø 190mm		
	Vare Nr.	521153	Ref. No.
	pump casing OLYMPIA outlet ø 52mm		
	Vare Nr.	521154	Ref. No.
	O-ring ID ø 152.7mm thickness 2.62mm EPDM Qty 1 pcs		
	Vare Nr.	521155	Ref. No.
	impellor ø 107mm H 34mm pump type OLYMPIA thread M8L blades 6		
	Vare Nr.	521155	Ref. No.
			—
accessories for	499226		
	Vare Nr.	542157	Ref. No.
			—
bracket for wash pump L 267mm W 132mm H 43mm			

booster pumps I



1

Vare Nr.	500060	Ref. No.	0015100 DW15100
description	pump inlet ø 1" outlet ø 1" type PQM60 230V 50Hz 1 phase 0.37kW PEDRELLO		
For models:	Accessories, AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, DW020H, Electron1000, FX, G12D, G12S, Gastro11S, Gastro1200, Gastro12S, GS100, GS-100, H600, H600, HT11S, HT12-Elettronica, HT12S, HT12SElectronic, LP1, LP1, LP1-800, LP1-800...(Other models you can see in the webshop)		
accessories for	500060		
		Vare Nr.	365015
		Ref. No.	0018043 18043 DW18043
	operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		



1

Vare Nr.	499294	Ref. No.	0015100/D DW15100/D
description	pump inlet ø 3/8" outlet ø 3/8" type B299.2351 230V 50Hz 1 phase 0.15kW 2800rpm L 170mm capacitor 6.3µF FIR		
For models:	DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G12D, G12S, G600, G600S, Gastro12S, Gastro400S, Gastro450, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GRANUL900, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica...(Other models you can see in the webshop)		
accessories for	499294		
		Vare Nr.	365017
		Ref. No.	0010702 10702 DW10702
	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		

drain pumps

ASKOLL



1

Vare Nr.	500515	Ref. No.	0015101/A DW15101/A
description	drain pump inlet ø 30mm outlet ø 22mm 230V 25W 50Hz ASKOLL type M253 with thermal fuse		
For models:	Accessories, Electron400, Electron400, Electron400CleanWater, Electron500, Gastro400S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS100, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS, Tekno6, TEKNO-6, TEKNO-6-Break-Tank		

PLASET



1

Vare Nr.	499298	Ref. No.	0015101 DW15101
description	drain pump inlet ø 30mm outlet ø 22mm 220-240V 22W 50Hz PLASET type 59491		
For models:	Accessories, DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G35, G35-RL09-NEW, G600, G600, G600S, Gastro400S, Gastro450, GASTRO-450, GS37, GS37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS-45, GS50, GS-50, GS-50-230Vac, GS85, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, Linear, Optima400, Optima500, Optima500, Optima-Cutlery, OPTIMA-HR-PLUS, PlatinumOptima-HR...(Other models you can see in the webshop)		



1

Vare Nr.	499223	Ref. No.	00999900081 DW999900081
description	drain pump service kit inlet ø 30mm outlet ø 22mm 220-240V 22W 50Hz PLASET type 59491		

booster pumps II

accessories



Vare Nr.	365015	Ref. No.	0018043 DW18043
description	operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		
For models:	Accessories, Electron400, Electron400, Electron400CleanWater, Gastro400S, Gastro450, GASTRO-450, GM, GM, GM2, GM-2, GM2-2, GM2-2, GM-2-BK11, GM3, GM3, GM4, GM4, GM-BK11, Linear, LINEAR-LS, Optima400, Pompa-Lavaggio, Star, STAR-CF, STAR-LS, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS, TURBO-CF, TURBO-LS		



Vare Nr.	365017	Ref. No.	0010702 DW10702
description	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
For models:	Accessories, AX250, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, C40-CF, C40-LS, CX, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, DS45, DS50, DW020H, Electron1000, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, FX, G35, G35-RL09-NEW, G600, G600S, Gastro11S, Gastro1200, Gastro12S, Gastro400S, Gastro450, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GRANUL1000, GRANUL900, GRANUL900... (Other models you can see in the webshop)		

accessories

miscellaneous



Vare Nr.	517319	Ref. No.	0012524 DW12524
description	hose connector T1: M12x1.75 hose ø 11mm brass		

condensators & interference suppression filters

operating capacitors

plastic



Vare Nr.	365015	Ref. No.	0018043 DW18043
description	operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		
For models:	Accessories, Electron400, Electron400, Electron400CleanWater, Gastro400S, Gastro450, GASTRO-450, GM, GM, GM2, GM-2, GM2-2, GM2-2, GM-2-BK11, GM3, GM3, GM4, GM4, GM-BK11, Linear, LINEAR-LS, Optima400, Pompa-Lavaggio, Star, STAR-CF, STAR-LS, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS, TURBO-CF, TURBO-LS		



Vare Nr.	365017	Ref. No.	0010702 DW10702
description	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
For models:	Accessories, AX250, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, C40-CF, C40-LS, CX, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, DS45, DS50, DW020H, Electron1000, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, FX, G35, G35-RL09-NEW, G600, G600S, Gastro11S, Gastro1200, Gastro12S, Gastro400S, Gastro450, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GRANUL1000, GRANUL900, GRANUL900... (Other models you can see in the webshop)		

metal




Vare Nr.	365140	Ref. No.	0015081 DW15081
description	operating capacitor capacity 12.5µF 450V tolerance 5% 60Hz ambient temperature max. -25 up to +70°C ø 40mm L 83mm M8 aluminium connection male faston 6.3mm C.87.8BF2 MKP protection		
For models:	Accessories, DS45, DS50, DS50T, DS50-Touche, Dupla50, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600, G600, G600S, GASTRO-500, Gastro500Plus, Gastro500S, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85, Optima500, Optima500, Optima-Cutlery, Pompa-Lavaggio, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank		

fuses

fine fuses

			
1			
Vare Nr.	358610	Ref. No.	0015160 DW15160
description	fine fuse size ø5x20mm 10A fast-acting rated 250V Qty 10 pcs		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, LP-2PLUS, LP2S-PLUS, LP-3PLUS, LP3S-PLUS, LP-4PLUS, LP4S8-PLUS, TX1500, UX220		

			
1			
Vare Nr.	358671	Ref. No.	0015163 DW15163
description	fine fuse size ø5x20mm 1A fast-acting rated 250V Qty 10 pcs		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, Electron500, Electron500Plus, Electron600, FX, G600S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS50, H600, HT11E, HT11S, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, LP1-800...(Other models you can see in the webshop)		

			
1			
Vare Nr.	358607	Ref. No.	0015212 DW15212
description	fine fuse size ø5x20mm 6.3A slow-acting rated 250V Qty 10 pcs		
For models:	TwinStar		

			
1			
Vare Nr.	358027	Ref. No.	003006095 DW3006095
description	fine fuse size ø10x38mm 16A rated 500V type Gg fast-acting Qty 1 pcs		
For models:	TwinStar		

electric accessories

cables

ribbon cables

group 1

			
1			
Vare Nr.	400066	Ref. No.	005058 0050589 DW5058 DW50589
description	ribbon cable 10-pole L 1000mm plug type FC-10P raster size 2.54mm		
For models:	DS40, DS40, DS50, Dupla50, DW020H, Electron1000, Electron400, Electron400CleanWater, Electron500, Electron500CleanWater, Electron600, G600S, GS50, HT11-T, HT-11-Touche		

terminals

connection terminals with screw/faston connections

			
1			
Vare Nr.	550411	Ref. No.	00500551 DW500551
description	power terminal block 6-pole max. 40A max 450V connection ø6mm ² / F6.3 temp.-resist. 150°C cross section 6mm ²		
For models:	CREPE2, CREPE2-2, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400CleanWater, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G35-RL09-NEW, G600S, Gastro11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, Gastro12S, Gastro400S, Gastro450, GASTRO-450, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS-100, GS-100-DEPUR, GS37-RL09-NEW, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS-45, GS50, GS50, GS-50, GS85, HT11E, HT11S, HT11-T...(Other models you can see in the webshop)		

connection terminals with screw connection

			
1			
Vare Nr.	550470	Ref. No.	00500550 DW500550
description	power terminal block 3-pole max. 40A max 400V connection M6/M6 temp.-resist. 150°C cross section 6mm ²		
For models:	CAN-MASTER, CREPE1, CREPE1-1, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Gastro400S, Gastro450, GS100, GS-100, GS-35, GS37, GS-37, GS37-prima-serie, GS40, GS40, GS40, GS-40, GS45, GS50, GS-50-230Vac, GS50-230VAC, Tekno4, TEKNO-4-CF, TEKNO-4-LS, X1, X1-TK20, X2, X2-TK21		

equipmentspecific units

brewing units			
filter holder gaskets			
O-rings			
			
1			
Vare Nr.	510409	Ref. No.	0013015 0013020 DW13015 DW13020
description	O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron500, Electron500Plus, Electron600, FX, G12D, G12S, G600S, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200...(Other models you can see in the webshop)		

water dispersions			
accessories			
			
1			
Vare Nr.	529494	Ref. No.	0096115 DW96115
description	gasket water dispersion		
For models:	GRANUL1000, GRANUL900, GRANUL900		

steam/water taps			
steam/water pipes			
accessories			
gaskets			
			
1			
Vare Nr.	510893	Ref. No.	0013003 DW13003
description	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs		
For models:	C40-CF, C40-LS, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, G12D, G12S, G35, G35-RL09-NEW, G600, G600, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, Gastro12S, Gastro450, GASTRO-450, GASTRO-500, GASTRO-750, GASTRO-900, GS100, GS-100, GS-100-DEPUR, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS40, GS-40, GS-40-RL09-NEW, GS40-RL09-NEW, GS50, GS50-230VAC, H600, H600Electronic, HT11, HT11E, HT11E...(Other models you can see in the webshop)		

grinding burrs			
screws			
			
1			
Vare Nr.	560365	Ref. No.	0011121 DW11121
description	flat-headed bolt thread M4 thread L 8mm SS DIN 7985/ISO 7045 Qty 1 pcs intake Phillips head ø8mm head thickness 3mm		
For models:	DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, G35, G35-RL09-NEW, G600, G600, GASTRO-500, GASTRO-750, GASTRO-900, GS37, GS37, GS37-RL09-NEW, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, H600, H600Electronic, HT11E, HT11E, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, OPTIMA-HR-PLUS		

for dishwashers

drain and intake components

DIHR

drain /intake bodies



1

Vare Nr.	517182	Ref. No.	0010701 00130054 DW10701 DW130054
description	drain connection thread 1" ID ø 27mm hose ø 30mm		
For models:	C40-CF, C40-LS, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, G35, G600, Gastro450, GASTRO-450, GASTRO-500, GASTRO-750, GASTRO-900, GRANUL1000, GRANUL900, GRANUL900, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS40, GS40, GS40, GS40, GS-40, GS50, Linear, LINEAR-CF, LINEAR-LS, LP1-S8, LP1S-Plus, LP-2PLUS, LP2S-PLUS, LP-3PLUS, LP3S-PLUS, LP-4PLUS, LP4S8-PLUS, STAR, Star, STAR-CF, STAR-LS, Synthesis, TURBO-CF, TURBO-LS		
accessories for	517182		
	Vare Nr.	517180	Ref. No. 0011701/A 11701/A DW11701/A
nut thread 1" H 5mm WS 36 SS Qty 1 pcs			
	Vare Nr.	517181	Ref. No. 0013305 13305 DW13305
flat gasket rubber ED ø 44mm ID ø 32mm thickness 3mm Qty 1 pcs			

			
1			
Vare Nr.	517288	Ref. No.	0015063 DW15063
description	drain fitting thread 1"		
For models:	AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, CAN-MASTER, CX, FX, G600, G600, Gastro11S, Gastro1200, Gastro450, GASTRO-450, GASTRO-500, GASTRO-750, GASTRO-900, Synthesis		



1

Vare Nr.	524074	Ref. No.	0010701/B DW10701/B
description	drain fitting thread 1" ED ø 29.5mm ID ø 25mm		
For models:	DS35, DS37, DS40, DS40, HT12-Optima-HR-Plus, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		



1

Vare Nr.	524949	Ref. No.	003004099 DW3004099
description	drain fitting thread 1 1/4" - 2" ED ø 50mm ID ø 30mm L 210mm		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, TX1500, UX220		



1

Vare Nr.	517254	Ref. No.	0010200113 DW10200113
description	drain fitting thread 2"/1 1/4" H 64mm ID ø 43mm		
For models:	Angle-loading-table, AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, LC97-3, LC97-5, LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP2, LP3, LP4, LP-ZERO, SILVER-1500, SILVER-1500-Insulated		
accessories for	517254		
	Vare Nr.	517205	Ref. No.
			0010200173 0010200173/A 0010600013 10200173 10200173/A 10600013 DW10200173 DW10200173/A DW10600013
flat gasket rubber ED ø 75mm ID ø 58mm thickness 3mm Qty 1 pcs			
	Vare Nr.	517206	Ref. No.
			0010200114 10200114 DW10200114
nut thread 2"			



1

Vare Nr.	506017	Ref. No.	0010200078 0015613 DW10200078 DW15613
description	drain fitting with gasket thread 1 1/4" ID ø 24mm hose ø 32mm		
For models:	Angle-loading-table, AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, FX, G12D, G12S, G600, G600, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, GASTRO-450, GASTRO-500, GASTRO-750, GASTRO-900, GRANUL1000...(Other models you can see in the webshop)		
spare parts for	506017		
	Vare Nr.	512073	Ref. No.
			—
flat gasket rubber ED ø 31mm ID ø 22mm thickness 2mm Qty 1 pcs			



1

Vare Nr.	517181	Ref. No.	0013305 DW13305
description	flat gasket rubber ED ø 44mm ID ø 32mm thickness 3mm Qty 1 pcs		
For models:	AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, C40-CF, C40-LS, CAN-MASTER, CX, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, FX, G12D, G12S, G35, G600, G600, Gastro12S, Gastro450, GASTRO-450, GASTRO-500, GASTRO-750, GASTRO-900, GRANUL1000, GRANUL900, GRANUL900, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS40, GS40, GS40...(Other models you can see in the webshop)		



1

Vare Nr.	517205	Ref. No.	0010200173 0010200173/A 0010600013 DW10200173 DW10200173/A DW10600013
description	flat gasket rubber ED ø 75mm ID ø 58mm thickness 3mm Qty 1 pcs		
For models:	Angle-loading-table, AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, LC97-3, LC97-5, LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP2, LP3...(Other models you can see in the webshop)		

			
Vare Nr.	517194	Ref. No.	0080208 DW80208
description	flat gasket rubber ED ø 95mm ID ø 75mm thickness 3mm Qty 1 pcs		
For models:	AX161, AX210, AX220, AX230, AX240, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX510, AX510LC, AX540, AX540LC, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600S, Gastro400S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS-100, GS-100-DEPUR, GS45, GS-45, GS50, GS-50, GS-50-230Vac, GS85, H600, H600Electronic, HT11... (Other models you can see in the webshop)		

			
Vare Nr.	517420	Ref. No.	00500605 DW500605
description	intake body thread 2 1/2" H 100mm outlet ø 57 outlet 2 ø 29		
For models:	AX210, AX220, AX230, AX240, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX510, AX510LC, AX540, AX540LC, H600, H600Electronic, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, Optima500, Optima500, Optima-Cutlery, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		

			
Vare Nr.	517195	Ref. No.	00500606 DW500606
description	intake/drain body thread 2 1/2" hose ø 57/28/10mm		
For models:	DS45, DS50, DS50T, DS50-Touche, Dupla50, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600S, Gastro400S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS45, GS-45, GS50, GS-50, GS-50-230Vac, GS85, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, Optima400, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank		

			
Vare Nr.	517196	Ref. No.	00500603 DW500603
description	intake/drain body thread 2 1/2" 1 1/4" hose ø 57mm		
For models:	AX161, AX210, AX220, AX230, AX240, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX510, AX510LC, AX540, AX540LC, DW020H, Electron1000, GS100, GS-100, GS-100-DEPUR, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus, UX220		

			
Vare Nr.	517180	Ref. No.	0011701/A DW11701/A
description	nut thread 1" H 5mm WS 36 SS Qty 1 pcs		
For models:	AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, C40-CF, C40-LS, CAN-MASTER, CX, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, Electron400CleanWater, Electron500CleanWater, FX, G12D, G12S, G35, G600, G600, Gastro12S, Gastro450, GASTRO-450, GASTRO-500, GASTRO-750, GASTRO-900, GRANUL1000, GRANUL900, GRANUL900, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS40...(Other models you can see in the webshop)		

			
Vare Nr.	517206	Ref. No.	0010200114 DW10200114
description	nut thread 2"		
For models:	Angle-loading-table, AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, CX, FX, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, LC97-3, LC97-5, LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP2, LP3, LP4, LP-ZERO, SILVER-1500, SILVER-1500-Insulated...(Other models you can see in the webshop)		

			
Vare Nr.	517193	Ref. No.	00500601 DW500601
description	nut thread 2 1/2"		
For models:	AX210, AX220, AX230, AX240, AX300, AX300LC, AX310, AX310LC, AX320, AX330, Electron500, Electron500, Electron500Plus, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS50, Tekno6, TEKNO-6, TEKNO-6-Break-Tank, UX220		



1

Vare Nr.	517215	Ref. No.	00540000 00540000/A DW540000 DW540000/A
description	ring for drain ED ø 94mm H 91mm ID ø 24mm		
For models:	G35, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS40, GS40, GS40, Star, STAR-CF, STAR-LS		
accessories for	517215		
	Vare Nr.	517180	Ref. No. 0011701/A 11701/A DW11701/A
nut thread 1" H 5mm WS 36 SS Qty 1 pcs			
	Vare Nr.	517181	Ref. No. 0013305 13305 DW13305
flat aasket rubber ED ø 44mm ID ø 32mm thickness 3mm Qty 1 pcs			



1

Vare Nr.	517815	Ref. No.	0025002 DW25002
description	sieve support ED ø 82mm H 75mm ID ø 35mm		
For models:	G35-RL09-NEW, GS37-RL09-NEW, GS-40-RL09-NEW, GS40-RL09-NEW		

filters



1

Vare Nr.	517379	Ref. No.	0080720 DW80720
description	drain filter ø 144mm H 162mm		
For models:	LP2, LP2		



1

Vare Nr.	507525	Ref. No.	0088302 DW88302
description	filter H 138mm L 192mm W 192mm		
For models:	AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, LP3, LP3, LP4, LP4-800, LP4-Elettronica		



1

Vare Nr.	524947	Ref. No.	003019065 DW3019065
description	filter H 140mm L 389mm W 85mm		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, TX1500, UX220		



1

Vare Nr.	517192	Ref. No.	00500615 00500615/A DW500615 DW500615/A
description	filter support ø 47mm H 86mm thread 2½"		
For models:	AX161, AX290, DW020H, Electron1000, Electron400, Electron400, Electron500CleanWater, Gastro400S, GS100, GS-100, GS-100-DEPUR, GS45, GS-45, GS50, GS-50, GS-50-230Vac, GS85, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT, Tekno4, TEKNO-4-CF, TEKNO-4-LS, Tekno6.1-Acqua-pulita		



1

Vare Nr.	517209	Ref. No.	0016051/A DW16051/A
description	filter support ø 50mm H 50mm thread M5		
For models:	C40-CF, C40-LS, GS-35, GS40, Linear, LINEAR-CF, LINEAR-LS		



1

Vare Nr.	517381	Ref. No.	00500607 DW500607
description	filter support ø 90mm H 86mm		
For models:	DS45, DS50, DS50T, DS50-Touche, Dupla50, Electron600, G600S, GS45, GS50, GS85, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche		



1

Vare Nr.	524957	Ref. No.	0075626 DW75626
description	flat filter for dishwasher H 15mm L 486mm W 192mm		
For models:	DW020H, Electron1000, Gastro11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GS100, GS-100, GS-100-DEPUR, LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP-ZERO		



1

Vare Nr.	524946	Ref. No.	0075625 DW75625
description	flat filter for dishwasher H 16mm L 485mm W 190mm		
For models:	Gastro11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP-ZERO		

			
1			
Vare Nr.	524958	Ref. No.	003009565 DW3009565
description	flat filter for dishwasher H 24mm L 670mm W 300mm SS		
For models:	AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC		

			
1			
Vare Nr.	524948	Ref. No.	0011600907 DW11600907
description	flat filter H 16mm L 290mm W 222mm		
For models:	AX161, AX290, G12D, G12S, Gastro12S, H600, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP-2PLUS, LP2S-PLUS, LP-3PLUS, LP3S-PLUS, LP-4PLUS, LP4S8-PLUS, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		

			
1			
Vare Nr.	507524	Ref. No.	0011600906 DW11600906
description	flat filter H 175mm L 290mm W 222mm		
For models:	G12D, G12S, Gastro12S, H600, H600, H600Electronic, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP-2PLUS, LP2S-PLUS, LP-3PLUS, LP3S-PLUS, LP-4PLUS, LP4S8-PLUS, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		

			
1			
Vare Nr.	510002	Ref. No.	00560925 DW560925
description	flat filter ø 50mm H 95mm L 383mm W 136mm		
For models:	Electron500, Electron500, Electron500Plus, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, Tekno6, TEKNO-6, TEKNO-6-Break-Tank		

			
1			
Vare Nr.	517210	Ref. No.	0011713 DW11713
description	knurled nut ø 16mm H 10mm thread M5		
For models:	C40-CF, C40-LS, GS-35, GS40, Linear, LINEAR-CF, LINEAR-LS, STAR-CF, STAR-LS		

			
1			
Vare Nr.	517183	Ref. No.	0011701/B DW11701/B
description	opposite support ø 42mm H 69mm thread 1"		
For models:	DS35, DS37, DS40, DS40, G35, GS37, GS37, GS37-prima-serie, GS40, GS40, GS40, Linear, Star		

			
1			
Vare Nr.	517217	Ref. No.	003019071 DW3019071
description	rectangular filter suction		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, Gastro12S, H600, HT12-Elettronica, TX1500, UX220		

			
1			
Vare Nr.	517214	Ref. No.	00540002 DW540002
description	round filters ø 100mm H 65mm		
For models:	DS35, DS37, DS40, DS40, G35, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS40, GS40, GS40, GS-40, Star, STAR-CF, STAR-LS		

			
1			
Vare Nr.	517208	Ref. No.	0016050 DW16050
description	round filters ø 105mm H 50mm		
For models:	C40-CF, C40-LS, GS-35, GS40, Linear, LINEAR-CF, LINEAR-LS, STAR-CF, STAR-LS		

			
1			
Vare Nr.	524794	Ref. No.	00500600 DW500600
description	round filters ø 128mm H 61mm		
For models:	DS45, DS50, DS50T, DS50-Touche, Dupla50, Electron600, G600S, GS45, GS50, GS85, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche		



1

Vare Nr.	517191	Ref. No.	00500620 DW500620
description	round filters ø 135mm H 60mm		
For models:	Electron400, Electron400, Gastro400S, Tekno4, TEKNO-4-CF, TEK-NO-4-LS		



1

Vare Nr.	507526	Ref. No.	00500599 DW500599
description	round filters ø 155mm H 220mm		
For models:	AX161, AX290, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus		



1

Vare Nr.	517190	Ref. No.	00500616 DW500616
description	round filters ø 155mm H 70mm		
For models:	DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron600, G600S, GS100, GS-100, GS-100-DEPUR, GS45, GS-45, GS50, GS-50, GS-50-230Vac, GS85, H600, H600Electronic, HT11, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, OPTI-MA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		
accessories for	517190		



Vare Nr.	517192	Ref. No.	00500615 00500615/A 500615 500615/A DW500615 DW500615/A
----------	--------	----------	--

filter support ø 47mm H 86mm thread 2 1/2"



1

Vare Nr.	517213	Ref. No.	0015082 DW15082
description	round filters ø 190mm H 50mm		
For models:	GS50, GS50-230VAC, LP1-800, LP1-800, LP1-800EL		



1

Vare Nr.	517216	Ref. No.	0015911 DW15911
description	round filters ø 195mm H 55mm		
For models:	Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-500, GASTRO-750, GASTRO-900, GS50, GS50-230VAC, LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP-ZERO		



1

Vare Nr.	517211	Ref. No.	0010914 DW10914
description	round filters ø 49mm H 82mm		
For models:	AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, CAN-MASTER, CX, Derby, Derby400, DERBY-CF, FX, GRANUL1000, GRANUL900, GRANUL900, STAR		



1

Vare Nr.	517184 ¹	Ref. No.	00440751 DW440751
description	round filters ø 55mm H 90mm		
For models:	DS35, DS37, DS40, DS40, G35, GS37, GS37, GS37-prima-serie, GS40, GS40, GS40, Linear, Star		

¹for drain pump



1

Vare Nr.	524950	Ref. No.	00561013 DW561013
description	round filters ø 60mm H 53mm		
For models:	Electron500CleanWater, Optima500, Optima500, Optima-Cutlery, Tekno6.1-Acqua-pulita		



1

Vare Nr.	517218	Ref. No.	0010200025 DW10200025
description	round filters suction ø 215mm H 60mm 140		
For models:	GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, SILVER-1500, SILVER-1500-Insulated		

			
1			
Vare Nr.	517212	Ref. No.	0010914/A DW10914/A
description	round filters suction ø 50mm H 160mm		
For models:	Synthesis, TURBO-CF, TURBO-LS		

			
1			
Vare Nr.	517204	Ref. No.	0080250 DW80250
description	overflow pipe		
For models:	LP2		

overflow pipes

			
1			
Vare Nr.	517366	Ref. No.	0088105 DW88105
description	cap ø 54mm ID ø 45mm		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, LP3, LP4, TX1500, UX220		

			
1			
Vare Nr.	517175	Ref. No.	0016052 DW16052
description	overflow pipe L 107mm ø 28mm		
For models:	C40-CF, C40-LS, DS40, DS40, GS40, GS40, GS40, GS40, GS-40, Linear, LINEAR-CF, LINEAR-LS		

			
1			
Vare Nr.	517197	Ref. No.	0011600019 DW11600019
description	cover L 52mm for overflow pipe ø 32mm		
For models:	G12D, G12S, Gastro12S, GRANUL1000, GRANUL900, GRANUL900, H600, HT12-Elettronica, LP1S, LP1-S, LP1-S8, LP1-S8EL, LP2, LP-2PLUS, LP2S-PLUS, LP3, LP-3PLUS, LP3S-PLUS, LP4-800, LP4-Elettronica, LP-4PLUS, LP4S8-PLUS		

			
1			
Vare Nr.	517178	Ref. No.	00150320 DW150320
description	overflow pipe L 121mm ø 28mm		
For models:	G600, G600, Gastro450, GS50, GS50-230VAC		

			
1			
Vare Nr.	517200	Ref. No.	0011600002 DW11600002
description	flange gasket ø 55mm		
For models:	G12D, G12S, Gastro12S, GRANUL1000, GRANUL900, GRANUL900, H600, HT12-Elettronica, LP2, LP-2PLUS, LP2S-PLUS, LP3, LP-3PLUS, LP3S-PLUS, LP4-800, LP4-Elettronica, LP-4PLUS, LP4S8-PLUS		

			
1			
Vare Nr.	517179	Ref. No.	0015125 0015126 DW15125 DW15126
description	overflow pipe L 132mm ø 28mm		
For models:	G600, G600, Gastro450, GASTRO-450, GASTRO-500, GASTRO-750, GASTRO-900, Synthesis, TURBO-CF, TURBO-LS		

			
1			
Vare Nr.	517189	Ref. No.	0013021 DW13021
description	gasket ø 28mm D1 ø 40mm thickness 6mm		
For models:	AX161, AX210, AX220, AX230, AX240, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX510, AX510LC, AX540, AX540LC, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron500, Electron500, Electron500Plus, Electron600, G600S, Gastro11S, Gastro1200, Gastro400S, Gastro-500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS-100, GS-100-DEPUR, GS45, GS-45, GS50, GS-50, GS-50-230Vac, GS85, H600, H600Electronic, HT11...(Other models you can see in the webshop)		



1

Vare Nr.	517176	Ref. No.	0010725 DW10725
description	overflow pipe L 142mm ø 28mm		
For models:	Derby, Derby400, DERBY-CF, GASTRO-500, GASTRO-750, GASTRO-900, Star, STAR-CF, STAR-LS		



1

Vare Nr.	517202	Ref. No.	0075250 0075752 DW75250 DW75752
description	overflow pipe L 155mm ø 45mm		
For models:	Gastro11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200		



1

Vare Nr.	517203	Ref. No.	0022250 0022251 DW22250 DW22251
description	overflow pipe L 170mm ø 45mm		
For models:	LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL		



1

Vare Nr.	517470	Ref. No.	0025004 DW25004
description	overflow pipe L 175mm ø 26mm		
For models:	CAN-MASTER, G35-RL09-NEW, GS37-RL09-NEW, GS-40-RL09-NEW, GS40-RL09-NEW		



1

Vare Nr.	517185	Ref. No.	00500618 DW500618				
description	overflow pipe L 185mm ø 40mm						
For models:	DS45, DS50, DS50T, DS50-Touche, Dupla50, Electron600, G600S, Gastro11S, Gastro1200, GS45, GS-45, GS50, GS-50, GS-50-230Vac, GS85, HT11S						
accessories for	517185						
	 <table border="1"> <tr> <td>Vare Nr.</td> <td>517189</td> <td>Ref. No.</td> <td>0013021 13021 DW13021</td> </tr> </table>	Vare Nr.	517189	Ref. No.	0013021 13021 DW13021	gasket ø 28mm D1 ø 40mm thickness 6mm	
Vare Nr.	517189	Ref. No.	0013021 13021 DW13021				



1

Vare Nr.	517187	Ref. No.	00540033 DW540033				
description	overflow pipe L 200mm ø 40mm						
For models:	Electron400, Electron400, Gastro400S, Tekno4, TEKNO-4-CF, TEKNO-4-LS						
accessories for	517187						
	 <table border="1"> <tr> <td>Vare Nr.</td> <td>517189</td> <td>Ref. No.</td> <td>0013021 13021 DW13021</td> </tr> </table>	Vare Nr.	517189	Ref. No.	0013021 13021 DW13021	gasket ø 28mm D1 ø 40mm thickness 6mm	
Vare Nr.	517189	Ref. No.	0013021 13021 DW13021				



1

Vare Nr.	517186	Ref. No.	00500619 DW500619				
description	overflow pipe L 210mm ø 40mm						
For models:	DW020H, Electron1000, Electron500, Electron500, Electron500Plus, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS-100, GS-100-DEPUR, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, LP1, LP1-800, LP1-800, LP1-800EL, LP-ZERO, Tekno6, TEKNO-6, TEKNO-6-Break-Tank						
accessories for	517186						
	 <table border="1"> <tr> <td>Vare Nr.</td> <td>517189</td> <td>Ref. No.</td> <td>0013021 13021 DW13021</td> </tr> </table>	Vare Nr.	517189	Ref. No.	0013021 13021 DW13021	gasket ø 28mm D1 ø 40mm thickness 6mm	
Vare Nr.	517189	Ref. No.	0013021 13021 DW13021				



1

Vare Nr.	517188 ¹	Ref. No.	00560020 DW560020
description	overflow pipe L 215mm ø 40mm		
For models:	Electron500, Electron500, Electron500Plus, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, Tekno6, TEKNO-6, TEKNO-6-Break-Tank		
accessories for	517188		
	Vare Nr.	517189	Ref. No. 0013021 13021 DW13021
gasket ø 28mm D1 ø 40mm thickness 6mm			

¹for drain pump

1

Vare Nr.	517198	Ref. No.	0011600011 0011600052 DW11600011 DW11600052
description	overflow pipe L 360mm ø 32mm		
For models:	G12D, G12S, Gastro12S, H600, HT12-Elettronica		
accessories for	517198		
	Vare Nr.	517197	Ref. No. 0011600019 11600019 DW11600019
cover L 52mm for overflow pipe ø 32mm			

			
1			
Vare Nr.	517357	Ref. No.	0011600102 DW11600102
description	overflow pipe L 420mm ø 44mm		
For models:	AX161, AX210, AX220, AX230, AX240, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX510, AX510LC, AX540, AX540LC, H600, H600Electronic, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT, UX220		
accessories for	517357		
	Vare Nr.	517189	Ref. No. 0013021 13021 DW13021
gasket ø 28mm D1 ø 40mm thickness 6mm			



1

Vare Nr.	517467	Ref. No.	0091101 DW91101
description	overflow pipe L 430mm ø 32mm		
For models:	LP-2PLUS, LP2S-PLUS, LP-3PLUS, LP3S-PLUS		
accessories for	517467		
	Vare Nr.	517200	Ref. No.
			0011600002 11600002 DW11600002
flange gasket ø 55mm			

			
1			
Vare Nr.	517373	Ref. No.	002000477 DW2000477
description	overflow pipe L 440mm ø 45mm		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, UX220		

			
1			
Vare Nr.	517468	Ref. No.	003004100 DW3004100
description	overflow pipe L 485mm ø 45mm		
For models:	AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, CX, FX		

			
1			
Vare Nr.	524776	Ref. No.	002000476/A DW2000476/A
description	overflow pipe L 540mm ø 45mm		
For models:	LP3		

			
1			
Vare Nr.	507570	Ref. No.	0089000 DW89000
description	overflow pipe L 580mm ø 45mm		
For models:	LP4		



1

Vare Nr.	517177	Ref. No.	00135251 00135252 DW135251 DW135252
description	overflow pipe L 96mm ø 28mm		
For models:	DS35, DS37, G35, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS40		



1

Vare Nr.	517472	Ref. No.	0010600019 DW10600019
description	overflow pipe ø 45mm L 200mm		
For models:	GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, SILVER-1500, SILVER-1500-Insulated		



1

Vare Nr.	517473	Ref. No.	003004089 DW3004089
description	standpipe L 210mm ø 31mm		
For models:	AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, CX, FX		

containers

container lids



1

Vare Nr.	517424	Ref. No.	00540044 DW540044
description	lid for dosing container L 61mm W 50mm H 5mm mounting pos. front		



1

Vare Nr.	517423	Ref. No.	00540049 DW540049
description	lid for dosing container L 84.5mm W 44mm H 10mm mounting pos. rear		

dosing containers



1

Vare Nr.	517380	Ref. No.	00540050 DW540050
description	cleaner container L 94mm W 80mm H 130mm suitable for Dihr		

salt tanks



1

Vare Nr.	517398	Ref. No.	0016067/B DW16067/B
description	flat gasket rubber ED ø 82mm ID ø 66mm thickness 4mm for salt tank Qty 1 pcs		
For models:	C40-CF, C40-LS, DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron500, Electron500, Electron500Plus, Electron600, G12D, G35, G35-RL09-NEW, G600, G600, G600S, Gastro11S, GASTRO-11-S, Gastro1200, Gastro12S, Gastro400S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS100, GS-100-DEPUR, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40...(Other models you can see in the webshop)		

			
1			
Vare Nr.	517396	Ref. No.	0016067/D DW16067/D
description	lid ø 69mm H 19mm for salt tank ID ø 50.5mm		
For models:	DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron500, Electron500, Electron500Plus, Electron600, G12D, G35, G35-RL09-NEW, G600, G600, G600S, Gastro11S, GASTRO-11-S, Gastro1200, Gastro12S, Gastro400S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS100, GS-100-DEPUR, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS40...(Other models you can see in the webshop)		

			
1			
Vare Nr.	517397	Ref. No.	0016067/C DW16067/C
description	nut ø 93mm H 13mm for salt tank ID ø 64mm		
For models:	C40-CF, C40-LS, DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron500, Electron500, Electron500Plus, Electron600, G12D, G35, G35-RL09-NEW, G600, G600, G600S, Gastro11S, GASTRO-11-S, Gastro1200, Gastro12S, Gastro400S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS100, GS-100-DEPUR, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40...(Other models you can see in the webshop)		

1

Vare Nr.	510929	Ref. No.	0016067 DW16067
description	salt tank ø 120mm H 117mm hose ø 10mm mounting ø 70mm overall height 157mm		
For models:	C40-CF, C40-LS, G12D, G600, GASTRO-11-S, GASTRO-450, GASTRO-500, GASTRO-750, GASTRO-900, GS-100-DEPUR, GS-35, GS40, GS-40, GS50, LINEAR-CF, LINEAR-LS, STAR, STAR-CF, STAR-LS, TEKNO-6, TEKNO-6-Break-Tank		
spare parts for	510929		
	Vare Nr.	506015	Ref. No. 0016067/A 16067/A DW16067/A
O-ring EPDM thickness 3.53mm ID ø 39.69mm Qty 1 pcs			

spare parts for		510929		
	Vare Nr.	510018	Ref. No.	—
nut ø 92mm H 10.5mm for salt tank ID ø 64mm				
	Vare Nr.	524177	Ref. No.	—
lid ø 69mm H 20mm for salt tank ID ø 50mm				
accessories for		510929		
	Vare Nr.	510071	Ref. No.	—
flat gasket rubber ED ø 81mm ID ø 68mm thickness 3mm for salt tank Qty 1 pcs				
	Vare Nr.	510654	Ref. No.	—
gasket H 6mm D1 ø 82mm D2 ø 68mm				
	Vare Nr.	510883	Ref. No.	—
gasket rubber ED ø 86mm ID ø 66mm thickness 2mm for salt tank Qty 1 pcs				

			
1			
Vare Nr.	517686	Ref. No.	0016072 DW16072
description	salt tank ø 90mm H 125mm with magnetic switch plastic		
For models:	DS50T, DS50-Touche, Electron400, Electron500, Electron500Plus, HT11-T, HT-11-Touche, HT12-Optima-HR-Plus, Optima400, Optima500, Optima500, Optima-Cutlery, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT, TwinStar		

			
1			
Vare Nr.	517347	Ref. No.	0016065 DW16065
description	salt tank ø 90mm H 88mm complete		
For models:	DS35, DS37, DS40, DS45, DS50, Dupla50, DW020H, Electron1000, Electron400, Electron500, Electron600, G35, G35-RL09-NEW, G600, G600S, Gastro11S, Gastro1200, Gastro12S, Gastro400S, Gastro450, GASTRO-500, Gastro500Plus, Gastro500S, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS100, GS-100-DEPUR, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS-45, GS50, GS-50, GS85, H600, H600, H600Electronic...(Other models you can see in the webshop)		
spare parts for	517347		
	Vare Nr.	506015	Ref. No. 0016067/A 16067/A DW16067/A
	O-ring EPDM thickness 3.53mm ID ø 39.69mm Qty 1 pcs		
	Vare Nr.	517396	Ref. No. 0016067/D 16067/D DW16067/D
	lid ø 69mm H 19mm for salt tank ID ø 50.5mm		
	Vare Nr.	517397	Ref. No. 0016067/C 16067/C DW16067/C
	nut ø 93mm H 13mm for salt tank ID ø 64mm		

boilers

boilers for dishwashers



1

Vare Nr.	517296	Ref. No.	00540006 DW540006
description	boiler		
For models:	Electron400, Electron400, Electron400CleanWater, Gastro400S, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS		



1

Vare Nr.	517297	Ref. No.	0016904 DW16904
description	boiler		
For models:	Linear, LINEAR-CF, LINEAR-LS		



1

Vare Nr.	517402	Ref. No.	003007013 DW3007013
description	boiler		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, TX1500, UX220		



1

Vare Nr.	517294	Ref. No.	00135905 DW135905
description	boiler ø 113mm L 320mm		
For models:	DS35, DS37, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW		



1

Vare Nr.	517295	Ref. No.	00140905 DW140905
description	boiler ø 113mm L 370mm		
For models:	DS40, DS40, GS40, GS40, GS40, GS40, GS-40, GS-40-RL09-NEW, GS40-RL09-NEW		



1

Vare Nr.	517298	Ref. No.	0017905 DW17905
description	boiler ø 138mm L 210mm		
For models:	Synthesis, TURBO-CF, TURBO-LS		



1

Vare Nr.	517299	Ref. No.	0026905 DW26905
description	boiler ø 140mm L 335mm		
For models:	Gastro450, GASTRO-450		

			
Vare Nr.	517300	Ref. No.	00150905 DW150905
description	boiler ø 140mm L 390mm		
For models:	DS45, DS50, DS50T, DS50-Touche, Dupla50, Electron500, Electron500, Electron500CleanWater, Electron600, G600, G600, G600S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank		

			
Vare Nr.	517301	Ref. No.	0015905 0015924 DW15905 DW15924
description	boiler ø 140mm L 390mm		
For models:	G600, GASTRO-500, GASTRO-750, GASTRO-900		

			
Vare Nr.	517394	Ref. No.	003007012 DW3007012
description	boiler ø 160mm L 530mm with insulation		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, TX1500, UX220		
spare parts for	517394		
	Vare Nr.	517336	Ref. No. 0030002030 30002030 DW30002030
	insulating mat boiler L 500mm W 155mm		
	Vare Nr.	517337	Ref. No. 0075205 75205 DW75205
	insulating mat boiler ø 160mm		

			
Vare Nr.	517302	Ref. No.	0022002 DW22002
description	boiler with insulation ø 160mm L 500mm		
For models:	DW020H, Electron1000, G12D, G12S, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, Gastro12S, GS100, GS-100, GS-100-DEPUR, H600, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12S, HT12SElectronic, LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP1S, LP1-S, LP1-S8, LP1-S8EL, LP-ZERO		
accessories for	517302		
	Vare Nr.	517337	Ref. No. 0075205 75205 DW75205
	insulating mat boiler ø 160mm		

			
Vare Nr.	517303	Ref. No.	0010600904 DW10600904
description	boiler with insulation ø 160mm L 530mm flange 4 hole flange inlet ø 12		
For models:	GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, SILVER-1500, SILVER-1500-Insulated		

accessories			
			
Vare Nr.	517336	Ref. No.	0030002030 DW30002030
description	insulating mat boiler L 500mm W 155mm		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, DW020H, Electron1000, FX, Gastro11S, Gastro1200, Gastro12S, GS100, H600, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S...(Other models you can see in the webshop)		



1

Vare Nr.	517337	Ref. No.	0075205 DW75205
description	insulating mat boiler ø 160mm		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, DW020H, Electron1000, FX, Gastro11S, Gastro1200, Gastro12S, GS100, H600, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S...(Other models you can see in the webshop)		



2

Vare Nr.	699262	Ref. No.	0015066 DW15066
description	insulation for boiler L 455mm W 395mm thickness 2mm		
For models:	DS45, DS50, DS50T, DS50-Touche, Dupla50, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600, G600S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS45, GS50, GS85, Tekno6, Tekno6.1-Acqua-pulita		

softener cartridges

softening columns



1

Vare Nr.	530084	Ref. No.	0016066 DW16066
description	softener 4-fold L 380mm W 180mm		
For models:	DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron500, Electron500, Electron500Plus, Electron600, G12D, G35-RL09-NEW, G600, G600, G600S, Gastro11S, GASTRO-11-S, Gastro1200, Gastro12S, Gastro400S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS100, GS-100-DEPUR, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS40, GS-40...(Other models you can see in the webshop)		

housing and bezels

fascias



1

Vare Nr.	517422	Ref. No.	0089306 DW89306
description	bezel for thermometer L 90mm H 53.5mm		
For models:	Gastro11S, Gastro1200, Gastro12S, GS100, H600, H600, HT11S, HT12S, LP1, LP1-800, LP1-800EL, LP1S, LP1-S8, LP1-S8EL, LP2, LP3, LP4-800, LP-ZERO		



1

Vare Nr.	996014	Ref. No.	75311 DW75311
description	cover for boiler H 40mm ø 125mm		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, DW020H, Electron1000, FX, Gastro11S, Gastro1200, Gastro12S, H600, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus...(Other models you can see in the webshop)		



1

Vare Nr.	517399	Ref. No.	00135600 00135606/A DW135600 DW135606/A
description	switch panel L 185mm W 85mm H 45mm		

miscellaneous



1			
Vare Nr.	517400	Ref. No.	00560007 DW560007
description	bearing for door rubber ID ø 12mm mounting pos. left		
For models:	Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, Optima500, Optima500, Optima-Cutlery, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank		



2			
Vare Nr.	524803	Ref. No.	0011600018 DW11600018
description	bracket for dishwasher rack SS L 25mm ED ø 10mm thread M6		
For models:	G12D, G12S, Gastro12S, H600, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		



1			
Vare Nr.	698297	Ref. No.	0076081 DW76081
description	duct ID ø 35mm ED ø 51mm thickness 14mm		
For models:	H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		

hood mechanics for dishwashers

bushes



1			
Vare Nr.	512423	Ref. No.	0011600055 DW11600055
description	bush for hood handle		
For models:	Gastro12S, H600, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		



1			
Vare Nr.	517284	Ref. No.	0010800130 DW10800130
description	bush hood mechanics		
For models:	Gastro11S, GASTRO-11S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-1200S, GASTRO-1200-S-Isolata, SILVER-1500-Insulated		



1			
Vare Nr.	517279	Ref. No.	0075204 DW75204
description	bush hood mechanics PTFE		
For models:	Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200		



1			
Vare Nr.	517282	Ref. No.	0010800231 DW10800231
description	cylinder liner hood mechanics		
For models:	Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, SILVER-1500, SILVER-1500-Insulated		



1			
Vare Nr.	694679	Ref. No.	0011600014 DW11600014
description	roller ID ø 10.5mm L 33mm for hood mechanics D1 ø 22mm D2 ø 19.8mm		
For models:	G12D, G12S, Gastro12S, H600, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		

spring holders



1			
Vare Nr.	517285	Ref. No.	0070306 DW70306
description	spring holder		
For models:	Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche		



guide bars



1

Vare Nr.	517358	Ref. No.	0075304 DW75304
description	guide bar L 600mm for hood mechanics		
For models:	AX161, AX290, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata		



1

Vare Nr.	517378	Ref. No.	0011600029 DW11600029
description	guide bar L 650mm mounting pos. left for hood mechanics thickness 25mm		
For models:	Gastro12S, H600, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		



1

Vare Nr.	513019	Ref. No.	0011600028 003189041 DW11600028 DW3189041
description	guide bar L 695mm mounting pos. right thickness 25mm		
For models:	Gastro12S, H600, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		



1

Vare Nr.	524800	Ref. No.	0076080 DW76080
description	guide bar L 700mm for hood W 26mm H 21mm		
For models:	HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche		

rollers



1

Vare Nr.	524805	Ref. No.	0089919 DW89919
description	roller ø 23mm H 9.6mm for hood mechanics plastic white hole ø 8mm		
For models:	G12S, Gastro12S, H600, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP-3PLUS, LP3S-PLUS, LP-4PLUS, LP4S8-PLUS, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		

miscellaneous



1

Vare Nr.	517280	Ref. No.	0075203 DW75203
description	bush with thread hood mechanics brass		
For models:	Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200		



1

Vare Nr.	517281	Ref. No.	0075202 DW75202
description	nut hood mechanics		
For models:	Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200		



1

Vare Nr.	517283	Ref. No.	0010800244 DW10800244
description	roller for hood handle		
For models:	Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, SILVER-1500, SILVER-1500-Insulated		

basket guides

guide bars



1			
Vare Nr.	517813	Ref. No.	0010600923 DW10600923
description	basket guide mounting pos. left/right L 450mm W 3.5mm H 37.5mm		
For models:	G12D, G12S, Gastro12S, H600, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		



1			
Vare Nr.	692615	Ref. No.	392029
description	guide L 293mm W 25mm H 92mm		
For models:	AX161, AX290		

air traps

air traps



1			
Vare Nr.	517168	Ref. No.	0010911/D 00135911/D DW10911/D DW135911/D
description	air trap H 56mm		
For models:	DS35, DS37, DS40, DS40, Electron500, Electron500, Electron500Plus, Electron600, G600, G600, G600S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS-35, GS37, GS37, GS-37, GS37-prima-serie, Tekno6		
accessories for	517168		
	Vare Nr.	517173	Ref. No.
			0013301 13301 DW13301
	flat gasket FIBER ED ø 14mm ID ø 8mm thickness 1.5mm Qty 1 pcs		
	Vare Nr.	517174	Ref. No.
			0011702 11702 DW11702
	nut thread M8 H 6.5mm WS 13 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs		



1			
Vare Nr.	517308	Ref. No.	0010911/C 00135911/C DW10911/C DW135911/C
description	air trap H 65mm		
For models:	DW020H, Electron1000, G35, G35-RL09-NEW, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GS100, GS-100, GS-100-DEPUR, GS37-RL09-NEW, GS40-RL09-NEW, LP1, LP1, LP1-800, LP1-800, LP1-800EL, LP-ZERO		



1			
Vare Nr.	517170	Ref. No.	00135911/B DW135911/B
description	air trap H 75mm		
For models:	DS45, DS50, DS50T, DS50-Touche, Dupla50, Electron400, Electron400, Electron400CleanWater, Gastro400S, GS40, GS-40-RL09-NEW, GS45, GS50, GS85, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, Linear, LP1-S8, LP1S-Plus, Tekno4, Tekno4.1-Acqua-pulita		
accessories for	517170		
	Vare Nr.	517173	Ref. No.
			0013301 13301 DW13301
	flat gasket FIBER ED ø 14mm ID ø 8mm thickness 1.5mm Qty 1 pcs		
	Vare Nr.	517174	Ref. No.
			0011702 11702 DW11702
	nut thread M8 H 6.5mm WS 13 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs		



1			
Vare Nr.	517172	Ref. No.	0080106 DW80106
description	air trap L 90mm ø 45mm stainless steel		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, LP3, LP3, LP4, LP4-800, LP4-Elettronica, TX1500, UX220		
accessories for	517172		
	Vare Nr.	517173	Ref. No.
			0013301 13301 DW13301
	flat gasket FIBER ED ø 14mm ID ø 8mm thickness 1.5mm Qty 1 pcs		
	Vare Nr.	517174	Ref. No.
			0011702 11702 DW11702
	nut thread M8 H 6.5mm WS 13 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs		

1

Vare Nr.	517171	Ref. No.	0010402 0010911 00135911 DW10402 DW10911 DW135911
-----------------	--------	-----------------	--

description	air trap L 90mm W 55mm H 31mm		
--------------------	-------------------------------	--	--

For models:	AX161, AX290, CAN-MASTER, Derby, Derby400, DERBY-CF, GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, GASTRO-500, GASTRO-750, GASTRO-900, GRANUL1000, GRANUL900, GRANUL900, GS50, GS50-230VAC, GS85, H600, H600Electronic, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP1S, LP1-S, LP1-S8, LP1-S8EL, LP2, LP2, LP-2PLUS, LP2S-PLUS, LP-3PLUS, LP3S-PLUS, LP-4PLUS, LP4S8-PLUS, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT, SILVER-1500, SILVER-1500-Insulated, STAR, Star, STAR-CF, STAR-LS, Synthesis, TEKNO-6, TEKNO-6-Break-Tank, TURBO-CF...(Other models you can see in the webshop)		
--------------------	--	--	--

accessories for	517171		
------------------------	--------	--	--

Vare Nr.	517173	Ref. No.	0013301 13301 DW13301
-----------------	--------	-----------------	-----------------------------

flat gasket FIBER ED ø 14mm ID ø 8mm thickness 1.5mm Qty 1 pcs

Vare Nr.	517174	Ref. No.	0011702 11702 DW11702
-----------------	--------	-----------------	-----------------------------

nut thread M8 H 6.5mm WS 13 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs

			
Vare Nr.	524797	Ref. No.	00135911/E DW135911/E
description	air trap W 54mm H 45mm thread M8 hose ø 5mm plastic		
For models:	Electron500CleanWater, LP1-800, Tekno6.1-Acqua-pulita		

mechanics for flight type dishwashers

			
Vare Nr.	517818	Ref. No.	003060014 DW3060014
description	distance washers for tape L 46mm ø 15mm ID ø 9mm		
For models:	CX, FX		

1

Vare Nr.	524455	Ref. No.	003003020 003003021 003003116 DW3003020 DW3003021 DW3003116
description	drive shaft for transport system L 225mm ø 120mm suitable for Dihr		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300		
accessories for	524455		
	Vare Nr.	524456	Ref. No. 003003012 3003012 DW3003012
roller for drive shaft L 27.3mm ø 30mm hole ø 12.5mm suitable for Dihr			

			
Vare Nr.	699563	Ref. No.	003060134 DW3060134
description	gear wheel for impulse ø 150mm ID ø 35.5mm suitable for Dihr		
For models:	CAN-MASTER, CX, FX, UX220		

			
Vare Nr.	699261	Ref. No.	003060022 DW3060022
description	gear wheel plastic W 37.5mm ID ø 25mm ED ø 150mm		
For models:	CAN-MASTER, CX, FX, UX220		

			
Vare Nr.	698412	Ref. No.	003000261 DW3000261
description	gear wheel teeth 8 shaft intake ø 20mm ø 133mm tooth width 11mm plastic W 40mm for transport system suitable for dishwasher		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, LC97-2, LC97-3, LC97-4, LC97-5		

			
1			
Vare Nr.	517317	Ref. No.	003060001 DW3060001
description	roller		
For models:	CX, FX		

			
1			
Vare Nr.	524456	Ref. No.	003003012 DW3003012
description	roller for drive shaft L 27.3mm ø 30mm hole ø 12.5mm suitable for Dihr		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300		
accessories for	524456		
	Vare Nr.	524455	Ref. No.
			003003020 003003021 003003116 3003020 3003021 3003116 DW3003020 DW3003021 DW3003116
drive shaft for transport system L 225mm ø 120mm suitable for Dihr			

			
1			
Vare Nr.	517371	Ref. No.	003003026 DW3003026
description	roller L 22mm ø 24.5mm hole ø 8mm suitable for Dihr		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC		

			
1			
Vare Nr.	517356	Ref. No.	003003048 DW3003048
description	spacer for spindle ø 32mm		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, LC97-2, LC97-3, LC97-4, LC97-5, TX1500		

			
1			
Vare Nr.	524971	Ref. No.	003060035 DW3060035
description	tappet for dishwasher L 75mm W 36mm H 90mm hole ø 9mm suitable for Dihr		
For models:	CX, FX		

backflow preventers

backflow preventers

1

Vare Nr.	516101	Ref. No.	00999900006 DW999900006
description	backflow preventer dishwasher hose ø 12mm		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, DS35, DS37, DS40, DS40, DS45, DS50, DW020H, Electron1000, Electron400, Electron400CleanWater, Electron500, Electron500CleanWater, Electron600, FX, G600, G600S, Gastro115, Gastro1200, Gastro125, Gastro400S, Gastro450, Gastro500Plus...(Other models you can see in the webshop)		
spare parts for	516101		
	Vare Nr.	506367	Ref. No. —
flat gasket rubber ED ø 40mm ID ø 28mm thickness 1.8mm Qty 1 pcs			

accessories

			
1			
Vare Nr.	996010	Ref. No.	15284 DW15284
description	ball ø 16mm		
For models:	AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, DS50T, DS50-Touche, Electron400, Electron500, Electron500Plus, FX, G35-RL09-NEW, GS37-RL09-NEW, GS40-RL09-NEW, GS40-RL09-NEW, HT11, HT11E, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, LP1-800, Optima400, Optima500, Optima500...(Other models you can see in the webshop)		

			
1			
Vare Nr.	996012	Ref. No.	15280 DW15280
description	body for back flow restrictor L 71 mm W 56mm H 32mm hose ø 12mm		
For models:	AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, Electron500, Electron500Plus, FX, HT11, HT11S, Optima500, PlatinumOptima-HR, PlatinumOptima-HT, TwinStar, TX1500, UX220		



1

Vare Nr.	996013	Ref. No.	15282 DW15282
description	lid for back flow restrictor ø 40mm H 14.5mm plastic		
For models:	AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX-230Special, BX280, BX300, CAN-MASTER, CX, DS50T, DS50-Touche, Electron400, Electron500, Electron500Plus, FX, G35-RL09-NEW, GS37-RL09-NEW, GS-40-RL09-NEW, GS40-RL09-NEW, HT11, HT11E, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, LP1-800, Optima400, Optima500, Optima500...(Other models you can see in the webshop)		



1

Vare Nr.	996011	Ref. No.	15281 DW15281
description	nut with hole L 32mm W 32mm H 25mm thread M26x1.5 WS 32 plastic		
For models:	AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX-230Special, BX280, BX300, CAN-MASTER, CX, DS50T, DS50-Touche, Electron400, Electron500, Electron500Plus, FX, G35-RL09-NEW, GS37-RL09-NEW, GS-40-RL09-NEW, GS40-RL09-NEW, HT11, HT11E, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, LP1-800, Optima400, Optima500, Optima500...(Other models you can see in the webshop)		

miscellaneous



1

Vare Nr.	506160	Ref. No.	0011185 0011611 DW11185 DW11611
description	plain washer ID ø 8.6mm ED ø 16mm thickness 1.5mm SS Qty 1 pcs		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, CAN-MASTER, CX, FX, G600, G600, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-500, GASTRO-750, GASTRO-900, GS50, GS50-230VAC, HT11, HT11S, LP1, LP1, LP1-800, LP1-800, LP1-800EL, LP-ZERO, PlatinumOptima-HR...(Other models you can see in the webshop)		



1

Vare Nr.	517819	Ref. No.	003009387 DW3009387
description	spacer ring for intake tap D1 ø 30mm ID ø 17mm		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, FX, TwinStar, TX1500, UX220		

door mechanics

bolts



1

Vare Nr.	517290	Ref. No.	0075201 DW75201
description	door bolt SS		
For models:	Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200		

springs

tension springs



1

Vare Nr.	517421	Ref. No.	00570200 DW570200
description	tension spring ø 12mm total length 240mm wire gauge ø 1.8mm for door Qty 1 pcs		
For models:	Electron600, G600S		

linkage



1

Vare Nr.	512425	Ref. No.	00250041 DW250041
description	door pin L 190mm mounting pos. left/right		
For models:	DS35, DS37, DS40, DS40, G35, G35-RL09-NEW, GS37, GS37-RL09-NEW, GS40, GS-40-RL09-NEW, GS40-RL09-NEW		



1

Vare Nr.	517388	Ref. No.	00150221 DW150221
description	door pin L 193mm mounting pos. left/right		
For models:	DS45, DS50, DS50T, DS50-Touche, Dupla50, GS40, GS40, GS-40, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85		



1

Vare Nr.	524951	Ref. No.	0015009 DW15009
description	door pin L 580mm ø 8mm		
For models:	G600, G600, GASTRO-500, GASTRO-750, GASTRO-900		

			
1			
Vare Nr.	517263	Ref. No.	00135221/A DW135221/A
description	door pin mounting pos. left tie bar		
For models:	GS-35, GS37, GS-37, GS37-prima-serie		

			
1			
Vare Nr.	517262	Ref. No.	00135221 DW135221
description	door pin mounting pos. right tie bar		
For models:	GS-35, GS37, GS-37, GS37-prima-serie		

			
1			
Vare Nr.	517274	Ref. No.	00150221/A DW150221/A
description	door pin tie bar		
For models:	DW020H, Electron1000, GS100, GS-100, GS-100-DEPUR		

sliding plates			
			
1			
Vare Nr.	517264	Ref. No.	00150401 DW150401
description	sliding plate sliding plate		
For models:	DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, G35, G35-RL09-NEW, GS100, GS-100, GS-100-DEPUR, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS40, GS-40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85		

hinges			
			
1			
Vare Nr.	517268	Ref. No.	0011835/A DW11835/A
description	bush ID ø 8mm H 9mm bush thread M11x1 WS 13		
For models:	GS40, GS40, GS-40, GS45, GS-45, GS50, GS-50, GS-50-230Vac, GS85		



1

Vare Nr.	517267	Ref. No.	00150211 DW150211
description	door hinge hinge mounting pos. left		
For models:	GS40, GS40, GS40, GS-40, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85		
accessories for	517267		
	Vare Nr.	517266	Ref. No. 00150200 00150210 150200 150210 DW150200 DW150210
door hinge hinge mounting pos. right			
	Vare Nr.	517268	Ref. No. 0011835/A 11835/A DW11835/A
bush ID ø 8mm H 9mm bush thread M11x1 WS 13			



1

Vare Nr.	517266	Ref. No.	00150200 00150210 DW150200 DW150210
description	door hinge hinge mounting pos. right		
For models:	GS40, GS40, GS40, GS-40, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85		
accessories for	517266		
	Vare Nr.	517267	Ref. No. 00150211 150211 DW150211
	door hinge hinge mounting pos. left		
	Vare Nr.	517268	Ref. No. 0011835/A 11835/A DW11835/A
	bush ID ø 8mm H 9mm bush thread M11x1 WS 13		



1

Vare Nr.	517271	Ref. No.	00550909 DW550909
description	spring holder spring holder mounting pos. left		
For models:	DW020H, Electron1000, GS100, GS-100, GS-100-DEPUR		



1

Vare Nr.	517270	Ref. No.	00550908 DW550908
description	spring holder spring holder mounting pos. right		
For models:	DW020H, Electron1000, GS100, GS-100, GS-100-DEPUR		

door guides



1

Vare Nr.	508421	Ref. No.	0011600030 0011600036 DW11600030 DW11600036
description	opposite support conversion kit		
For models:	G12D, G12S, Gastro12S, H600, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		

door bumpers



1

Vare Nr.	517265	Ref. No.	00135222 DW135222
description	door bumper end stop		
For models:	DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, GS100, GS-100, GS-100-DEPUR, GS-35, GS37, GS-37, GS37-prima-serie, GS40, GS40, GS-40, GS45, GS-45, GS50, GS-50, GS-50-230Vac, GS85		



1

Vare Nr.	512426	Ref. No.	00250042 DW250042
description	door bumper L 16mm W 12mm		
For models:	DS35, DS37, DS40, DS40, G35, G35-RL09-NEW, GS37, GS37-RL09-NEW, GS40, GS-40-RL09-NEW, GS40-RL09-NEW		



1

Vare Nr.	694629	Ref. No.	00590014 DW590014
description	door bumper silicone ø 11.5mm L 18mm		
For models:	TwinStar		

door shafts



1

Vare Nr.	517814	Ref. No.	0016046 DW16046
description	door guides ø 8mm L 490mm		
For models:	Linear, LINEAR-CF, LINEAR-LS		



1

Vare Nr.	517372	Ref. No.	0018136 DW18136
description	door shaft ø 8mm L 432mm for dishwasher		
For models:	Star, STAR-CF, STAR-LS		

locks



1

Vare Nr.	517278	Ref. No.	00150402/D DW150402/D
description	counterpart door catch		
For models:	DS35, DS37, DS40, DS40, G35, G35-RL09-NEW, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS-40-RL09-NEW, GS40-RL09-NEW		

			
1			
Vare Nr.	517275	Ref. No.	0010775 DW10775
description	door catch catch		
For models:	C40-CF, C40-LS, DS45, DS50, DS50T, DS50-Touche, GS40, GS40, GS40, GS-40, GS45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85, LP-ZERO, Synthesis, TURBO-CF, TURBO-LS		

			
1			
Vare Nr.	517276	Ref. No.	00150402 DW150402
description	door catch catch		
For models:	DS35, DS37, DS40, DS40, G35, G35-RL09-NEW, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS-40-RL09-NEW, GS40-RL09-NEW		
accessories for	517276		
	Vare Nr.	517277	Ref. No. 00150403 150403 DW150403
	gasket for catch		
	Vare Nr.	517278	Ref. No. 00150402/D 150402/D DW150402/D
	counterpart door catch		

miscellaneous

			
1			
Vare Nr.	524955	Ref. No.	00560006 DW560006
description	bearing for door ID ø 12mm H 22mm L 32mm W 9mm mounting pos. right		
For models:	Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, Optima500, Optima500, Optima-Cutlery, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank		

			
1			
Vare Nr.	507552	Ref. No.	003009269 DW3009269
description	stop for door SS H 60mm L 72mm W 38mm		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, FX, TX1500, UX220		

screw connections

			
1			
Vare Nr.	517304	Ref. No.	0010200276 DW10200276
description	nut thread 1/2" for thermowell		
For models:	GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, LP1, LP1-800		


			
1			
Vare Nr.	517007	Ref. No.	0015042 DW15042
description	screw connection		
For models:	G12D, G12S, G600, G600, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, Gastro12S, GASTRO-500, GASTRO-750, GASTRO-900, GS100, GS-100, GS-100-DEPUR, H600, H600, H600Electronic, HT12-Elettronica, HT12S, HT12SElectronic, LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP-ZERO		

curtains

curtains



Vare Nr.	533006	Ref. No.	003004050 DW3004050
description	curtain W 545mm H 590mm LANG thickness 1.6mm		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX300, TX1500, UX220		



Vare Nr.	524801	Ref. No.	003004051 DW3004051 DW3071072
description	curtain W 620mm H 500mm plastic thickness 1.4mm for dishwasher		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, TX1500, UX220		



Vare Nr.	533020	Ref. No.	003060023 DW3060023
description	curtain W 725mm mounting pos. 500 thickness 1.5mm		
For models:	CX, FX		

curtain rods



Vare Nr.	533017	Ref. No.	003004052 DW3004052
description	curtain rod L 635mm ø 8mm		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, TX1500, UX220		

washing and rinsing systems



Vare Nr.	517086	Ref. No.	0088126 DW88126
description	bush for wash arm		
For models:	LP3, LP4		



Vare Nr.	517682	Ref. No.	0010200121 DW10200121
description	bush for wash arm mounting pos. upper H 52mm thread 1 1/4" D1 ø 54mm D2 ø 41mm Qty 1 pcs		



Vare Nr.	517341	Ref. No.	0075320 DW75320
description	bush ID ø 16mm ED ø 48mm		
For models:	CAN-MASTER, CX, FX, G12D, G12S, Gastro11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, Gastro12S, H600, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP1, LP1-800, LP1-800, LP1-800EL, LP1S, LP1-S, LP-ZERO, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		

			
1			
Vare Nr.	517310	Ref. No.	0010260 DW10260
description	connector holder		
For models:	DS45, DS50, Dupla50, Electron500, Electron500CleanWater, G600, Gastro450, Gastro500Plus, Gastro500S, Gastro750Plus, Gastro750S, GS50, GS85, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, Tekno6, Tekno6.1-Acqua-pulita		

			
1			
Vare Nr.	517103	Ref. No.	0010204 DW10204
description	cover		
For models:	Derby, Derby400, DERBY-CF, Synthesis, TURBO-CF, TURBO-LS		

			
1			
Vare Nr.	517094	Ref. No.	0019250 DW19250
description	cover for rinse arm shaft H 108mm D1 ø 28mm		
For models:	DS35, DS37, G35, Gastro450, GASTRO-450		

			
1			
Vare Nr.	517098	Ref. No.	00135250 DW135250
description	cover for rinse arm shaft mounting pos. lower		
For models:	DS35, DS37, GS-35, GS37, GS37, GS-37, GS37-prima-serie		

			
1			
Vare Nr.	504370	Ref. No.	0016250 DW16250
description	cover for rinse arm shaft mounting pos. lower H 102mm D1 ø 27.5mm D2 ø 30mm L1 32mm L2 59mm ID ø 25mm		
For models:	C40-CF, C40-LS, DS40, DS40, GS40, GS40, GS40, GS-40, Linear, LINE-AR-CF, LINEAR-LS		

			
1			
Vare Nr.	517129	Ref. No.	00550225 DW550225
description	cover wash arm support mounting pos. lower		
For models:	DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, GS45, GS50, GS85		

			
1			
Vare Nr.	517130	Ref. No.	00560004 00560024 DW560004 DW560024
description	cover wash arm support mounting pos. lower		
For models:	Electron500, Electron600, G600S, Gastro500Plus, Gastro500S, Gastro750Plus, Gastro750S, GS45, GS50, GS85, Tekno6, TEKNO-6, TEKNO-6-Break-Tank		

			
1			
Vare Nr.	517374	Ref. No.	0013304 DW13304
description	duct D1 ø 20mm D2 ø 14mm L 17mm int. ø 1 10mm		
For models:	AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, C40-CF, C40-LS, Derby, Derby400, DERBY-CF, G12D, G12S, G600, G600, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, Gastro12S, Gastro450, GASTRO-450, GASTRO-500, GASTRO-750, GASTRO-900, GS100, GS-100, GS-100-DEPUR, H600, H600, H600Electronic, HT11, HT11E...(Other models you can see in the webshop)		

			
1			
Vare Nr.	517112	Ref. No.	0015039/A DW15039/A
description	extension for wash arm support		
For models:	G600, G600, GASTRO-500, GASTRO-750, GASTRO-900		



Vare Nr.	517114	Ref. No.	0015039 DW15039
description	extension for wash arm support		
For models:	Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-500, GASTRO-750, GASTRO-900, GS50, GS50-230VAC		



Vare Nr.	517120	Ref. No.	0022031 0022050 DW22031 DW22050
description	extension for wash arm support		
For models:	LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP-ZERO		



Vare Nr.	517095	Ref. No.	0016038 DW16038
description	flange ø 60mm		
For models:	C40-CF, C40-LS, DS35, DS37, DS40, DS40, G35, Gastro450, GASTRO-450, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS40, GS40, GS40, GS40, GS-40, Linear, LINEAR-CF, LINEAR-CR, LINEAR-LS		



Vare Nr.	517148	Ref. No.	00540032 DW540032
description	flat gasket rubber ED ø 57mm ID ø 43mm thickness 2mm Qty 1 pcs		
For models:	DS40, DS40, Electron400, Electron400, Electron400CleanWater, Electron500CleanWater, Gastro400S, Optima400, Optima500, Optima500, Optima-Cutlery, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS, Tekno6.1-Acqua-pulita, TwinStar		



Vare Nr.	511944	Ref. No.	0013306/A DW13306/A
description	gasket for wash pipe ø 41mm thickness 10mm ID ø 27mm		
For models:	C40-LS, Gastro450, GASTRO-450, GS37, GS37, GS37-prima-serie, GS40, GS40, GS40, Linear, LINEAR-LS, STAR, Star, STAR-LS, Synthesis, TURBO-LS		



Vare Nr.	517138	Ref. No.	0010225 DW10225
description	guide for rinse arm shaft		
For models:	DS40, Electron400, Electron500CleanWater, Tekno4, Tekno6.1-Acqua-pulita		



Vare Nr.	517134	Ref. No.	00540010 00540069 DW540010 DW540069
description	nut		
For models:	DS40, DS40, Electron400, Electron400CleanWater, Electron500CleanWater, Gastro400S, Optima500, Optima500, Optima-Cutlery, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS, Tekno6.1-Acqua-pulita		



Vare Nr.	517070	Ref. No.	0075317 DW75317
description	nut for wash arm		
For models:	CAN-MASTER, CX, DW020H, Electron1000, FX, G12D, G12S, Gastro11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, Gastro12S, GS100, GS-100, GS-100-DEPUR, H600, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP1, LP1-800, LP1-800, LP1-800EL, LP1S, LP1-S, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus, LP-2PLUS, LP2S-PLUS, LP3, LP-3PLUS, LP3S-PLUS, LP4-800, LP4-Elettronica, LP-4PLUS, LP4S8-PLUS...(Other models you can see in the webshop)		



Vare Nr.	517085	Ref. No.	0080222 DW80222
description	nut for wash arm		
For models:	LP2, LP2		

			
1			
Vare Nr.	524959	Ref. No.	00500702 DW500702
description	nut for wash arm mounting pos. upper/lower ø 35mm H 34mm PTFE		
For models:	DS50, DS50T, DS50-Touche, Dupla50, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600S, Gastro500S, GS50, GS85, Optima500, Optima500, Optima-Cutlery, Tekno6, TwinStar		

			
1			
Vare Nr.	517154	Ref. No.	00500610 00500623 DW500610 DW500623
description	nut mounting pos. upper for wash arm support		
For models:	DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron500, Electron500, Electron500Plus, Electron600, G600S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85, Tekno6, TEKNO-6, TEKNO-6-Break-Tank		

			
1			
Vare Nr.	524853	Ref. No.	0012518 DW12518
description	reducer for wash arm support ø 30mm ID ø 14mm ED ø 24.5mm H 9mm		
For models:	Electron400, GS37, GS37-prima-serie, GS40, GS40, GS40, Synthesis, Tekno4		

			
1			
Vare Nr.	524973	Ref. No.	0010600503 0016528 DW10600503 DW16528
description	rinse arm boss mounting pos. upper/lower ø 30mm H 25mm		
For models:	GASTRO-1200S, LP2, LP3, LP4		

			
1			
Vare Nr.	517155	Ref. No.	0075319 DW75319
description	rinse arm support for stationary arms mounting pos. upper		
For models:	G12D, G12S, Gastro11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, Gastro12S, H600, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP1, LP1-800, LP1-800, LP1-800EL, LP-ZERO, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		

1

Vare Nr.	517143	Ref. No.	0010909 0010909/A DW10909 DW10909/A
description	rinse arm support mounting pos. upper		
For models:	C40-CF, C40-LS, Derby, Derby400, DERBY-CF, Linear, LINEAR-CF, LINEAR-LS, Star, STAR-CF, STAR-LS, Synthesis, TURBO-CF, TURBO-LS		
accessories for	517143		
	Vare Nr.	517066	Ref. No. 0011101/A 11101/A DW11101/A
Thumb screw thread M8 thread L 8mm ø 30mm H 3mm SS mounting pos. upper			

			
1			
Vare Nr.	517161	Ref. No.	0010600202 DW10600202
description	rinse arm support mounting pos. upper		
For models:	GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, LP2, LP2, LP3, LP3, LP4, LP4-800, LP4-Elettronica, SILVER-1500, SILVER-1500-Insulated		

			
1			
Vare Nr.	524952	Ref. No.	003003129 DW3003129
description	rinse arm support mounting pos. upper/lower thread 3/8" hose ø 11.5mm		
For models:	AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX-230Special, BX280, BX300, CAN-MASTER, CX, FX, TwinStar, UX220		

1 			
Vare Nr.	517111	Ref. No.	0015303 DW15303
description	rinse pipe		
For models:	G600, G600, GASTRO-500, GASTRO-750, GASTRO-900		

1 			
Vare Nr.	517113	Ref. No.	0015304 DW15304
description	rinse pipe		
For models:	Gastro11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GS50, GS50-230VAC		

1 			
Vare Nr.	517116	Ref. No.	0075315 DW75315
description	rinse pipe		
For models:	DS50, DW020H, Electron1000, Gastro11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GS50, LP1, LP1-800, LP1-800, LP1-800EL, LP-ZERO		

1 			
Vare Nr.	517119	Ref. No.	0022026 DW22026
description	rinse pipe		
For models:	GASTRO-11S, LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP-ZERO		

1 			
Vare Nr.	517126	Ref. No.	00550208 00550226 DW550208 DW550226
description	rinse pipe		
For models:	DS45, DS50, Dupla50, GS45, GS-45, GS50, GS-50, GS-50-230Vac, GS85		

1 			
Vare Nr.	517128	Ref. No.	00550219 DW550219
description	rinse pipe		
For models:	DS50, DW020H, Electron1000, GS100, GS-100, GS-100-DEPUR		

1 			
Vare Nr.	517132	Ref. No.	00560005 DW560005
description	rinse pipe		
For models:	Electron500, Gastro500Plus, Gastro500S, Gastro750Plus, Gastro750S, Tekno6, TEKNO-6, TEKNO-6-Break-Tank		

1 			
Vare Nr.	517153	Ref. No.	0010600023 DW10600023
description	rinse pipe		
For models:	GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, SILVER-1500, SILVER-1500-Insulated		

1 			
Vare Nr.	517157	Ref. No.	0075322 DW75322
description	rinse pipe		
For models:	G12D, G12S, Gastro11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, Gastro12S, H600, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP1, LP1-800, LP1-800, LP1-800EL, LP-ZERO, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		

1 			
Vare Nr.	517144	Ref. No.	00350402 DW350402
description	rinse pipe angled mounting pos. upper		
For models:	DS35, DS37, G35, G35-RL09-NEW, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS40, GS-40, GS-40-RL09-NEW, GS40-RL09-NEW		

1 			
Vare Nr.	511638	Ref. No.	003003951 DW3003951
description	rinse pipe L 600mm		
For models:	AX300, AX300LC, AX310, AX310LC, AX320, AX330		

1 			
Vare Nr.	517140	Ref. No.	0011600021 004374 DW11600021 DW4374
description	rinse pipe mounting pos. lower		
For models:	G12D, G12S, Gastro12S, H600, H600, H600Electronic, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP1S, LP1-S, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		

1 			
Vare Nr.	517149	Ref. No.	00540016 00540070 DW540016 DW540070
description	screw connection ø 10mm with hole		
For models:	Electron400, Tekno4, TEKNO-4-CF		

			
1			
Vare Nr.	517115	Ref. No.	0075321 DW75321
description	spacer piece		
For models:	DS50T, DS50-Touche, Electron500, Electron500Plus, Gastro11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, LP1, LP1-800, LP1-800, LP1-800EL, LP-ZERO		

			
1			
Vare Nr.	517127	Ref. No.	00550220 DW550220
description	spacer piece		
For models:	DS50, Dupla50, DW020H, Electron1000, Electron500, Electron600, G600S, Gastro500S, GS100, GS-100, GS-100-DEPUR, GS50, GS85, Tekno6		

			
1			
Vare Nr.	517139	Ref. No.	0010600011/A 0011600033 DW10600011/A DW11600033
description	throttle disc		
For models:	G12D, G12S, Gastro12S, H600, H600, H600Electronic, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP1S, LP1-S, LP1-S8, LP1-S8EL, LP2, LP2, LP3, LP4, LP4-800, LP4-Elettronica, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		

			
1			
Vare Nr.	517158	Ref. No.	0010377 DW10377
description	Thumb screw ø 8mm		
For models:	Derby, Derby400, DS35, DS37, DS40, DS40, Electron400, G35-RL09-NEW, GS37-RL09-NEW, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, Tekno4		

1

Vare Nr.	524804	Ref. No.	0010652 DW10652
description	Thumb screw thread M5 thread L 7mm ø 30mm H 5mm SS Qty 1 pcs		
For models:	DS40, DS40, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600S, Gastro11S, Gastro1200, Gastro400S, Gastro500S, GS50, GS85, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP1, LP1-800, LP1-800, LP1-800EL, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus, LP2, LP-2PLUS, LP2S-PLUS, LP3, LP-3PLUS...(Other models you can see in the webshop)		
accessories for	524804		
	Vare Nr.	505277	Ref. No. 0010651 10651 DW10651

rinse arm shaft warewashing ø 14mm H 38mm thread 1/4"

			
1			
Vare Nr.	517071	Ref. No.	0075316 DW75316
description	wash arm bearing		
For models:	DW020H, Electron1000, GS100, GS-100, GS-100-DEPUR, LP1S, LP1-S, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus, LP-2PLUS, LP2S-PLUS, LP-3PLUS, LP3S-PLUS, LP-4PLUS, LP4S8-PLUS		

			
1			
Vare Nr.	517084	Ref. No.	0080221 DW80221
description	wash arm bearing		
For models:	LP2, LP2		

			
1			
Vare Nr.	524798	Ref. No.	00540077 DW540077
description	wash arm bearing mounting pos. lower 3 holes hole ø 3mm seat ø 20mm ø 46mm H 35mm		
For models:	Electron400, Electron400, Electron400CleanWater, Gastro400S, Optima400, Tekno4, Tekno4.1-Acqua-pulita		

			
1			
Vare Nr.	524799	Ref. No.	00540078 DW540078
description	wash arm bearing mounting pos. upper/lower 3 holes hole ø 3mm seat ø 20mm ø 46mm H 32mm		
For models:	DS40, DS40, Electron400, Electron400, Electron400CleanWater, Gastro400S, Optima400, Tekno4, Tekno4.1-Acqua-pulita		

			
1			
Vare Nr.	517369	Ref. No.	00500701 DW500701
description	wash arm bearing ø 16.5mm H 18.5mm		
For models:	DS50, DS50T, DS50-Touche, Dupla50, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600S, Gastro500S, GS50, GS85, Optima500, Optima500, Optima-Cutlery, Tekno6, TwinStar		

			
1			
Vare Nr.	517471	Ref. No.	003060204 DW3060204
description	wash distributor mounting pos. lower ø 32mm L 177mm SS		
For models:	CX, FX		

			
1			
Vare Nr.	517469	Ref. No.	003060151 DW3060151
description	wash distributor mounting pos. lower ø 32mm L 355mm SS		
For models:	CX, FX		

			
1			
Vare Nr.	517382	Ref. No.	0011600103 DW11600103
description	wash pipe L 635mm stainless steel suitable for Dihr		
For models:	H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		

washing and rinsing systems (sorted by producer)				
DIHR				
				
1				
Vare Nr.	517025	Ref. No.	0026957 DW26957	
description	wash and rinse arm wash arm L 455mm rinse arm L 455mm w. jets 8 r. jets 5 mounting ø 10/32mm mounting pos. lower			
For models:	Gastro450, GASTRO-450			
spare parts for	517025			
	Vare Nr.	510302	Ref. No.	0013009 0013017 13009 13017 DW13009 DW13017
	O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs			
	Vare Nr.	517026	Ref. No.	0010264 0010746 10264 10746 DW10264 DW10746
	wash jet large mounting ø 18mm L 39mm W 21 H 32mm			
	Vare Nr.	517028	Ref. No.	0010212 0010266 10212 10266 DW10212 DW10266
	wash jet			
	Vare Nr.	517031	Ref. No.	0010206 0010256 10206 10256 DW10206 DW10256
	end cap			
	Vare Nr.	517032	Ref. No.	0012528 12528 DW12528
	rinse jet mounting ø 10mm L 33mm W 13 H 19mm			
	Vare Nr.	517033	Ref. No.	0010213 0010263 10213 10263 DW10213 DW10263
	rinse jet			
	Vare Nr.	517034	Ref. No.	0010217 10217 DW10217
	blank nozzle			
	Vare Nr.	517035	Ref. No.	0013016 13016 DW13016
	O-ring EPDM thickness 1.78mm ID ø 4.48mm Qty 1 pcs			
	Vare Nr.	517036	Ref. No.	0012527 0012532 12527 12532 DW12527 DW12532
	end cap for rinse arm			

Table continues overleaf

spare parts for 517025				
	Vare Nr.	517037	Ref. No.	0013319 13319 DW13319
bush for wash arm				
	Vare Nr.	517038	Ref. No.	0010210 10210 DW10210
connector holder				
	Vare Nr.	517066	Ref. No.	0011101/A 11101/A DW11101/A
Thumb screw thread M8 thread L 8mm ø 30mm H 3mm SS mounting pos. upper				
	Vare Nr.	517092	Ref. No.	0010203 10203 DW10203
guide for rinse arm shaft				
	Vare Nr.	517320	Ref. No.	0010208 0010258 10208 10258 DW10208 DW10258
wash arm boss				

	1			
Vare Nr.	517029	Ref. No.		0010216 0010265 DW10216 DW10265
description blank nozzle				
For models: C40-LS, Electron500CleanWater, G600, GS40, GS40, STAR-LS, Tekno6.1-Acqua-pulita, TURBO-LS				

	1			
Vare Nr.	517312	Ref. No.		0010267 DW10267
description blank nozzle				
For models: DS50, Dupla50, Electron500, Electron500CleanWater, G600, Gastro450, Gastro500Plus, Gastro500S, Gastro750Plus, Gastro750S, GS50, GS85, Tekno6, Tekno6.1-Acqua-pulita				

	1			
Vare Nr.	517031	Ref. No.		0010206 0010256 DW10206 DW10256
description end cap				
For models: C40-CF, C40-LS, DERBY-CF, Electron500CleanWater, Gastro450, GASTRO-450, GS-35, GS40, GS40, GS-40, Linear, LINEAR-CF, LINEAR-LS, STAR-CF, STAR-LS, Tekno6.1-Acqua-pulita, TURBO-CF, TURBO-LS				

	1			
Vare Nr.	517036	Ref. No.		0012527 0012532 DW12527 DW12532
description end cap for rinse arm				
For models: C40-CF, C40-LS, DERBY-CF, DS50, Dupla50, Electron500, G600, G600, GASTRO-11S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS-35, GS40, GS40, GS-40, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85, Linear, LINEAR-CF, LINEAR-LS, STAR-CF, STAR-LS, Tekno6, TEKNO-6, TEKNO-6-Break-Tank, TURBO-CF, TURBO-LS				

	1			
Vare Nr.	510302	Ref. No.		0013009 0013017 DW13009 DW13017
description O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs				
For models: AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, C40-CF, C40-LS, CX, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, DS45, Electron400, FX, G35, G35-RL09-NEW, GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, Gastro450, GASTRO-450, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS40...(Other models you can see in the webshop)				

	1			
Vare Nr.	517035	Ref. No.		0013016 DW13016
description O-ring EPDM thickness 1.78mm ID ø 4.48mm Qty 1 pcs				
For models: C40-CF, C40-LS, DERBY-CF, DS50, Dupla50, Electron500, Electron500CleanWater, G600, G600, GASTRO-11S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS-35, GS40, GS40, GS-40, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85, Linear, LINEAR-CF, LINEAR-LS, STAR-CF, STAR-LS, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank, TURBO-CF, TURBO-LS				

	1			
Vare Nr.	517033	Ref. No.		0010213 0010263 DW10213 DW10263
description rinse jet				
For models: C40-CF, C40-LS, DERBY-CF, DS50, Dupla50, Electron500, Electron500CleanWater, G600, G600, GASTRO-11S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS-35, GS40, GS40, GS-40, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85, Linear, LINEAR-CF, LINEAR-LS, LP1, LP1-800, STAR-CF, STAR-LS, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank, TURBO-CF, TURBO-LS				

			
1			
Vare Nr.	517032	Ref. No.	0012528 DW12528
description	rinse jet mounting ø 10mm L 33mm W 13 H 19mm		
For models:	C40-CF, C40-LS, DERBY-CF, Electron500, G600, G600, GASTRO-11S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS-35, GS40, GS40, GS40, GS-40, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85, Linear, LINEAR-CF, LINEAR-LS, STAR-CF, STAR-LS, Tekno6, TEKNO-6, TEKNO-6-Break-Tank, TURBO-CF, TURBO-LS		
accessories for	517032		
	Vare Nr.	517035	Ref. No. 0013016 13016 DW13016
O-ring EPDM thickness 1.78mm ID ø 4.48mm Qty 1 pcs			

			
Vare Nr.	517320	Ref. No.	0010208 0010258 DW10208 DW10258
description	wash arm boss		
For models:	C40-CF, C40-LS, DERBY-CF, Electron500CleanWater, Gastro450, GASTRO-450, GS-35, GS40, GS40, GS40, GS-40, Linear, LINEAR-CF, LINEAR-LS, STAR-CF, STAR-LS, Tekno6.1-Acqua-pulita, TURBO-CF, TURBO-LS		

			
Vare Nr.	517027	Ref. No.	0010746/A DW10746/A
description	wash jet		
For models:	AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, C40-LS, CX, FX, GS40, GS40		

			
Vare Nr.	517028	Ref. No.	0010212 0010266 DW10212 DW10266
description	wash jet		
For models:	C40-CF, C40-LS, DERBY-CF, Electron500CleanWater, Gastro450, GASTRO-450, GS-35, GS40, GS40, GS40, GS-40, Linear, LINEAR-CF, LINEAR-LS, STAR-CF, STAR-LS, Tekno6.1-Acqua-pulita, TURBO-CF, TURBO-LS		

			
Vare Nr.	517026	Ref. No.	0010264 0010746 DW10264 DW10746
description	wash jet large mounting ø 18mm L 39mm W 21 H 32mm		
For models:	C40-CF, DERBY-CF, Electron500CleanWater, Gastro450, GASTRO-450, GASTRO-500, GASTRO-750, GASTRO-900, GS-35, GS40, GS40, GS40, GS-40, Linear, LINEAR-CF, LINEAR-LS, STAR, STAR-CF, STAR-LS, Tekno6.1-Acqua-pulita, TURBO-CF, TURBO-LS		

				
Vare Nr.	517306	Ref. No.	0015958 0075912 0075914 DW15958 DW75912 DW75914	
description wash and rinse arm wash arm L 480mm rinse arm L 480mm w. jets 8 r. jets 6 mounting ø 10/43mm mounting pos. upper/lower				
For models: DS50, Dupla50, Electron500, G600, Gastro450, Gastro500Plus, Gastro500S, Gastro750Plus, Gastro750S, GS50, GS85, Tekno6				
spare parts for 517306				
	Vare Nr.	517032	Ref. No.	0012528 12528 DW12528
rinse jet mounting ø 10mm L 33mm W 13 H 19mm				
	Vare Nr.	517035	Ref. No.	0013016 13016 DW13016
O-ring EPDM thickness 1.78mm ID ø 4.48mm Qty 1 pcs				
	Vare Nr.	517036	Ref. No.	0012527 0012532 12527 12532 DW12527 DW12532
end cap for rinse arm				
	Vare Nr.	517037	Ref. No.	0013319 13319 DW13319
bush for wash arm				
	Vare Nr.	517039	Ref. No.	0011101/I 11101/I DW11101/I
Thumb screw thread M8x1.25 thread L 8mm ø 30mm H 3mm S5 mounting pos. lower				
	Vare Nr.	517043	Ref. No.	0010218 0010268 10218 10268 DW10218 DW10268
wash jet				
	Vare Nr.	517045	Ref. No.	0013018 13018 DW13018
O-ring EPDM thickness 1.78mm ID ø 21.95mm Qty 1 pcs				
	Vare Nr.	517046	Ref. No.	0010207 0010257 10207 10257 DW10207 DW10257
end cap				
	Vare Nr.	517310	Ref. No.	0010260 10260 DW10260
connector holder				
	Vare Nr.	517311	Ref. No.	0010261 10261 DW10261
wash jet raised ø 28.5mm				

Table continues overleaf

spare parts for 517306				
	Vare Nr.	517340	Ref. No.	0010209 0010259 10209 10259 DW10209 DW10259
	wash arm boss			

1 				
Vare Nr.	517312	Ref. No.	0010267 DW10267	
description	blank nozzle			
For models:	DS50, Dupla50, Electron500, Electron500CleanWater, G600, Gastro450, Gastro500Plus, Gastro500S, Gastro750Plus, Gastro750S, GS50, GS85, Tekno6, Tekno6.1-Acqua-pulita			

1 				
Vare Nr.	517046	Ref. No.	0010207 0010257 DW10207 DW10257	
description	end cap			
For models:	DS50, Dupla50, Electron500, G600, G600, GASTRO-11S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85, Tekno6, TEKNO-6, TEKNO-6-Break-Tank			

1 				
Vare Nr.	517045	Ref. No.	0013018 DW13018	
description	O-ring EPDM thickness 1.78mm ID ø 21.95mm Qty 1 pcs			
For models:	DS50, Dupla50, Electron500, G600, G600, GASTRO-11S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85, Tekno6, TEKNO-6, TEKNO-6-Break-Tank			

1 				
Vare Nr.	517033	Ref. No.	0010213 0010263 DW10213 DW10263	
description	rinse jet			
For models:	C40-CF, C40-LS, DERBY-CF, DS50, Dupla50, Electron500, Electron500CleanWater, G600, G600, GASTRO-11S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS-35, GS40, GS40, GS40, GS-40, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85, Linear, LINEAR-CF, LINEAR-LS, LP1, LP1-800, STAR-CF, STAR-LS, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank, TURBO-CF, TURBO-LS			

1 				
Vare Nr.	517032	Ref. No.	0012528 DW12528	
description	rinse jet mounting ø 10mm L 33mm W 13 H 19mm			
For models:	C40-CF, C40-LS, DERBY-CF, Electron500, G600, G600, GASTRO-11S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS-35, GS40, GS40, GS40, GS-40, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85, Linear, LINEAR-CF, LINEAR-LS, STAR-CF, STAR-LS, Tekno6, TEKNO-6, TEKNO-6-Break-Tank, TURBO-CF, TURBO-LS			
accessories for	517032			
	Vare Nr.	517035	Ref. No.	0013016 13016 DW13016
	O-ring EPDM thickness 1.78mm ID ø 4.48mm Qty 1 pcs			

1 				
Vare Nr.	517340	Ref. No.	0010209 0010259 DW10209 DW10259	
description	wash arm boss			
For models:	DS50, Dupla50, Electron500, G600, G600, GASTRO-11S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85, LP1, LP1-800, Tekno6, TEKNO-6, TEKNO-6-Break-Tank			

1 				
Vare Nr.	517043	Ref. No.	0010218 0010268 DW10218 DW10268	
description	wash jet			
For models:	DS50, Dupla50, Electron500, G600, G600, GASTRO-11S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85, LP1, LP1-800, Tekno6, TEKNO-6, TEKNO-6-Break-Tank			

1 				
Vare Nr.	517311	Ref. No.	0010261 DW10261	
description	wash jet raised ø 28.5mm			
For models:	DS50, Dupla50, Electron500, Gastro450, Gastro500Plus, Gastro500S, Gastro750Plus, Gastro750S, GS50, GS85, Tekno6			



1

Vare Nr.	517305	Ref. No.	0010910 0010992 0010997 DW10910 DW10992 DW10997
description	rinse arm L 300mm nozzles 4 mounting ø 10mm mounting pos. upper		
For models:	Derby, Derby400, DS35, DS37, Electron400, G35, G35-RL09-NEW, GS37, GS37-RL09-NEW, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, Linear, STAR, Star, Synthesis, Tekno4		
spare parts for	517305		
	Vare Nr.	517037	Ref. No. 0013319 13319 DW13319
bush for wash arm			
	Vare Nr.	517054	Ref. No. 0010371 0012537 10371 12537 DW10371 DW12537
rinse jet			
	Vare Nr.	517055	Ref. No. 0010372 0012538 10372 12538 DW10372 DW12538
blank nozzle			
	Vare Nr.	517056	Ref. No. 0013002 13002 DW13002
O-ring EPDM thickness 2mm ID ø 6.5mm Qty 1 pcs			
	Vare Nr.	517060	Ref. No. 0010365 10365 DW10365
Thumb screw			
	Vare Nr.	517067	Ref. No. 0013320 13320 DW13320
bush for rinse arm			
	Vare Nr.	517145	Ref. No. 00350401 350401 DW350401
rinse arm shaft			
	Vare Nr.	560521	Ref. No. 0011004 11004 DW11004
sheet-metal screw ø 4mm L 10mm SS Qty 1 pcs 14585 intake Phillips head ø 8mm			



1

Vare Nr.	524073	Ref. No.	0075920 DW75920	
description	rinse arm L 460mm nozzles 6 mounting ø 14mm mounting pos. upper/lower thread 1/4"			
For models:	DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron500, Electron500, Electron500Plus, Electron600, G600S, Gastro500S, GS50, GS85, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, Optima500, Optima500, Optima-Cutlery, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT			
spare parts for	524073			
	Vare Nr.	517054	Ref. No.	0010371 0012537 10371 12537 DW10371 DW12537
rinse jet				
	Vare Nr.	517055	Ref. No.	0010372 0012538 10372 12538 DW10372 DW12538
blank nozzle				
	Vare Nr.	517056	Ref. No.	0013002 13002 DW13002
O-ring EPDM thickness 2mm ID ø 6.5mm Qty 1 pcs				

A long, grey, L-shaped rinse arm. It has two mounting holes, one at the top left and one in the middle of the horizontal section. The horizontal section ends in a jet. The vertical section is shorter and has a mounting hole at the top.

1

Vare Nr.	517816	Ref. No.	00500751 DW500751
description	rinse arm L 165mm r. jets 2 mounting ø 18mm		
For models:	DS45, GS50, GS85, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche		

			
Vare Nr.	517023	Ref. No.	0018995 0018996 DW18995 DW18996
description	wash and rinse arm wash arm L 370mm rinse arm L 370mm w. jets 5 r. jets 5 mounting ø 10/32mm mounting pos. upper/lower		
For models:	Electron400, GS37, GS37, GS37-prima-serie, GS37-RL09-NEW, GS40-RL09-NEW, Star, STAR-LS, Synthesis, Tekno4, TEKNO-4-LS, TURBO-LS		
spare parts for	517023		
	Vare Nr.	510302	Ref. No. 0013009 0013017 13009 13017 DW13009 DW13017
O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs			
	Vare Nr.	517037	Ref. No. 0013319 13319 DW13319
bush for wash arm			
	Vare Nr.	517052	Ref. No. 0010366 0010378 10366 10378 DW10366 DW10378
wash jet			
	Vare Nr.	517053	Ref. No. 0010358 0010370 10358 10370 DW10358 DW10370
blank nozzle			
	Vare Nr.	517054	Ref. No. 0010371 0012537 10371 12537 DW10371 DW12537
rinse jet			
	Vare Nr.	517055	Ref. No. 0010372 0012538 10372 12538 DW10372 DW12538
blank nozzle			
	Vare Nr.	517056	Ref. No. 0013002 13002 DW13002
O-ring EPDM thickness 2mm ID ø 6.5mm Qty 1 pcs			
	Vare Nr.	517057	Ref. No. 0010364 0010376 10364 10376 DW10364 DW10376
wash arm boss			
	Vare Nr.	517060	Ref. No. 0010365 10365 DW10365
Thumb screw			

spare parts for 517023			
	Vare Nr.	517134	Ref. No. 00540010 00540069 540010 540069 DW540010 DW540069
nut			
	Vare Nr.	517138	Ref. No. 0010225 10225 DW10225
guide for rinse arm shaft			
	Vare Nr.	517148	Ref. No. 00540032 540032 DW540032
flat gasket rubber ED ø 57mm ID ø 43mm thickness 2mm Qty 1 pcs			

			
Vare Nr.	517047	Ref. No.	0010904 0010998 0010999 DW10904 DW10998 DW10999
description	wash and rinse arm wash arm L 370mm rinse arm L 370mm w. jets 7 r. jets 5 mounting ø 10/32mm mounting pos. lower		
For models:	Derby, DERBY-CF, DS35, DS37, Electron400, G35, G35-RL09-NEW, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40-RL09-NEW, STAR, Star, STAR-CF, Synthesis, Tekno4, TEKNO-4-CF, TURBO-CF		
spare parts for	517047		
	Vare Nr.	517030	Ref. No. —
O-ring			
	Vare Nr.	517037	Ref. No. 0013319 13319 DW13319
bush for wash arm			
	Vare Nr.	517051	Ref. No. 0010357 0010369 10357 10369 DW10357 DW10369
wash jet with gasket			
	Vare Nr.	517053	Ref. No. 0010358 0010370 10358 10370 DW10358 DW10370
blank nozzle			
	Vare Nr.	517054	Ref. No. 0010371 0012537 10371 12537 DW10371 DW12537
rinse jet			

Table continues overleaf



spare parts for 517047				
	Vare Nr.	517055	Ref. No.	0010372 0012538 10372 12538 DW10372 DW12538
blank nozzle				
	Vare Nr.	517056	Ref. No.	0013002 13002 DW13002
O-ring EPDM thickness 2mm ID ø 6.5mm Qty 1 pcs				
	Vare Nr.	517057	Ref. No.	0010364 0010376 10364 10376 DW10364 DW10376
wash arm boss				
	Vare Nr.	517060	Ref. No.	0010365 10365 DW10365
Thumb screw				
	Vare Nr.	560521	Ref. No.	0011004 11004 DW11004
sheet-metal screw ø 4mm L 10mm SS Qty 1 pcs 14585 intake Phillips head ø 8mm				



Vare Nr.	517050	Ref. No.	00540995 00540996 DW540995 DW540996
description wash and rinse arm wash arm L 400mm rinse arm L 400mm w. jets 5 r. jets 5 mounting ø 10/32mm mounting pos. upper/lower			
For models: DS40, DS40, Electron400, GS40, GS40, GS40, GS-40-RL09-NEW, Tekno4, TEKNO-4-LS			
spare parts for 517050			
	Vare Nr.	510302	Ref. No. 0013009 0013017 13009 13017 DW13009 DW13017
O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs			
	Vare Nr.	517037	Ref. No. 0013319 13319 DW13319
bush for wash arm			
	Vare Nr.	517052	Ref. No. 0010366 0010378 10366 10378 DW10366 DW10378
wash jet			
	Vare Nr.	517053	Ref. No. 0010358 0010370 10358 10370 DW10358 DW10370
blank nozzle			

spare parts for 517050				
	Vare Nr.	517054	Ref. No.	0010371 0012537 10371 12537 DW10371 DW12537
rinse jet				
	Vare Nr.	517055	Ref. No.	0010372 0012538 10372 12538 DW10372 DW12538
blank nozzle				
	Vare Nr.	517056	Ref. No.	0013002 13002 DW13002
O-ring EPDM thickness 2mm ID ø 6.5mm Qty 1 pcs				
	Vare Nr.	517058	Ref. No.	00540013 00540043 540013 540043 DW540013 DW540043
wash arm boss				
	Vare Nr.	517060	Ref. No.	0010365 10365 DW10365
Thumb screw				
	Vare Nr.	517092	Ref. No.	0010203 10203 DW10203
guide for rinse arm shaft				



Vare Nr.	517049	Ref. No.	00540998 00540999 DW540998 DW540999
description wash and rinse arm wash arm L 400mm rinse arm L 400mm w. jets 7 r. jets 5 mounting ø 10/32mm mounting pos. lower			
For models: Derby400, Electron400, GS40, GS40, GS40, GS-40-RL09-NEW, Tekno4, TEKNO-4-CF			
spare parts for 517049			
	Vare Nr.	510302	Ref. No. 0013009 0013017 13009 13017 DW13009 DW13017
O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs			
	Vare Nr.	517037	Ref. No. 0013319 13319 DW13319
bush for wash arm			
	Vare Nr.	517053	Ref. No. 0010358 0010370 10358 10370 DW10358 DW10370
blank nozzle			

Table continues overleaf

spare parts for 517049				
	Vare Nr.	517054	Ref. No.	0010371 0012537 10371 12537 DW10371 DW12537
rinse jet				
	Vare Nr.	517055	Ref. No.	0010372 0012538 10372 12538 DW10372 DW12538
blank nozzle				
	Vare Nr.	517056	Ref. No.	0013002 13002 DW13002
O-ring EPDM thickness 2mm ID ø 6.5mm Qty 1 pcs				
	Vare Nr.	517058	Ref. No.	00540013 00540043 540013 540043 DW540013 DW540043
wash arm boss				
	Vare Nr.	517060	Ref. No.	0010365 10365 DW10365
Thumb screw				
	Vare Nr.	517092	Ref. No.	0010203 10203 DW10203
guide for rinse arm shaft				

1

Vare Nr.	517377	Ref. No.	00500750 DW500750	
description	wash and rinse arm wash arm L 487mm rinse arm L 480mm w. jets 8 r. jets 5 mounting ø 10/44mm mounting pos. upper/lower			
For models:	DS45, GS50, GS85, HT11, HT11E, HT11S, HT11T, HT11S, HT11-T, HT-11-Touche			
spare parts for	517377			
	Vare Nr.	510302	Ref. No.	0013009 0013017 13009 13017 DW13009 DW13017
O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs				
	Vare Nr.	517037	Ref. No.	0013319 13319 DW13319
bush for wash arm				
	Vare Nr.	517039	Ref. No.	0011101/I 11101/I DW11101/I
Thumb screw thread M8x1.25 thread L 8mm ø 30mm H 3mm SS mounting pos. lower				
	Vare Nr.	517051	Ref. No.	0010357 0010369 10357 10369 DW10357 DW10369
wash jet with gasket				

spare parts for 517377				
	Vare Nr.	517054	Ref. No.	0010371 0012537 10371 12537 DW10371 DW12537
rinse jet				
	Vare Nr.	517056	Ref. No.	0013002 13002 DW13002
O-ring EPDM thickness 2mm ID ø 6.5mm Qty 1 pcs				
	Vare Nr.	517310	Ref. No.	0010260 10260 DW10260
connector holder				
	Vare Nr.	530776	Ref. No.	00500755 0050755 500755 50755 DW500755 DW50755
wash arm boss L 155mm W 100mm H 49.5mm shaft ø 10mm				

			
1			
Vare Nr.	517053	Ref. No.	0010358 0010370 DW10358 DW10370
description	blank nozzle		
For models:	Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, Electron400, G35, G35-RL09-NEW, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, Star, STAR-CF, STAR-LS, Synthesis, Tekno4, TEKNO-4-CF, TEKNO-4-LS, TURBO-CF, TURBO-LS		

				
1				
Vare Nr.		517055	Ref. No.	0010372 0012538 DW10372 DW12538
description		blank nozzle		
For models:		Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron500, Electron500, Electron500Plus, Electron600, G35, G35-RL09-NEW, G600S, Gastro500S, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS50, GS85, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, Linear, Optima500...(Other models you can see in the webshop)		
accessories for		517055		
				
Vare Nr.		517056	Ref. No.	0013002 13002 DW13002
O-ring EPDM thickness 2mm ID ø 6.5mm Qty 1 pcs				



Vare Nr.	510302	Ref. No.	0013009 0013017 DW13009 DW13017
description	O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs		
For models:	AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, C40-CF, C40-LS, CX, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, DS45, Electron400, FX, G35, G35-RL09-NEW, GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, Gastro450, GASTRO-450, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS40...(Other models you can see in the webshop)		



Vare Nr.	517056	Ref. No.	0013002 DW13002
description	O-ring EPDM thickness 2mm ID ø 6.5mm Qty 1 pcs		
For models:	Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, DS45, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron500, Electron500Plus, Electron600, G35, G35-RL09-NEW, G600S, GASTRO-1200S, Gastro400S, Gastro500S, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS-40, GS-40-RL09-NEW, GS40-RL09-NEW, GS50, GS85, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus...(Other models you can see in the webshop)		



Vare Nr.	524851	Ref. No.	0010361 0010375 DW10361 DW10375
description	rinse arm mounting pos. left L 141mm nozzles 3 mounting ø 14mm		
For models:	Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, Electron400, G35, G35-RL09-NEW, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS-40, GS-40-RL09-NEW, GS40-RL09-NEW, Linear, LINEAR-CF, LINEAR-LS, Star, STAR-CF, STAR-LS, Synthesis, Tekno4, TEKNO-4-CF, TEKNO-4-LS, TURBO-CF, TURBO-LS		



Vare Nr.	524855	Ref. No.	0075920/S DW75920/S
description	rinse arm mounting pos. left L 215mm nozzles 3 mounting ø 14mm		
For models:	DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron500, Electron500, Electron500Plus, Electron600, G600S, Gastro500S, GS50, GS85, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, Optima500, Optima500, Optima-Cutlery, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		
accessories for	524855		
Vare Nr.	510302	Ref. No.	0013009 0013017 13009 13017 DW13009 DW13017
description	O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs		

accessories for	524855		
Vare Nr.	517054	Ref. No.	0010371 0012537 10371 12537 DW10371 DW12537
description	rinse jet		
Vare Nr.	517055	Ref. No.	0010372 0012538 10372 12538 DW10372 DW12538
description	blank nozzle		



Vare Nr.	524856	Ref. No.	0075920/D DW75920/D
description	rinse arm mounting pos. right L 215mm nozzles 3 mounting ø 14mm		
For models:	DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron500, Electron500, Electron500Plus, Electron600, G600S, Gastro500S, GS50, GS85, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, Optima500, Optima500, Optima-Cutlery, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		



Vare Nr.	524796	Ref. No.	0075920/A DW75920/A
description	rinse arm boss mounting pos. upper/lower ø 23mm H 25mm		
For models:	DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron500, Electron500, Electron500Plus, Electron600, G600S, Gastro400S, Gastro500S, GS50, GS85, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, Optima400, Optima500, Optima500, Optima-Cutlery, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		
accessories for	524796		
Vare Nr.	524855	Ref. No.	0075920/S 75920/S DW75920/S
description	rinse arm mounting pos. left L 215mm nozzles 3 mounting ø 14mm		
Vare Nr.	524856	Ref. No.	0075920/D 75920/D DW75920/D
description	rinse arm mounting pos. right L 215mm nozzles 3 mounting ø 14mm		

			
1			
Vare Nr.	517054	Ref. No.	0010371 0012537 DW10371 DW12537
description	rinse jet		
For models:	Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, DS45, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron500, Electron500, Electron500Plus, Electron600, G35, G35-RL09-NEW, G600S, Gastro400S, Gastro500S, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS-40, GS-40-RL09-NEW, GS40-RL09-NEW, GS50, GS85, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus...(Other models you can see in the webshop)		
accessories for	517054		
	Vare Nr.	517056	Ref. No.
			0013002 13002 DW13002
O-ring EPDM thickness 2mm ID ø 6.5mm Qty 1 pcs			

			
1			
	524852		0010355 0010367 DW10355 DW10367
	wash arm mounting pos. right L 132mm nozzles 3 mounting ø 22mm		
	Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, Electron400, G35, G35-RL09-NEW, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, Star, STAR-CF, STAR-LS, Synthesis, Tekno4, TEKNO-4-CF, TEKNO-4-LS, TURBO-CF, TURBO-LS		
	524852		
		510302	 0013009 0013017 13009 13017 DW13009 DW13017
O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs			
		517051	 0010357 0010369 10357 10369 DW10357 DW10369
wash jet with gasket			
		560521	 0011004 11004 DW11004
sheet-metal screw ø 4mm L 10mm SS Qty 1 pcs 14585 intake Phillips head ø 8mm			

			
1			
Vare Nr.	517475	Ref. No.	00500754 DW500754
description	wash arm mounting pos. upper/lower left L 217mm nozzles 4 mounting ø 28mm		
For models:	DS45, GS50, GS85, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche		

			
1			
Vare Nr.	517474	Ref. No.	00500753 DW500753
description	wash arm mounting pos. upper/lower right L 217mm nozzles 4 mounting ø 28mm		
For models:	DS45, GS50, GS85, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche		

			
1			
Vare Nr.	517057	Ref. No.	0010364 0010376 DW10364 DW10376
description	wash arm boss		
For models:	Derby, DERBY-CF, DS35, DS37, Electron400, G35, G35-RL09-NEW, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS-40-RL09-NEW, GS40-RL09-NEW, Star, STAR-CF, STAR-LS, Synthesis, Tekno4, TEKNO-4-CF, TEKNO-4-LS, TURBO-CF, TURBO-LS		

			
1			
Vare Nr.	517058	Ref. No.	00540013 00540043 DW540013 DW540043
description	wash arm boss		
For models:	Derby400, DS40, DS40, Electron400, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, Tekno4, TEKNO-4-CF, TEKNO-4-LS		

			
1			
Vare Nr.	517052	Ref. No.	0010366 0010378 DW10366 DW10378
description	wash jet		
For models:	DS40, DS40, Electron400, GS37, GS37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, Linear, Star, STAR-LS, Synthesis, Tekno4, TEKNO-4-LS, TURBO-LS		



1			
Vare Nr.	517051	Ref. No.	0010357 0010369 DW10357 DW10369
description	wash jet with gasket		
For models:	Derby, Derby400, DERBY-CF, DS35, DS37, DS45, Electron400, G35, G35-RL09-NEW, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS50, GS85, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, Star, STAR-CF, Synthesis, Tekno4, TEKNO-4-CF, TURBO-CF		
accessories for	517051		
		Vare Nr.	510302
		Ref. No.	0013009 0013017 13009 13017 DW13009 DW13017
O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs			



1			
Vare Nr.	517784	Ref. No.	00540084 DW540084
description	wash arm L 395mm nozzles 6 mounting pos. upper/lower		
For models:	DS40, DS40, Electron400, Electron400, Electron400CleanWater, Gastro400S, Optima400, Tekno4, Tekno4.1-Acqua-pulita		



1			
Vare Nr.	517068	Ref. No.	0075915 DW75915
description	wash arm L 530mm nozzles 8 mounting ø 43mm mounting pos. upper/lower		
For models:	DW020H, Electron1000, Gastro11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GS100, GS-100, GS-100-DEPUR, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, LP1, LP1-800, LP1-800, LP1-800EL, LP-ZERO		



1			
Vare Nr.	517069	Ref. No.	0010600900 0011600023 DW10600900 DW11600023
description	wash arm L 530mm nozzles 8 mounting ø 60mm mounting pos. upper/lower		
For models:	G12S, GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, Gastro12S, H600, H600, H600Electronic, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP1S, LP1-S, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT, SILVER-1500, SILVER-1500-Insulated		
spare parts for	517069		
		Vare Nr.	517341
		Ref. No.	0075320 75320 DW75320
bush ID ø 16mm ED ø 48mm			



1			
Vare Nr.	517466	Ref. No.	00500700 DW500700
description	wash arm mounting pos. upper/lower L 500mm nozzles 10		
For models:	DS50, DS50T, DS50-Touche, Dupla50, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600S, Gastro500S, GS50, GS85, Optima500, Optima500, Optima-Cutlery, Tekno6		



1			
Vare Nr.	517783	Ref. No.	00540083 DW540083
description	rinse arm L 375mm nozzles 5 mounting pos. lower		
For models:	DS40, DS40, Electron400, Electron400CleanWater, Gastro400S, Tekno4, Tekno4.1-Acqua-pulita		

			
1			
Vare Nr.	517346	Ref. No.	0010600913 0075061 0075918 DW10600913 DW75061 DW75918
description	rinse arm L 483mm nozzles 5 mounting ø 14mm mounting pos. upper/lower complete with threaded shaft		
For models:	AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, DS50, Dupla50, DW020H, Electron1000, Electron500, Electron500CleanWater, Electron600, G12D, G12S, G600S, Gastro11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, Gastro12S, Gastro500S, GS100, GS-100, GS-100-DEPUR, GS50, H600, H600, H600Electronic, HT11E, HT11S...(Other models you can see in the webshop)		
spare parts for	517346		
	Vare Nr.	517076	Ref. No. 00560018 560018 DW560018
	rinse jet		
	Vare Nr.	517077	Ref. No. 00560017 560017 DW560017
	end cap for rinse arm thread M9x1 L 8mm		
	Vare Nr.	524075	Ref. No. 0010650 10650 DW10650
	rinse arm boss L 70mm ø 22.7mm H 25mm mounting pos. upper/lower		

			
1			
Vare Nr.	507527	Ref. No.	0088918 0090003 DW88918 DW90003
description	rinse arm mounting pos. upper/lower L 565mm nozzles 6		
For models:	LP1-800, LP1-800, LP1-800EL, LP1S, LP1-S, LP1-S8, LP1-S8EL, LP1S-Plus, LP2, LP2, LP2S-PLUS, LP3, LP3, LP3S-PLUS, LP4, LP4-800, LP4-Elettronica		

			
1			
Vare Nr.	517812	Ref. No.	91103 DW91103
description	rinse arm L 655mm nozzles 6 mounting ø 13mm		
For models:	LP1-S8, LP1-S8EL, LP-2PLUS, LP-3PLUS, LP-4PLUS, LP4S8-PLUS		

			
1			
Vare Nr.	517476	Ref. No.	0091102 DW91102
description	wash arm mounting pos. upper/lower L 535mm nozzles 12		
For models:	LP1-S8, LP1-S8EL, LP-2PLUS, LP2S-PLUS, LP-3PLUS, LP3S-PLUS, LP-4PLUS, LP4S8-PLUS		

			
1			
Vare Nr.	517088	Ref. No.	0016447 003003029 DW16447 DW3003029
description	end cap		
For models:	LP1S, LP1-S, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus, LP2, LP-2PLUS, LP2S-PLUS, LP3, LP-3PLUS, LP3S-PLUS, LP4, LP4-800, LP4-Elettronica, LP-4PLUS, LP4S8-PLUS		
accessories for	517088		
	Vare Nr.	517087	Ref. No. 0013023 13023 DW13023
	O-ring EPDM thickness 3.53mm ID ø 23.4mm Qty 1 pcs		

			
1			
Vare Nr.	517090	Ref. No.	002906450 DW2906450
description	end cap for rinse arm		
For models:	GASTRO-1200S, LP2, LP3, LP4		
accessories for	517090		
	Vare Nr.	510303	Ref. No. —
	O-ring EPDM thickness 1.78mm ID ø 6.75mm Qty 1 pcs		

			
Vare Nr.	517077	Ref. No.	00560017 DW560017
description	end cap for rinse arm thread M9x1 L 8mm		
For models:	DS40, DS40, DS50, Dupla50, DW020H, Electron1000, Electron400, Electron400CleanWater, Electron500, Electron500CleanWater, Electron600, G12D, G12S, G600S, Gastro11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-1200-S, GASTRO-1200-S-Isolata, Gastro12S, Gastro400S, Gastro500S, GS100, GS-100, GS-100-DEPUR, GS37, GS50, H600, H600, H600Electronic, HT11E, HT11S, HT12-Elettronica, HT12S, HT12SElectronic, LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP1S, LP1-S, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus, LP2...(Other models you can see in the webshop)		

			
Vare Nr.	524075	Ref. No.	0010650 DW10650
description	rinse arm boss L 70mm ø 22.7mm H 25mm mounting pos. upper/lower		
For models:	DS40, DS40, DS50, Dupla50, DW020H, Electron1000, Electron400, Electron400CleanWater, Electron500, Electron500CleanWater, Electron600, G600S, Gastro11S, Gastro1200, Gastro400S, Gastro500S, GS50, H600, H600Electronic, HT11E, HT11S, HT12S, HT12SElectronic, LP1, LP1-800, LP1-800, LP1-800EL, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus, LP2, LP-2PLUS, LP2S-PLUS, LP3, LP-3PLUS, LP3S-PLUS, LP4-800, LP4-Elettronica, LP-4PLUS, LP4S8-PLUS, LP-ZERO, Tekno6		

			
Vare Nr.	517076	Ref. No.	00560018 DW560018
description	rinse jet		
For models:	DS40, DS40, DS50, Dupla50, DW020H, Electron1000, Electron400, Electron400CleanWater, Electron500, Electron500CleanWater, Electron600, G12D, G12S, G600S, Gastro11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-1200-S, GASTRO-1200-S-Isolata, Gastro12S, Gastro400S, Gastro500S, GS100, GS-100, GS-100-DEPUR, GS37, GS50, H600, H600, H600Electronic, HT11E, HT11S, HT12-Elettronica, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP1S, LP1-S, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus, LP2...(Other models you can see in the webshop)		

			
Vare Nr.	517313	Ref. No.	002902811 DW2902811
description	rinse jet		
For models:	GASTRO-1200S, LP2, LP3, LP4		

			
Vare Nr.	517820	Ref. No.	0075920/B DW75920/B
description	spacer ring for rinse arm mounting ø 11mm H 1.5mm ø 14.4mm		
For models:	DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron500, Electron500, Electron500Plus, Electron600, G600S, Gastro400S, Gastro500S, GS50, GS8S, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, Optima400, Optima500, Optima500, Optima-Cutlery, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		

			
Vare Nr.	517465	Ref. No.	003003901 DW3003901
description	rinse arm mounting pos. upper left L 560mm nozzles 2 stationary		
For models:	AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC		

			
Vare Nr.	507522	Ref. No.	003003902 DW3003902
description	rinse arm mounting pos. upper/lower L 532mm nozzles 3 stationary		
For models:	AX151, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC		

			
Vare Nr.	517370	Ref. No.	002002054 DW2002054
description	end cap for rinse arm thread M18x1 ø 26mm H 11mm suitable for Dihr		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, FX, GRANUL1000, GRANUL900, GRANUL900, LP-3PLUS, LP3S-PLUS, LP-4PLUS, LP4S8-PLUS, TX1500, UX220		

			
Vare Nr.	694332	Ref. No.	002200116 DW2200116
description	nut thread 3/8" H 13mm WS 22 SS Qty 1 pcs		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, GRANUL1000, GRANUL900, GRANUL900, TX1500, UX220		

			
Vare Nr.	507529	Ref. No.	002200118 DW2200118
description	rinse jet mounting pos. upper/lower ø 15mm H 9.5mm		
For models:	AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, TX1500, UX220		

			
Vare Nr.	510666	Ref. No.	002200114 DW2200114
description	rinse jet ø 15mm H 9.5mm		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX		

			
Vare Nr.	524956	Ref. No.	002002051 DW2002051
description	sealing disc for rinse arm rubber mounting pos. upper/lower ø 18mm thickness 1.6mm		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, FX, GRANUL1000, GRANUL900, GRANUL900, LP-3PLUS, LP3S-PLUS, LP-4PLUS, LP458-PLUS, TX1500, UX220		

			
Vare Nr.	517376	Ref. No.	002200117 DW2200117
description	strainer insert for rinse jet ø 15mm H 8mm		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, GRANUL1000, GRANUL900, GRANUL900, TX1500, UX220		

wash arm bosses

			
Vare Nr.	530776	Ref. No.	00500755 0050755 DW500755 DW50755
description	wash arm boss L 155mm W 100mm H 49.5mm shaft ø 10mm		
For models:	DS45, GS50, GS85, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT11-Touche		

miscellaneous

			
Vare Nr.	517079	Ref. No.	0012503 DW12503
description	end cap		
For models:	C40-LS, GASTRO-500, GASTRO-750, GASTRO-900, GS37, GS37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, Linear, LINEAR-LS, STAR, Star, STAR-LS, Synthesis, TURBO-LS		

			
Vare Nr.	517083	Ref. No.	0080304 DW80304
description	end cap		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX300, CX, FX, LP2, LP3, TX1500, UX220		

			
Vare Nr.	517386	Ref. No.	002902795 DW2902795
description	nozzle complete for rinse arm ø 19mm H 26mm		
For models:	LP3, LP3		

			
Vare Nr.	517081	Ref. No.	0080303 DW80303
description	nozzle holder		
For models:	AX151, AX151-highspeed, LP2, LP3		

			
Vare Nr.	507523	Ref. No.	00391033 DW391033
description	rinse arm mounting pos. upper/lower L 465mm nozzles 3 stationary		
For models:	AX161, AX290		



			
1			
Vare Nr.	517080	Ref. No.	0080300 DW80300
description	wash jet		
For models:	AX151, AX151-highspeed, LP2, LP3		

			
1			
Vare Nr.	517078	Ref. No.	0018135 DW18135
description	wash jet complete		
For models:	C40-LS, GS37, GS37-prima-serie, GS40, GS40, Linear, LINEAR-LS, STAR, Star, STAR-LS, Synthesis, TURBO-LS		

wash arm supports



1

Vare Nr.	517785	Ref. No.	0015909 DW15909
description	wash arm support complete mounting pos. lower for Dihr		
For models:	G600, G600, GASTRO-500, GASTRO-750, GASTRO-900		
spare parts for	517785		
	Vare Nr.	517123	Ref. No. 0015041 0015041/A 15041 15041/A DW15041 DW15041/A
wash arm support mounting pos. lower ø 48mm			

			
1			
Vare Nr.	517136	Ref. No.	00540009 00540068 DW540009 DW540068
description	wash arm support mounting pos. lower		
For models:	Electron400, Electron500CleanWater, Tekno4, TEKNO-4-CF, Tekno6.1-Acqua-pulita		

			
1			
Vare Nr.	517307	Ref. No.	0010205/B DW10205/B
description	wash arm support mounting pos. lower		
For models:	DS35, DS37		

			
1			
Vare Nr.	524795	Ref. No.	00540074 DW540074
description	wash arm support mounting pos. lower H 98mm		
For models:	Electron400, Electron400, Electron400CleanWater, Gastro400S, Optima400, Tekno4, Tekno4.1-Acqua-pulita		

			
1			
Vare Nr.	517318	Ref. No.	00500621 DW500621
description	wash arm support mounting pos. lower ø 35mm		
For models:	G12D, G12S, Gastro12S, H600, H600, H600Electronic, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		
accessories for	517318		
	Vare Nr.	510409	Ref. No. 0013015 0013020 13015 13020 DW13015 DW13020
O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs			
	Vare Nr.	517140	Ref. No. 0011600021 004374 11600021 4374 DW11600021 DW4374
rinse pipe mounting pos. lower			
	Vare Nr.	517141	Ref. No. 0011600007 0011600035 11600007 11600035 DW11600007 DW11600035
wash arm bearing mounting pos. lower			



1

Vare Nr.	517123	Ref. No.	0015041 0015041/A DW15041 DW15041/A	
description	wash arm support mounting pos. lower ø 48mm			
For models:	G600, G600, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-500, GASTRO-750, GASTRO-900, GS50, GS50-230VAC, LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP-ZERO			
accessories for	517123			
	Vare Nr.	505192	Ref. No.	0013006 13006 DW13006
O-ring EPDM thickness 2.62mm ID ø 39.34mm Qty 1 pcs				
	Vare Nr.	510893	Ref. No.	0013003 13003 DW13003
O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs				
	Vare Nr.	511943	Ref. No.	0013313 13313 DW13313
flat gasket rubber ED ø 24mm ID ø 8mm thickness 2mm Qty 1 pcs				
	Vare Nr.	517110	Ref. No.	0015040 0015040/A 0022028 15040 15040/A 22028 DW15040 DW15040/A DW22028
wash arm bearing mounting pos. lower thread M10 ø 39mm H 36mm				
	Vare Nr.	517121	Ref. No.	0015038 15038 DW15038
bush ID ø 26mm ø 48mm H 11mm mounting pos. lower for wash arm				
	Vare Nr.	517125	Ref. No.	0012506 12506 DW12506
hose connector				

			
Vare Nr.	517105	Ref. No.	0010205/A 0010205/C DW10205/A DW10205/C
description	wash arm support mounting pos. lower open contact for dosing pump		
For models:	Derby, Derby400, DERBY-CF, DS40, DS40, G35, GS37, GS37, GS37-prima-serie, GS40, GS40, GS40, GS-40, Linear, LINEAR-CF, LINEAR-LS, Star, STAR-CF, STAR-LS, Synthesis		

			
Vare Nr.	504371	Ref. No.	0076077 DW76077
description	wash arm support mounting pos. lower thread 1 1/2" ø 41.5mm H 168mm L1 96.5mm L2 71mm ID ø 33mm		
For models:	HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche		

			
Vare Nr.	517002	Ref. No.	0015069/A 0015069/B 0015069/C 0015069/D 0015910 DW15069/A DW15069/B DW15069/C DW15069/D DW15910
description	wash arm support mounting pos. upper		
For models:	G600, G600, GASTRO-450, GASTRO-500, GASTRO-750, GASTRO-900, LP1, LP1-800		

			
Vare Nr.	517146	Ref. No.	00540017 00540048 DW540017 DW540048
description	wash arm support mounting pos. upper		
For models:	Electron400, Tekno4, TEKNO-4-CF		

			
Vare Nr.	517156	Ref. No.	0075067 DW75067
description	wash arm support mounting pos. upper		
For models:	Gastro11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, LP1, LP1-800, LP1-800, LP1-800EL, LP-ZERO		

1



Vare Nr.	517159	Ref. No.	0078001 DW78001	
description	wash arm support mounting pos. upper			
For models:	G12D, G12S, Gastro12S, H600, H600, H600Electronic, HT12-Electronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT			
accessories for	517159			
	Vare Nr.	517004	Ref. No.	0013004 13004 DW13004
O-ring EPDM thickness 2.62mm ID ø 34.6mm Qty 1 pcs				
	Vare Nr.	520499	Ref. No.	0015042/A 15042/A DW15042/A
nut thread 1¼" H 6mm WS 50 brass Qty 1 pcs				



1

Vare Nr.	517309	Ref. No.	00540071 00540072 DW540071 DW540072	
description wash arm support mounting pos. upper				
For models: DS40, DS40, Electron400, Electron500CleanWater, Tekno4, Tekno6.1-Acqua-pulita				
accessories for 517309				
	Vare Nr.	517148	Ref. No.	00540032 540032 DW540032
flat gasket rubber ED ø 57mm ID ø 43mm thickness 2mm Qty 1 pcs				
	Vare Nr.	517149	Ref. No.	00540016 00540070 540016 540070 DW540016 DW540070
screw connection ø 10mm with hole				

			
Vare Nr.	524670	Ref. No.	0026911 0026911/A DW26911 DW26911/A
description	wash arm support mounting pos. upper		
For models:	Gastro450, GASTRO-450		

			
Vare Nr.	517375	Ref. No.	00550914 00550915 DW550914 DW550915
description	wash arm support mounting pos. upper H 53mm GS100 suitable for Dihr		
For models:	GS100, GS-100, GS-100-DEPUR		

				
1				
Vare Nr.	517133	Ref. No.	00500612 DW500612	
description	wash arm support mounting pos. upper/lower			
For models:	DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron500, Electron500, Electron500Plus, Electron600, G600S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS-100, GS-100-DEPUR, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, LP1S, LP1-S, Tekno6, TEKNO-6, TEKNO-6-Break-Tank			
accessories for	517133			
	Vare Nr.	510408	Ref. No.	0013005 13005 DW13005
O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs				
	Vare Nr.	517154	Ref. No.	00500610 00500623 500610 500623 DW500610 DW500623
nut mounting pos. upper for wash arm support				

			
Vare Nr.	517817	Ref. No.	0010600903 DW10600903
description	wash arm bearing ø 48.5mm D2 ø 22.3mm ID ø 26mm H 49mm		
For models:	GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, SILVER-1500, SILVER-1500-Insulated		

rinse arm shafts			
			
Vare Nr.	517003	Ref. No.	0015301 DW15301
description	rinse arm shaft		
For models:	GASTRO-11S, LP1-800		

			
Vare Nr.	517073	Ref. No.	0075323 DW75323
description	rinse arm shaft		
For models:	Electron400, Electron400CleanWater, Gastro11S, Gastro1200, Gastro12S, GS100, GS-100, GS-100-DEPUR, H600, HT12-Elettronica, LP1, LP1-800, LP1-800EL, LP-ZERO, Tekno4, Tekno4.1-Acqua-pulita		

			
Vare Nr.	517091	Ref. No.	0080350 DW80350
description	rinse arm shaft		
For models:	LP2, LP3, LP4		

			
Vare Nr.	517093	Ref. No.	0016039 DW16039
description	rinse arm shaft		
For models:	C40-CF, C40-LS, DS40, DS40, GS40, GS40, GS40, GS40, GS-40, Linear, LINEAR-CF, LINEAR-LS		
accessories for	517093		
	Vare Nr.	517039	Ref. No. 0011101/I 11101/I DW11101/I
Thumb screw thread M8x1.25 thread L 8mm ø 30mm H 3mm SS mounting pos. lower			

			
Vare Nr.	517096	Ref. No.	0019003 DW19003
description	rinse arm shaft		
For models:	DS35, DS37, G35, Gastro450, GASTRO-450		

			
Vare Nr.	517097	Ref. No.	00135101 DW135101
description	rinse arm shaft		
For models:	GS-35, GS37, GS37, GS-37, GS37-prima-serie		

			
Vare Nr.	517099	Ref. No.	0018510 DW18510
description	rinse arm shaft		
For models:	Star, STAR-CF, STAR-LS		

			
Vare Nr.	517102	Ref. No.	0012501 DW12501
description	rinse arm shaft		
For models:	Derby, Derby400, DERBY-CF, Synthesis, TURBO-CF, TURBO-LS		

			
Vare Nr.	517109	Ref. No.	0015300 DW15300
description	rinse arm shaft		
For models:	DS45, DS50, Dupla50, Electron500, G600, G600, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, LP1, LP1-800, Tekno6, TEKNO-6, TEKNO-6-Break-Tank		

			
Vare Nr.	517142	Ref. No.	00540011 DW540011
description	rinse arm shaft		
For models:	TEKNO-4-CF, TEKNO-4-LS		

			
Vare Nr.	517145	Ref. No.	00350401 DW350401
description	rinse arm shaft		
For models:	DS35, DS37, G35, G35-RL09-NEW, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS40, GS-40, GS-40-RL09-NEW, GS40-RL09-NEW		

			
Vare Nr.	517147	Ref. No.	00540014 DW540014
description	rinse arm shaft		
For models:	DS50, Electron400, Tekno4, TEKNO-4-CF		

			
Vare Nr.	517152	Ref. No.	00540015 DW540015
description	rinse arm shaft mounting pos. upper		
For models:	TEKNO-4-LS		

			
Vare Nr.	524972	Ref. No.	0075069 DW75069
description	rinse arm shaft mounting pos. upper/lower ø 27mm H 37mm thread 1/4" thread L 13.5mm		
For models:	G12D, G12S, GASTRO-11-S, GASTRO-11-S-Isolata, GASTRO-1200-S, GASTRO-1200-S-Isolata, SILVER-1500, SILVER-1500-Insulated		



1

Vare Nr.	524802	Ref. No.	0010600014 DW10600014
description	rinse arm shaft mounting pos. upper/lower shaft ø 10mm ø 26mm H 47mm thread 1/4" thread L 10mm		
For models:	GASTRO-1200S		



1

Vare Nr.	524854	Ref. No.	0010600018 DW10600018
description	rinse arm shaft ø 25mm H 33mm thread 3/8" thread L 17mm		



1

Vare Nr.	505277	Ref. No.	0010651 DW10651
description	rinse arm shaft warewashing ø 14mm H 38mm thread 1/4"		
For models:	DS40, DS40, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600S, Gastro11S, Gastro1200, Gastro400S, Gastro500S, GS50, GS85, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP1, LP1-800, LP1-800, LP1-800EL, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus, LP2, LP-2PLUS, LP2S-PLUS, LP3, LP-3PLUS...(Other models you can see in the webshop)		
accessories for	505277		
	Vare Nr.	524804	Ref. No. 0010652 10652 DW10652
Thumb screw thread M5 thread L 7mm ø 30mm H 5mm SS Qty 1 pcs			

gear wheels



1

Vare Nr.	699261	Ref. No.	003060022 DW3060022
description	gear wheel plastic W 37.5mm ID ø 25mm ED ø 150mm		
For models:	CAN-MASTER, CX, FX, UX220		

knobs

producer-specific knobs

DIHR



1

Vare Nr.	110526	Ref. No.	008029 DW8029
description	knob switch zero mark ø 44mm shaft ø 6x4.6mm shaft flat upper/lower		
For models:	CREPE1, CREPE2, CREPPE-1, CREPPE-2, CX, Double-grill, F12, F12, F6, F6, FX, GRILL-XAL-2, GRILL-XAR-2, GRILL-XBL-2, GRILL-XBM, GRILL-XBR-2, K1L, K1R, K2L, K2M, K2R, S1, S2, Single-grill, X1, X1-TK20, X2, X2-TK21, XAL-2, XAR-2, XBL, XBM, XBR		

handles and hand wheels

handle rails

DIHR



1

Vare Nr.	694612	Ref. No.	00560550 DW560550
description	handle rail for dishwasher L 545mm W 66mm H 30mm grey hole distance 407mm Qty 1 pcs		
For models:	Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank		

end caps



1

Vare Nr.	694609	Ref. No.	00135241 DW135241
description	end cap for handle rail mounting pos. left/right		

recessed handles

			
1			
Vare Nr.	694613	Ref. No.	00135240 DW135240
description	handle rail L 255mm W 30mm H 55mm plastic for dishwasher		

locks

espagnolette locks

producer-specific

DIHR

			
1			
Vare Nr.	694630	Ref. No.	00590020 DW590020
description	bush H 9mm for espagnolette lock ID ø 10mm ED ø 14mm		
For models:	TwinStar		

				
1				
Vare Nr.	560540	Ref. No.	00590113 DW590113	
description	countersunk screw ø 5mm L 120mm SS Qty 1 pcs intake Phillips for door handle			
For models:	TwinStar			
accessories for	560540			
	Vare Nr.	694624	Ref. No.	00590017 590017 DW590017
door handle L 185mm handle ø 28mm screw mounting dark grey plastic hole ø 6mm				



1

Vare Nr.	694625	Ref. No.	00590018 DW590018
description	coupling for door handle ø 20mm L 28mm hole ø 11mm		
For models:	TwinStar		
accessories for	694625		
	Vare Nr.	560540	Ref. No. 00590113 590113 DW590113
 countersunk screw ø 5mm L 120mm SS Qty 1 pcs intake Phillips for door handle			
	Vare Nr.	694611	Ref. No. 00590016 590016 DW590016
 tap head for door handle ø 60mm grey L 105mm W 60mm H 65mm			

accessories for 694625				
	Vare Nr.	694624	Ref. No.	00590017 590017 DW590017
door handle L 185mm handle ø 28mm screw mounting dark grey plastic hole ø 6mm				
	Vare Nr.	694626	Ref. No.	00590006 590006 DW590006
cross bar H 17mm L 107mm W 50mm for espagnolette lock mounting distance 40mm D1 ø 11mm D2 ø 12mm				
	Vare Nr.	694630	Ref. No.	00590020 590020 DW590020
bush H 9mm for espagnolette lock ID ø 10mm ED ø 14mm				

1

				
Vare Nr.	694626	Ref. No.	00590006 DW590006	
description	cross bar H 17mm L 107mm W 50mm for espagnolette lock mounting distance 40mm D1 ø 11mm D2 ø 12mm			
For models:	TwinStar			
accessories for	694626			
	Vare Nr.	560540	Ref. No.	00590113 590113 DW590113
countersunk screw ø 5mm L 120mm SS Qty 1 pcs intake Phillips for door handle				
	Vare Nr.	694611	Ref. No.	00590016 590016 DW590016
tap head for door handle ø 60mm grey L 105mm W 60mm H 65mm				
	Vare Nr.	694624	Ref. No.	00590017 590017 DW590017
door handle L 185mm handle ø 28mm screw mounting dark grey plastic hole ø 6mm				
	Vare Nr.	694625	Ref. No.	00590018 590018 DW590018
coupling for door handle ø 20mm L 28mm hole ø 11mm				
	Vare Nr.	694627	Ref. No.	00590019 590019 DW590019
thread bolt L 13.5mm for espagnolette lock D1 ø 11mm D2 ø 10mm thread M6				
	Vare Nr.	694630	Ref. No.	00590020 590020 DW590020
bush H 9mm for espagnolette lock ID ø 10mm ED ø 14mm				



 1			
Vare Nr.	694624	Ref. No.	00590017 DW590017
description	door handle L 185mm handle ø 28mm screw mounting dark grey plastic hole ø 6mm		
For models:	TwinStar		
accessories for	694624		
 1	Vare Nr.	560540	Ref. No. 00590113 590113 DW590113
countersunk screw ø 5mm L 120mm SS Qty 1 pcs intake Phillips for door handle			
 1	Vare Nr.	694611	Ref. No. 00590016 590016 DW590016
tap head for door handle ø 60mm grey L 105mm W 60mm H 65mm			
 1	Vare Nr.	694625	Ref. No. 00590018 590018 DW590018
coupling for door handle ø 20mm L 28mm hole ø 11mm			
 1	Vare Nr.	694626	Ref. No. 00590006 590006 DW590006
cross bar H 17mm L 107mm W 50mm for espagnolette lock mounting distance 40mm D1 ø 11mm D2 ø 12mm			
 1	Vare Nr.	694630	Ref. No. 00590020 590020 DW590020
bush H 9mm for espagnolette lock ID ø 10mm ED ø 14mm			

 1			
Vare Nr.	560542	Ref. No.	0011505 DW11505
description	grub screw thread M6 L 16mm in stainless steel DIN 916/ISO 4029 intake internal hexagon WS 3 Qty 1 pcs		
For models:	TwinStar, TX1500		

 1			
Vare Nr.	560541	Ref. No.	00590099 DW590099
description	raised countersunk head screw thread M6 thread L 13mm SS DIN 966/ISO 7047 Qty 1 pcs intake slotted head ø 11mm head thickness 5mm		
For models:	TwinStar		

 1			
Vare Nr.	560289	Ref. No.	0011168 DW11168
description	side bolts thread M6 L 12mm SS Qty 1 pcs intake Phillips head ø 12.6mm		
For models:	DS45, DS50, DS50T, DS50-Touche, Dupla50, TEKNO-4-CF, TEKNO-4-LS, TEKNO-6, TwinStar		

 1			
Vare Nr.	694611	Ref. No.	00590016 DW590016
description	tap head for door handle ø 60mm grey L 105mm W 60mm H 65mm		
For models:	TwinStar		
accessories for	694611		
 1	Vare Nr.	560540	Ref. No. 00590113 590113 DW590113
countersunk screw ø 5mm L 120mm SS Qty 1 pcs intake Phillips for door handle			
 1	Vare Nr.	694624	Ref. No. 00590017 590017 DW590017
door handle L 185mm handle ø 28mm screw mounting dark grey plastic hole ø 6mm			
 1	Vare Nr.	694625	Ref. No. 00590018 590018 DW590018
coupling for door handle ø 20mm L 28mm hole ø 11mm			
 1	Vare Nr.	694626	Ref. No. 00590006 590006 DW590006
cross bar H 17mm L 107mm W 50mm for espagnolette lock mounting distance 40mm D1 ø 11mm D2 ø 12mm			

 1			
Vare Nr.	694627	Ref. No.	00590019 DW590019
description	thread bolt L 13.5mm for espagnolette lock D1 ø 11mm D2 ø 10mm thread M6		
For models:	TwinStar		

hinges

door bearing

 1			
Vare Nr.	519397	Ref. No.	00540036 00540636 DW540036 DW540636
description	bush mounting pos. left for hinge		
For models:	Electron400, Electron400, Electron400CleanWater, Gastro400S, Optima400, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS		

			
1			
Vare Nr.	519396	Ref. No.	00540035 DW540035
description	bush mounting pos. right for hinge		
For models:	Electron400, Electron400, Electron400CleanWater, Gastro400S, Optima400, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS		

			
1			
Vare Nr.	694628	Ref. No.	00590093 DW590093
description	hinge L 50mm W 15mm H 20mm bolt 14mm bolt ø 10mm with bolt for dishwasher		
For models:	TwinStar		

miscellaneous

			
1			
Vare Nr.	519399	Ref. No.	00540629 DW540629
description	door hinge mounting pos. left		
For models:	Electron400, Electron400, Electron400CleanWater, Gastro400S, Optima400, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS		
accessories for	519399		
	Vare Nr.	519397	Ref. No.
			00540036
			00540636
			540036
			540636
			DW540036
			DW540636
bush mounting pos. left for hinge			

			
1			
Vare Nr.	519398	Ref. No.	00540624 DW540624
description	door hinge mounting pos. right		
For models:	Electron400, Electron400, Electron400CleanWater, Gastro400S, Optima400, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS		
accessories for	519398		
	Vare Nr.	519396	Ref. No.
			00540035
			540035
			DW540035
bush mounting pos. right for hinge			

equipment feet and end caps

screw-in feet

			
1			
Vare Nr.	701292	Ref. No.	0010786 DW10786
description	equipment foot thread M10 thread L 23mm ø 38mm H 12.5mm WS 17 Qty 1 pcs		
For models:	Derby, Derby400, DERBY-CF, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600, G600, G600S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS-35, GS-37, GS40, GS-40, GS-45, GS-50, GS-50-230Vac, Linear, LINEAR-CF, LINEAR-LS, Optima500, Optima500, Optima-Cutlery, Star, STAR-CF, STAR-LS, Synthesis, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank, TURBO-CF, TURBO-LS		

			
1			
Vare Nr.	701293	Ref. No.	0015057 DW15057
description	equipment foot thread M10 thread L 51mm ø 50mm H 14mm WS 17 Qty 1 pcs		
For models:	GASTRO-450, GASTRO-500, GASTRO-750, GASTRO-900, GS50, GS50-230VAC, STAR		
accessories for	701293		
	Vare Nr.	560197	Ref. No.
			0011719 11719 DW11719
nut thread M10 H 8mm WS 17 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs			

			
1			
Vare Nr.	695601	Ref. No.	0010850 DW10850
description	equipment foot thread M17 thread L 23mm ø 24mm H 11mm plastic WS 24 Qty 1 pcs		
For models:	DS35, DS37, DS40, DS40, Electron400, Electron400, Electron400CleanWater, GS35, GS35-RL09-NEW, Gastro400S, GS37, GS37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, Optima400, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS		



1

Vare Nr.	696536	Ref. No.	0010851 DW10851
description	equipment foot thread M17 thread L 30mm ø 17mm H 20mm plastic WS 24 Qty 1 pcs		
For models:	DS45, DS50, DS50T, DS50-Touche, Dupla50, GS50		

baskets

warewashing baskets

steel wire baskets round

mix baskets



1

Vare Nr.	970317	Ref. No.	00C21 DWC21
description	mix basket ED ø 350mm H 110mm seat ømm		
For models:	Accessories		



1

Vare Nr.	970580	Ref. No.	00C07 DWC07
description	mix basket ED ø 370mm H 120mm seat ømm		
For models:	Accessories		



1

Vare Nr.	970318	Ref. No.	00C16 DWC16
description	mix basket ED ø 400mm H 145mm seat ømm		
For models:	Accessories, GASTRO-500, GASTRO-750, GASTRO-900		

steel wire baskets octagonal

mix baskets



1

Vare Nr.	971001 ¹	Ref. No.	0010730 DW10730
description	mix basket L 350mm W 350mm H 120mm mesh type wide-meshed		
For models:	Accessories		

¹wide-meshed

1

Vare Nr.	971007 ¹	Ref. No.	00C10 DWC10
description	mix basket L 370mm W 370mm H 135mm mesh type wide-meshed		
For models:	Accessories		

¹wide-meshed

1

Vare Nr.	971023 ¹	Ref. No.	00C04 00C121 DWC04 DWC121
description	mix basket L 400mm W 400mm H 130mm mesh type close-meshed		
For models:	Accessories		

¹fine-meshed

1

Vare Nr.	971128 ¹	Ref. No.	00C75 DWC75
description	mix basket L 450mm W 450mm H 140mm mesh type wide-meshed		
For models:	Accessories		

¹wide-meshed

1

Vare Nr.	970074 ¹	Ref. No.	00C044 00C09 DWC044 DWC09
description	mix basket L 500mm W 500mm H 130mm mesh type close-meshed		
For models:	Accessories, GASTRO-500, GASTRO-750, GASTRO-900		

¹fine-meshed

plate baskets



1

Vare Nr.	971009	Ref. No.	00C03 DWC03
description	plate basket L 370mm W 370mm H 100mm plates 10 plate ø 250mm		
For models:	Accessories		



1

Vare Nr.	971126	Ref. No.	00C31 DWC31
description	plate basket L 400mm W 400mm H 120mm plates 12 plate ø 270mm		
For models:	Accessories		



1

Vare Nr.	971032	Ref. No.	00C76 DWC76
description	plate basket L 450mm W 450mm H 95mm plates 14 plate ø 230mm		
For models:	Accessories		

glass basket



1

Vare Nr.	971008	Ref. No.	00C39 00C78 DWC39 DWC78
description	glass basket L 370mm W 370mm H 170mm number of rows 3 rows spacing 115mm inclined bottom		
For models:	Accessories		



1

Vare Nr.	971024	Ref. No.	00C25 DWC25
description	glass basket L 400mm W 400mm H 170mm number of rows 3 rows spacing 120mm		
For models:	Accessories		
spare parts for	971024		
	Vare Nr.	970001	Ref. No.
			0010768 10768 DW10768
sliding corner wire gauge ø 5mm L 120mm W 120mm H 12mm L-shape			

accessories

cutlery inserts



1

Vare Nr.	976011	Ref. No.	0015060 DW15060
description	cutlery insert Lmm Wmm ø 110mm H 130mm		
For models:	Accessories, GASTRO-500, GASTRO-750, GASTRO-900		

sliding corners



1

Vare Nr.	970001	Ref. No.	0010768 DW10768
description	sliding corner wire gauge ø 5mm L 120mm W 120mm H 12mm L-shape		

basket holders



1

Vare Nr.	971000	Ref. No.	00C36 DWC36
description	basket support L 350mm W 350mm for basket ø350mm		
For models:	Accessories		

plate inserts



1

Vare Nr.	971155	Ref. No.	0010728 DW10728
description	plate insert L 297mm W 100mm H 84mm plates 14		
For models:	Accessories, GASTRO-500, GASTRO-750, GASTRO-900		




gaskets


O-rings

EPDM

ø1.50mm



Vare Nr.	345896	Ref. No.	0089332 DW89332
description	O-ring EPDM thickness 1.5mm ID ø 37mm Qty 1 pcs		
For models:	Derby, Derby400, G600, Gastro11S, Gastro1200, Gastro12S, Gastro450, GS100, H600, H600, HT11S, HT12S, Linear, LP1, LP1-800, LP1-800EL, LP1S, LP1-S8, LP1-S8EL, LP2, LP3, LP4-800, LP-ZERO, Star		




Vare Nr.	345908	Ref. No.	0089331 DW89331
description	O-ring EPDM thickness 1.5mm ID ø 58.5mm Qty 1 pcs		
For models:	DS35, DS37, G35, G35-RL09-NEW, Gastro11S, Gastro1200, Gastro12S, GS100, GS37, GS37, GS37-RL09-NEW, H600, H600, HT11S, HT12S, LP1, LP1-800, LP1-800EL, LP1S, LP1-S8, LP1-S8EL, LP2, LP3, LP4-800, LP-ZERO, Synthesis		


ø1.78mm



Vare Nr.	510302	Ref. No.	0013009 0013017 DW13009 DW13017
description	O-ring EPDM ID ø 12.42mm thickness 1.78mm Qty 1 pcs		
For models:	AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, C40-CF, C40-LS, CX, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, DS45, Electron400, FX, G35, G35-RL09-NEW, GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, Gastro450, GASTRO-450, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS40...(Other models you can see in the webshop)		




Vare Nr.	510824	Ref. No.	0013025 DW13025
description	O-ring EPDM thickness 1.78mm ID ø 20.35mm Qty 1 pcs		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, FX, GRANUL1000, GRANUL900, GRANUL900, GS50, GS85, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, LP-3PLUS, LP3S-PLUS, LP-4PLUS, LP458-PLUS, TX1500, UX220		



Vare Nr.	517045	Ref. No.	0013018 DW13018
description	O-ring EPDM thickness 1.78mm ID ø 21.95mm Qty 1 pcs		
For models:	DS50, Dupla50, Electron500, G600, G600, GASTRO-11S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85, Tekno6, TEKNO-6, TEKNO-6-Break-Tank		




Vare Nr.	517035	Ref. No.	0013016 DW13016
description	O-ring EPDM thickness 1.78mm ID ø 4.48mm Qty 1 pcs		
For models:	C40-CF, C40-LS, DERBY-CF, DS50, Dupla50, Electron500, Electron-500CleanWater, G600, G600, GASTRO-11S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, GASTRO-750, Gastro-750Plus, Gastro750S, GASTRO-900, GS-35, GS40, GS40, GS40, GS-40, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85, Linear, LINEAR-CF, LINEAR-LS, STAR-CF, STAR-LS, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank, TURBO-CF, TURBO-LS		



Vare Nr.	521724	Ref. No.	00135506 0025029 DW135506 DW25029
description	O-ring EPDM thickness 1.78mm ID ø 72.75mm Qty 1 pcs		
For models:	G35-RL09-NEW, GS37-RL09-NEW, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, Pompa-Lavaggio		

ø2.00mm


			
Vare Nr.	510554	Ref. No.	007130 DW7130
description	O-ring EPDM thickness 2mm ID ø 120mm Qty 1 pcs		
For models:	Accessories, DS45, DS50, DS50T, DS50-Touche, Dupla50, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600S, Gastro500S, GS45, GS50, Linear, Optima500, Optima500, Optima-Cutlery, Pompa-Lavaggio, Tekno6.1-Acqua-pulita		

			
Vare Nr.	517056	Ref. No.	0013002 DW13002
description	O-ring EPDM thickness 2mm ID ø 6.5mm Qty 1 pcs		
For models:	Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, DS45, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron500, Electron500, Electron500Plus, Electron600, G35, G35-RL09-NEW, G600S, GASTRO-1200S, Gastro400S, Gastro500S, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS-40, GS-40-RL09-NEW, GS40-RL09-NEW, GS50, GS85, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus...(Other models you can see in the webshop)		


ø2.50mm

			
Vare Nr.	532680	Ref. No.	15285 DW15285
description	O-ring EPDM thickness 2.5mm ID ø 12mm Qty 1 pcs		
For models:	AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX-230Special, BX280, BX300, CAN-MASTER, CX, DS50T, DS50-Touche, Electron400, Electron500, Electron500Plus, FX, G35-RL09-NEW, GS37-RL09-NEW, GS-40-RL09-NEW, GS40-RL09-NEW, HT11, HT11E, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, LP1-800, Optima400, Optima500, Optima500...(Other models you can see in the webshop)		

ø2.62mm

			
Vare Nr.	507309	Ref. No.	0013007 DW13007
description	O-ring EPDM thickness 2.62mm ID ø 17.13mm Qty 1 pcs		
For models:	LINEAR-CR		

			
Vare Nr.	516026	Ref. No.	003003130 DW3003130
description	O-ring EPDM thickness 2.62mm ID ø 17.86mm Qty 1 pcs		
For models:	AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX-230Special, BX280, BX300, CAN-MASTER, CX, FX, TwinStar, UX220		

			
Vare Nr.	532062	Ref. No.	0013027 DW13027
description	O-ring EPDM thickness 2.62mm ID ø 29.82mm Qty 10 pcs		

			
Vare Nr.	517104	Ref. No.	0013000 DW13000
description	O-ring EPDM thickness 2.62mm ID ø 31.42mm Qty 1 pcs		
For models:	BX230, BX230Special, BX280, BX300, C40-CF, C40-LS, CAN-MASTER, CX, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, FX, G35, Gastro450, GASTRO-450, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS40, GS40, GS40, GS40, GS-40, GS-50, GS-50-230Vac, Linear, LINEAR-CF, LINEAR-CR, LINEAR-LS, STAR, Star, STAR-CF, STAR-LS, Synthesis, TEKNO-4-CF, TEKNO-4-LS, TEKNO-6, TEKNO-6-Break-Tank, TURBO-CF, TURBO-LS		

			
Vare Nr.	517004	Ref. No.	0013004 DW13004
description	O-ring EPDM thickness 2.62mm ID ø 34.6mm Qty 1 pcs		
For models:	G600, G600, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, Gastro12S, GASTRO-500, GASTRO-750, GASTRO-900, GS100, GS-100, GS-100-DEPUR, H600, H600, H600Electronic, HT12-Elettronica, HT12S, HT12SElectronic, LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP-ZERO		



			
Vare Nr.	505192	Ref. No.	0013006 DW13006
description	O-ring EPDM thickness 2.62mm ID ø 39.34mm Qty 1 pcs		
For models:	G600, G600, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, GASTRO-500, GASTRO-750, GASTRO-900, GS50, GS50-230VAC, LP1, LP1-800		

			
Vare Nr.	528800	Ref. No.	00135502 DW135502
description	O-ring EPDM thickness 2.62mm ID ø 75.87mm Qty 1 pcs		
For models:	Accessories, GS40, GS40, GS40, Pompa-Lavaggio		

			
Vare Nr.	510893	Ref. No.	0013003 DW13003
description	O-ring EPDM thickness 2.62mm ID ø 9.92mm Qty 1 pcs		
For models:	C40-CF, C40-LS, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, G12D, G12S, G35, G35-RL09-NEW, G600, G600, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, Gastro12S, Gastro450, GASTRO-450, GASTRO-500, GASTRO-750, GASTRO-900, GS100, GS-100, GS-100-DEPUR, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS40, GS-40, GS-40-RL09-NEW, GS40-RL09-NEW, GS50, GS50-230VAC, H600, H600, H600Electronic, HT11, HT11E, HT11E...(Other models you can see in the webshop)		

ø3.53mm			
			
Vare Nr.	517087	Ref. No.	0013023 DW13023
description	O-ring EPDM thickness 3.53mm ID ø 23.4mm Qty 1 pcs		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, GRANUL1000, GRANUL900, GRANUL900, LP1S, LP1-S, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus, LP2, LP-2PLUS, LP2S-PLUS, LP3, LP-3PLUS, LP3S-PLUS, LP4, LP4-800, LP4-Elettronica, LP-4PLUS, LP4S8-PLUS		

			
Vare Nr.	510895	Ref. No.	0013019 DW13019
description	O-ring EPDM thickness 3.53mm ID ø 34.52mm Qty 1 pcs		
For models:	AX151, AX151-highspeed, DS35, DS37, DS40, DS40, GS40, GS40, GS40, GS40, GS-40		

			
Vare Nr.	510899	Ref. No.	0013022 DW13022
description	O-ring EPDM thickness 3.53mm ID ø 37.69mm Qty 1 pcs		
For models:	Gastro11S, Gastro1200, LP1, LP1-800, LP1-800, LP1-800EL, LP-ZERO		

			
Vare Nr.	506015	Ref. No.	0016067/A DW16067/A
description	O-ring EPDM thickness 3.53mm ID ø 39.69mm Qty 1 pcs		
For models:	C40-CF, C40-LS, DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron500, Electron500, Electron500Plus, Electron600, G12D, G35, G35-RL09-NEW, G600, G600, G600S, Gastro11S, GASTRO-11-S, Gastro1200, Gastro12S, Gastro400S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS100, GS-100-DEPUR, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40...(Other models you can see in the webshop)		

			
Vare Nr.	508061	Ref. No.	0013008 DW13008
description	O-ring EPDM thickness 3.53mm ID ø 42.86mm Qty 1 pcs		
For models:	CAN-MASTER, CX, FX, G12D, G12S, G600, G600, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, Gastro12S, GASTRO-500, GASTRO-750, GASTRO-900, GS100, GS-100, GS-100-DEPUR, H600, H600, H600Electronic, HT12-Elettronica, HT12S, HT12SElectronic, LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP-ZERO, UX220		

ø5,00mm

			
Vare Nr.	532653	Ref. No.	0080302 DW80302
description	O-ring EPDM thickness 5mm ID ø 20mm Qty 1 pcs		
For models:	AX151, AX151-highspeed		

ø5.34mm

			
Vare Nr.	521120	Ref. No.	13010
description	O-ring EPDM thickness 5.34mm ID ø 37.47mm Qty 1 pcs		
For models:	C40-CF, C40-LS, DS35, DS37, DS40, DS40, Electron400, Electron-400CleanWater, Gastro400S, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS40, GS-40, GS-40-RL09-NEW, GS40-RL09-NEW, Star, STAR-CF, STAR-LS, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS		

			
Vare Nr.	510408	Ref. No.	0013005 DW13005
description	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
For models:	DS45, DS50, DS50T, DS50-Touche, Dupla50, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600, G600, G600S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, Linear, LINEAR-CF, LINEAR-LS, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP-ZERO, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT, Synthesis, Tekno6...(Other models you can see in the webshop)		

			
Vare Nr.	510409	Ref. No.	0013015 0013020 DW13015 DW13020
description	O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron500, Electron500Plus, Electron600, FX, G12D, G12S, G600S, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200...(Other models you can see in the webshop)		

NBR

			
Vare Nr.	532654	Ref. No.	0013028 DW13028
description	O-ring NBR thickness 3.6mm ID ø 30.8mm Qty 1 pcs		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, TX1500, UX220		

sealing washers

fibre gaskets

			
Vare Nr.	517789	Ref. No.	0013303 DW13303
description	flat gasket ED ø 10mm ID ø 5mm thickness 1.2mm suitable for Dihr Qty 1 pcs		
For models:	C40-CF, C40-LS, Linear, LINEAR-CF, LINEAR-LS, STAR		

			
Vare Nr.	517173	Ref. No.	0013301 DW13301
description	flat gasket FIBER ED ø 14mm ID ø 8mm thickness 1.5mm Qty 1 pcs		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, C40-CF, C40-LS, CAN-MASTER, CX, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater...(Other models you can see in the webshop)		

			
Vare Nr.	508017	Ref. No.	0010200171 DW10200171
description	flat gasket FIBER ED ø 24mm ID ø 17mm thickness 2mm Qty 1 pcs		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, FX, GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, LC80, LC90, LC90-2, LC90-4, LC90-900, LC97-4, LC97-5, LP1, LP1-800, LP1-800, LP1-800EL, LP2, LP2, LP3, LP3...(Other models you can see in the webshop)		



			
1			
Vare Nr.	521122	Ref. No.	0010200212 DW10200212
description	flat gasket fibre ED ø 31mm ID ø 21.5mm thickness 2mm for thread 1/2" Qty 1 pcs		
For models:	GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, GASTRO-1200S, LP1, LP1-800		

			
1			
Vare Nr.	506072	Ref. No.	0013326 DW13326
description	flat gasket fibre ED ø 38mm ID ø 27mm thickness 2mm outflow for thread 1 1/4" Qty 1 pcs		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, LC91, LP-3PLUS, LP3S-PLUS, LP-4PLUS, LP4S8-PLUS, TwinStar, TX1500, UX220		

			
1			
Vare Nr.	510405	Ref. No.	0010200056 DW10200056
description	flat gasket fibre ED ø 56mm ID ø 42mm thickness 2mm for thread 1 1/4" Qty 1 pcs		
For models:	GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, SILVER-1500, SILVER-1500-Insulated		

rubber gaskets

			
1			
Vare Nr.	511943	Ref. No.	0013313 DW13313
description	flat gasket rubber ED ø 24mm ID ø 8mm thickness 2mm Qty 1 pcs		
For models:	G600, G600, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-500, GASTRO-750, GASTRO-900, GS50, GS50-230VAC, LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP-ZERO		

			
1			
Vare Nr.	508423	Ref. No.	0015283 DW15283
description	flat gasket rubber ED ø 40mm ID ø 25.5mm thickness 1.7mm Qty 1 pcs		
For models:	AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, DS50T, DS50-Touche, Electron400, Electron500, Electron500Plus, FX, G35-RL09-NEW, GS37-RL09-NEW, GS-40-RL09-NEW, GS40-RL09-NEW, HT11, HT11E, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, LP1-800, Optima400, Optima500, Optima500...(Other models you can see in the webshop)		

			
1			
Vare Nr.	519341	Ref. No.	0080305 DW80305
description	flat gasket rubber ED ø 40mm ID ø 5.5mm thickness 2mm Qty 1 pcs		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, LP2, LP3, TX1500, UX220		

			
1			
Vare Nr.	517181	Ref. No.	0013305 DW13305
description	flat gasket rubber ED ø 44mm ID ø 32mm thickness 3mm Qty 1 pcs		
For models:	AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, C40-CF, C40-LS, CAN-MASTER, CX, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, FX, G12D, G12S, G35, G600, G600, Gastro12S, Gastro450, GASTRO-450, GASTRO-500, GASTRO-750, GASTRO-900, GRANUL1000, GRANUL900, GRANUL900, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS40, GS40, GS40...(Other models you can see in the webshop)		

			
1			
Vare Nr.	517135	Ref. No.	00540034 DW540034
description	flat gasket rubber ED ø 56mm ID ø 44mm thickness 4.5mm Qty 1 pcs equiv. no. 540034 suitable for Dihr		
For models:	Electron400, Electron400, Electron400CleanWater, Electron500CleanWater, Gastro400S, Optima400, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS, Tekno6.1-Acqua-pulita		

			
1			
Vare Nr.	517148	Ref. No.	00540032 DW540032
description	flat gasket rubber ED ø 57mm ID ø 43mm thickness 2mm Qty 1 pcs		
For models:	DS40, DS40, Electron400, Electron400, Electron400CleanWater, Electron500CleanWater, Gastro400S, Optima400, Optima500, Optima500, Optima-Cutlery, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS, Tekno6.1-Acqua-pulita, TwinStar		

			
1			
Vare Nr.	511940	Ref. No.	0025009 DW25009
description	flat gasket rubber ED ø 67mm ID ø 51mm thickness 3mm Qty 1 pcs		
For models:	G35-RL09-NEW, GS37-RL09-NEW, GS-40-RL09-NEW, GS40-RL09-NEW		

			
Vare Nr.	517205	Ref. No.	0010200173 0010200173/A 0010600013 DW10200173 DW10200173/A DW10600013
description	flat gasket rubber ED ø 75mm ID ø 58mm thickness 3mm Qty 1 pcs		
For models:	Angle-loading-table, AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, LC97-3, LC97-5, LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP2, LP3...(Other models you can see in the webshop)		

			
Vare Nr.	517398	Ref. No.	0016067/B DW16067/B
description	flat gasket rubber ED ø 82mm ID ø 66mm thickness 4mm for salt tank Qty 1 pcs		
For models:	C40-CF, C40-LS, DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron500, Electron500, Electron500Plus, Electron600, G12D, G35, G35-RL09-NEW, G600, G600, G600S, Gastro11S, GASTRO-11-S, Gastro1200, Gastro12S, Gastro400S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS100, GS-100-DEPUR, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40...(Other models you can see in the webshop)		

			
Vare Nr.	517194	Ref. No.	0080208 DW80208
description	flat gasket rubber ED ø 95mm ID ø 75mm thickness 3mm Qty 1 pcs		
For models:	AX161, AX210, AX220, AX230, AX240, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX510, AX510LC, AX540, AX540LC, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600S, Gastro400S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS-100, GS-100-DEPUR, GS45, GS-45, GS50, GS-50, GS-50-230Vac, GS85, H600, H600Electronic, HT11...(Other models you can see in the webshop)		

PTFE gaskets

			
Vare Nr.	517101	Ref. No.	0013302 DW13302
description	gasket PTFE ED ø 16mm ID ø 10mm thickness 2.5mm Qty 1 pcs		
For models:	Derby, Derby400, DERBY-CF, GASTRO-500, GASTRO-750, GASTRO-900, LINEAR-CR, STAR, Synthesis, TURBO-CF, TURBO-LS		


shaft gaskets


shaft gaskets


			
Vare Nr.	512424	Ref. No.	0013024 DW13024
description	shaft seal ID ø 30mm ED ø 42mm thickness 7mm		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, GRANUL1000, GRANUL900, GRANUL900		

special gaskets

door seals for dishwashers

			
Vare Nr.	517385	Ref. No.	00135205 DW135205
description	door seal		
For models:	DS40, DS45, DS50, DS50T, DS50-Touche, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85		

			
Vare Nr.	517383	Ref. No.	00560013 DW560013
description	door seal L 1012mm W 10.5mm H 4mm Qty 1		
For models:	Tekno6, Tekno6.1-Acqua-pulita		



Vare Nr.	517384	Ref. No.	00560021 DW560021
description	door seal L 1050mm W 22mm H 9.5mm Qty 1		
For models:	Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600S, Gastro400S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, Optima400, Optima500, Optima500, Optima-Cutlery, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank		



Vare Nr.	518616	Ref. No.	00590034 DW590034
description	door seal L 1445mm W 495mm for dishwasher suitable for Dihr		
For models:	TwinStar		

sealing discs



Vare Nr.	511945	Ref. No.	0013316/A DW13316/A
description	gasket ø 38mm thickness 10mm rubber Qty 1 pcs ID ø 24mm		
For models:	DS35, DS37, DS40, DS40, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600, G600S, Gastro11S, Gastro1200, Gastro12S, Gastro450, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS-35, GS37, GS37, GS37-prima-serie, GS40, GS40, GS40, GS45, GS50, GS-50, GS-50-230Vac, GS85, H600, H600, H600Electronic, HT11E, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift... (Other models you can see in the webshop)		

miscellaneous



Vare Nr.	517219	Ref. No.	0013306 DW13306
description	boot for suction connection		
For models:	Derby, Derby400, DERBY-CF		



Vare Nr.	517220	Ref. No.	0013350 DW13350
description	boot for suction connection		
For models:	Synthesis, TURBO-CF, TURBO-LS		



Vare Nr.	517277	Ref. No.	00150403 DW150403
description	gasket for catch		
For models:	DS35, DS37, DS40, DS40, G35, G35-RL09-NEW, GS-35, GS37, GS37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS-40-RL09-NEW, GS40-RL09-NEW		



Vare Nr.	511944	Ref. No.	0013306/A DW13306/A
description	gasket for wash pipe ø 41mm thickness 10mm ID ø 27mm		
For models:	C40-LS, Gastro450, GASTRO-450, GS37, GS37, GS37-prima-serie, GS40, GS40, GS40, Linear, LINEAR-LS, STAR, Star, STAR-LS, Synthesis, TURBO-LS		

			
1			
Vare Nr.	511945	Ref. No.	0013316/A DW13316/A
description	gasket ø 38mm thickness 10mm rubber Qty 1 pcs ID ø 24mm		
For models:	DS35, DS37, DS40, DS40, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600, G600S, Gastro11S, Gastro1200, Gastro12S, Gastro450, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS-35, GS37, GS37, GS37-prima-serie, GS40, GS40, GS40, GS45, GS50, GS-50, GS-50-230Vac, GS85, H600, H600, H600Electronic, HT11E, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift... (Other models you can see in the webshop)		

			
2			
Vare Nr.	524954	Ref. No.	0011600931/B DW11600931/B
description	gasket suitable for Dihr for PCB L 145mm W 90mm		
For models:	HT11E, HT11S, HT12E-Lift, HT12E-Plus, LP1-800		

			
1			
Vare Nr.	524953	Ref. No.	0050650/B DW50650/B
description	gasket suitable for Dihr for PCB L 170mm W 124mm		
For models:	GRANUL900, LP2S-PLUS, LP3S-PLUS, LP4S8-PLUS, TwinStar		

springs

spring compressors

			
1			
Vare Nr.	517160	Ref. No.	0010800210 DW10800210
description	spring compressor thread M10		
For models:	G12D, G12S, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, Gastro12S, H600, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT, SILVER-1500, SILVER-1500-Insulated		


roller springs

roller springs

			
1			
Vare Nr.	517419	Ref. No.	003009906 DW3009906
description	roller spring complete incl. holder type BBSR 22		
For models:	AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX300, CX, FX, TX1500		

			
1			
Vare Nr.	517367	Ref. No.	003004013 DW3004013
description	roller spring L 70mm W 50mm ID ømm lug length 50mm		
For models:	AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX300, CX, FX		

			
1			
Vare Nr.	517321	Ref. No.	003004011 003004015 003009905 DW3004011 DW3004015 DW3009905
description	roller spring type BBSR 23 W 51mm ID ø 45mm lug length 50mm		
For models:	AX160, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX-230Special, BX280, BX300, CX, FX, TX1500		



Vare Nr.	517315	Ref. No.	3004010
description	roller spring W 50mm ID 8mm lug length 49mm		
For models:	AX151, AX151-highspeed, AX161, CAN-MASTER, CX, FX, TX1500, UX220		
accessories for	517315		
	Vare Nr.	517314	Ref. No.
			003004012 3004012 DW3004012
spring holder for roller spring Lmm Wmm H 9mm 10 ED ø 29mm			

accessories

holders



Vare Nr.	517314	Ref. No.	003004012 DW3004012
description	spring holder for roller spring Lmm Wmm H 9mm 10 ED ø 29mm		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, FX, TX1500, UX220		

tension springs



Vare Nr.	517273	Ref. No.	00550206/A DW550206/A
description	tension spring ø 10mm total length 225mm wire gauge ø 1.5mm mounting pos. upper		
For models:	CX, Electron1000, FX, GS100, GS-100, GS-100-DEPUR		



Vare Nr.	517421	Ref. No.	00570200 DW570200
description	tension spring ø 12mm total length 240mm wire gauge ø 1.8mm for door Qty 1 pcs		
For models:	Electron600, G600S		



Vare Nr.	501296	Ref. No.	00560003 DW560003
description	tension spring ø 12mm total length 275mm wire gauge ø 1.6mm		
For models:	CAN-MASTER, CX, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, FX, Gastro400S, Gastro500Plus, Gastro500S, Gastro500S, Gastro-750Plus, Gastro750S, Optima400, Optima500, Optima500, Optima-Cutlery, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank, TX1500, UX220		



Vare Nr.	517259	Ref. No.	0010700 DW10700
description	tension spring ø 15.3mm total length 130mm wire gauge ø 2mm for door		
For models:	Derby, Derby400, DERBY-CF, G12D, G12S, Gastro12S, H600, H600E-electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Electronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT, STAR		



Vare Nr.	517272	Ref. No.	00550206 00550212 DW550206 DW550212
description	tension spring ø 15mm total length 540mm wire gauge ø 2mm mounting pos. lower		
For models:	DW020H, Electron1000, GS100, GS-100, GS-100-DEPUR		



Vare Nr.	517260	Ref. No.	0010700/B DW10700/B
description	tension spring ø 17.3mm total length 140mm wire gauge ø 2.2mm for door		
For models:	Linear, LINEAR-CF, LINEAR-LS, Star, STAR-CF, STAR-LS		



Vare Nr.	517261	Ref. No.	0010700/A DW10700/A
description	tension spring ø 20mm total length 140mm wire gauge ø 2.5mm for door		
For models:	G600, G600, Gastro450, GASTRO-450, GASTRO-500, GASTRO-750, GASTRO-900		



Vare Nr.	517286	Ref. No.	0075303 DW75303
description	tension spring ø 35mm total length 865mm wire gauge ø 5mm		
For models:	Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche		



Vare Nr.	517287	Ref. No.	0070302 DW70302
description	tension spring ø 38.8mm total length 663mm wire gauge ø 4.2mm		
For models:	GASTRO-11S, GASTRO-11-S-Isolata, Gastro12S, H600, H600, H600E-electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Electronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		

1 			
Vare Nr.	517048	Ref. No.	0010800033 0010800034 DW10800033 DW10800034
description	tension spring ø 39.7mm total length 305mm wire gauge ø 5mm mounting pos. lateral		
For models:	GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, SILVER-1500, SILVER-1500-Insulated		

manometers

1 			
Vare Nr.	541876	Ref. No.	002000244 DW2000244
description	manometer ø 49mm pressure range 0-4bar connection lower marking adjustable thread 1/4"		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, FX, TwinStar, TX1500, UX220		

dosing pumps

peristaltic dosing pumps

GERMAC

built-in version

without control

1 			
Vare Nr.	361020	Ref. No.	0015108/C DW15108/C
description	dosing pump GERMAC without control 0.8l/h 230VAC detergent hose ø 4x6mm hose thermoplastic type G80 built-in version dimensions 55x70x88mm		
For models:	Accessories, STAR		
spare parts for	361020		
	Vare Nr.	361263	Ref. No. —
	roller assembly GERMAC suitable for G80/82/150/152/200/202/250 /252/600		
	Vare Nr.	361554	Ref. No. —
	pump hose GERMAC detergent hose type thermoplastic hose ø 5x8mm for model G200/G250/G252		
accessories for	361020		
	Vare Nr.	520090	Ref. No. —
	PVC hose ID ø 4mm ED ø 6mm L 2m thickness 1mm t.max. 60°C transparent		

accessories for	361020		
	Vare Nr.	520091	Ref. No. 14504
	nylon hose ID ø 4mm ED ø 6mm L 2m thickness 1mm operating p. 10bar burst p. 50bar t.max. 100°C transparent		

1 			
Vare Nr.	361021	Ref. No.	0015108 DW15108
description	dosing pump GERMAC without control 1.5l/h 230VAC detergent hose ø 4x6mm hose thermoplastic type G150 built-in version dimensions 55x70x88mm		
For models:	Accessories		
spare parts for	361021		
	Vare Nr.	361263	Ref. No. —
	roller assembly GERMAC suitable for G80/82/150/152/200/202/250 /252/600		
	Vare Nr.	361554	Ref. No. —
	pump hose GERMAC detergent hose type thermoplastic hose ø 5x8mm for model G200/G250/G252		
accessories for	361021		
	Vare Nr.	520090	Ref. No. —
	PVC hose ID ø 4mm ED ø 6mm L 2m thickness 1mm t.max. 60°C transparent		
	Vare Nr.	520091	Ref. No. 14504
	nylon hose ID ø 4mm ED ø 6mm L 2m thickness 1mm operating p. 10bar burst p. 50bar t.max. 100°C transparent		

1 			
Vare Nr.	361022	Ref. No.	0015108/A DW15108/A
description	dosing pump GERMAC without control 2l/h 230VAC detergent hose ø 4x6mm hose thermoplastic type G200 built-in version dimensions 55x70x88mm		
spare parts for	361022		
	Vare Nr.	361263	Ref. No. —
	roller assembly GERMAC suitable for G80/82/150/152/200/202/250 /252/600		
	Vare Nr.	361554	Ref. No. —
	pump hose GERMAC detergent hose type thermoplastic hose ø 5x8mm for model G200/G250/G252		
accessories for	361022		
	Vare Nr.	520090	Ref. No. —
	PVC hose ID ø 4mm ED ø 6mm L 2m thickness 1mm t.max. 60°C transparent		

Table continues overleaf



accessories for	361022			
	Vare Nr.	520091	Ref. No.	14504
 nylon hose ID ø 4mm ED ø 6mm L 2m thickness 1mm operating p. 10bar burst p. 50bar t.max. 100°C transparent				

hose parts



1

Vare Nr.	361060	Ref. No.	0015108/E DW15108/E
description	pump hose GERMAC rinse aid hose type silicone hose ø 4x6mm for model G80/G82/G600		
For models:	Accessories, Derby, Derby400, DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G35, G35-RL09-NEW, G600, G600S, Gastro11S, Gastro1200, Gastro12S, Gastro400S, Gastro450, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS37, GS37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85, H600...(Other models you can see in the webshop)		

SEKO

built-in version

with frequency control



1

Vare Nr.	361791 ¹	Ref. No.	0015985 DW15985
description	dosing pump SEKO frequency control 3l/h 230VAC detergent hose ø 4x6mm hose type K hose Santoprene suction level 1.5m type NBR 3		
For models:	Derby, Derby400, DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G35, G35-RL09-NEW, G600, G600S, Gastro11S, Gastro1200, Gastro12S, Gastro400S, Gastro450, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS37, GS37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85, H600, H600Electronic...(Other models you can see in the webshop)		
spare parts for	361791		
Vare Nr.	361815	Ref. No.	15185 DW15185
pump hose detergent hose ø 6x10mm hose ø 4x6mm hose type K hose Santoprene type SEKO			

¹with accessories

spare parts



1

Vare Nr.	361815	Ref. No.	15185 DW15185
description	pump hose detergent hose ø 6x10mm hose ø 4x6mm hose type K hose Santoprene type SEKO		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, Derby, Derby400, DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus...(Other models you can see in the webshop)		

various

built-in version



1

Vare Nr.	361910	Ref. No.	0015985/B DW15985/B
description	dosing pump TECNOPRO type TP30-60-B frequency control 3l/h 230VAC rinse aid hose ø 4x6mm hose type silicone 8W		
For models:	TwinStar		

piston pumps

dosing pumps



1

Vare Nr.	361800	Ref. No.	0015108/L DW15108/L
description	dosing pump type EKP-R/E 230V detergent inlet 8x12mm outlet 8x12mm 60 strokes/min		
For models:	Accessories, Derby, Derby400, DS35, DS37, DS40, DS45, DS50, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G35, G600, G600S, Gastro11S, Gastro1200, Gastro12S, Gastro400S, Gastro450, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS37, GS40, GS50, GS85, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Eletronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus...(Other models you can see in the webshop)		
spare parts for	361800		
Vare Nr.	361047	Ref. No.	—
pressure/suction valve suitable for EKP-R L 38.7mm 3/8" WS 22			

Table continues overleaf

spare parts for 361800				
	Vare Nr.	361652	Ref. No.	—
union nut suitable for EKP-RT1: 3/8"				
	Vare Nr.	361653	Ref. No.	—
olive suitable for EKP-R				
	Vare Nr.	361654	Ref. No.	—
hose tail suitable for EKP-R				
	Vare Nr.	361655	Ref. No.	—
O-ring suitable for EKP-R				
	Vare Nr.	361857	Ref. No.	—
pump head type EKP-R for dosing pump plastic				

membrane dosing pumps

self-priming

LANG



1

Vare Nr.	361009	Ref. No.	0010798 DW10798	
description	dosing pump type N6 membrane dosing pump rinse aid p min 0.5bar pressure connection ø straight, 4x6mm suction connection ø straight, 4x6mm LANG			
For models:	Accessories, Derby, Derby400, DS35, DS37, DS40, DS45, DS50, Dupla50, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G12D, G12S, G35, G600, G600S, Gastro11S, Gastro1200, Gastro400S, Gastro450, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS37, GS40, GS50, GS85, H600, H600Electronic, HT12E-Lift, HT12E-Plus, HT12S, HT12SElectronic, Linear, LP1S, LP1-S, LP1-S8, LP1-S8EL, LP4, LP4-800, LP4-Elettronica, Star...(Other models you can see in the webshop)			
spare parts for	361009			
	Vare Nr.	361079	Ref. No.	—
spring for type N5/N6 for ball				
	Vare Nr.	361080	Ref. No.	—
O-ring EPDM thickness 2mm ID ø 16mm Qty 1 pcs				
	Vare Nr.	361085	Ref. No.	—
O-ring EPDM thickness 2mm ID ø 8mm Qty 1 pcs				
	Vare Nr.	361309	Ref. No.	—
ball for type N5/N6				
	Vare Nr.	361310	Ref. No.	—
bracket for type N6 ball guide				
	Vare Nr.	361311	Ref. No.	—
O-ring EPDM thickness 2mm ID ø 6mm Qty 1 pcs for type N6				

spare parts for 361009				
	Vare Nr.	361314	Ref. No.	—
valve ring for type N6 holder for O-ring				
	Vare Nr.	361317	Ref. No.	—
sealing disc for type N6				
	Vare Nr.	361886	Ref. No.	—
non-return valve inletmm outletmm outlet ø 12.4mm L 12.7mm				

various



1

Vare Nr.	361731	Ref. No.	0010599999 DW10599999
description dosing pump without auxiliary pressure connection rinse aid inlet 4mm outlet 8mm pressure connection ø 8mm suction connection ø 4mm			
For models: Accessories, C40-CF, C40-LS, DW020H, G35, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, Gastro12S, GASTRO-450, GS40, GS-40, GS50, GS-50, GS-50-230Vac, GS50-230VAC, H600, H600, H600Electronic, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12S, HT12SElectronic, LI-NEAR-CF, LINEAR-LS, LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP2, LP2, LP3, LP3, LP-ZERO, SILVER-1500, SILVER-1500-Insulated, STAR-CF, STAR-LS, Synthesis, TURBO-CF, TURBO-LS			

spare parts

			
Vare Nr.	361132	Ref. No.	0010599999/A DW10599999/A
description membrane dosing pump			
For models: Accessories			

self-priming with supporting pressure

DIHR



1

Vare Nr.	361912	Ref. No.	0010799/G DW10799/G
description	dosing pump kit inlet 5mm outlet 8mm suction connection ø 5mm auxiliary pressure connection 10mm		
For models:	Derby, Derby400, DS35, DS37, DS40, DS45, DS50, Dupla50, Electron400, Electron400CleanWater, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600S, Gastro400S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GRANUL1000, GRANUL900, GRANUL900, GS37, GS40, GS50, GS85, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP1-S8, LP1S-Plus, LP-2PLUS, LP2S-PLUS, LP-3PLUS, LP3S-PLUS, LP-4PLUS, LP4S8-PLUS...(Other models you can see in the webshop)		



1

Vare Nr.	361744	Ref. No.	0010799 0010799/A DW10799 DW10799/A
description	dosing pump type DW with auxiliary pressure connection rinse aid inlet 4mm outlet 8mm suction connection ø 4mm auxiliary pressure connection 10mm		
For models:	Accessories, DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, Electron1000, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G35, G35-RL09-NEW, G600, G600S, Gastro11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, Gastro400S, Gastro450, GASTRO-450, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS-100, GS-100-DE-PUR, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS40, GS-40, GS-40-RL09-NEW...(Other models you can see in the webshop)		
spare parts for	361744		
	Vare Nr.	520026	Ref. No. —
	PVC hose ID ø 4mm ED ø 6mm L 10m thickness 1mm t.max. 60°C transparent		
	Vare Nr.	520090	Ref. No. —
	PVC hose ID ø 4mm ED ø 6mm L 2m thickness 1mm t.max. 60°C transparent		



1

Vare Nr.	362012	Ref. No.	0010705 DW10705
description	dosing pump type DW with auxiliary pressure connection rinse aid inlet 4x6mm outlet M10x1mm auxiliary pressure connection 10mm		
For models:	Accessories, Derby, Derby400, DERBY-CF, G600, GASTRO-500, GASTRO-750, GASTRO-900, STAR		
spare parts for	362012		
	Vare Nr.	520026	Ref. No. —
	PVC hose ID ø 4mm ED ø 6mm L 10m thickness 1mm t.max. 60°C transparent		
	Vare Nr.	520090	Ref. No. —
	PVC hose ID ø 4mm ED ø 6mm L 2m thickness 1mm t.max. 60°C transparent		

GERMAC

spare parts



1

Vare Nr.	510296	Ref. No.	0010705/O DW10705/O
description	membrane silicone		
For models:	Accessories, Electron500, Electron600, G600S, Gastro500S, GS50, GS85, HT11E, HT11E, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP1S-Plus, Optima500, Optima-Cutlery, OPTIMA-HR-PLUS		

accessories

container filters



1

Vare Nr.	361062	Ref. No.	N/A
description	container filter hose ø 4mm		

			
1			
Vare Nr.	361829	Ref. No.	0015058 12525 DW15058
description	container filter complete plastic hose ø 5mm		
For models:	C40-CF, C40-LS, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G35, G35-RL09-NEW, G600, G600, G600S, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, Gastro12S, Gastro400S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GRANUL1000...(Other models you can see in the webshop)		

non-return valves

			
1			
Vare Nr.	361899	Ref. No.	0010805 0010808 DW10805 DW10808
description	non-return valve inletmm outlet 7mm L 9mm Qty 2 pcs		
For models:	Derby, Derby400, DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G35, G35-RL09-NEW, G600, G600S, Gastro11S, Gastro1200, Gastro12S, Gastro400S, Gastro450, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS37, GS37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, GS85, H600, H600...(Other models you can see in the webshop)		


intake lances

			
1			
Vare Nr.	361911	Ref. No.	00590118 DW590118
description	intake lance plastic L 165mm NC tube ø 9mm hose ø 4.5mm cable length 1750mm		
For models:	TwinStar		

hoses

supply hoses

PVC supply hoses

			
1			
Vare Nr.	520010	Ref. No.	0010726 DW10726
description	supply hose PVC straight-curved DN13 connections 3/4" L 1500mm operating p. 10bar burst p. 32bar t.max. 90°C blue approval VDE flat seal		
For models:	Accessories, GASTRO-500, GASTRO-750, GASTRO-900, TEKNO-4-CF, TEKNO-4-LS		
accessories for	520010		
Vare Nr.	520053	Ref. No.	—
description	screen connection 3/4" D1 ø 26mm D2 ø 15mm Qty 10 pcs rubber thickness 8mm		
Vare Nr.	520054	Ref. No.	—
description	flat gasket rubber ED ø 23.5mm ID ø 14mm thickness 2.3mm Qty 10 pcs		

drain hoses


			
1			
Vare Nr.	530608	Ref. No.	0010727 DW10727
description	drain hose DN24 L 1500mm A int. ø 24mm A ext. ø 28mm B int. ø 28mm B ext. ø 35mm outer hose ø 29mm temp.-resist. 90°C		
For models:	Accessories, AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, FX...(Other models you can see in the webshop)		

			
1			
Vare Nr.	530083	Ref. No.	0010200112 DW10200112
description	drain hose DN31 L 1500mm A int. ø 31mm A ext. ø 35mm B int. ø 40mm B ext. ø 46mm outer hose ø 38mm		
For models:	Accessories, AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, FX, G600, TX1500, UX220		



1

Vare Nr.	530571	Ref. No.	0015721 0025031 DW15721 DW25031
description	drain hose DN24 L 1500mm straight ø inside 24mm straight ext. ø 29mm elbow ø inside 29mm elbow ext. ø 35mm outer hose ø 28mm		
For models:	AX161, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, BX300, DS40, DS45, DS50, DW020H, Electron1000, Electron400, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600S, Gastro11S, Gastro1200, Gastro400S, Gastro450, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS40, GS-40-RL09-NEW, GS45, GS50, GS85, H600, H600Electronic, HT11E, HT11S, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, Linear, LP1, LP1-800, LP1-800EL, LP1-S8, LP1-S8... (Other models you can see in the webshop)		



1

Vare Nr.	519272	Ref. No.	0010729 DW10729
description	drain hose DN24 L 1500mm straight ø inside 32mm straight ext. ø 35mm elbow ø inside 40mm elbow ext. ø 46mm outer hose ø 38mm		
For models:	G12S		

industrial hoses

Niplaflex hoses



1

Vare Nr.	530562	Ref. No.	002907350 DW2907350
description	pressure hose ID ø 13mm ED ø 21mm L 5m operating p. 10bar burst p. 30bar t.max. 110°C		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, FX, G600S, Gastro11S, Gastro1200... (Other models you can see in the webshop)		

pressure control hoses



1

Vare Nr.	530560	Ref. No.	0014508 DW14508
description	pressure control hose ID ø 5mm ED ø 9mm L 5m operating p. 30bar burst p. 90bar temp.-resist. 60°C		
For models:	Accessories, AX161, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, BX300, Derby, Derby400, DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G35, G35-RL09-NEW, G600, G600S, Gastro11S, Gastro1200, Gastro400S, Gastro450, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GRANUL1000, GRANUL900, GRANUL900, GS37, GS37-RL09-NEW, GS40... (Other models you can see in the webshop)		

formed hoses

straight



1

Vare Nr.	517231	Ref. No.	0010718 0017215 DW10718 DW17215
description	formed hose D1 ø 36mm D2 ø 28mm L 75mm dishwasher straight equiv. no. 10718, 440718		
For models:	AX250, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, C40-CF, C40-LS, CX, Derby, Derby400, DERBY-CF, DW020H, Electron1000, Electron500, Electron500Plus, FX, G35, Gastro500S, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS40, GS40, GS40, GS-40, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, Linear, LINEAR-CF, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT, Star, Synthesis, Tekno6, TURBO-CF, TURBO-LS		



1

Vare Nr.	517224	Ref. No.	00540005 DW540005
description	formed hose dishwasher straight equiv. no. 540005		
For models:	AX210, AX220, AX230, AX240, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX510, AX510LC, AX540, AX540LC, Electron400, Electron400, Electron400CleanWater, Gastro400S, Optima400, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS, UX220		

			
1			
Vare Nr.	517239	Ref. No.	0080502 DW80502
description	formed hose dishwasher straight equiv. no. 80502		
For models:	LP2, LP2		

			
1			
Vare Nr.	517247	Ref. No.	0015034 DW15034
description	formed hose dishwasher straight mounting pos. upper equiv. no. 15034		
For models:	G600, G600, GASTRO-500, GASTRO-750, GASTRO-900, GS100, GS-100, GS-100-DEPUR		

			
1			
Vare Nr.	517250	Ref. No.	0010200122/A DW10200122/A
description	formed hose dishwasher straight mounting pos. upper/lower equiv. no. 10200122/A		
For models:	GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, SILVER-1500, SILVER-1500-Insulated		

form L

			
1			
Vare Nr.	524850	Ref. No.	0076078 DW76078
description	formed hose end piece A ext. ø 43mm end piece A int. ø 35mm AD2 ø 58mm ø end piece B 49mm L 450mm Qty 1 warewashing L-shape		
For models:	HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche		

			
1			
Vare Nr.	996015	Ref. No.	92102 DW92102
description	formed hose end piece A ext. ø 61.5mm end piece A int. ø 51mm AD2 ø 55mm ø end piece B 46mm L 390mm		
For models:	LP-3PLUS, LP3S-PLUS, LP-4PLUS		

			
1			
Vare Nr.	517228	Ref. No.	0015032/A DW15032/A
description	formed hose end piece A int. ø 58mm ø end piece B 50mm warewashing L-shape equiv. no. 15032/A L2 120mm L1 130mm		
For models:	AX161, AX290, G12D, G12S, G600, G600, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-500, GASTRO-750, GASTRO-900, H600, H600Electronic, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP1, LP1-800, LP1-800, LP1-800EL, LP-ZERO, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		

			
1			
Vare Nr.	517236	Ref. No.	003002020 DW3002020
description	formed hose end piece A int. ø 60mm ø end piece B 60mm warewashing L-shape equiv. no. 3002020 L2 120mm L1 120mm		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, Gastro12S, H600, HT12-Elettronica, HT12S, LP1S, LP1-S, LP1-S8, LP1-S8EL, LP1S-Plus, LP-2PLUS, LP2S-PLUS, LP3, LP3, LP-3PLUS, LP3S-PLUS, LP4, LP4-800, LP4-Elettronica, LP-4PLUS, LP4S8-PLUS...(Other models you can see in the webshop)		



1

Vare Nr.	517225	Ref. No.	0010532 0015032 DW10532 DW15032
description	formed hose warewashing L-shape equiv. no. 15032		
For models:	Gastro450, GASTRO-450, GASTRO-500, GASTRO-750, GASTRO-900, GS50, GS50-230VAC		



2

Vare Nr.	517245	Ref. No.	0015033/A DW15033/A
description	formed hose warewashing L-shape equiv. no. 15033/A mounting pos. lower		
For models:	DW020H, Electron1000, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GS100, GS-100, GS-100-DEPUR, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP-ZERO		



1

Vare Nr.	517230	Ref. No.	0016169 DW16169
description	formed hose warewashing L-shape equiv. no. 16169		
For models:	GASTRO-450, Linear, LINEAR-LS		



1

Vare Nr.	517248	Ref. No.	0016170/M DW16170/M
description	formed hose warewashing L-shape equiv. no. 16170/M mounting pos. upper		
For models:	Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP-ZERO		



1

Vare Nr.	517223	Ref. No.	0018787 DW18787
description	formed hose warewashing L-shape equiv. no. 18787		
For models:	DS35, Electron400, G35, Gastro450, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS40, GS40, GS40, LP-ZERO, Star, STAR-CF, STAR-LS		



1

Vare Nr.	517229	Ref. No.	00550224 DW550224
description	formed hose warewashing L-shape equiv. no. 550224		
For models:	GS100, GS-100, GS-100-DEPUR		

with branch



1

Vare Nr.	517364	Ref. No.	0011600101 DW11600101
description	formed hose ext. ø 58 D1 ø 50mm D2 ø 35mm L 455mm black Qty 1		
For models:	H600, H600Electronic, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		

form S



1

Vare Nr.	517238	Ref. No.	0022015 DW22015
description	formed hose ID ø 50mm ED ø 65mm S-shape warewashing equiv. no. 22015 hose ext. ø 72mm int. ø 1 60mm		
For models:	LP1, LP1-800		



1

Vare Nr.	517237	Ref. No.	0010200124/A DW10200124/A
description	formed hose S-shape warewashing equiv. no. 10200124/A		
For models:	GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, LP4, LP4-800, LP4-Elettronica, SILVER-1500, SILVER-1500-Insulated		



1

Vare Nr.	517221	Ref. No.	0016170 DW16170
description	formed hose S-shape warewashing equiv. no. 16170		
For models:	C40-CF, C40-LS, Linear, LINEAR-CF		



1

Vare Nr.	517227	Ref. No.	0025032 DW25032
description	formed hose S-shape warewashing equiv. no. 25032		
For models:	Electron500, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS50, GS85, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, Tekno6, TEKNO-6, TEKNO-6-Break-Tank		



1

Vare Nr.	517226	Ref. No.	0025032/A DW25032/A
description	formed hose S-shape warewashing equiv. no. 25032/A		
For models:	DS45, DS50, DS50T, DS50-Touche, Dupla50, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600S, Gastro500S, GS45, GS-45, GS50, GS-50, GS-50-230Vac, Optima500, Tekno6.1-Acqua-pulita		

form U

1

Vare Nr.	517252	Ref. No.	0011600048 0015131 0018044 0018767 0018767/A DW11600048 DW15131 DW18044 DW18767 DW18767/A
description	formed hose ext. ϕ 35 D1 ϕ 28mm D2 ϕ 28mm warewashing U-shape		
For models:	AX250, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, CX, DS37, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater, Electron500CleanWater, Electron600, FX, G12S, G35-RL09-NEW, G600, G600S, Gastro11S, Gastro1200, Gastro12S, Gastro400S, GS100, GS37-RL09-NEW, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS-45, GS50, GS-50, GS-50-230Vac, GS85, H600, H600, H600Electronic, HT11...(Other models you can see in the webshop)		


1

Vare Nr.	517257	Ref. No.	0030002021 DW30002021
description	formed hose warewashing U-shape equiv. no. 30002021 mounting pos. upper		
For models:	Gastro450, GASTRO-450		


1

Vare Nr.	517255	Ref. No.	00150060 00560008 DW150060 DW560008
description	formed hose warewashing U-shape equiv. no. 560008 mounting pos. upper		
For models:	Electron500, Electron500CleanWater, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS50, GS85, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank		


2

Vare Nr.	517363	Ref. No.	0015033 DW15033
description	formed hose ext. ϕ 38 D1 ϕ 30mm L 255mm Qty 1		
For models:	G600, G600, Gastro450, GASTRO-450, GASTRO-500, GASTRO-750, GASTRO-900		


1

Vare Nr.	517242	Ref. No.	00560014 DW560014
description	formed hose warewashing U-shape equiv. no. 560014 mounting pos. lower		
For models:	Electron500, Electron500, Electron500Plus, Electron600, G600S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS50, Tekno6, TEKNO-6, TEKNO-6-Break-Tank		


1

Vare Nr.	517249	Ref. No.	0011600000 DW11600000
description	formed hose warewashing U-shape equiv. no. 11600000 mounting pos. upper/lower		
For models:	G12D, G12S, Gastro12S, H600, HT12-Elettronica		

miscellaneous

1

Vare Nr.	517788	Ref. No.	00150048 DW150048
description	formed hose ID ϕ 28mm ED ϕ 36mm L 615mm for wash pump		

			
1			
Vare Nr.	524824	Ref. No.	0092103 DW92103
description	formed hose ID ø 47/53mm ED ø 60/66mm L 340mm warewashing Qty 1 black		
For models:	LP-3PLUS, LP3S-PLUS		

			
1			
Vare Nr.	517256	Ref. No.	00150048/A DW150048/A
description	formed hose warewashing equiv. no. 150048/A mounting pos. upper		
For models:	DS45, DS50, DS50T, DS50-Touche, Dupla50, Electron500, Electron500, Electron500Plus, Electron600, G600S, Gastro500S, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC		

			
1			
Vare Nr.	517243	Ref. No.	00150049 DW150049
description	formed hose warewashing equiv. no. 150049 mounting pos. lower		
For models:	DS45, DS50, DS50T, DS50-Touche, Dupla50, Electron500, Electron600, G600S, Gastro500S, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85		

			
1			
Vare Nr.	517241	Ref. No.	0016167 DW16167
description	formed hose warewashing equiv. no. 16167 mounting pos. lower		
For models:	C40-LS, GS37, GS37, GS37-prima-serie, GS40, GS40, GS40, Linear, LINEAR-LS		

			
1			
Vare Nr.	517233	Ref. No.	0016168 DW16168
description	formed hose warewashing equiv. no. 16168 mounting pos. lower		
For models:	Electron400, Electron400, Electron400CleanWater, Gastro400S, GS40, GS40, GS40, Linear, LINEAR-LS, Optima400, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-CF, TEKNO-4-LS		

			
1			
Vare Nr.	517234	Ref. No.	0018788 DW18788
description	formed hose warewashing equiv. no. 18788 mounting pos. lower		
For models:	H600, H600Electronic, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, Star, STAR-CF, STAR-LS, TEKNO-4-CF, TEKNO-4-LS		

			
1			
Vare Nr.	517253	Ref. No.	00540004 DW540004
description	formed hose warewashing equiv. no. 540004 mounting pos. upper		
For models:	DS40, DS40, Electron400, Electron400, Electron400CleanWater, Electron500CleanWater, Gastro400S, Optima400, Tekno4, Tekno4.1-Acqua-pulita, TEKNO-4-LS, Tekno6.1-Acqua-pulita		



hose connectors

hose connectors

without screw connection



1

Vare Nr.	501210	Ref. No.	00540090 DW540090
description	Y-piece plastic hose ø 10-10-10mm		
For models:	AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, Derby, Derby400, DS35, DS37, DS40, DS40, Electron400, Electron400, Electron400CleanWater, Electron600, G35, G35-RL09-NEW, G600S, Gastro11S, Gastro1200, Gastro400S, Gastro450, GS37, GS37, GS37-prima-serie, GS37-RL09-NEW, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, HT12-Elettronica, Linear...(Other models you can see in the webshop)		



1

Vare Nr.	517166	Ref. No.	00540091 DW540091
description	Y-piece plastic hose ø 10-10-10mm 3-way		
For models:	AX161, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, CX, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, FX, G600S, Gastro400S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GRANUL1000, GRANUL900, GRANUL900, GS37, GS40, GS45, GS50, GS85, H600...(Other models you can see in the webshop)		



1

Vare Nr.	501341	Ref. No.	00540094 DW540094
description	Y-piece plastic hose ø 6-6-6mm		
For models:	Electron400CleanWater, Tekno4.1-Acqua-pulita, TwinStar		

fittings

double nipples



1

Vare Nr.	517005	Ref. No.	0012006 DW12006
description	double nipple		
For models:	G12D, G12S, G600, G600, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, Gastro12S, Gastro450, GASTRO-450, GASTRO-500, GASTRO-750, GASTRO-900, GS100, GS-100, GS-100-DEPUR, H600, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LINEAR-CR, LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP-ZERO, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		

reducers



1

Vare Nr.	520177	Ref. No.	0012032 DW12032
description	reducer thread 1/4" ET - 1/8" IT nickel-plated brass total length 13mm WS 17		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, FX, TX1500, UX220		

T-pieces

nickel-plated brass



1

Vare Nr.	520340	Ref. No.	0012008 DW12008
description	T-piece thread 1/4" IT - 1/4" IT - 1/4" IT nickel-plated brass L 46mm		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, FX, TX1500, UX220		

hose connectors

nickel-plated brass



1

Vare Nr.	520203	Ref. No.	0012023 DW12023
description	hose connector nickel-plated brass straight thread 1/2" hose ø 12mm Qty 1 pcs		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, FX, GRANUL1000, GRANUL900, HT12-Optima-HR-Plus, LC81, LC91, LP25-PLUS, LP35-PLUS, LP458-PLUS, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT, TwinStar, TX1500, UX220		



1

Vare Nr.	520201	Ref. No.	0012005 DW12005
description	hose connector nickel-plated brass straight thread 1/4" hose ø 12mm Qty 1 pcs		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, FX, G12D, G12S, Gastro12S, GS-45, GS50, GS-50, GS-50-230Vac, GS50-230VAC, HT12-Elettronica, HT12E-Lift, HT12S, HT12SElectronic, LINEAR-CR, LP1-S, LP2, LP2, LP3, LP3...(Other models you can see in the webshop)		



1

Vare Nr.	520202	Ref. No.	0010221311 DW10221311
description	hose connector nickel-plated brass straight thread 3/8" hose ø 12mm Qty 1 pcs		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BM100, BM200, BM300, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, DS35, DS40, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500Plus, Electron600, FX...(Other models you can see in the webshop)		



1

Vare Nr.	517108	Ref. No.	0012030 DW12030
description	hose connector nickel-plated brass angled thread 3/8" ET - M10x1 IT hose ø 12mm Qty 1 pcs		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, C40-CF, C40-LS, CAN-MASTER, CX, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, FX, G35, Gastro450, GASTRO-450, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS40...(Other models you can see in the webshop)		

water cycle components

pressure reduction valves

pressure reduction valves

universal



1

Vare Nr.	520789	Ref. No.	002000364 DW2000364
description	pressure reduction valve Caleffi series 5362 connection 1/2" default setting 3bar setting range 0.5 up to 6bar p max 25bar t.max. 80°C brass DVGW/SVGW/WRAS/ACS		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, TX1500, UX220		



supply filters



1

Vare Nr.	520790	Ref. No.	002000121 DW2000121
description	supply filter thread 3/4" IT - 3/4" ET total length 72mm nickel-plated brass H 66mm W 46mm		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, LC91, LP2, LP3, LP4-800, LP4-Electronica, TX1500, UX220		

ancillary products

clamps

hose clamps

DIN 3017 - W2



1

Vare Nr.	520112	Ref. No.	0011807 DW11807
description	hose clamp ø 12-20mm width 9mm Qty 10 pcs DIN 3017		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, C40-CF, C40-LS, CAN-MASTER, CX, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater... (Other models you can see in the webshop)		



1

Vare Nr.	520115	Ref. No.	0011806 DW11806
description	hose clamp ø 25-40mm width 9mm Qty 10 pcs DIN 3017		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, C40-CF, C40-LS, CAN-MASTER, CX, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater... (Other models you can see in the webshop)		

measuring equipment

thermometers

built-in thermometers



1

Vare Nr.	541305	Ref. No.	0010500011 DW10500011
description	thermometer mounting measurements 62x11mm +20 up to +120°C capillary pipe 1500mm probe ø 6.5mm probe L 16mm		
For models:	Gastro11S, Gastro1200, Gastro12S, GS100, H600, H600, HT11S, HT11-T, HT-11-Touche, HT12S, LP1, LP1-800, LP1-800EL, LP1S, LP1-S, LP1-S8, LP1-S8EL, LP2, LP3, LP4-800, LP-ZERO		

fastening material

screws

sheet metal screws



1

Vare Nr.	560521	Ref. No.	0011004 DW11004
description	sheet-metal screw ø 4mm L 10mm SS Qty 1 pcs 14585 intake Phillips head ø 8mm		
For models:	Derby, Derby400, DERBY-CF, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600S, Gastro400S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS-35, GS-37, GS40, GS40, GS40, GS-40, GS45, GS50, GS85, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LINEAR-CF... (Other models you can see in the webshop)		

flat-headed bolts



1

Vare Nr.	560365	Ref. No.	0011121 DW11121
description	flat-headed bolt thread M4 thread L 8mm SS DIN 7985/ISO 7045 Qty 1 pcs intake Phillips head ø 8mm head thickness 3mm		
For models:	DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, G35, G35-RL09-NEW, G600, G600, GASTRO-500, GASTRO-750, GASTRO-900, GS37, GS37, GS37-RL09-NEW, GS40, GS40, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS45, GS50, H600, H600Electronic, HT11E, HT11E, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, OPTIMA-HR-PLUS		



raised countersunk head screws

			
1			
Vare Nr.	560541	Ref. No.	00590099 DW590099
description	raised countersunk head screw thread M6 thread L 13mm SS DIN 966/ISO 7047 Qty 1 pcs intake slotted head ø 11mm head thickness 5mm		
For models:	TwinStar		

hexagonal screws

			
1			
Vare Nr.	560520	Ref. No.	0011109 DW11109
description	hexagonal screw thread M10 thread L 18mm SS WS 17 Qty 1 pcs head thickness 7mm DIN 933 / ISO 4017		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300		

			
1			
Vare Nr.	560087	Ref. No.	0011104/B DW11104/B
description	hexagonal screw thread M6 thread L 16mm SS WS 10 Qty 20 pcs DIN 933 / ISO 4017		
For models:	LP1S, LP1-S, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus, LP-2PLUS, LP2S-PLUS, LP-3PLUS, LP3S-PLUS, LP-4PLUS, LP4S8-PLUS, TwinStar		

			
1			
Vare Nr.	550682	Ref. No.	11216
description	hexagonal screw thread M8 thread L 20mm SS WS 13 Qty 1 pcs DIN 933 / ISO 4017		
For models:	HT11E, HT11E, HT11S, HT11-T, HT-11-Touche		

			
1			
Vare Nr.	560522	Ref. No.	0015159 DW15159
description	hexagonal screw thread M12x1.75 thread L 15mm plastic WS 19 Qty 1 pcs head thickness 10mm		
For models:	Derby, Derby400, DS35, DS37, DS40, DS50, DW020H, Electron1000, Electron400, Electron400CleanWater, Electron500, Electron500CleanWater, G35, G600, Gastro11S, Gastro1200, Gastro12S, Gastro400S, Gastro450, Gastro500Plus, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS37, GS37, GS37-prima-serie, GS40, GS40, GS40, GS45, GS50, GS85, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, Linear, LP1...(Other models you can see in the webshop)		

side bolts

			
1			
Vare Nr.	560289	Ref. No.	0011168 DW11168
description	side bolts thread M6 L 12mm SS Qty 1 pcs intake Phillips head ø 12.6mm		
For models:	DS45, DS50, DS50T, DS50-Touche, Dupla50, TEKNO-4-CF, TEKNO-4-LS, TEKNO-6, TwinStar		

grub screws

DIN 914/ISO 4027

			
1			
Vare Nr.	560457	Ref. No.	0011170 DW11170
description	grub screw thread M5 L 25mm stainless steel DIN 914/ISO 4027 intake hexagonal WS 2.5 Qty 1 pcs		
For models:	Derby, Derby400, DERBY-CF, Linear, LINEAR-CF, LINEAR-LS, Star, STAR-CF, STAR-LS		

DIN 916/ISO 4029

			
1			
Vare Nr.	560542	Ref. No.	0011505 DW11505
description	grub screw thread M6 L 16mm in stainless steel DIN 916/ISO 4029 intake internal hexagon WS 3 Qty 1 pcs		
For models:	TwinStar, TX1500		



1

Vare Nr.	510906	Ref. No.	11504 DW11504
description	grub screw thread M6 L 8mm stainless steel DIN 914/ISO 4027 WS 3 Qty 1 pcs		
For models:	TX1500		

knurled screws



1

Vare Nr.	524804	Ref. No.	0010652 DW10652
description	Thumb screw thread M5 thread L 7mm ø 30mm H 5mm SS Qty 1 pcs		
For models:	DS40, DS40, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500, Electron500CleanWater, Electron500Plus, Electron600, G600S, Gastro11S, Gastro1200, Gastro400S, Gastro500S, GS50, GS85, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, LP1, LP1-800, LP1-800, LP1-800EL, LP1-S8, LP1-S8, LP1-S8EL, LP1S-Plus, LP2, LP-2PLUS, LP2S-PLUS, LP3, LP-3PLUS...(Other models you can see in the webshop)		
accessories for	524804		
	Vare Nr.	505277	Ref. No. 0010651 10651 DW10651
rinse arm shaft warewashing ø 14mm H 38mm thread 1/4"			



1

Vare Nr.	517066	Ref. No.	0011101/A DW11101/A
description	Thumb screw thread M8 thread L 8mm ø 30mm H 3mm SS mounting pos. upper		
For models:	C40-CF, C40-LS, DERBY-CF, Gastro450, GS-35, GS40, GS40, Linear, LINEAR-CF, LINEAR-LS, Optima400, Optima500, Optima500, Optima-Cutlery, STAR-CF, TURBO-CF, TURBO-LS, TwinStar		



1

Vare Nr.	517039	Ref. No.	0011101/I DW11101/I
description	Thumb screw thread M8x1.25 thread L 8mm ø 30mm H 3mm SS mounting pos. lower		
For models:	C40-CF, C40-LS, DERBY-CF, DS45, DS50, Dupla50, Electron500, Electron500CleanWater, G600, G600, GASTRO-11S, Gastro450, GASTRO-450, GASTRO-500, Gastro500Plus, Gastro500S, GASTRO-750, Gastro750Plus, Gastro750S, GASTRO-900, GS-35, GS40, GS40, GS40, GS-40, GS45, GS-45, GS50, GS50, GS-50, GS-50-230Vac, GS50-230VAC, GS85, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, LINEAR-CF, LINEAR-LS, LP1, LP1-800, STAR-CF, STAR-LS, Tekno6, TEKNO-6, Tekno6.1-Acqua-pulita, TEKNO-6-Break-Tank...(Other models you can see in the webshop)		

nuts

cap nuts



1

Vare Nr.	560138	Ref. No.	0011183 DW11183
description	cap nuts thread M8 WS 13 SS Qty 20 pcs DIN/ISO DIN 1587		

hexagonal nuts

DIN 934 / ISO 4032/8673



1

Vare Nr.	560340	Ref. No.	0011703 DW11703
description	hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs		
For models:	DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, F120, F120-TK120P, F60, F60-TK60P, G35, G35-RL09-NEW, GASTRO-500, GASTRO-750, GASTRO-900, GS37, GS37-RL09-NEW, GS40, GS-40-RL09-NEW, GS40-RL09-NEW, GS-45, GS-50, GS-50-230Vac		



1

Vare Nr.	560197	Ref. No.	0011719 DW11719
description	nut thread M10 H 8mm WS 17 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, H600, H600E-electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, OPTIMA-HR-PLUS, PlatinumOptima-HR, PlatinumOptima-HT		



1

Vare Nr.	517174	Ref. No.	0011702 DW11702
description	nut thread M8 H 6.5mm WS 13 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, C40-CF, C40-LS, CX, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater, Electron500...(Other models you can see in the webshop)		



hexagonal nuts metric (without norm)

			
1			
Vare Nr.	560519	Ref. No.	0010200205 DW10200205
description	nut thread M12x1 H 5mm WS 17 SS Qty 1 pcs		
For models:	Derby, Derby400, DS35, DS37, DS40, DS50, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater, Electron500, Electron500CleanWater, G35, G600, Gastro11S, Gastro1200, Gastro12S, Gastro400S, Gastro450, Gastro500Plus, Gastro500S, Gastro750Plus, Gastro750S, GS100, GS37, GS37, GS37-prima-serie, GS40, GS40, GS40, GS45, GS50, GS85, H600, H600Electronic, HT11, HT11E, HT11E, HT11S, HT11S, HT11-T, HT-11-Touche, HT12-Elettronica, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, HT12SElectronic, Linear...(Other models you can see in the webshop)		

hexagonal nuts inch thread

			
1			
Vare Nr.	517180	Ref. No.	0011701/A DW11701/A
description	nut thread 1" H 5mm WS 36 SS Qty 1 pcs		
For models:	AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, C40-CF, C40-LS, CAN-MASTER, CX, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, Electron400CleanWater, Electron500CleanWater, FX, G12D, G12S, G35, G600, G600, Gastro12S, Gastro450, GASTRO-450, GASTRO-500, GASTRO-750, GASTRO-900, GRANUL1000, GRANUL900, GRANUL900, GS-35, GS37, GS37, GS-37, GS37-prima-serie, GS40...(Other models you can see in the webshop)		

			
1			
Vare Nr.	520232	Ref. No.	0010200080 DW10200080
description	nut thread 1 1/4" H 5mm nickel-plated brass WS 47 Qty 1 pcs		
For models:	GASTRO-1200S, GASTRO-1200-S, GASTRO-1200-S-Isolata, SILVER-1500, SILVER-1500-Insulated		

			
1			
Vare Nr.	520499	Ref. No.	0015042/A DW15042/A
description	nut thread 1 1/4" H 6mm WS 50 brass Qty 1 pcs		
For models:	G12D, G12S, G600, G600, Gastro11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, Gastro12S, GASTRO-500, GASTRO-750, GASTRO-900, GS100, GS-100, GS-100-DEPUR, H600, H600, H600Electronic, HT12-Elettronica, HT12S, HT12SElectronic, LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP-ZERO		

			
1			
Vare Nr.	507528	Ref. No.	002200103 DW2200103
description	nut thread 3/4" H 8mm WS 32 brass Qty 1 pcs		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, LP-3PLUS, LP3S-PLUS, LP-4PLUS, LP4S8-PLUS, TwinStar, TX1500, UX220		

washers

spring rings

			
1			
Vare Nr.	560122	Ref. No.	11608
description	lock washer ID ø 5.2mm ED ø 9mm SS DIN127 Qty 20 pcs for thread M5		
For models:	AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, G35, GASTRO-500, GASTRO-750, GASTRO-900		

			
1			
Vare Nr.	560208	Ref. No.	11609 DW11609
description	lock washer ID ø 8.3mm ED ø 15mm SS Qty 1 pcs		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, GASTRO-500, GASTRO-750, GASTRO-900		

washers

miscellaneous

			
1			
Vare Nr.	506160	Ref. No.	0011185 0011611 DW11185 DW11611
description	plain washer ID ø 8.6mm ED ø 16mm thickness 1.5mm SS Qty 1 pcs		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, CAN-MASTER, CX, FX, G600, G600, Gastro11S, GASTRO-11S, GASTRO-11-S, GASTRO-11-S-Isolata, Gastro1200, GASTRO-500, GASTRO-750, GASTRO-900, GS50, GS50-230VAC, HT11, HT11S, LP1, LP1, LP1-800, LP1-800, LP1-800, LP1-800EL, LP-ZERO, PlatinumOptima-HR...(Other models you can see in the webshop)		



fasteners

slot nuts



1

Vare Nr.	560285	Ref. No.	002001046 DW2001046
description	slot nut W 8mm H 7mm L 30mm		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CAN-MASTER, CX, FX, GRANUL1000, GRANUL900, GRANUL900, TX1500, UX220		

clamps

hose clamps

DIN 3017 - W2



1

Vare Nr.	520112	Ref. No.	0011807 DW11807
description	hose clamp ø 12-20mm width 9mm Qty 10 pcs DIN 3017		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, C40-CF, C40-LS, CAN-MASTER, CX, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater... (Other models you can see in the webshop)		



1

Vare Nr.	520115	Ref. No.	0011806 DW11806
description	hose clamp ø 25-40mm width 9mm Qty 10 pcs DIN 3017		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, C40-CF, C40-LS, CAN-MASTER, CX, Derby, Derby400, DERBY-CF, DS35, DS37, DS40, DS40, DS45, DS50, DS50T, DS50-Touche, Dupla50, DW020H, Electron1000, Electron400, Electron400, Electron400CleanWater... (Other models you can see in the webshop)		

consumables

sealants and adhesives

screw fixings



1

Vare Nr.	890137	Ref. No.	Loctite 243
description	screw fixing LOCTITE 243 medium-strength bottle 5ml		
description	LOCTITE® 243™ - bottle 5ml Is a general purpose threadlocker of medium bond strength. This threadlocker secures and seal bolts, nuts and studs to prevent loosening due to vibration. The product works on all metals, including passive substrates such as stainless steel, aluminium and plated surfaces. It is proven to be tolerant of minor contamination due to industrial oils, e.g. engine oils, corrosion prevention oils and cutting fluids.		

lubricants

high-temperature greases



1

Vare Nr.	890120	Ref. No.	Grease High Temp
description	lubricant GM 5 up to +450°C 100g tubeml		
description	Turmopast GM 5 - tube 100g Special thermally stable paste with synergetic solid lubricant combination, generates low coefficients of friction. The extremely effective lubricant paste has a good pressure capability, protects reliably against friction and wear, and thus results in lowered lubricant consumption. Paste-like lubricant film at temperatures < 200 °C, transition to dry lubrication > 200 °C. Temperature resistance: -40°C to +450°C		

fuses

fine fuses



1

Vare Nr.	358610	Ref. No.	0015160 DW15160
description	fine fuse size ø5x20mm 10A fast-acting rated 250V Qty 10 pcs		
For models:	AX151, AX151-highspeed, AX160, AX210, AX220, AX230, AX240, AX250, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, FX, LP-2PLUS, LP2S-PLUS, LP-3PLUS, LP3S-PLUS, LP-4PLUS, LP4S8-PLUS, TX1500, UX220		

			
1			
Vare Nr.	358671	Ref. No.	0015163 DW15163
description	fine fuse size ø5x20mm 1A fast-acting rated 250V Qty 10 pcs		
For models:	AX151, AX151-highspeed, AX160, AX161, AX210, AX220, AX230, AX240, AX250, AX290, AX300, AX300LC, AX310, AX310LC, AX320, AX330, AX380, AX380LC, AX400, AX440, AX440LC, AX510, AX510LC, AX540, AX540LC, BX230, BX230Special, BX280, BX300, CX, Electron500, Electron500, Electron500Plus, Electron600, FX, G600S, Gastro500Plus, Gastro500S, Gastro500S, Gastro750Plus, Gastro750S, GS50, H600, HT11E, HT11S, HT12E-Lift, HT12E-Plus, HT12-Optima-HR-Plus, HT12S, LP1-800...(Other models you can see in the webshop)		

			
1			
Vare Nr.	358607	Ref. No.	0015212 DW15212
description	fine fuse size ø5x20mm 6.3A slow-acting rated 250V Qty 10 pcs		
For models:	TwinStar		

ø10x38mm 500V			
			
1			
Vare Nr.	358027	Ref. No.	003006095 DW3006095
description	fine fuse size ø10x38mm 16A rated 500V type Gg fast-acting Qty 1 pcs		
For models:	TwinStar		

B

bi-metal thermostats	7
booster pumps I	58
booster pumps II	59

C

cables	60
cap nuts	138
clamps	136, 140
coil heating elements	2
condensators & interference suppression filters	59
consumables	140
contactors	28
container filters	126
control equipment	22
control thermostats	8, 8

D

door seals for dishwashers	119
dosing pumps	123
double nipples	134
drain hoses	127
drain pumps	58

E

electric accessories	60
electronic controllers	31
espagnolette locks	109

F

fans	42
fasteners	140
fastening material	136
fine fuses	140
fittings	134
flat-headed bolts	136
flow meters	42
formed hoses	128
fuses	60, 140

G

grub screws	137
-------------	-----

H

heating elements	2
hexagonal nuts	138
hexagonal screws	137
high-temperature greases	140
hose clamps	136, 140
hose connectors	134, 135
hoses	127
hot air fans	42

I

immersion heating elements	2
indicator lights	24
indicator lights (complete)	24
industrial hoses	128
intake lances	127

K

knurled screws	138
----------------	-----

L

lamps	24
LED	25
light bulbs	25
lubricants	140

M

magnetic switches	21
measuring equipment	136
microswitches	11
motors	42

N

Niplaflex hoses	128
non-return valves	127
nuts	138

O

operating capacitors	59
O-rings	114

P

plunger sockets	9
position switches	12
pressure control hoses	128
pressure reduction valves	135, 135
pressure switches	40
probes	32
programme timers	25
pumps	43
push/momentary push switches	9
PVC supply hoses	127

R

raised countersunk head screws	137
reducers	134
relays	30
ribbon cables	60
rotary switches	20

S

safety bi-metal thermostats	7
-----------------------------	---

safety thermostats	8
screw fixings	140
screws	136
sealants and adhesives	140
sealing discs	120
sealing washers	117
shaft gaskets	119
sheet metal screws	136
side bolts	137
slot nuts	140
solenoid valves	37
spring rings	139
supply filters	136, 136
supply hoses	127
switches and momentary switches	9
system switches	15
system switches (ROLD)	12

T

temperature probes	32
terminals	60
thermostats	7
time relays	31
timers	25

U

universal probes	32
------------------	----

W

wash and rinse pumps	43
washers	139
water cycle components	135