



Reservedele til


Electrolux - Zanussi

2017




heating elements

heating elements for ovens




vm nr.	418078	Ref. No.	005218 3570338040 3581907700 3581909599
description	heating element 1000W 230V heating circuits 1 L 335mm W 345mm L1 55mm L2 280mm W1 154mm W2 36mm flange length 80mm flange width 16mm hole distance 60mm hole ø 5mm tube ø 6.3mm connection male faston 6.3mm connection length 60mm rectangular flange dry heating element		
For models:	FCF/E4, FCF/E4-3KW, JCF/E4, JCF/E4, ECF/E4, ECF/E4-3KW, ACF/E4, ACF/E4-3KW, NCF/E4, ZCF/E4, ZCF/E4		



vm nr.	418081	Ref. No.	054326 3570041016 3570060016
description	heating element 2000W 230V L 314mm W 290mm L1 11mm L2 213mm W1 126mm W2 33mm connection plug-in connection heating circuits 1 tube ø 6.5mm plug-in connection dry heating element		
For models:	FCF/E4-OLD, FCF/E4D, FCFE4PH, FCF/E4OLD3, FCF/E4OLD4, FCF/E4OLD2, FCF/E4OLD1, FCF/E4D		

accessories for	418081		
	vm nr.	550404	Ref. No. —
power socket I-II phase 240V max. 16A countries I with screw connection for heating element			
	vm nr.	550405	Ref. No. —
power socket male faston 6.3mm for heating element 2-pole + earthing			




vm nr.	418082	Ref. No.	005205 3570337018 3581907668
description	heating element 2550W 230V heating circuits 2 L 333mm W 347mm L1 48mm L2 285mm W1 120mm W2 107mm flange length 120mm flange width 25mm bridge length 368mm hole ø M4mm tube ø 6.3mm connection male faston 6.3mm rectangular flange dry heating element hot air		
For models:	FCF/E4, FCF/E4-3KW, JCF/E4, JCF/E4, ECF/E4, ECF/E4-3KW, ACF/E4, ACF/E4-3KW, NCF/E4, ZCF/E4, ZCF/E4		

heating elements for pizza ovens



vm nr.	415678	Ref. No.	004151 91711901
description	heating element 1000W 230V L 575mm W 160mm flange length 220mm flange width 31mm hole distance 201mm connection length 133mm connection M5 L1 30mm L2 25mm L3 520mm W1 25mm W2 112mm tube ø 10mm heating circuits 1 rectangular flange hole ø 4mm dry heating element		
For models:	ZCMME6, ZCBME12		



vm nr.	415917	Ref. No.	004152 91711911
description	heating element 1400W 230V L 572mm W 159mm flange length 220mm flange width 32mm hole distance 199mm connection length 134mm connection M5 L1 30mm L2 27mm L3 515mm W1 25mm W2 110mm tube ø 10.2mm heating circuits 1 rectangular flange hole ø 4mm dry heating element		
For models:	ZCMME6, ZCBME12		



vm nr.	415918	Ref. No.	004153 91711902
description	heating element 1500W 230V L 875mm W 164mm flange length 220mm flange width 30mm hole distance 202mm connection length 132mm connection M5 L3 815mm W1 25mm W2 110mm tube ø 10mm heating circuits 1 rectangular flange hole ø 4mm dry heating element		
For models:	ZCMME9, ZCBME18		



vm nr.	415919	Ref. No.	004154 91711912
description	heating element 2000W 230V L 870mm W 160mm flange length 220mm flange width 31mm hole distance 200mm connection length 130mm connection M5 L3 820mm W1 110mm W2 160mm tube ø 10mm heating circuits 1 rectangular flange hole ø 4mm dry heating element		
For models:	ZCMME9, ZCBME18		




vm nr.	416437	Ref. No.	004199 91711021
description	heating element 1000W 230V L 895mm W 132mm thread 1/4" mounting distance 122mm connection length 110mm connection M4 tube ø 8.5mm heating circuits 1 dry heating element 2 hole fixing		
For models:	ZCMDE6, ZCBDE12		
accessories for	416437		
	vm nr.	361182	Ref. No. —
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs			


Table continues overleaf

accessories for 416437				
	vm nr.	510417	Ref. No.	OK6103 OK6660 OK8701
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs				
	vm nr.	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14				
	vm nr.	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm				

				
vm nr.	416438	Ref. No.	004200 OC3614 91711031	
description	heating element 1400W 230V L 898mm W 132mm thread 1/4" mounting distance 123mm connection length 98mm connection M5 tube ø 8.5mm heating circuits 1 dry heating element 2 hole fixing			
For models:	ZCMDE6, ZCBDE12, PDE830, PDE1230, PDE12L30, PDE1830, PDE835, PDE1235, PDE12L35, PDE1835, PME430, PME630, PME6L30, PME930, PME435, PME635, PME6L35, PME935, PME830, PME1230, PME12L30, PME1830, PME835, PME1235, PME12L35, PME1835			
spare parts for	416438			
	vm nr.	510417	Ref. No.	OK6103 OK6660 OK8701
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs				
accessories for	416438			
	vm nr.	361182	Ref. No.	—
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs				
	vm nr.	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14				
	vm nr.	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm				

			
vm nr.	418053	Ref. No.	0C6494 91711005
description	heating element 1500W 230V L 365mm W 400mm L1 20mm L2 60mm L3 285mm W1 32mm W2 335mm thread M10x1 mounting distance 331mm connection length 85mm connection M5 windings 4 tube ø 6.3mm heating circuits 1 dry heating element mounting pos. upper 2 hole fixing pizza oven		

			
vm nr.	419090	Ref. No.	OK7632
description	heating element 1670W 230V L 440mm W 144mm tube ø 8.5mm heating circuits 1 dry heating element		
For models:	HC-AR, HC-CS		

				
vm nr.	416440	Ref. No.	004202 OC3606	
description	heating element 2000W 230V L 892mm W 245mm thread 1/4" mounting distance 237mm connection length 97mm connection M5 tube ø 8.5mm heating circuits 1 dry heating element 2 hole fixing			
For models:	ZCMDE9, ZCBDE18, PDE830, PDE1230, PDE12L30, PDE1830, PDE835, PDE1235, PDE12L35, PDE1835, PME430, PME630, PME6L30, PME930, PME435, PME635, PME6L35, PME935, PME830, PME1230, PME12L30, PME1830, PME835, PME1235, PME12L35, PME1835			
spare parts for	416440			
	vm nr.	510417	Ref. No.	OK6103 OK6660 OK8701
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs				
accessories for	416440			
	vm nr.	361182	Ref. No.	—
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs				
	vm nr.	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14				
	vm nr.	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm				

				
vm nr.	416435	Ref. No.	004197 OC3605 91711020	
description	heating element 600W 230V L 605mm W 130mm thread 1/4" mounting distance 120mm connection length 110mm connection M4 tube ø 8.5mm heating circuits 1 dry heating element 2 hole fixing pizza oven			
For models:	ZCMDE4, ZCBDE8, PDE830, PDE1230, PDE12L30, PDE1830, PDE835, PDE1235, PDE12L35, PDE1835, PME430, PME630, PME6L30, PME930, PME435, PME635, PME6L35, PME935, PME830, PME1230, PME12L30, PME1830, PME835, PME1235, PME12L35, PME1835			
accessories for	416435			
	vm nr.	361182	Ref. No.	—
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs				
	vm nr.	510417	Ref. No.	OK6103 OK6660 OK8701
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs				
	vm nr.	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14				
	vm nr.	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm				

			
1			
vm nr.	416436	Ref. No.	004198 OC3615 91711030
description	heating element 800W 230V L 605mm W 130mm thread 1/4" mounting distance 122mm connection length 110mm connection M4 tube ø 8.5mm heating circuits 1 dry heating element 2 hole fixing		
For models:	ZCMDE4, ZCBDE8, PDE830, PDE1230, PDE12L30, PDE1830, PDE835, PDE1235, PDE12L35, PDE1835, PME430, PME630, PME6L30, PME930, PME435, PME635, PME6L35, PME935, PME830, PME1230, PME12L30, PME1830, PME835, PME1235, PME12L35, PME1835, PDG433, PDG633, PDG933		
spare parts for	416436		
	vm nr.	510417	Ref. No. OK6103 OK6660 OK8701
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
accessories for	416436		
	vm nr.	361182	Ref. No. —
nut thread 1/4" H 5mm nickel-plated brass WS 17 Qty 1 pcs			
	vm nr.	520228	Ref. No. —
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	vm nr.	550262	Ref. No. —
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm			

heater battery

			
vm nr.	415122	Ref. No.	0k4812
description	heater battery mounting distance 185mm W 40mm H 35mm 2000W 230V temperature restriction 105°C heating circuits 2 connection cable cable length 340mm L 197mm for cross flow fan		


pilot heating elements


1

			
vm nr.	415460	Ref. No.	0H6199 OK0550 OKC471 450191G3
description	heating element 1000W 230V heating circuits 1 flange 70x18mm L 230mm W 65mm connection male faston 6.3mm tube ø 8.5mm immersion heater expansion flange connection length 20mm silicone TD ø 8mm		
For models:	7573-3/85.KES100.(N), 7574-3/85.KES150.(N), 7575-3/85.KES250.(N), 7576-3/85.KES300.(N), 7573-3/90.KES100.(N), 7574-3/90.KES150.(N), 7575-3/90.KES250.(N), 7576-3/90.KES300.(N), 7573-3, 7574-3, 7575-3, 7576-3, 7577-3, 7773-3, 7773-3/85.KES100, 7773-3/90.KES100, 7774-3, 7774-3/85.KES150, 7774-3/90.KES150, 7775-3, 7775-3/85.KES250, 7775-3/90.KES250, 7776-3, 7776-3/85.KES300, 7776-3/90.KES300, 9100-3, 9104-3, 9113-3, 9190-3, 9191-3, 9193-3, 9195-3, 9300-3-0, 9300-3-8, 9304-3-0, 9304-3-8, 9313-3-0, 9313-3-8, 9390-3, 9391-3, 9393-3, 9395-3		
accessories for	415460		
	vm nr.	375044	Ref. No. 0H6141 0KE595
safety thermostat switch-off temp. 178°C 1-pole 16A probe ø 4mm probe L 91mm capillary pipe 1730mm capillary pipe isolated 1600mm gland nut probe with sealing sleeve screw connection M8x1 sealing sleeve 8.6x32mm			

immersion heating elements


3 hole flange ø47.5mm

 			
vm nr.	419082	Ref. No.	0F0051 OK8362
description	heating element 13000W 230V mounting ø 47.5mm heating circuits 3 L 585mm W 30mm H 40mm number of thermostat sleeves 1 thermostat sleeves ø 5mm length thermostat sleeves 225mm thermostat sleeve centred, adjacent tube ø 8.5mm hole distance 62.5mm hole ø 6.5mm connection length 17mm connection M5 3 hole flange immersion heater		
For models:	CS20ME4/200-3, CS20ME4/230-3, CS20ME6/230-3, CS20ME4/400-3N, CS20ME6/400-3N, CS20ME4/400-3NE, CS20ME4/400-3, CS-20ME4/440-3, CS20MT4/400-3N, CS20MT6/400-3N, CS20GE4/200-3, CS20GE4/230-3, CS20GE6/230-3, CS20GE4/400-3N, CS20GE6/400-3N, CS20GE4/400-3NE, CS20GE4/400-3, CS20GE4/440-3, CS-20GT4/400-3N, CS20GT6/400-3N, CS20LCE4/200-3, CS20LCE4/230-3, CS20LCE6/230-3, CS20LCE4/400-3N, CS20LCE6/400-3N, CS20LCE4/400-3, CS20LCE4/440-3, CS20LCT4/400-3N, CS20LCT6/400-3N		

1  			
vm nr.	419083	Ref. No.	058672
description	heating element 17000W 220V mounting ø 47.5mm heating circuits 3 L 590mm W 35mm H 40mm tube ø 8.5mm hole distance 62.5mm hole ø 6.5mm connection M5 3 hole flange immersion heater		
For models:	FCVE10-2, FCVE10-4, FCVE103CE, FCVE10-2UK, FCVE10-4UK, ZOFCV/E102, ZOFCV/E104		
accessories for	419083		
	vm nr.	510408	Ref. No.
			046213 055533 067620 0H2559 0L2765 19006668 19006946
O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs			

<			
---	--	--	--

			
vm nr.	419084	Ref. No.	059003
description	heating element 17000W 240V mounting ø 47.5mm heating circuits 3 L 590mm W 32mm H 40mm number of thermostat sleeves 1 thermostat sleeves ø 5mm length thermostat sleeves 225mm thermostat sleeve centred, adjacent tube ø 8.5mm hole distance 62.5mm hole ø 6.5mm connection M5 3 hole flange immersion heater		
For models:	FCVE10-P, FCVE10PUK		

					
1					
vm nr.	415394	Ref. No.	058666		
description	heating element 7900W 230V mounting ø 47.5mm heating circuits 3 L 287mm W 33mm H 35mm tube ø 8.5mm hole distance 63mm hole ø 8mm connection M5 3 hole flange immersion heater				
For models:	XFV/E700, FCVE6-1U, FCVE6-3U, FCVE6-1, FCVE6-3, FCVE6-3CE, FCVE6-1UK, FCVE6-3UK, FCMV62E, FCMV62EUK, FCV/E6-1, FCV/E6-1				
accessories for	415394				
	vm nr.	510408	Ref. No.	046213 055533 067620 0H2559 0L2765 19006668 19006946	
	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs				
	vm nr.	510562	Ref. No.	—	
	O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs				

			
vm nr.	415690	Ref. No.	002835 0K0538 60050339
description	heating element 9000W 230V mounting ø 47.5mm heating circuits 3 L 290mm W 32mm H 38mm number of thermostat sleeves 1 thermostat sleeves ø 5mm length thermostat sleeves 175mm thermostat sleeve centre tube ø 8.5mm hole distance 63mm hole ø 10mm connection M5 3 hole flange immersion heater		
For models:	FCV/E6L4, FCS061EP, FCS061E4, FCS061EXLN, FCS061EX, 5711-3-6, 5711-3-7, 5711-3-8, 5711-3-10, 5711-3-8CH, 5711-3-10CH, ECV/E6T4, RCV061E4, ZCV/E6T4		
spare parts for	415690		
	vm nr.	510408	Ref. No. 046213 055533 067620 0H2559 0L2765 19006668 19006946
O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs			

Table continues overleaf





with round flange ø47.5mm




vm nr.	419086	Ref. No.	056012
description	heating element 17000W 220V heating circuits 6 mounting ø 47.5mm L 470mm W 42mm H 42mm round flange cable length 380mm immersion heater tube ø 6.3mm connection length 130mm		
For models:	FV4E, FCVE10-2, FCVE10-4, FCVE10-2UK, FCVE10-4UK, ZOFCV/E102, ZOFCV/E104, FV4E		



vm nr.	415809	Ref. No.	055384 056013
description	heating element 24000W 400V heating circuits 3 mounting ø 47.5mm round flange connection cable immersion heater		
For models:	FCVE20-2, FCVE20-4, FCVE203CE, FCVE20-2UK, FCVE20-4UK, ZOFCV/E202, ZOFCV/E204		

accessories for	415809		
	vm nr.	510408	Ref. No. 046213 055533 067620 0H2559 0L2765 19006668 19006946
O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs			
	vm nr.	510562	Ref. No. —
O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs			
	vm nr.	520235	Ref. No. —
3 hole flange hole distance 70.5mm perforation ø 6.5mm ID ø 53.5mm			
	vm nr.	520236	Ref. No. 003362 065558 0K2022 0K2917 0KD441 H24512000
flange for heating element ID ø 50mm ED ø 90mm hole ø 6.5mm 3 holes			
	vm nr.	550002	Ref. No. —
tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element			
	vm nr.	550362	Ref. No. —
blind flange ø 64mm mounting ø 47.5mm			



vm nr.	415652	Ref. No.	002751 0C5337 60050289
description	heating element 24000W 400V heating circuits 6 mounting ø 47.5mm L 585mm W 32mm H 35mm round flange connection male faston 6.3mm immersion heater tube ø 6.3mm connection length 86mm thermostat sleeves ø 5mm number of thermostat sleeves 1 length thermostat sleeves 155mm thermostat sleeve clinging		
For models:	FCV/E102/1L3, FCV/E20L3, FCVE20L3, FCV/E102/1L6, FCV/E20L6, FCVE20L6, FVC/E102/1, FVC/E201/1, FVC/E202/1, FCS102E4, FCS102EP, FCS201E4, FCS201EP, FCS202E4, FCS202EP, FCS102EX, FCS201EX, 5714-3-6, 5714-3-7, 5714-3-8, 5714-3-8E, 5714-3-10, 5717-3-6, 5717-3-7, 5717-3-8, 5717-3-8E, 5717-3-10, 5717-3-8C, ECVE102T4, ECVE20T4, ECVE202T4, ECV/E102/1T6, ECV/E20T6, ECVE202T6, ACVE102C4, ACV/E20C4, ACVE202C4, ACV/E102/1C6, ACVE20C6, ACV/E202/1, ZCV/E102/1, ZCV/E20T4, ZCV/E202/1, ZCV/E102/1T6, ZCV/E20T6, ZCV/E202/1		
accessories for	415652		
	vm nr.	510408	Ref. No. 046213 055533 067620 0H2559 0L2765 19006668 19006946
O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs			
	vm nr.	510562	Ref. No. —
O-ring silicone thickness 5.34mm ID ø 47mm Qty 1 pcs			
	vm nr.	520235	Ref. No. —
3 hole flange hole distance 70.5mm perforation ø 6.5mm ID ø 53.5mm			
	vm nr.	520236	Ref. No. 003362 065558 0K2022 0K2917 0KD441 H24512000
flange for heating element ID ø 50mm ED ø 90mm hole ø 6.5mm 3 holes			
	vm nr.	550002	Ref. No. —
tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element			
	vm nr.	550362	Ref. No. —
blind flange ø 64mm mounting ø 47.5mm			
	vm nr.	550460	Ref. No. —
kable set			


special flangesmiscellaneous3/4"

heating elements for convection

			
1			
vm nr.	415119	Ref. No.	0A2017
description	heating element 1600W 230V heating circuits 1 ID ø 179mm ED ø 197mm L 254mm H 30mm L1 51mm W1 31mm H1 9mm H2 21mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm connection length 41mm tube ø 6.3mm convection heating element hole ø 4mm rectangular flange		
For models:	655-00-106, 655-00-107		
accessories for	415119		
	vm nr.	510368	Ref. No. —
gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element			

			
1			
vm nr.	415117	Ref. No.	054317 054843 055028 2410053850
description	heating element 2500W 230V heating circuits 1 ID ø 175mm ED ø 195mm L 245mm H 55mm L1 50mm W1 30mm H1 25mm H2 10mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm horizontal tube ø 6.5mm convection heating element hole ø 5mm rectangular flange		
For models:	FCF02EV, FCF02EOEM, FCF/E2, FCF/E2D, FCF/E2UK, FCF/E4-OLD, FCF/E4D, FCFE4PH, FCF/E4OLD3, FCF/E2, FCF/E4OLD4, FCF/E2, FCF/E4OLD2, FCF/E4OLD1, FCF/E4D, FCF/E2D, BCFCV101/1, BCFCV102/1, BCFCV101/1, BCFCV102/1		
spare parts for	415117		
	vm nr.	510368	Ref. No. —
gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element			
accessories for	415117		
	vm nr.	510426	Ref. No. 0H6829
gasket L 72mm W 20mm hole distance 56mm silicone thickness 2mm for heating element			

			
1			
vm nr.	415966	Ref. No.	004934 00568 0K3580 RC00568000
description	heating element 2500W 230V heating circuits 1 ID ø 176mm ED ø 188mm L 210mm H 28mm L1 22mm W1 30mm H1 3mm H2 25mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange		
accessories for	415966		
	vm nr.	510368	Ref. No. —
gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element			

			
1			
vm nr.	415351	Ref. No.	054609 054610 054613 054614 056945 058145
description	heating element 2500W 230V heating circuits 1 ID ømm L 544mm L1 100mm W1 160mm flange length 70mm flange width 22mm hole distance 56mm ED ømm connection male faston 6.3mm tube ø 8.5mm dry heating element hole ø 50mm rectangular flange L2 444mm W2 33mm W 350mm		
For models:	FCF/E6-0, FCF061ELN, FCF6EHOR, FCF061ENS, FCFE6-1J, FCFE6D, FCFE6D, FCFE6, FCFE6UK, PFCFE6, ECF/E6-0, ECF061ENS, ECF061E5M, ECF061ECV, FCF/E6, ACF/E6-0, JCF/E6-1, JCF/E6-2, RCF061E, ACF/E6, NCF/E6-0, COCO6E, FCFE061, ZCF/E6-0		

			
1			
vm nr.	419091	Ref. No.	005217
description	heating element 2500W 230V heating circuits 11 ID ø 180mm ED ø 199mm L 245mm H 28mm L1 46mm W1 27mm H1 4mm H2 24mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm vertical connection length 45mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange		
For models:	FCF/E4, FCF/E4-3KW, JCF/E4, JCF/E4, ECF/E4, ECF/E4-3KW, ACF/E4, ACF/E4-3KW, NCF/E4, ZCF/E4, ZCF/E4		

			
1			
vm nr.	418083	Ref. No.	054980 055503 2410053880
description	heating element 3000W 230V heating circuits 1 ID ø 179mm ED ø 190mm L 245mm H 35mm L1 45mm W1 30mm H1 10mm H2 25mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm connection length 18mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange		
For models:	FCF/E4, FCF/E4-3KW, FCF/E4-OLD, FCF/E4D, FCFE4PH, FCVE20/P-V, FCVE20-V, FCVE20VUK, JCF/E4, JCF/E4, ECF/E4, ECF/E4-3KW, FCF/E4OLD3, ACF/E4, ACF/E4-3KW, NCF/E4, FCF/E4OLD2, FCF/E4OLD1, FCF/E4D, ZCF/E4, ZCF/E4, FCV/E20-V		
accessories for	418083		
	vm nr.	510368	Ref. No. —
	gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element		

			
1			
vm nr.	419088	Ref. No.	0K8242 20408701
description	heating element 3200W 230V heating circuits 3 ID ø 384mm ED ø 400mm L 440mm H 106mm L1 35mm W1 166mm H1 16mm H2 90mm flange length 205mm flange width 43mm connection length 160mm tube ø 8.5mm cable length 480mm convection heating element mounting thread M14x1.5 rectangular flange		

			
1			
vm nr.	418150	Ref. No.	006984 0C5362 0C6500
description	heating element 3200W 400V heating circuits 2 ID ø 383mm ED ø 400mm L 536mm H 60mm L1 136mm W1 32mm H1 36mm H2 24mm flange length 80mm flange width 45mm hole distance 60mm connection male faston 6.3mm connection length 30mm tube ø 8.5mm convection heating element hole ø 6mm rectangular flange		
For models:	FCZ061EAA, FCZ061EAH, FCZ061EBA, FCZ061EBH, FCZ061EBC, FCZ061ECA, FCZ061ECN, AOS061EA, AOS061EB, AOS061EB6M, AOS061EA0H, AOS061EB0H, AOS061EAAQ, AOS061EBAQ, AOS061EAHQ, AOS061EBHQ, AOS061EAA1, AOS061EAH1, AOS061EAF1, AOS061EAK1, AOS061EBA1, AOS061EBH1, AOS061EBE1, AOS061EBF1, AOS061EBK1, AOS061ECA1, AOS061ECH1, AOS061ECN1, AOS061ECM1, AOS061ECB1, EJN061EAA, HOR061EAA, RDR061EAA, EJN061EBA, HOR061EBA, RDR061EBA, EJN061ECA, HOR061ECA, RDR061ECA		
accessories for	418150		
	vm nr.	550257	Ref. No. 002689 60050277
	gasket L 137mm W 79mm thickness 3.5mm for heating element suitable for JUNO equiv. no. 02689		

			
1			
vm nr.	415368	Ref. No.	055430 055439 056930
description	heating element 3750W 220V heating circuits 3 L 535mm H 34mm L1 95mm W1 157mm flange length 78mm flange width 50mm hole distance 60mm connection male faston 6.3mm connection length 97mm tube ø 8.5mm dry heating element hole ø 6mm rectangular flange L2 440mm W2 33mm W 348mm		
For models:	FCVE6-1U, FCVE6-3U, FCVE6-1, FCVE6-3, FCVE6-3CE, FCVE6-1UK, FCVE6-3UK, FCV/E6-1, FCV/E6-1		

			
vm nr.	415657	Ref. No.	002757 OK0537 60050301
description	heating element 4500W 230V heating circuits 3 L 534mm W 350mm H 70mm L1 96mm L2 438mm W1 160mm W2 33mm H1 37mm H2 33mm flange length 76mm flange width 50mm hole distance 60mm hole ø 6mm tube ø 8.5mm convection heating element connection male faston 6.3mm connection length 103mm rectangular flange		
For models:	FCV/E6L3, FCV/E6L4, FCS061EP, FCS061E3CI, FCS061E4, FCS061EXLN, FCS061EX, 5711-3-6, 5711-3-7, 5711-3-8, 5711-3-10, 5711-3-8CH, 5711-3-10CH, 5701-3-2, 5701-3-3, ECV/E6T4, RCV061E2, RCV061E4, ACV/E6C3, NCV/E6L2, ZCV/E6T4		
accessories for	415657		
	vm nr.	550256	Ref. No. 055327 60050210
	gasket L 75mm W 50mm hole ø 5mm hole distance 59.5mm rubber thickness 3mm for heating element suitable for JUNO equiv. no. 55327		
	vm nr.	550257	Ref. No. 002689 60050277
	gasket L 137mm W 79mm thickness 3.5mm for heating element suitable for JUNO equiv. no. 02689		

			
vm nr.	415389	Ref. No.	053838 053839 054620 054621 058196 058197
description	heating element 5666W 230V heating circuits 2 ID ø 470mm ED ø 487mm L 590mm H 66mm L1 105mm W1 33mm H1 37mm H2 29mm flange length 80mm flange width 45mm hole distance 60mm connection M5 tube ø 8.5mm convection heating element hole ø 6mm rectangular flange		
For models:	FCFE10, FCFE10UK, FCVE10, FCVE10-2, FCVE10-4, FCVE103CE, FCVE10-2UK, FCVE10-4UK, FCVE20/P-V, FCVE20-V, FCVE20VUK, FCVE10-P, FCVE10PUK, FCF/E10, ZOFCV/E102, ZOFCV/E104, FF/E10, COCO10E, FCFE101, FCV/E20-V		
accessories for	415389		
	vm nr.	550256	Ref. No. 055327 60050210
	gasket L 75mm W 50mm hole ø 5mm hole distance 59.5mm rubber thickness 3mm for heating element suitable for JUNO equiv. no. 55327		

			
vm nr.	415654	Ref. No.	002688 60050271
description	heating element 5666W 230V heating circuits 2 ID ø 465mm ED ø 480mm L 580mm H 65mm L1 90mm W1 32mm H1 34mm H2 31mm flange length 80mm flange width 45mm hole distance 56mm connection M5 connection length 108mm tube ø 8.5mm convection heating element hole ø 6mm rectangular flange		
For models:	FCV/E10L2, FCV/E10L3, FCV/E20L3, FCV/E10L6, FCV/E20L6, FVC/E101/1, FVC/E201/1, FCFE101-0, FCFE201-0, FCS101E2, FCS101E4, FCS101EP, FCS201E4, FCS201EP, FCS101EXLN, FCS101EX, FCS201EX, FCS201EXLN, 5712-3-6, 5712-3-7, 5712-3-8, 5712-3-8E, 5712-3-10, 5712-3-8CH, 5712-3-10C, 5714-3-6, 5714-3-7, 5714-3-8, 5714-3-8E, 5714-3-10, 5717-3-6, 5702-3-2, 5702-3-3, 5704-3-2, 5704-3-3, ECFE101-0, ECV/E10T4, ECV/E20T4, ECV/E10T6, ECV/E20T6, ECV/E10IGP, ACFE101-0, ACFE201-0, JCF/E101/1-1, JCF/E101/1-2, RCV101E2, RCV101E4, RCF101E, ACV/E10C2, ACV/E10C4...(Other models you can see in the webshop)		
accessories for	415654		
	vm nr.	550256	Ref. No. 055327 60050210
	gasket L 75mm W 50mm hole ø 5mm hole distance 59.5mm rubber thickness 3mm for heating element suitable for JUNO equiv. no. 55327		
	vm nr.	550257	Ref. No. 002689 60050277
	gasket L 137mm W 79mm thickness 3.5mm for heating element suitable for JUNO equiv. no. 02689		

			
vm nr.	418151	Ref. No.	007064 0C5364 0C6501
description	heating element 5670W 400V heating circuits 2 ID ø 467mm ED ø 483mm L 585mm H 60mm L1 102mm W1 33mm H1 32mm H2 28mm flange length 80mm flange width 45mm hole distance 60mm connection male faston 6.3mm tube ø 8.5mm convection heating element hole ø 6mm rectangular flange		
For models:	FCZ101EAA, FCZ201EAA, FCZ101EAH, FCZ201EAH, FCZ101EAN, FCZ101ETA, FCZ201ETA, FCZ101ETH, FCZ201ETH, FCZ101ETN, FCZ201ETN, FCZ101EBA, FCZ201EBA, FCZ101EBH, FCZ201EBH, FCZ101EBN, FCZ101EBC, FCZ201EBC, FCZ101EBA2, FCZ201EBA2, FCZ101EBH2, FCZ201EBH2, FCZ101EBN2, FCZ201EBN2, FCZ101EBC2, FCZ201EBC2, FCZ101ECA, FCZ201ECA, FCZ101ECH, FCZ201ECH, FCZ101ECN, FCZ101ECA2, FCZ201ECA2, FCZ101ECH2, FCZ201ECH2, FCZ101ECN2, FCZ201ECN2, AOS101EA, AOS101EB, AOS201EA, AOS201EB, AOS101EB6M, AOS201EB6M, AOS101EA0H, AOS101EB0H, AOS201EA0H, AOS201EB0H, AOS101EAAQ, AOS101EBAQ, AOS201EAAQ...(Other models you can see in the webshop)		
accessories for	418151		
	vm nr.	550257	Ref. No. 002689 60050277
	gasket L 137mm W 79mm thickness 3.5mm for heating element suitable for JUNO equiv. no. 02689		


			
1			
vm nr.	415393	Ref. No.	055481 056970 60050224
description	heating element 8000W 230V heating circuits 2 L 150mm W 545mm H 134mm L1 33mm L2 117mm W1 29mm H1 19mm H2 115mm flange length 76mm flange width 50mm hole distance 60mm connection M5 tube ø 8.5mm convection heating element hole ø 6mm rectangular flange		
For models:	FCVE20-2, FCVE20-4, FCVE203CE, FCVE20-2UK, FCVE20-4UK, FCVE20-P, FCVE20PUK, ZOFCV/E202, ZOFCV/E204		

			
1			
vm nr.	415391	Ref. No.	054050 054051 054288 054289 056929 056934
description	heating element 8000W 230V heating circuits 2 L 170mm W 505mm H 128mm L1 33mm L2 138mm W1 29mm H1 13mm H2 115mm flange length 76mm flange width 50mm hole distance 60mm connection M5 connection length 104mm tube ø 8.5mm convection heating element hole ø 6mm rectangular flange		
For models:	FCFE20, FCFE20UK, FCFE40, FCFE40D, FCFE40UK, PFCFE40F, FCVE20, FCF/E20, FCFE202, FF/E40, FF/E20, AFCF/E40, COCO20E, 4238N, FCFE201		

			
1			
vm nr.	415656	Ref. No.	0A5330 0G2201 0K0553 60050272
description	heating element 8000W 400V heating circuits 2 ID ø 560mm ED ø 580mm L 630mm H 68mm L1 50mm W1 33mm H1 37mm H2 29mm flange length 80mm flange width 45mm hole distance 60mm connection M5 connection length 15mm tube ø 8.5mm convection heating element hole ø 6mm rectangular flange		
For models:	FCV/E102/1L3, FCVE202L3, FCV/E102/1L6, FCVE202L6, FVC/E102/1, FVC/E202/1, FCFE102-0, FCFE201-0, FCFE202-0, FCF201ENS, FCS102E4, FCS102EP, FCS202E4, FCS202EP, FCS102EX, FCS202EX, 5717-3-7, 5717-3-8, 5717-3-8E, 5717-3-10, 5717-3-8C, 5707-3-2, 5707-3-3, ECFE102-0, ECFE201-0, ECFE202-0, ECF201ENS, ECVE102T4, ECVE202T4, ECV/E102/1T6, ECVE202T6, ACVE102-0, ACVE201-0, ACVE202-0, JCF/E102/1-1, JCF/E102/1-2, RCF201E, ACVE102C4, ACVE202C4, ACV/E102/1C6, ACV/E202/1, NCF/E102/1, ZCV/E102/1, ZCV/E202/1, ZCV/E102/1T6, ZCV/E202/1, ZCF/E102/1, ZCF/E202/1-0		
accessories for	415656		
	vm nr.	550256	Ref. No. 055327 60050210
	gasket L 75mm W 50mm hole ø 5mm hole distance 59.5mm rubber thickness 3mm for heating element suitable for JUNO equiv. no. 55327		
	vm nr.	550257	Ref. No. 002689 60050277
	gasket L 137mm W 79mm thickness 3.5mm for heating element suitable for JUNO equiv. no. 02689		

			
1			
vm nr.	418152	Ref. No.	0C1173 0C5365 0C6502
description	heating element 8000W 400V heating circuits 2 ID ø 569mm ED ø 580mm L 700mm H 60mm L1 120mm W1 33mm H1 34mm H2 26mm flange length 80mm flange width 45mm hole distance 60mm connection male faston 6.3mm connection length 20mm tube ø 8.5mm dry heating element hole ø 6mm rectangular flange		
For models:	FCZ102EAA, FCZ202EAA, FCZ102ETA, FCZ202ETA, FCZ102EBA, FCZ202EBA, FCZ102EBA2, FCZ202EBA2, FCZ102ECA, FCZ202ECA, FCZ102ECA2, FCZ202ECA2, AOS102EA, AOS102EB, AOS202EA, AOS202EB, AOS102EAAQ, AOS102EBAQ, AOS202EAAQ, AOS202EBAQ, AOS102EAA1, AOS202EAA1, AOS102EAC1, AOS102EAS1, AOS102EAM1, AOS202EAM1, AOS102EAB1, AOS202EAB1, AOS102EAK1, AOS202EAK1, AOS102EAT1, AOS202EAT1, AOS102ETA1, AOS202ETA1, AOS102ETM1, AOS202ETM1, AOS102ETK1, AOS202ETK1, AOS102EBA1, AOS202EBA1, AOS102EBC1, AOS102EBK1, AOS202EBK1, AOS102EBA2, AOS202EBA2, AOS102EBK2, AOS202EBK2, AOS102ECA1, AOS202ECA1, AOS102ECM1...(Other models you can see in the webshop)		
accessories for	418152		
	vm nr.	550257	Ref. No. 002689 60050277
	gasket L 137mm W 79mm thickness 3.5mm for heating element suitable for JUNO equiv. no. 02689		

			
vm nr.	420117	Ref. No.	055465 056973
description	heating element 8000W 415V heating circuits 2 L 170mm W 505mm H 133mm L1 32mm L2 138mm W1 29mm H1 33mm H2 100mm flange length 76mm flange width 50mm hole distance 60mm connection M5 connection length 102mm tube ø 8.5mm convection heating element hole ø 6mm rectangular flange		
For models:	FCVE20-2, FCVE20-4, FCVE203CE, FCVE20-2UK, FCVE20-4UK, FCVE20-P, FCVE20PUK, ZOFCV/E202, ZOFCV/E204		

			
vm nr.	415487	Ref. No.	0H6800 OK0601 415487
description	heating element 1000W 230V heating circuits 1 L 445mm W 65mm flange length 70mm flange width 22mm hole distance 28mm connection length 25mm connection male faston 6.3mm tube ø 6.5mm hole ø 3mm W1 30mm rectangular flange convection heating element		
accessories for	415487		
	vm nr.	510368	Ref. No. —
gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element			

			
vm nr.	415457	Ref. No.	0H6166 0H6186 OK0557 214137 30074001 3007400132 415457 60050386
description	heating element 3000W 230V heating circuits 2 L 330mm W 135mm L1 60mm L2 270mm H 30mm W2 110mm flange length 85mm flange width 30mm connection length 105mm connection male faston 6.3mm tube ø 6.5mm hole ø 6.5mm W1 25mm rectangular flange hot air		
For models:	5611-3-10, 5611-3-6, 5611-3-8, 5612-3-10, 5612-3-6, 5612-3-8, 5614-3-10, 5614-3-6, 5614-3-8		
accessories for	415457		
	vm nr.	510561	Ref. No. 0H7021 60050466
O-ring silicone thickness 3mm ID ø 55mm Qty 1 pcs			
	vm nr.	520239	Ref. No. 0H6648 60050430
counterflange L 110mm W 35mm			

accessories for 415457			
	vm nr.	521142	Ref. No. 0H6665 OK1831 246294 60050436
gasket L 68mm W 13mm for heating element			
	vm nr.	528203	Ref. No. —
gasket rubber ED ø 18mm ID ø 12mm thickness 3mm Qty 1 pcs			

			
vm nr.	415458	Ref. No.	0H6188 1295400233 214494 415458
description	heating element 3000W 230V heating circuits 2 L 575mm W 150mm W2 125mm flange length 70mm flange width 22mm hole distance 55mm connection length 20mm connection male faston 6.3mm tube ø 6.5mm hole ø 3mm W1 25mm rectangular flange convection heating element		
spare parts for	415458		
	vm nr.	510368	Ref. No. —
gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element			

control and safety thermostats

EGO

control thermostats

55.10/19_ series



vm nr.	390068	Ref. No.	029918 057937 0K2960 446570201
description	thermostat t.max. 280°C temperature range 55-269°C 1-pole 1CO 16A probe ø 3.1mm probe L 219mm capillary pipe 1280mm capillary pipe isolated 1270mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper° rotation 318°		
For models:	FCF02EV, FCF02EOEM, FCF/E3, FCF/E2, FCF/E2D, FCF/E2UK, FCFG6D, FCFE6D, FCFE6D, FCFG10, FCFG10D, FCFG10NL, FCFE10, FCFE10UK, FCFG20, FCFG20D, FCFG20F, PFCFG20, FCFE20, FCFE20UK, FCFG40, FCFG41, FCFG40D, FCFG40F, PFCFG40F, FCFE40, FCFE40D, FCFE40UK, PFCFE40F, FCFG6, FCFG6F, PFCFG6, FCFE6, FCFE6UK, PFCFE6, FCVE10, FCVE20, FCVE6-1U, FCVE6-3U, FCVE6-1, FCVE6-3, FCVE6-1UK, FCVE6-3UK, FCVG6-1, FCVG6-3, FCVG6-1UK, FCVG6-3UK, FCVE10-2, FCVE10-4, FCVE10-2UK...(Other models you can see in the webshop)		



vm nr.	375664	Ref. No.	054323
description	thermostat t.max. 287°C temperature range 60-287°C 1-pole 1NO 16A probe ø 3.1mm probe L 226mm capillary pipe 1470mm capillary pipe isolated 350mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	FCF/E4-OLD, FCF/E4D, FCFE4PH, FCF/E4OLD3, FCF/E4OLD4, FCF/E4OLD2, FCF/E4OLD1, FCF/E4D		



vm nr.	375667	Ref. No.	056384 0F0088 0K0645 30000815
description	thermostat t.max. 300°C temperature range 68-300°C 1-pole 1NO 16A probe ø 3.1mm probe L 226mm capillary pipe 980mm capillary pipe isolated 980mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 318°		
For models:	FCF/G6-0, FCFG101/0, FCFG102-0, FCFG201-0, FCFG202-0, FCF/E6-0, FCFE101-0, FCFE102-0, FCFE201-0, FCFE202-0, FCF061ELN, FCF101ELN, FCF6EHOR, FCFG10160H, FCF061ENS, FCF101ENS, FCF102ENS, FCF201ENS, FCFG102-0T, FCF/G6-1-JAP, FCF/G101/1-1-JAP, FCF/G102/1-1-JAP, FCFE6-1J, FCFE101-1J, FCFE102-1J, FCF/G101/1, FCFE6J50, FCFE6J60, FCFG10J, FCFG10J, FCFE10J, FCFE10J, FCFG20J, FCFG20J, FCFE20J, FCFE20J, FCFG40J, FCFG40J, FCFE40J, FCFE40J, FCFG6J, FCFG6J, FCFG6J, FCFG6J, FCFG10J, FCFG10J, FCFG20J, FCF-G20J, FCFG41J, FCFG40J...(Other models you can see in the webshop)		



vm nr.	375253	Ref. No.	004155 91310003
description	thermostat t.max. 455°C temperature range 85-455°C 1-pole 1NO 16A probe ø 3.9mm probe L 228mm capillary pipe 870mm capillary pipe isolated 660mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	ZCMM6, ZCBME12, ZCMM4, ZCBME8, ZCMM9, ZCBME18		



vm nr.	375661	Ref. No.	056701 74310830
description	thermostat t.max. 500°C temperature range 75-500°C 1-pole 1NO 16A probe ø 3.9mm probe L 228mm capillary pipe 1470mm capillary pipe isolated 960mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	FZG18, FZE18, FPE30, FPE18, FZ/G18, FZ/E18, FP/E30, FP/E18		

			
vm nr.	375113	Ref. No.	055367 056671 0K2952 60050222
description	thermostat t.max. 76°C temperature range fixed 76°C 1-pole 1CO 16A probe ø 3.1mm probe L 226mm capillary pipe 870mm capillary pipe isolated 870mm gland nut shaft Lmm shaft position probe material SS		
For models:	FDV40G, FDV40E, FDV40GZ, FDV40EL, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, FCVE6-1U, FCVE6-3U, FCVE6-1, FCVE6-3, FCVE6-3CE, FCVE6-1UK, FCVE6-3UK, FCVG6-1, FCVG6-3, FCVG6-1UK, FCVG6-3UK, FCVE10-2, FCVE10-4, FCVE103CE, FCVE10-2UK, FCVE10-4UK, FCVG10-2, FCVG10-4, FCVG10-1SG, FCVG10-2, FCVG10-4D, FCVG10-2UK, FCVG10-4UK, FCVG10-2, FCVG10-4, FCVE20-2, FCVE20-4, FCVE203CE, FCVE20/P-V, FCVE20-2UK, FCVE20-4UK, FCVG20-2, FCVG20-4, FCVG20-2, FCVG20-4D, FCVG20-2UK, FCVG20-4UK, FCVG20-4, FCVG20-4D, FCVE20-V...(Other models you can see in the webshop)		

55.13_series

			
vm nr.	375069	Ref. No.	0K0634 0K0646 0K0674 375069
description	thermostat t.max. 255°C temperature range 50-255°C 1-pole 1CO 16A probe ø 3.03mm probe L 160mm capillary pipe 1430mm capillary pipe isolated 800mm gland nut shaft L 23mm probe material SS		

			
vm nr.	375835	Ref. No.	0H6241 215671
description	thermostat t.max. 280°C temperature range 50-280°C 1-pole 1CO 16A probe ø 3.1mm probe L 160mm capillary pipe 1430mm capillary pipe isolated 800mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		

55.17_series

			
vm nr.	375665	Ref. No.	005207 3581901703 3581913146 3890776036
description	thermostat t.max. 282°C temperature range 96-282°C 1-pole 1NO 16A probe ø 3.03mm probe L 196mm capillary pipe 1240mm capillary pipe isolated 350mm gland nut shaft ø 6x4.6mm shaft L 22mm shaft position left rotation 270°		
For models:	FCF/E4, FCF/E4-3KW, JCF/E4, JCF/E4, ECF/E4, ECF/E4-3KW, ACF/E4, ACF/E4-3KW, NCF/E4, ZCF/E4, ZCF/E4		

55.18_series

			
vm nr.	375950	Ref. No.	0E3691 0KB677
description	thermostat t.max. 238°C temperature range 50-200°C 1-pole probe ø 3mm probe L 158mm capillary pipe 890mm capillary pipe isolated 760mm shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	FCV31E3, 7CO30, CCO30G, ECO312CF, OTS100		

55.34_series

			
vm nr.	390074	Ref. No.	051362
description	thermostat t.max. 260°C temperature range 60-240/80-260°C 3-pole 3NO 10A probe ø 4mm probe L 130mm capillary pipe 1300mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm		
For models:	FCVE10, FCVE20, HBR/E801, HBR/E801		

			
vm nr.	375183	Ref. No.	00285 004917 OK3517
description	thermostat t.max. 298°C temperature range 50-298°C 3-pole 3NO 16A probe ø 3mm probe L 219mm capillary pipe 900mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 318°		
For models:	SRE350, SRE360, SRE370, SRE700, SRE710, SRE720, SRE350, SRE360, SRE370, SRE700, SRE710, SRE720		

			
vm nr.	375453	Ref. No.	052916 OK2906
description	thermostat t.max. 308°C temperature range 100-300°C 3-pole 3NO 16A probe ø 6mm probe L 75mm capillary pipe 1150mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm rotation 270° probe material SS		

			
vm nr.	375412	Ref. No.	0A2206 OK2915
description	thermostat t.max. 320°C temperature range 50-320°C 3-pole 3NO 16A probe ø 3.1mm probe L 226mm capillary pipe 1480mm capillary pipe isolatedmm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 318°		
For models:	MG/E350D, MG/E350UK, MG/E700D, MG/E700UK, MG/E350, MG/E700, RG/E1, RG/E2, RGV/E1, RGV/E2, XG/E1, XG/E2, XGV/E1, XGV/E2, JG/E1, JG/E2, MG/E1, MG/E2, MGV/E1, MGV/E2, RG/E350D, RG/E350UK, RG/E700D, RG/E700UK, 7GLE03T, 7GLE07T, XG/E350D, XG/E350UK, XG/E700D, XG/E700UK, T35ECG, T70ECG, PG/E1, PG/E2, PG/E1E5, PG/E2E5, TG/E1, TG/E2, TG/E1E5, TG/E2E5		

			
vm nr.	375424	Ref. No.	052099
description	thermostat t.max. 320°C temperature range 60-320°C 3-pole 3NO 16A probe ø 4mm probe L 128mm capillary pipe 1800mm capillary pipe isolated 1300mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
For models:	MCF/GE705, MCF/GE1055, MCF/GE700, MCFGE1050, MCF/GE700D, MCFGE1050D, MCF/E700D, MCF/E700, MCF/E700UK, MCF/E1050D, MCF/E1050, MCF/GE1055UK, MIF/E700, MIF/E700D, MIF/E710, MIF/E710D, MCF/GE702, MCFGE1052, MCF/GE700, MCFGE1050, MF/E700, RCF/M2, RCF/M3, RCF/E2, RCF/E2MO, RCF/E2M4, RCVF/E3MO, RCVF/E3M4, RCF/E2E5, RIF/E2, MCF/E2Q, RCF/E2Q, XCF/M2, XCFM3, XCF/E2, XIF/E2, JCF/M2, JCFM3, JCF/E2, JIF/E2, MCF/M2, MCF/M3, MCF/E2, MCF/E2E5, MIF/E2, RCF/GE720, RCF/GE730, RCF/GE720, RCF/GE720, RCFE720...(Other models you can see in the webshop)		

safety thermostats

55.10/19_ series

 				
1				
vm nr.	375250	Ref. No.	00427 004912 004931 OK3555 OK3610 7803	
description	safety thermostat capillary pipe 870mm probe ø 6mm 1-pole probe L 129mm 16A capillary pipe isolatedmm gland nut switch-off temp. 130°C probe SS			
For models:	SME350, SME700, SME350, SME700, SMG350, SMG700, BM35E6U			
spare parts for	375250			
	vm nr.	551083	Ref. No.	0A2187
cap for safety thermostat thread M8x1				

			
vm nr.	375278	Ref. No.	056745 0K2963
description	safety thermostat switch-off temp. 140°C 1-pole 16A probe ø 6mm probe L 74mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe		
For models:	FCVG6-1, FCVG6-3, FCVG6-1UK, FCVG6-3UK, FCVG10-2, FCVG10-4, FCVG10-2, FCVG10-4D, FCVG10-2UK, FCVG10-4UK, FCVG10-2, FCVG10-4, FCVG20-2, FCVG20-4, FCVG20-2, FCVG20-4D, FCVG20-2UK, FCVG20-4UK, FCVG20-4, FCVG20-4D, FCV/G6-1, ZOFCV/G6-3, ZOFCV/G102, ZOFCV/G104, ZOFCV/G202, ZOFCV/G204, AFCV/G6-1, AFCV/G6-3, SCO/G6-3, AFCV/G101, AFCV/G103, SCO/G10-3, AFCV/G201, AFCV/G203, SCO/G20-3		

			
vm nr.	375076	Ref. No.	0H6243 215673 60050393
description	safety thermostat switch-off temp. 350°C 1-pole 16A probe ø 3.03mm probe L 141mm capillary pipe 830mm capillary pipe isolated 450mm gland nut probe SS		
For models:	5611-3-10, 5611-3-6, 5611-3-8, 5612-3-10, 5612-3-6, 5612-3-8, 5614-3-10, 5614-3-6, 5614-3-8		

55.13_ series

			
vm nr.	375044	Ref. No.	0H6141 0KE595
description	safety thermostat switch-off temp. 178°C 1-pole 16A probe ø 4mm probe L 91mm capillary pipe 1730mm capillary pipe isolated 1600mm gland nut probe with sealing sleeve screw connection M8x1 sealing sleeve 8.6x32mm		
For models:	7573-3/85.KES100.(N), 7574-3/85.KES150.(N), 7575-3/85.KES250.(N), 7576-3/85.KES300.(N), 7573-3/90.KES100.(N), 7574-3/90.KES150.(N), 7575-3/90.KES250.(N), 7576-3/90.KES300.(N), 7573-3, 7574-3, 7575-3, 7576-3, 7577-3, 7773-3, 7773-3/85.KES100, 7773-3/90.KES100, 7774-3, 7774-3/85.KES150, 7774-3/90.KES150, 7775-3, 7775-3/85.KES250, 7775-3/90.KES250, 7776-3, 7776-3/85.KES300, 7776-3/90.KES300, 9100-3, 9104-3, 9113-3, 9300-3-0, 9300-3-8, 9304-3-0, 9304-3-8, 9313-3-0, 9313-3-8		
accessories for	375044		
	vm nr.	102067	Ref. No. 055033 0992014
	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1		
	vm nr.	551083	Ref. No. 0A2187
cap for safety thermostat thread M8x1			

55.31_ series

			
vm nr.	375571	Ref. No.	051454 0K2887 727998
description	safety thermostat switch-off temp. 350°C 3-pole 20A probe ø 6mm probe L 157mm capillary pipe 940mm capillary pipe isolated 890mm gland nut probe SS		
For models:	MCF/GE705, MCF/GE1055, MCF/GE700, MCFGE1050, MCF/GE700D, MCFGE1050D, MCF/E700D, MCF/E700, MCF/E700UK, MCF/E1050D, MCF/E1050, MCF/GE1055UK, MIF/E700, MIF/E700D, MIF/E710, MIF/E710D, MCF/GE702, MCFGE1052, MCF/GE700, MCFGE1050, MBR/E710D, MBR/E700, MBR/E700UK, MBR/E716, MBR/E706, RCF/E700D, RCF/GE700D, RCF/E1050D, RCFGE1050D, RCF/E700UK, 74CE07F, 76CE10F, RCF/GE700, RC/G702, RC/G1052, RCF/GE702, RCF/GE1052, 74FE07F, RCF/GE1051, 7BRE60XN, 7BRE60X, RBR/E700UK, RBR/E716, RBR/E706, XCF/GE700D, M70GCK/E, M70ECK/E, XCF/E1050, XCF/E700UK, XMIF/E710...(Other models you can see in the webshop)		

55.32_series



vm nr.	375209	Ref. No.	004862
description	safety thermostat switch-off temp. 140°C 3-pole 20A probe ø 6mm probe L 89mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe SS		
For models:	FDV40E, FDV40EL, FDV20E, FDV20EL, RPI/E240, RPI/E260, RPI/E260P, XPI/E240, XPI/E260, XPI/E260P, JPI/E240, JPI/E260, MPI/E240, MPI/E260, MPI/E260P, KPI/E10, KPI/E15, KPI/E15A, KPI/E06, KPI/G18, KPI/G25, KPI/E15H, KPI/E10H, HPN/EI815D, HPN/EI810, HPN/EI815, HPA/EI825, HPNS/EI815, HPNS/EI815D, QPI/E10, QPI/E15, QPI/E06, QPI/G18, QPI/G25, QPI/E15H, QPI/E10H, ZPN/EI815D, ZPN/EI810, ZPN/EI815, ZPNS/EI815, ZPNS/EI815D, WB/E1, WB/E2, WPI/E10, WPI/E15, WPI/E15A, WPI/E06, WPI/E15H, WPI/E10H, APN/EI810...(Other models you can see in the webshop)		



vm nr.	390920	Ref. No.	0C2983
description	safety thermostat switch-off temp. 140°C 3-pole 3CO 20A probe ø 6mm probe L 88mm capillary pipe 900mm capillary pipe isolated 770mm gland nut probe		
For models:	PPI/E260P, OPI/E260P, TPI/E260P, FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ061EAH, FCZ101EAH, FCZ061EAN, FCZ101EAN, FCZ201ETA, FCZ202ETA, FCZ201ETH, FCZ201ETN, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ061EBH, FCZ101EBH, FCZ061EBN, FCZ101EBN, FCZ061EBC, FCZ101EBC, FCZ201EBC, FCZ201EBA2, FCZ202EBA2, FCZ201EBH2, FCZ201EBN2, FCZ201EBC2, FCZ061ECA, FCZ101ECA, FCZ102ECA, FCZ061ECH, FCZ101ECH, FCZ061ECN, FCZ101ECN, FCZ201ECA2, FCZ202ECA2, FCZ201ECH2, FCZ201ECN2, AOS061EAA1, AOS101EAA1, AOS102EAA1, AOS201EAA1, AOS202EAA1, AOS061EAH1, AOS101EAH1, AOS201EAH1, AOS061EAN1, AOS101EAN1...(Other models you can see in the webshop)		



vm nr.	375170	Ref. No.	002711 60050329 60050366
description	safety thermostat switch-off temp. 150°C 1-pole 20A probe ø 6mm probe L 74mm capillary pipe 1700mm capillary pipe isolated 1100mm gland nut probe		
For models:	FDV40G, FDV40GZ, FDV40GA, FDV20G, FDV20GZ, FDV20GA, FCV/G10L3, FCVG10L3T, FCVG102L3, FCV/G20L3, FCVG202L3, FCVG10L3J, FCVG102L3J, FCV/G10L6JAP, FCV/G102/1L6JAP, FCV/G61/1, FCV/G6L4, FCV/G10L6, FCV/G102/1L6, FCV/G20L6, FCVG202L6, FCV/G101/1, FCV/G102/1, FCV/G201/1, FCV/G202/1, FCS061G4, FCS101G4, FCS101G4DT, FCS101GP9J, FCS101G49J, FCS101GP, FCS102G4, FCS102GA9J, FCS102G49J, FCS102GP, FCS201G4, FCS201GP, FCS202G4, FCS202GP, FCS101GX9J, FCS101GX, FCS102GX9J, FCS102GX, FCS201GX, FCS202GX, FCF/E4-OLD, FCF/E4D, FCFE4PH, 5711-2-6, 5711-2-7...(Other models you can see in the webshop)		



vm nr.	375657	Ref. No.	005319 005681 0C1147
description	safety thermostat switch-off temp. 150°C 2-pole 1x20/1x0.5A probe ø 6mm probe L 74mm capillary pipe 1700mm capillary pipe isolated 1100mm gland nut probe SS		
For models:	FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ061GBG, FCZ101GBG, FCZ102GBG, FCZ201GBG, FCZ202GBG, FCZ061GBD, FCZ101GBD, FCZ102GBD, FCZ201GBD, FCZ202GBD, FCZ061GBI, FCZ101GBI, FCZ201GBI, FCZ101GBG2, FCZ102GBG2, FCZ201GBG2, FCZ202GBG2, FCZ101GBD2, FCZ102GBD2, FCZ201GBD2, FCZ202GBD2, FCZ101GBI2, FCZ102GBI2, FCZ201GBI2, FCZ202GBI2, FCZ101GCG2, FCZ102GCG2, FCZ201GCG2, FCZ202GCG2, FCZ101GCD2, FCZ102GCD2...(Other models you can see in the webshop)		

			
vm nr.	375659	Ref. No.	007042
description	safety thermostat switch-off temp. 338°C 2-pole 1x20/1x0.5A probe ø 6mm probe L 53mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe screw-in probe probe thread M10x1		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ061EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FCZ201EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ202ETA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ201EBA, FCZ202EBA, FCZ061EBH, FCZ101EBH, FCZ201EBH, FCZ061EBN, FCZ101EBN...(Other models you can see in the webshop)		

			
vm nr.	375455	Ref. No.	002599 002730 0F0057 0K0515 0K8486 60050253 911986
description	safety thermostat switch-off temp. 350°C 1-pole 16A probe ø 11mm probe L 16mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe screw-in probe probe thread M14x1		
For models:	FCV/G10L3, FCV/G10L3T, FCV/G102L3, FCV/G20L3, FCV/G202L3, FCVE6L3J, FCV/E10L3JAP, FCV/E102/1L3JAP, FCV/E10L6JAP, FCV/E102/1L6JAP, FCV/G10L3J, FCV/G102L3J, FCV/G10L6JAP, FCV/G102/1L6JAP, FCV/G10L2, FCV/E10L2, FCV/G61/1, FCV/E10L3, FCV/E6L3, FCV/E102/1L3, FCV/E20L3, FCVE202L3, FCV/E6L4, FCV/G10L6, FCV/E10L6, FCV/G102/1L6, FCV/E102/1L6, FCV/G20L6, FCV/E20L6, FCV/G202L6, FCVE202L6, FCV/E101/1, FCV/G101/1, FVC/E101/1, FCV/G102/1, FVC/E102/1, FCV/G201/1, FVC/E201/1, FVC/G202/1, FVC/E202/1, FCF/E6-0, FCFE101-0, FCFE102-0, FCFE201-0, FCFE202-0, FCF061ELN, FCF101ELN, FCF6EHOR, FCF061ENS, FCF101ENS...(Other models you can see in the webshop)		

			
vm nr.	375579	Ref. No.	003594 053980 057442 0G2269 19013336 727829
description	safety thermostat switch-off temp. 360°C 1-pole 0.5A probe ø 6mm probe L 74mm capillary pipe 1500mm capillary pipe isolated 1500mm gland nut probe		
For models:	MBR/G701, MBR/G706, MBR/G701UK, MBR/G751, MBR/G756, RBR/G2FM, RBR/G2IM, XBR/G2FM, XBR/G2IM, JBR/G2FM, MBR/G2FM, MBR/G2IM, 7BRG60, 7BRG60X, RBR/G701UK, RBR/G751, RBR/G756, XBR/G701, M70GBP, XBR/G751, XBR/G756, PBR/G2FM, PBR/G2IM, OBR/G2FM, OBR/G2IM, TBR/G2FM, TBR/G2IM, HR/G420D, HR/G820D, HR/G420, HR/G820, HR/G821, HBR/G800, HBR/G805, HBR/G801, HBR/G806, HBR/G810, HBR/G815, HBR/G811, HBR/G816, HBR/G800D, HBR/G805D, HBR/G801D, HBR/G806D, HBR/G810D, HBR/G815D, HBR/G811D, HBR/G816D, HBR/E800, HBR/E805...(Other models you can see in the webshop)		

			
vm nr.	390142	Ref. No.	00305 004919 0H6134 0K3522 390142
description	safety thermostat switch-off temp. 360°C 3-pole 20A probe ø 3.1mm probe L 188mm capillary pipe 1490mm capillary pipe isolated 800mm gland nut probe SS		
For models:	SRE350, SRE360, SRE370, SRE700, SRE710, SRE720, SRE350, SRE360, SRE370, SRE700, SRE710, SRE720, 7508-3/85., 7502-3/85., 7500-3/85. HE.2PL.(N), 7504-3/85. HE.6PL.BO, 7505-3/85, 7512-3/85. KF.BO.(N), 7502-3/90. HE.4PL.BO., 7504-3/90. HE.6PL.BO., 7505-3/90. HE.6PL.BO., 7508-3/90. HE.CER.BO., 7512-3/90. KF.BO.(N), 7700-3/85, 7700-3/90. HE.2PL.(N), 7502-3/85. HE.4PL.BO., 7508-3/85. HE.CER.BO., 7505-3/85. HE.6PL.BO., 7508-3/85. HE.CER.BO., 7506-3/85. HE.CER.2KZ, 7508-3/85. HE.CER.BO., 7506-3/85. HE.CER.2KZ, 7510-3/85. HE.CER.6KZ, 7504-3/90. HE.6PL.BO., 7502-3, 7502-9, 7504-3, 7504-9, 7505-3, 7505-9-9, 7508-3, 7510-3/90. HE.CER.6KZ, 7512-3, 7512-9, 9002-3, 9004-3, 9006-3, 9012-3, 9015-3, 9598-3-0...(Other models you can see in the webshop)		

			
vm nr.	375562	Ref. No.	004269 11151622
description	safety thermostat switch-off temp. 360°C 3-pole 20A probe ø 4mm probe L 120mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe SS		
For models:	RCF/M2, RCF/M3, RCF/E2, RCF/E2MO, RCF/E2M4, RCVF/E3MO, RCVF/E3M4, RCF/E2E5, RBR/E2FM, RBR/E2IM, RMV/E1C, RMV/E2C, RMV/G1C, RMV/G2C, RIF/E2, MCF/E2Q, RCF/E2Q, XCF/M2, XCFM3, XCF/E2, XBR/E2FM, XBR/E2IM, XMV/E1C, XMV/E2C, XMV/G1C, XMV/G2C, XIF/E2, JCF/M2, JCFM3, JCF/E2, JBR/E2FM, JMV/E1C, JMV/E2C, JIF/E2, MCF/M2, MCF/M3, MCF/E2, MCF/E2E5, MBR/E2FM, MBR/E2IM, MMV/E1C, MMV/E2C, MMV/G1C, MMV/G2C, MIF/E2, PBR/E2FM, PBR/E2IM, PMV/G1C, PMV/G2C, PMV/E1C...(Other models you can see in the webshop)		

accessories			
			
vm nr.	551083	Ref. No.	0A2187
description	cap for safety thermostat thread M8x1		
For models:	MBR/E710D, MBR/E700, MBR/E700UK, MBR/G701, MBR/G706, MBR/G701UK, MBR/G751, MBR/G756, MBR/E716, MBR/E706, 7BRE60XN, 7BRE60X, RBR/E700UK, 7BRG60, 7BRG60X, RBR/G701UK, RBR/G751, RBR/G756, RBR/E716, RBR/E706, XBR/E710D, M70EBP, XBR/E710, XBR/G701, M70GBP, XBR/G701UK, XBR/G751, XBR/G756, CBR/G700, CBR/E700, XBR/E716, XBR/E706, HFR/E410, HFR/E810, HFR/E411, HFR/E412, HFR/E418, HFR/E818, HBR/G800, HBR/G805, HBR/G810, HBR/G815, HBR/G811, HBR/G816, HBR/G800UK, HBR/G821UK, ZFR/E410, ZFR/E810, ZFR/E411, ZFR/E412...(Other models you can see in the webshop)		

control thermostats with operation switch			
55.34_ series			
			
vm nr.	375570	Ref. No.	0K0662
description	thermostat t.max. 470°C temperature range 100-470°C 1-pole 1NO 16A probe ø 3.9mm probe L 228mm capillary pipe 1110mm capillary pipe isolated 600mm gland nut shaft ø 6x4.6mm shaft L 24mm shaft position upper rotation 270° outer switch 2NO		
For models:	7511-3/85.KF.(N), 7512-3/85.KF.BO.(N), 7511-3/90.KF.(N), 7512-3/90.KF.BO.(N), 7711-3/85.KF.(N), 7711-3/90.KF.(N), 7511-3, 7512-3, 7711-3		

control thermostats with actual value

			
vm nr.	379722	Ref. No.	0K7631 0KB607
description	thermostat t.max. 120°C temperature range 0-120°C 1-pole 1CO 10A probe ø 8.5mm probe L 32mm capillary pipe 1600mm mounting ø 60mm		
For models:	HC-AR, HC-CS		

accessories

fitting parts

			
vm nr.	697994	Ref. No.	002774
description	bracket for probe		
For models:	RR/E1CL, RR/E2CL, RRV/E1CL, RRV/E2CL, RR/E2CM, XR/E1CL, XR/E2CL, XRV/E1CL, XRV/E2CL, JR/E1CL, JR/E2CL, JRV/E1CL, JRV/E2CL, MR/E1CL, MR/E2CL, MRV/E1CL, MRV/E2CL, MR/E2CM, FCV/G10L3, FCVG10L3T, FCVG10L3, FCV/G20L3, FCVG20L3, FCVG10L3J, FCVG10L3J, FCV/G10L6JAP, FCV/G102/1L6JAP, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCV/G6L4, FCV/G10L6, FCV/G102/1L6, FCV/G20L6, FCVG20L6, FCV/G101/1, FCV/G102/1, FCV/G201/1, FCV/G202/1, FCF/E4-OLD, FCF/E4D, FCFE4PH, 5711-2-6, 5711-2-7, 5711-2-8, 5711-2-10, 5711-2-8CH, 5711-2-10CH, 5712-2-6, 5712-2-7...(Other models you can see in the webshop)		

probe clips

clamps

			
vm nr.	550401	Ref. No.	057519 066823
description	probe clip for pipe ø 9mm for probe ø 6mm Qty 1 pcs		
For models:	MCF/G1090, MCF/G1095, MCF/G995, MG/E350D, MG/E350UK, MG/E700D, MG/E700UK, MG/E350, MG/E700, RCF/G2, RCF/G3, RCF/G9, RG/E1, RG/E2, RGV/E1, RGV/E2, RTF/G2, RSF/G2, RSF/G3, MCF/G2A, MCF/G3A, XCF/G2, XCF/G3, XCF/G9, XG/E1, XG/E2, XGV/E1, XGV/E2, XTF/G2, XSF/G2, XSF/G3, JCF/G2, JCF/G3, JG/E1, JG/E2, JTF/G2, MCF/G2, MCF/G3, MCF/G9, MG/E1, MG/E2, MG/E1, MG/E2, MTF/G2, MSF/G2, MSF/G3, RCF/G1095, RG/E350D, RG/E350UK, RG/E700D...(Other models you can see in the webshop)		

gland nut accessories

bolts with slot

1



vm nr.	520243	Ref. No.	027061
description	bolt with slot thread M9x1 Qty 10 pcs nickel-plated brass		
accessories for	520243		
vm nr.	510591	Ref. No.	—
description	washer with slot ED ø 8.8mm slit width 1.2mm Qty 10		
vm nr.	510592	Ref. No.	—
description	gasket ø 8x8.7mm Qty 10 pcs slotted silicone		

connecting bows

1



vm nr.	550060	Ref. No.	006712 01103 01P01 054376 0A2039 0H6283 0KQ972 0M0643 VO2215
description	connecting bow long for thermostat Qty 1 pcs		
For models:	RF/E1S08, RF/E2D08, RFR/E1S08, RFR/E2D08, RFR/E1S14, RFR/E2D14, RF/E1S07, RF/E2D07, RFR/E1S07, RFR/E2D07, XF/E1S08, XF/E2D08, XFR/E1S08, XFR/E2D08, XFR/E1S14, XFR/E2D14, XF/E1S07, XF/E2D07, XFR/E1S07, XFR/E2D07, JF/E1S08, JF/E2D08, JFR/E1S08, JFR/E2D08, JFR/E1S14, JFR/E2D14, JF/E1S07, JF/E2D07, JFR/E1S07, JFR/E2D07, MF/E1S08, MF/E2D08, MFR/E1S08, MFR/E2D08, MFR/E1S14, MFR/E2D14, MF/E1S07, MF/E2D07, MFR/E1S07, MFR/E2D07, PF/E1S07, PF/E2D07, PFR/E1S07, PFR/E2D07, PF/E1S07E5, PFRE2D07E5, OF/E1S07, OFR/E1S07, OFR/E2D07, TF/E1S07...(Other models you can see in the webshop)		

1



vm nr.	550059	Ref. No.	0A2205 0G0270 0H6775 0K5001 0KM937 0KT779 18015163 253566 537001200 5370012005 617078 721205
description	connecting bow short for switch Qty 1 pcs		
For models:	BR/E1FL, BR/E1FR, BR/E2FL, BR/E2FR, RR/E1FL, RR/E1FR, RR/E1CL, RR/E2FL, RR/E2FM, RR/E2CL, RRV/E1FL, RRV/E1FR, RRV/E1CL, RRV/E2FL, RRV/E2FM, RRV/E2CL, RR/E2CM, RG/E1, RG/E2, RGV/E1, RGV/E2, XR/E1FL, XR/E1FR, XR/E1CL, XR/E2FL, XR/E2FM, XR/E2CL, XRV/E1FL, XRV/E1FR, XRV/E1CL, XRV/E2FL, XRV/E2FM, XRV/E2CL, XG/E1, XG/E2, XGV/E1, XGV/E2, JR/E1FL, JR/E1FR, JR/E1CL, JR/E2FL, JR/E2FM, JR/E2CL, JRV/E1FL, JRV/E1FR, JRV/E1CL, JRV/E2FL, JRV/E2FM, JRV/E2CL, JG/E1...(Other models you can see in the webshop)		

switches and momentary switches
rocker/momentary rocker switches

30x11mm

1



vm nr.	301012	Ref. No.	004110
description	rocker switch mounting measurements 30x11mm green 1NO/indicator light 250V 16A 0-I connection male faston 6.3mm ambient temperature max. 85/125°C protection IP40		
For models:	ZCMDG6, ZCMDG4, ZCMDG9		

30x22mm

1



vm nr.	301001	Ref. No.	005899 0C4924 91310090
description	rocker switch mounting measurements 30x22mm red 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65		
For models:	ZCBDG8, ZCBDG12, ZCBDG18		
accessories for	301001		
vm nr.	301036	Ref. No.	002150
description	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

blank



1

vm nr.	345390	Ref. No.	054547 055014
description	momentary rocker switch mounting measurements 30x22mm red 1NC 230V 16A illuminated connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with cover cap		
For models:	FCFG10, FCFG10D, FCFG10NL, FCFG20, FCFG20D, FCFG20F, PFCFG20, FCFG40, FCFG41, FCFG40D, FCFG40F, PFCFG40F, FCFG20J, FCFG20J, FCFG40J, FCFG40J, FCFG20J, FCFG20J, FCFG41J, FCFG40J, FCFG101, FCFG201, FCFG202, FCFC202, FF/G20, FF/G40, COCO10G, COCO20G, 4236N, ZOFCF/G10D, ZOFCF/G20D		
accessories for	345390		
	vm nr.	301036	Ref. No. 002150
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

labelled



1

vm nr.	300125	Ref. No.	053810 056702 056703 081680 085609 0HA083 0K8650 0KM979 0PE186 20528 23327 74500120 9020528 B23327
description	rocker switch mounting measurements 30x22mm green 2NO 230V 16A 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with cover cap		
For models:	WMGHUK, WMMHPLUK, LPS/75, 7CPE07P, 7CPG07P, M70EPC, M70G-PC, CCP/E700, FCFG10, FCFG10D, FCFG10NL, FCFE10, FCFE10UK, FCFG20, FCFG20D, FCFG20F, PFCFG20, FCFE20, FCFE20UK, FCVE20-V, FCVE20VUK, FZG18, AFZ50, AFZ75, FZE18, FPE30, FPE18, AFP50, AFP75, ZMMDG4, ZMBDG8, ZMMDE4, ZMMD4L, ZMBD4L, ZMMDG6, ZMBDG12, ZMMDE6, ZMMD6L, ZMBD6L, FPS/18, FPS/30, FLP55, FLP80, MEATFREEZER67, PFF119, HFR/G420, HFR/G840, FCFG101, FCFG201, FCF/E10...(Other models you can see in the webshop)		
accessories for	300125		
	vm nr.	301036	Ref. No. 002150
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

with symbol



1

vm nr.	346385	Ref. No.	054552 401D3501
description	rocker switch mounting measurements 30x22mm green 2CO 230V 16A illuminated fan connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with cover cap		
For models:	FCFG10, FCFG10D, FCFG10NL, FCFE10, FCFE10UK, FCFG20, FCFG20D, FCFG20F, PFCFG20, FCFE20, FCFE20UK, FCFG101, FCFG201, FCF/E10, FCF/E20, COCO10G, COCO10E, COCO20G, COCO20E, FCFE101, FCFE201, ZOFCF/G10D, ZOFCF/G20D		
accessories for	346385		
	vm nr.	301036	Ref. No. 002150
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		



1

vm nr.	346386	Ref. No.	058808
description	rocker switch mounting measurements 30x22mm green 2CO 250V 16A illuminated I-II connection male faston 6.3mm ambient temperature max. 85°C protection IP65 with cover cap		
For models:	FCFE10, FCFE10UK, FCFE20, FCFE20UK, FCFE10J, FCFE10J, FCFE20J, FCFE20J, COCO10E, COCO20E, FCFE101, FCFE201		
accessories for	346386		
	vm nr.	301036	Ref. No. 002150
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		



1

vm nr.	346384	Ref. No.	053837
description	rocker switch mounting measurements 30x22mm green 2NO 250V 16A illuminated I-II connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with cover cap		
For models:	FCFE10, FCFE10UK, FCFE20, FCFE20UK, FCF/E10, FCF/E20, COCO10E, COCO20E, FCFE101, FCFE201		
accessories for	346384		
	vm nr.	301036	Ref. No. 002150
	protective cover internal size 30x22mm for rocker switch mounting measurementsmm		

push/momentary push switches

ø16mm



1			
vm nr.	346287 ¹	Ref. No.	002418 006848 0G2313 0G2315 0K2049 52221G00000 P12NK1G00000 P1CAP1
description	momentary push switch mounting ø 16mm red 1NO 250V 3A illuminated connection male faston 2.8mm ambient temperature max. 125/55°C protection IP65 with cover cap		
For models:	FDV40G, FDV40GZ, FDV40GA, FDV20G, FDV20GZ, FDV20GA, HI/G400, HI/G800, HI/G400N, HI/G800N, BRN70G, BRN70GZ, BR70GZ, BRNG70A, FCVG10L3, FCVG10L3T, FCVG10L3, FCVG20L3, FCVG20L3J, FCVG10L3J, FCVG10L3J, FCVG10L6JAP, FCVG102/1L-6JAP, FCVG6L3CJ, FCVG10L2, FCVG6L3C, FCVG61/1, FCVG61/1, FCVG61/1, FCVG61/1, FCVG6L3CT, FCVG6L3CJ, FCVG6L4, FCVG10L6, FCVG102/1L6, FCVG20L6, FCVG20L6, FCVG101/1, FCVG102/1, FCVG201/1, FCVG202/1, FCS061G48J, FCS061GP, FCS061G-3DI, FCS061G4, FCS061G4DT, FCS061G49J, FCS101G2, FCS101G4, FCS101G4DT...(Other models you can see in the webshop)		

illuminated

ø25mm



1			
vm nr.	345038	Ref. No.	053978 058274 727946
description	momentary push switch mounting ø 25mm black 2NO 250V 16A connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	RC/G320, RC/G330, RC/G320F, RC/G720, RC/G730, MCF/G705, MCF/G1055, MCF/G700, MCF/G1050, MCF/G705E, MCF/G1055E, MCF/G700D, MCF/G700, MCF/G705F, MCF/G1055F, MCF/G705NL, MCF/GE705, MCF/GE1055, MCF/GE700, MCFGE1050, MCF/GE700D, MCFGE1050D, MCF/G1050D, MCFG1055NL, MC/G355, MC/G350, MC/G355E, MC/G350D, MC/G355F, MC/G355NL, MC/G705, MC/G700, MC/G705E, MC/G700D, MC/G705NL, MC/G1055, MC/G1050, MC/G1050D, MC/G1055NL, MC/G705F, MCF/GE1055UK, MCF/G1090, MCF/G1095, MC/G352, MC/G702, MC/G1052, MCF/G702, MCF/GE702, MCF/G1052, MCFGE1052...(Other models you can see in the webshop)		

1			
vm nr.	345161 ¹	Ref. No.	054518 082446 0K2150 0K3029 60050016
description	push switch mounting ø 25mm green 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 85°C protection IP40		
For models:	MFR/G350, MFR/G700, MFR/G350D, MFR/G700D, MFR/G350F, MFR/G700F, MFR/G350E, MFR/G700E, MVR/E1400, MVR/E1050, MVR/E1060, MCP/G700, RC/G1, RC/G2, RCV/G2, RCV/G3, RCF/G2, RCF/G3, RSF/G2, RSV/G2, RSF/G3, MCF/G2A, MCF/G3A, XC/G1, XC/G2, XCV/G2, XCV/G3, XCF/G2, XCF/G3, XSF/G2, XSV/G2, XSF/G3, JC/G1, JC/G2, JCV/G2, JCV/G3, JCF/G2, JCF/G3, MC/G1, MC/G2, MCV/G2, MCV/G3, MCF/G2, MCF/G3, MSF/G2, MSV/G2, MSF/G3, RFR/G350, RFR/G700, RFR/G350D...(Other models you can see in the webshop)		

illuminated



1			
vm nr.	345039	Ref. No.	053979 0K3030 60050204 727947
description	protective cover round ED ø 33mm external size 23mm internal size 21mm H 12mm clear mounting ø 25mm		
For models:	RC/G320, RC/G330, RC/G320F, RC/G720, RC/G730, MCF/G705, MCF/G1055, MCF/G700, MCF/G1050, MCF/G705E, MCF/G1055E, MCF/G700D, MCF/G700, MCF/G705F, MCF/G1055F, MCF/G705NL, MCF/GE705, MCF/GE1055, MCF/GE700, MCFGE1050, MCF/GE700D, MCFGE1050D, MCF/G1050D, MCFG1055NL, MC/G355, MC/G350, MC/G355E, MC/G350D, MC/G355F, MC/G355NL, MC/G705, MC/G700, MC/G705E, MC/G700D, MC/G705NL, MC/G1055, MC/G1050, MC/G1050D, MC/G1055NL, MC/G705F, MCF/GE1055UK, MCF/G1090, MCF/G1095, MC/G352, MC/G702, MC/G1052, MCF/G702, MCF/GE702, MCF/G1052, MCFGE1052...(Other models you can see in the webshop)		
accessories for	345039		
	vm nr.	345001	Ref. No. —
	momentary push switch mounting ø 25mm yellow 1NO/indicator light 250V 16A cover connection male faston 6.3mm ambient temperature max. 85°C protection IP65		



microswitches

lever actuated



1

vm nr.	345254	Ref. No.	046286 053671 054550 057580 058405 066874 081352 081692 0K7808 60050203
description	microswitch with lever 250V 16A 1CO connection male faston 6.3mm ambient temperature max. 120°C mounting distance 22mm actuating force: 60g lever length 58mm		
For models:	AP20, BC44, BCF44, ALP110, ALP120, ALP111, ALP220, ALP240, ALP221, ALN110, ALN120, ALN111, ALN220, ALN240, ALN221, ALNN120, ALNN220, ALNN230, ALNSO120, ALP110UK, ALN110UK, ALNN220UK, ALF110, ALF220UK, ALNF220, ALF110, ALF120, ALF220, ALF240, ALNF120, ALNF220, ALNF230, BC44, BCF44, ILP110, ILP110UK, ILN120, ILP111, ILP220, ILP220UK, ILP240, ILP221, ILN110, ILN110UK, ILN120, ILN111, ILN220, ILN220UK, ILN240, ILNSO120... (Other models you can see in the webshop)		



2

vm nr.	345257	Ref. No.	069484 218002
description	microswitch with lever 250V 16A 1CO connection male faston 6.3mm L 29mm L1 33mm ambient temperature max. 120°C mounting distance 22mm actuating force: 130g lever length 31.5mm		
For models:	LTB11, LTB12, LTB22, LTB11UK, LTB12UK, LTB22UK, LTB11, LTB22, 910-00-021, 910-00-023, 910-00-031, 910-00-033, 911-00-022, 911-00-024, 911-00-032, 911-00-034, CRYSTAL 11, CRYSTAL 22		



1

vm nr.	345107	Ref. No.	046379 047485 0H2586 0KB678 306E2334 640606500 OMRV1531C6 S640603300
description	microswitch with lever 250V 16A 1CO connection male faston 6.3mm L 98mm ambient temperature max. 125°C mounting distance 22mm actuating force: 30g lever length 90mm		
For models:	FCV31E3, 7CO30, CCO30G, ECO312CF, OTS100, LB80EPH, LB80E, LB120EPH, LB120E, LB160EPH, LB160E, LB160V, CLB160E, CLB160V, LB70E, LB110E, LS540F, LS540DK, LS541F, LS365D, LS540, LSDS51, LSDS5V, LS540D, LS540/63, LS541, LS510, LS520, LS520D, LS520F, LS520M, LS520K, LS521, LS521D, LS521F, LS521M, LS521K, LS521, LS4, LS540, ZLS510, ZLS520, ZLS521, ALS540, ALLS521, ALLS520, ALS510, LB80E, LB70E, LB120E... (Other models you can see in the webshop)		

pin-plunger actuated



1

vm nr.	345105	Ref. No.	OKI505
description	microswitch with plunger 250V 16A 1CO connection male faston 6.3mm L 28mm ambient temperature max. 125°C mounting distance 22mm type SM-51 actuating force: 280g black		
For models:	MF250WB20		

M10



1

vm nr.	345032	Ref. No.	002785 005031 046063 058926 0F0072 0H6565 0K2018 0K2969 0K8366 0KE535 0KI395 245031 245040 345032 60050200 60050480
description	microswitch with plunger thread M10x1 thread L 12mm 250V 16A 1CO connection male faston 6.3mm stroke 7mm mounting distance 22mm L 28mm ambient temperature max. 125°C type SP9603 actuating force: 180g		
For models:	MFR/E355, MFR/E355UK, MFR/E355D, MFR/E705, MFR/E705UK, MFR/E705D, MFR/E740, BF/E1S12, FDV40G, FDV40E, FDV40GZ, FDV40EL, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, RF/E1D05, RFR/E1S12, RFR/E2D12, RFR/E2S40, RF/E1S12, RF/E2D12, RF/E1S12, RF/E2D12, RF/E1S12E5, RF/E2D12E5, RFR/E1S12, RFR/E2D12, XF/E1D05, XFR/E1S12, XFR/E2D12, XFR/E2S40, XF/E1S12, XF/E2D12, XF/E1S12, XF/E2D12, XFR/E1S12, XFR/E2D12, JF/E1D05, JFR/E1S12, JFR/E2D12, JFR/E2S40, JF/E1S12, JF/E2D12, JF/E1S12, JF/E2D12, MF/E1D05, MFR/E1S12... (Other models you can see in the webshop)		

M12



1

vm nr.	347009	Ref. No.	0H2312 0K7633 XO1E1G6Z1 XO1E1G6Z122
description	microswitch with plunger thread M12x1 380V 20A 1CO connection screw ambient temperature max. 85°C		
For models:	AR170, AR170, AR170, AR170, AR170, AR170, AR170, AR170, AR170, AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR340, AR340, AR340, AR340, AR340, AR340, AR340, AR340S, AR340S, AR340S, AR340S, AR340S, AR340S, AR340S, AR340S, AR85, AR85, AR85, AR85, AR85, AR85, AR85... (Other models you can see in the webshop)		

accessories



1

vm nr.	348103	Ref. No.	045404
description	insulation for microswitch L 46mm W 26mm		
For models:	AP20, BC44, BCF44, ALP110, ALP120, ALP111, ALP220, ALP240, ALP221, ALN110, ALN120, ALN111, ALN220, ALN240, ALN221, ALNN220, ALNN230, ALNSO120, ALP110UK, ALN110UK, ALNN220UK, ALF110, ALF220UK, ALNF220, ALF110, ALF120, ALF220, ALF240, ALNF220, ALNF230, BC44, BCF44, ILP110, ILP110UK, ILN120, ILP111, ILP220, ILP220UK, ILP240, ILP221, ILN110, ILN110UK, ILN120, ILN111, ILN220, ILN220UK, ILN240, ILN221, ILNN220, ILNN220UK...(Other models you can see in the webshop)		

system switches (ROLD)



1

vm nr.	345651	Ref. No.	003766 OK3391
description	switch 2CO 250V 16A connection male faston 6.3mm		
For models:	FCF/G6-0, FCFG101/0, FCFG102-0, FCFG201-0, FCFG202-0, FCF/E6-0, FCFE101-0, FCFE102-0, FCFE201-0, FCFE202-0, FCF061ELN, FCF101ELN, FCF6EHOR, FCFG10160H, FCF061ENS, FCF101ENS, FCF102ENS, FCF201ENS, FCFG102-0T, FCF/G6-1-JAP, FCF/G101/1-1-JAP, FCF/G102/1-1-JAP, FCFE6-1J, FCFE101-1J, FCFE102-1J, FCF/G101/1, 5702-2-3, 5704-2-3, 57074-2-3, 5701-3-3, 5702-3-3, 5704-3-3, 5707-3-3, ECF/G6/0, ECFG101-0, ECFG102-0, ECFG201-0, ECFG202-0, ECF/E6-0, ECFE101-0, ECFE102-0, ECFE201-0, ECFE202-0, ECF061ENS, ECF101ENS, ECF102ENS, ECF201ENS, ECF061E5M, ECF061ECV, ACF/G6-0...(Other models you can see in the webshop)		

cam switches

on/off



1

vm nr.	300074	Ref. No.	0A2162 0A2227 0KE807
description	cam switch 4 operating positions 2NO sequence 0-1-0-1 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		
For models:	MBR/G710D, MBR/E710D, MBR/E700, MBR/E700UK, MBR/E716, MBR/E706, MCC/E350D, MCC/E350, FDV40G, FDV40GZ, FDV40GA, FDV20G, FDV20GZ, FDV20GA, RW/E1, XW/E1, JW/E1, MW/E1, RBR/G710D, 7BRE60XN, 7BRE60X, RBR/E700UK, RBR/E716, RBR/E706, RCC/E350, XBR/E710D, M70EBP, XBR/E710, XBR/G751, XBR/G756, CBR/E700, XBR/E716, XBR/E706, T35ECS, CCC/E350, PW/E1, OW/E1, TW/E1, RBR/E700, RBR/E700, KW/E1, HFR/G410NL, HFR/G810NL, HPN/GI810, HPN/GI815, HPN/GI806, HPN/GI805, QW/E1, ZPN/GI810, 2PIG15...(Other models you can see in the webshop)		

4-position



1

vm nr.	300007	Ref. No.	0H6602 0H9803 0K4913 18005014 300007
description	cam switch 4 operating positions 1NO/2CO sequence 0-1-2-3 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm 4-position ceramic		
For models:	BE1-TA.3, BE1-W.3, BE1-WS-M.3, BE2-A-C.3, BE2-A-M.3, BE2-WS-C.3, BE2-WS-M.3, BE3-C.3, BE3-M.3, BE1-WS-C.3		



1

vm nr.	300103	Ref. No.	029147 0H1255 0H6389 0H6598 0K1383 0K2147 SEC117
description	cam switch 4 operating positions 1NO/2CO sequence 0-1-2-3 32A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		
For models:	7508-3/85., 7502-3/85., 7500-3/85.HE.2PL.(N), 7504-3/85.HE.6PL.BO., 7505-3/85, 7506-3/85.HE.CER.2KZ, 7512-3/85.KF.BO.(N), 7502-3/90. HE.4PL.BO., 7504-3/90.HE.6PL.BO., 7505-3/90.HE.6PL.BO., 7506-3/90. HE.CER.2KZ, 7508-3/90.HE.CER.BO., 7512-3/90.KF.BO.(N), 7700-3/85, 7700-3/90.HE.2PL.(N), 7502-3/85.HE.4PL.BO., 7508-3/85.HE.CER.BO., 7505-3/85.HE.6PL.BO., 7508-3/85.HE.CER.BO., 7506-3/85.HE.CER.2KZ, 7506-3/85.HE.CER.2KZ, 7508-3/85.HE.CER.BO., 7509-3/85.HE.CER.6KZ, 7506-3/85.HE.CER.2KZ, 7510-3/85.HE.CER.6KZ, 7509-3/85.HE.CER.6KZ, 7509-3/85.HE.CER.6KZ, 7504-3/90.HE.6PL.BO., 7502-3, 7502-9, 7504-3, 7504-9, 7505-3, 7505-9-9, 7508-3, 7510-3/90.HE.CER.6KZ, 7512-3, 7512-9, 7709-3/85, 7709-3/90, 9002-3, 9004-2, 9004-3, 9006-3, 9012-3, 9015-3, 9598-3-0, 9598-3-8		

7-position



1

vm nr.	300106	Ref. No.	01C25 01C32 0A2022 0G0920 0H1256 0H6394 0H9805 0K4922 0K6968 0K7289 0KC015 0M0527 18005037 18005083 180514 30000755
description	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 32A shaft ø 6x4.6mm shaft L 23mm connection screw 7-position shaft flat upper		
For models:	CE128-106, CE158-133.3.HV, CE158-244.3, CE158-246.3, CK248-209, D1ABBB, CK248-211.D1ABBB, HCE128-100, HCE128-104, HCE158-252W.3, HCE158-253.3, CK248-205.D1ABBB, CK248-207.D1ABBB, HCE128-100W, HCE128-103W, HCE128-104W, CE128-101, CE128-102, CE128-105, CE128-107, CE128-108, HCE158-262W.3, HCE158-264.3, HCE158-261.3, HCE158-261W.3, HCE158-263.3, HCE158-232W.3, HCE158-233.3, HCE158-231.3, HCE158-231W.3, HCE158-230.3, CE158-234.3, CE158-236.3, HCE158-254.3, HCE158-251.3, HCE158-251W.3, HCE158-242W.3, HCE158-243.3, HCE158-241.3, HCE158-241W.3, HCE158-240.3, CE158-235.3, CE158-237.3, CE158-245.3, CE158-247.3, HCE158-131W.3.HV, HCE158-135.3.HV, HCE158-121W.3.HV, HCE158-125.3.HV, HCE158-132.3.HV, HCE158-132W.3.HV...(Other models you can see in the webshop)		

3 operating positions



1

vm nr.	345171	Ref. No.	048271
description	cam switch 3 operating positions 3NO sequence 0-1-2 16A shaft ø 6x4.6mm shaft L 26mm connection male faston 6.3mm ceramic		
For models:	LS7D, LS7, LS7UK/RP, LV70, LS7F, LS7DEK, LS7/1UK, LS7/9, LS7/60, WT40/9, WT40/F, LS7HD, WT40/J50, WT40/J60, WT40UKRP, PH4/WT40, PH4RBP/WT40, LS10D, LS10, LS10UKRP, LC100, LS10/60, LS10/1, LS10/12KW, LS10F, LS10DEK, LS10/1UKRP, LS10SW, LS12D, LS12, LS12UK/RP, LC120, LS12/60, LS12F, LS12DEK, RT10ED, RT10ES, RT10SR, RT10SL, RT10ED/230, RT10ES/230, RT10ERF60, RT10ELF60, RT10ERF, RT10ELF, RT10ERBF60, RT10ELBF60, RT10ERG, RT10ELG, RT10EDH...(Other models you can see in the webshop)		
accessories for	345171		
	vm nr.	112340	Ref. No. 046356 048340 048527 089816 46356
knob switch zero mark t.max.°C temperature range°C ø 40mm shaft ø 6x4.6mm shaft flat left black			



1

vm nr.	300042	Ref. No.	0H6101 60050377
description	cam switch 3 operating positions speed/power sequence 1-2-3 shaft ø 6x4.6mm connection male faston 16-pole		

4 operating positions



1

vm nr.	300010	Ref. No.	057934
description	cam switch 4 operating positions 2NO/2CO sequence 0-1-2-3 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		



1

vm nr.	300037	Ref. No.	0H6387
description	cam switch 4 operating positions 4NO sequence 0-1-2-3 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm		

6 operating positions



1

vm nr.	301092	Ref. No.	058806
description	cam switch 6 operating positions selection/ program shaft ø 6x4.6mm connection male faston 7-pole		
For models:	FCVE6-1U, FCVE6-3U, FCVE6-1, FCVE6-3, FCVE6-1UK, FCVE6-3UK, FCVE10-2, FCVE10-4, FCVE10-2UK, FCVE10-4UK, FCVE20-2, FCVE20-4, FCVE20-2UK, FCVE20-4UK, FCV/E6-1, FCV/E6-1, ZOFCV/E102, ZOFCV/E104, ZOFCV/E202, ZOFCV/E204		

7 operating positions



1

vm nr.	300233	Ref. No.	002661 0K2019 245029 245034
description	cam switch 7 operating positions shaft ø 6x4.6mm shaft L 23mm 5-pole		
For models:	FCV/G10L3, FCV/G6L3TOWNGAS, FCV/G6L3, FCVG10L3T, FCVG102L3, FCV/G20L3, FCVG202L3, FCVE6L3J, FCV/E10L3JAP, FCV/E102/1L3JAP, FCV/G6L3JAP, FCVG10L3J, FCVG102L3J, FCVG6L3CJ, FCV/E61/1, FCV/G10L2, FCV/E101/1, FCV/E10L2, FCV/E61/1, FCV/E101/2, FCV/G6L3C, FCV/G61/1, FCVG6L3CT, FCVG6L3CJ, FCV/E10L3, FCV/E102/1, FCV/E6L3, FCV/E102/1L3, FCV/E20L3, FCVE202L3, FCV/E101/1, FCS061E44J, FCS061G48J, FCS061G3DI, FCS061E3CI, FCS101E2, FCS061G4DT, FCS061G49J, FCS101G2, FCS201E4, FCS202E4, FCS201G4, FCS202G4, 5711-2-6, 5711-2-7, 5712-2-6, 5712-2-7, 5714-2-6, 5714-2-7, 5717-2-6...(Other models you can see in the webshop)		

8 operating positions



1

vm nr.	301094	Ref. No.	055017 780517
description	cam switch 8 operating positions 7NO sequence 0-1-2-3-4-5-6-7 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		
For models:	FCF/G6-0, FCFG101/0, FCFG102-0, FCFG201-0, FCFG202-0, FCF/E6-0, FCFE101-0, FCFE102-0, FCFE201-0, FCFE202-0, FCF061ELN, FCF101ELN, FCF6EHOR, FCFG10160H, FCFG102-0T, FCF/G6-1-JAP, FCF/G101/1-1-JAP, FCF/G102/1-1-JAP, FCFE6-1J, FCFE101-1J, FCFE102-1J, FCF/G101/1, FCFG10, FCFG10D, FCFG10NL, FCFE10, FCFE10UK, FCFG20, FCFG20D, FCFG20F, PFCFG20, FCFE20, FCFE20UK, FCFG40, FCFG41, FCFG40D, FCFG40F, PFCFG40F, FCFE40, FCFE40D, FCFE40UK, PFCFE40F, FCFG10J, FCFG10J, FCFE10J, FCFE10J, FCFG20J, FCFG20J, FCFE20J, FCFE20J...(Other models you can see in the webshop)		

operation switches



1

vm nr.	300002	Ref. No.	00070 004908 0A2134 0G0268 0G0517 0G0921 0G2119 0H6605 0K3016 0K3500 0K4911 0K5472 0K9781 18005010 19005011 727993
description	cam switch 2 operating positions 4NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		
For models:	BR/E1FL, BR/E1FR, BR/E2FL, BR/E2FR, MM/E700, MM/E700UK, MM/E700D, MG/E350D, MG/E350UK, MG/E700D, MG/E700UK, MG/E350, MG/E700, RR/E1FL, RR/E1FR, RR/E1CL, RR/E2FL, RR/E2FM, RR/E2CL, RRV/E1FL, RRV/E1FR, RRV/E1CL, RRV/E2FL, RRV/E2FM, RRV/E2CL, RR/E2CM, RG/E1, RG/E2, RGV/E1, RGV/E2, XR/E1FL, XR/E1FR, XR/E1CL, XR/E2FL, XR/E2FM, XR/E2CL, XRV/E1FL, XRV/E1FR, XRV/E1CL, XRV/E2FL, XRV/E2FM, XRV/E2CL, XG/E1, XG/E2, XGV/E1, XGV/E2, JR/E1FL, JR/E1FR, JR/E1CL, JR/E2FL...(Other models you can see in the webshop)		



1

vm nr.	300080	Ref. No.	002164 01553PB 026945 0G3354 0K2928 0K3015 0K4968 0K8419 18005612 180515 2317 537000200 V02071 VOL180515
description	cam switch 2 operating positions 4NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection screw operation switch ceramic ambient temperature max. 150°C		
For models:	MR/E350D, MR/E350UK, MR/E360, MR/E700D, MR/E700UK, MR/E710, MR/E720, MR/E715, MR/E725, MR/E350, MR/E700, MR/E720D, RR/E350D, RR/E350UK, 7FTEF3R, RR/E360UK, RR/E700D, RR/E700UK, RR/E710, RR/E710UK, 7FTEC7L, 7FTEF3L, 7FTEF7L, 7FTEC7M, XR/E350D, XR/E350UK, T36EFT, XR/E700D, XR/E700UK, T71EFT, T79EFT, T35EFT, T70EFT, CR/E720, RR/E300, RRE702, RR/E300UK, RR/E311, RR/E700, RR/E700UK, RR/E711, RM/E700, PRM/E700, RM/E700U, RRV/E300, RRV/E300, RRV/E311, RRV/E700, RRV/E700, RRV/E711...(Other models you can see in the webshop)		

			
1			
vm nr.	301142	Ref. No.	055473
description	cam switch 2 operating positions operation switch sequence 1-2 shaft ø 6x4.6mm connection male faston 3-pole ambient temperature max. 270°C		
For models:	FCVE20-V, FCVE20VUK, FCVM62E, FCVM62EUK, FCVMG62, ZOFCV/G6-3, FCV/E20-V		

			
1			
vm nr.	301095	Ref. No.	054324 3570524011
description	cam switch 4 operating positions operation switch sequence 0-1-2-3 shaft ø 6x4.6mm connection male faston 3-pole ambient temperature max. 270°C		
For models:	FCF/E4-OLD, FCF/E4D, FCFE4PH, FCF/E4OLD3, FCF/E4OLD4, FCF/E4OLD2, FCF/E4OLD1, FCF/E4D		

			
1			
vm nr.	300200	Ref. No.	01C29 031481 054375 058125 0A2036 0H6589 0H6688 0H9802 0K4287 0K4443 0K4912 0K5045 0K8843 0KT763 0KW856 0M0524 12344145 18002897 18005012 18025012 1805012 50000052 6030015 722894 M01C29
description	operation switch 2 operating positions 2NO 16A sequence 0-1 shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm operation switch ceramic		
For models:	TC1200TOP, TC1210TOP, TC1400TOP, TC1410TOP, TC1600TOP, TC1610TOP, TC1800TOP, TC1810TOP, TC2000TOP, TC2010TOP, TCD1200TOP, TCD1400TOP, TCD1600TOP, TCD1800TOP, TCD2000TOP, TC1000, TC1010, TC1200, TC1210, TC1400, TC1410, TC1600, TC1610, TC1800, TC1810, TC2000, TC2010, TCD1000, TCD1200, TCD1400, TCD1600, TCD1800, TCD2000, TC1200, TC1210, TC1400, TC1410, TC1600, TC1610, TC1800, TC1810, TC2000, TC2010, TCD1200, TCD1400, TCD1600, TCD1800, TCD2000, TC1000, TC1000...(Other models you can see in the webshop)		

miscellaneous

			
1			
vm nr.	301299	Ref. No.	0C6245
description	cam switch 8 operating positions 5NO sequence 0-1-2-3-4-5-6-7 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm plastic		
For models:	FCF/E6-0, FCFE101-0, FCFE102-0, FCFE201-0, FCFE202-0, FCF061ELN, FCF101ELN, FCF6EHOR, FCF061ENS, FCF101ENS, FCF102ENS, FCF201ENS, FCFE6-1J, FCFE101-1J, FCFE102-1J, ECF/E6-0, ECFE101-0, ECFE102-0, ECFE201-0, ECFE202-0, ECF061ENS, ECF101ENS, ECF102ENS, ECF201ENS, ECF061E5M, ECF061ECV, ACF/E6-0, ACFE101-0, ACFE102-0, ACFE201-0, ACFE202-0, RCF061E, RCF101E, RCF201E		



vm nr.	345198	Ref. No.	0E3697
description	cam switch shaft ø 6x4.6mm shaft L 23mm 6-pole		
For models:	FCV31E3, 7CO30, CCO30G, ECO312CF, OTS100		

rotary switches

BREMAS

A1600 series



VM nr.	345315 ¹	Ref. No.	004156 91310060
description	rotary switch 3 1-0-2 sets of contacts 6 type CA160007 400V 16A shaft ø 5x5mm shaft L 23mm shaft square with knob connection screw		
For models:	ZCMM6, ZCBME12, ZCMM4, ZCBME8, ZCMM9, ZCBME18, PME430, PME630, PME6L30, PME930, PME435, PME635, PME6L35, PME935, PME830, PME1230, PME12L30, PME1830, PME835, PME1235, PME12L35, PME1835		

¹incl. knob

accessories



vm nr.	111420	Ref. No.	004147 0C9554
description	knob switch zero mark ø 34/60mm shaft ø 5x5mm red H 22mm L 50mm		
For models:	ZCMM6, ZCBME12, ZCMM4, ZCBME8, ZCMM9, ZCBME18		


miscellaneous



1				
vm nr.	346390	Ref. No.	0H9723 0H9811 0K3676 0K4925 0K7350 0K8029 0K8090 0KE475 126191 18005109 22126191 60053	
description	rotary switch sets of contacts 1 2 0-1 250V 16A illuminated connection male faston 6.3mm mounting measurements 25x25mm			
For models:	VARIOSTEAM/S-33.3/F, STEAM-O-MAT, AR6ES, AR6ES, AR6ES, AR6ES, AR6ES, AR6ES, AR6ES, AR6ES, AR6ES, AR6ES, AR6ES, AR6ES, AR10ES, AR10ES, AR10ES, AR10ES, AR10ES, AR10ES, AR10ES, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ES, AR10ES, AR10ES, AR10ES, AR10ES, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ESP... (Other models you can see in the webshop)			

magnetic switches


50x19mm



vm nr.	345821	Ref. No.	037260 049621 0KB775
description	magnetic switch L 50mm W 19mm 1NO 250V 1A P max. 50W connection male faston 6.3mm		
For models:	BCW061, BCW101, BCW201R, BCW102, BCFW061, BCFW101, BCFW201R, BCWS061T, BCFW102, BLAST C/FREEZER, BLAST C/FREEZER, BLAST C/FREEZER, BLAST C/FREEZER, BLAST C/FREEZER, BLAST C/FREEZER, BLAST C/FREEZER, BCFWS102, BCFWS101, BC56VA, Crosswise 20, BCF64A, Crosswise 20, BCFWS061, BCFWS061T, BLAST C/FREEZER, FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ061EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FCZ201EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ202ETA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ061GAG, FCZ101GAG, FCZ102GAG...(Other models you can see in the webshop)		
accessories for	345821		
	vm nr.	519049	Ref. No. 049627
	magnet ømm L 63mm H 10.7mm W 18.8mm hole distance 52mm M2 hole ø 2mm		

accessories

magnets



vm nr.	519049	Ref. No.	049627
description	magnet ømm L 63mm H 10.7mm W 18.8mm hole distance 52mm M2 hole ø 2mm		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ061EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FCZ201EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ202ETA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ202GAD, FCZ101GTG, FCZ102GTG, FCZ101GTD, FCZ102GTD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ201EBA, FCZ202EBA, FCZ061EBH, FCZ101EBH, FCZ201EBH, FCZ061EBN, FCZ101EBN, FCZ201EBN, FCZ061EBC, FCZ101EBC, FCZ201EBC, FCZ061EBA2, FCZ101EBA2...(Other models you can see in the webshop)		
accessories for	519049		
	vm nr.	560095	Ref. No.
			—
	sheet metal screws ø 2.9mm L 9.5mm SS Qty 20 pcs DIN 7981/ISO 7049 head ø 5.6mm oval head		

switches



vm nr.	345753	Ref. No.	005137 0H6285 512850 H22091300
description	switch mounting measurements ø16mm latching		
For models:	FCVG202L3, FCS201G4, FCS202G4, 5717-2-6, 5714-2-7, 5714-2-6L, 5714-2-7L, ECVG202T4, ACVG202C4, ZCV/G202/1		

encoders and potentiometers



vm nr.	403557	Ref. No.	0C0974
description	potentiometer 0.6KOhm shaft ø 6mm shaft L 14mm cable length 155mm thread M9 plug type male faston		
For models:	FCS061GP, FCS061EP, FCS101EP4J, FCS101EP, FCS101GP9J, FCS102EP4J, FCS101GP, FCS102EP, FCS102GA9J, FCS201EP, FCS102GP, FCS202EP, FCS201GP, FCS202GP, FCS061EXLN, FCS061EX, FCS101EX4J, FCS101EXLN, FCS101EX, FCS102EX4J, FCS102EX, FCS201EX, FCS201EXLN, FCS202EX, FCS101GX9J, FCS101GX, FCS102GX9J, FCS102GX, FCS201GX, FCS202GX		

control equipment

GEV special

ø16mm

push buttons



vm nr.	345754	Ref. No.	005139 0H6288
description	push button square clear ø 16mm		
For models:	FCVG202L3, FCS201G4, FCS202G4, 5717-2-6, 5714-2-7, 5714-2-6L, 5714-2-7L, ECVG202T4, ACVG202C4, ZCV/G202/1, 9100-2, 9101-2, 9102-2, 9104-2, 9113-2, 9114-2, 9115-2, 9116-2		



vm nr.	345751	Ref. No.	005138 0H6286 H22091400
description	contact block 2NO/2NC		
For models:	FCVG202L3, FCS201G4, FCS202G4, FCS202GP, 5717-2-6, 5714-2-7, 5714-2-6L, 5714-2-7L, ECVG202T4, ACVG202C4, ZCV/G202/1		

lamps

indicator lights

indicator lights 2-piece (lens and indicator lamp)

indicator light lenses

ø 6mm (type SQ-20)



vm nr.	359803	Ref. No.	054151 0HB189 0K2899 0K9373 6608012 660801201
description	indicator light lens green Qty 1 pcs ø 6mm		
For models:	RC/E320, RC/E320U, RC/E720, RC/E720, RCF/GE720, RCF/GE730, RCF/GE720, RCF/GE720, RCV/G320, RCV/E720, RCFE720, RCF/E720, RR/E300, RRE702, RR/E300UK, RR/E311, RR/E700, RR/E700UK, RR/E711, RG/E300, PRG/E300, RG/E300UK, RG/E700, PRG/E700, RG/E700U, RME300, PRM/E300, M/E300UK, RM/E700, PRM/E700, RM/E700U, RFRE302, RFR/E302UK, RFRE305, RFR/E305, RFR/E701, RFR/E701, RFRE312, RFR/E312, RFRE315, RFR/E315, RFR/E711, RFR/E711U, RRV/E300, RRV/E300, RRV/E311, RRV/E700, RRV/E700, RRV/E711, RMV/E300...(Other models you can see in the webshop)		

ø10mm (type SRZ-3)

			
1			
vm nr.	359123	Ref. No.	00053 004896 0K3498 0KI364 5789W000G9 72593808
description	indicator light housings mounting measurements ø10mm green round Qty 1 pcs		
For models:	SCE350, SCE700, SCFE700, SIE350, SVE700, SRE350, SRE360, SRE370, SRE700, SRE710, SRE720, SFRE350, SFRE700, SCCE350, SCCE350, SME350, SME700, SGE350, SBRE350, SCPE350, SCE350, SCE700, SCFE700, SIE350, SVE700, SRE350, SRE360, SRE370, SRE700, SRE710, SRE720, SFRE350, SFRE700, SCCE350, SME350, SME700, SGE350, SBRE350, SCPE350, PC35E6U, PC70E6U, BM35E6U, FTL35E6U, FTR35E6U, FTC35E6U, FTL70E6U, FTR70E6U, FTC70E6U, SFRE350, SFRE351, SFRE700...(Other models you can see in the webshop)		
accessories for	359123		
	vm nr.	359132	Ref. No. 00052 004895 0K3497
indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C			



1

vm nr.	359124	Ref. No.	00319 004928 0K3526
description	indicator light housings mounting measurements ø10mm yellow round Qty 1 pcs		
For models:	SFRE350, SFRE700, SFRE350, SFRE700, SFRE350, SFRE351, SFRE700, SFRE701		
accessories for	359124		
	vm nr.	359132	Ref. No. 00052 004895 0K3497
indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C			

ø13mm (type SFK-3)

			
1			
vm nr.	359225	Ref. No.	046289 5329080000
description	indicator light housings mounting measurements ø13mm clear Qty 1 pcs		
For models:	LS360F, LS360DK, LS365F, LS365, LS365PH, LS500F, LS501F, LS540F, LS540DK, LS541F, LS360D, LS365D, LS360, LS365, LS360/63, LS365/63, LS367, LS720F, LSE720DK, LSE720PH, LS860F, LS860DK, LS860PH, LS1080F, LS1080UK, LS1080PH, LSE721F, LS861F, LS540, LS1080M, LS1080, LS1080D, LS1080UK, LS1080/63, LS500F, LS500UK, LS501, LS501UK, LS540D, LS540/63, LSE721, LS720, LSE720UK, LS721UK, LSE720D, LS541, LS860, LS860D, LS860UK...(Other models you can see in the webshop)		

indicator lamps for socket type SQ

			
1			
vm nr.	359109	Ref. No.	054150 0HB138 0K2894 6608011 660801101
description	indicator lamp 230V green connection male faston 6.3mm no lens ø 6mm		
For models:	RC/E320, RC/E320U, RC/E720, RC/E720, RCF/GE720, RCF/GE730, RCF/GE720, RCF/GE720, RCV/G320, RCV/E720, RCFE720, RCF/E720, RR/E300, RRE702, RR/E300UK, RR/E311, RR/E700, RR/E700UK, RR/E711, RG/E300, PRG/E300, RG/E300UK, RG/E700, PRG/E700, RG/E700U, RME300, PRM/E300, M/E300UK, RM/E700, PRM/E700, RM/E700U, RFRE302, RFR/E302UK, RFRE305, RFR/E305, RFR/E701, RFR/E701, RFRE312, RFR/E312, RFRE315, RFR/E315, RFR/E711, RFR/E711U, RRV/E300, RRV/E300, RRV/E311, RRV/E700, RRV/E700, RRV/E711, RMV/E300...(Other models you can see in the webshop)		
accessories for	359109		
	vm nr.	359806	Ref. No. —
indicator light lens clear Qty 1 pcs ø 6mm			

			
1			
vm nr.	359110	Ref. No.	053811 056707 06601 0K9372 0KE182 2752120578
description	indicator lamp 230V white connection male faston 6.3mm no lens ø 6mm		
For models:	TC1000, TC1000, TC1010, 134TCA0, TCD1000, TCD1000, TC1400, TC1400, TCD1410, TCD1400, TC1410, 4061410, TC1600, TC1600, TC1610, TC1610, TCD1600, TCD1600, TC2000, TC2000, TCD2000, TCD2000, TC2010, TC2010, RCF/GE720, RCF/GE730, RCF/GE720, RCF/GE720, RCFE720, RCF/E720, RR/E300, RRE702, RR/E300UK, RR/E311, RR/E700, RR/E700UK, RR/E711, RME300, PRM/E300, M/E300UK, RM/E700, PRM/E700, RM/E700U, RFRE302, RFR/E302UK, RFRE305, RFR/E305, RFR/E701, RFR/E701, RFRE312...(Other models you can see in the webshop)		

indicator lamps for socket type SRZ / SDK / SDY / SFK

			
1			
vm nr.	359132	Ref. No.	00052 004895 0K3497
description	indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C		
For models:	SCE350, SCE700, SCFE700, SIE350, SVE700, SRE350, SRE360, SRE370, SRE700, SRE710, SRE720, SFRE350, SFRE700, SCCE350, SCCE700, SCFE700, SGE350, SGE700, SCPE350, SCPE700, PC35E6U, PC70E6U, BM35E6U, FTL35E6U, FTR35E6U, FTC35E6U, FTL70E6U, FTR70E6U...(Other models you can see in the webshop)		

indicator lights 3-piece (housing, lens and bulb)

lamps

light bulbs



1			
vm nr.	359656	Ref. No.	0H2639 0K9109 0KC506
description	light bulb socket Ba9s 130V 2W ø 10mm L 28mm		
For models:	AR85, AR85, AR85, AR85, AR85, AR85, AR85, AR85, HC-CS, EBS50L, EBS100L, EBA100L, EBP100L, EBS200L, EBA200L, EBP200L, EBS300L, EBA300L, EBP300L		

neon light bulbs



1			
vm nr.	359603	Ref. No.	002585 052204 07150215 0G0967 0H7037 0K4893 0K7293 0K9813 0KC232 18003901 188211420 565628 72036130
description	neon light bulb socket E14 380V clear ø 14mm L 30mm		
For models:	BE1-TA.3, BE1-W.3, BE1-WS-M.3, BE2-A-C.3, BE2-A-M.3, BE2-WS-C.3, BE2-WS-M.3, BE3-C.3, BE3-M.3, BE1-WS-C.3		

indicator lights (complete)

ø10mm

with screw socket



1			
vm nr.	359378	Ref. No.	0A2224 0G2390 0H6615 0K2046 0KD884 0KI684 0U4330 1010100503 3122720378 63406
description	indicator light ø 10mm 230V green connection male faston 6.3mm socket screw base		
For models:	MCP/E700, MCP/E700D, FDV40G, FDV40E, FDV40GZ, FDV40EL, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, 7CPE07P, M70EPC, CCP/E700, FCF/G6-0, FCFG101/0, FCFG102-0, FCFG201-0, FCFG202-0, FCF/E6-0, FCFE101-0, FCFE102-0, FCFE201-0, FCFE202-0, FCF061ELN, FCF101ELN, FCF6EHOR, FCFG10160H, FCF061ENS, FCF101ENS, FCF102ENS, FCF201ENS, FCFG102-0T, FCF/G6-1-JAP, FCF/G101/1-1-JAP, FCF/G102/1-1-JAP, FCFE6-1J, FCFE101-1J, FCFE102-1J, FCF/G101/1, FCF/E2, FCF/E2D, FCF/E2UK, FCF/E4-OLD, FCF/E4D, FCFE4PH, FCFG6D, FCFE6D, FCFE6D...(Other models you can see in the webshop)		

1			
vm nr.	359380	Ref. No.	0A2408 0KI685 0KV042 6327 63408
description	indicator light ø 10mm 230V red connection male faston 6.3mm socket screw base		
For models:	MVR/E1400, MVR/E1050, MVR/E1060, 7BAE10C, 7BAE14S, 7BAE10S, B105RC, B140RC, KVRC/E3, HVR/E1200, QVRC/E3, WVRC/E3, MVR/E3C, MVR/E3, MVR/E4C, MVR/E4		

1			
vm nr.	359379	Ref. No.	0A2225 3122006478
description	indicator light ø 10mm 230V yellow connection male faston 6.3mm socket screw base		
For models:	ROMA/E500, BOFR/G500, ROFR/G1000, ROBR/G1000, ROBR/G1010, ROBR/G1510, ROPN/G1000, ROPN/G1015, ROPN/G1020, ROM/E500		

with plug-in socket



1			
vm nr.	359139	Ref. No.	004169 058544 0K2965 28H2740378
description	indicator light ø 10mm green 230V connection male faston 6.3mm Qty 1 pcs		
For models:	ZFC33, ZFC45		

1			
vm nr.	359140	Ref. No.	005215 058522 28H2120478
description	indicator light ø 10mm yellow 230V connection male faston 6.3mm Qty 1 pcs		
For models:	FDV40G, FDV40E, FDV40GZ, FDV40EL, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, FCF/G6-0, FCFG101/0, FCFG102-0, FCFG201-0, FCFG202-0, FCF/E6-0, FCFE101-0, FCFE102-0, FCFE201-0, FCFE202-0, FCF061ELN, FCF101ELN, FCF6EHOR, FCFG10160H, FCF061ENS, FCF101ENS, FCF102ENS, FCF201ENS, FCFG102-0T, FCF/G6-1-JAP, FCF/G101/1-1-JAP, FCF/G102/1-1-JAP, FCFE6-1J, FCFE101-1J, FCFE102-1J, FCF/G101/1, FCF/E4, FCF/E4-3KW, FCF/E2, FCF/E2D, FCF/E2UK, FCF/E4-OLD, FCF/E4D, FCFE4PH, FCFG6D, FCFE6D, FCFE6D, FCFG10, FCFG10D, FCFG10NL...(Other models you can see in the webshop)		

ø14mm			
with plug-in socket			
			
1			
vm nr.	359151	Ref. No.	026456 053148 053154 068694 0HB053 0W2002 42U2780387 4619400
description	indicator light ø 14mm green 400V connection male faston 6.3mm temp.-resist. 120°C		
For models:	HCF/E800, HCF/E800UK, HCF/E800, HCF/GE81, HCF/GE81, HCF/GE80, HCF/GE80, HRS/E401, HRS/E401UK, HRS/E411, HRS/E801, HRS/E801U, HRS/E802, HRS/E812, HRS/E811, HRA/E802, HR/E401T, HR/E411, HR/E801T, HR/E811T, HR/E802, HMS/E400, HMS/E800, HMA/E800, HMS/E400, HMS/E800, HMA/E800, HM/E400T, HM/E800T, HQN/EI917, HQN/EI1225, HPN/E810, HPN/EI810, HPN/E815, HPN/EI810, HPA/EI810, HBR/G803, HBR/G804, HBR/G803, HBR/G804, HBR/G803, HBR/G805, HBR/G1003, HBR/G1003, HBR/G1004, HBR/E801, HBR/E803, HBR/E804, HBR/E805UK, HBR/E1003...(Other models you can see in the webshop)		

			
1			
vm nr.	359150	Ref. No.	026385 053150 053153 068624 0K7814 42U2120187
description	indicator light ø 14mm red 400V connection male faston 6.3mm temp.-resist. 105°C square		
For models:	HQN/EI917, HQN/EI1225, HPN/E810, HPN/EI810, HPN/E815, HPN/EI810, HPA/EI810, HBR/G803, HBR/G804, HBR/G803, HBR/G804, HBR/G803, HBR/G805, HBR/G1003, HBR/G1003, HBR/G1004, HBR/E803, HBR/E804, HBR/E805UK, HBR/E1003, HBR/G803, HBR/G804, HBR/G1013, HBR/E1013, HCP/E800, HCP/E400, HBR/G803, HBR/G804, HBR/G1003, HBR/G1013, HBR/E803, HBR/E804, HBR/E1003, HBR/E1013, HPN/E810, HPN/E815, HPN/EI810, HPN/EI810, HPA/EI815, HQNEI817, HQNEI122		

			
1			
vm nr.	359152	Ref. No.	045272 053149 053155 068625 42U2120487
description	indicator light ø 14mm yellow 400V connection male faston 6.3mm temp.-resist. 105°C square		
For models:	HCF/E800, HCF/E800UK, HCF/E800, HCF/GE81, HCF/GE81, HCF/GE80, HCF/GE80, HRS/G802, HRS/G812, HRS/E411, HRS/E801U, HRS/E802, HRS/E812, HRA/G802, HRA/E802, HR/E411, HR/E802, HMS/E400, HMS/E800, HMA/E800, HMS/E400, HMS/E800, HMA/E800, HM/E400T, HM/E800T, HBR/G803, HBR/G804, HBR/G803, HBR/G804, HBR/G803, HBR/G805, HBR/G1003, HBR/G1003, HBR/G1004, HBR/E801, HBR/E803, HBR/E804, HBR/E805UK, HBR/E1003, HBR/G803, HBR/G804, HBR/G1013, HBR/E1013, HFR/G420, HFR/G420, HFR/G420NL, HFR/G840, HFR/G840, HFR/G840...(Other models you can see in the webshop)		

ø19mm			
			
1			
vm nr.	359519	Ref. No.	002584 0H2175 0K4898 0K7286 0KE384 18003952 30000074 72036101
description	indicator light housings mounting measurements ø19mm socket E14 clear		
For models:	BE1-TA.3, BE1-W.3, BE1-WS-M.3, BE2-A-C.3, BE2-A-M.3, BE2-WS-C.3, BE2-WS-M.3, BE3-C.3, BE3-M.3, BE1-WS-C.3		

screw-on/push-on fit

neon light bulbs			
			
1			
vm nr.	359603	Ref. No.	002585 052204 07150215 0G0967 0H7037 0K4893 0K7293 0K9813 0KC232 18003901 188211420 565628 72036130
description	neon light bulb socket E14 380V clear ø 14mm L 30mm		
For models:	BE1-TA.3, BE1-W.3, BE1-WS-M.3, BE2-A-C.3, BE2-A-M.3, BE2-WS-C.3, BE2-WS-M.3, BE3-C.3, BE3-M.3, BE1-WS-C.3		

light bulbs			
for ovens			
			
1			
vm nr.	359610	Ref. No.	0A2883 0H7035 0K6588 0KE265 0KS867 3000031017 6061052 E767
description	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips		

			
1			
vm nr.	359612	Ref. No.	004112 004161 054319 054840 056709 0C3044 0C3568 0H2405 0H6613 0K3859 0K6585 0K7928 245812 300003101 440403 91310191 B26E14
description	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips		
For models:	HCCS20W, HCCS20W, FCF02EV, FCF02EOEM, FCF/G6-0, FCFG101/0, FCFG102-0, FCFG201-0, FCFG202-0, FCF/E6-0, FCFE101-0, FCFE102-0, FCFE201-0, FCFE202-0, FCF061ELN, FCF101ELN, FCF6EHOR, FCFG10160H, FCF061ENS, FCF101ENS, FCF102ENS, FCF201ENS, FCFG102-0T, FCF/G6-1-JAP, FCF/G101/1-1-JAP, FCF/G102/1-1-JAP, FCFE6-1J, FCFE101-1J, FCFE102-1J, FCF/G101/1, FCF/E3, FCF/E4, FCF/E4-3KW, FCF4E, FCF4E-3KW, FCF/E2, FCF/E2D, FCF/E2UK, FCF/E4-OLD, FCF/E4D, FCFE4PH, FCFG40, FCFG41, FCFG40D, FCFG40F, PFCFG40F, FCFE40, FCFE40D, FCFE40UK, PFCFE40F...(Other models you can see in the webshop)		

			
1			
vm nr.	359611	Ref. No.	081696 0S0596
description	light bulb t.max. 300°C socket E14 40W 230V ø 45mm L 75mm lens L 50mm for oven lamp IMPORT		
For models:	AP20, ALP110, ALP120, ALP220, ALP240, ALN110, ALN120, ALN220, ALN240, ALNN120, ALNN220, ALNN230, ALNSO120, ALP110UK, ALN110UK, ALNN220UK, ALF110, ALF220UK, ALNF220, ALF110, ALF120, ALF220, ALF240, ALNF120, ALNF220, ALNF230, ADN220ES, ADF110ES, ADF220ES, ADN110ESP, ADF110ESP, ILP110, ILP110UK, ILN120, ILP111, ILP220, ILP220UK, ILP240, ILP221, ILN110, ILN110UK, ILN120, ILN111, ILN220, ILN220UK, ILN240, ILN221, ILNN220, ILN220UK, ALP110UK...(Other models you can see in the webshop)		

for indicator lights			
			
1			
vm nr.	359656	Ref. No.	0H2639 0K9109 0KC506
description	light bulb socket Ba9s 130V 2W ø 10mm L 28mm		
For models:	AR85, AR85, AR85, AR85, AR85, AR85, AR85, HC-CS, EBS50L, EBS100L, EBA100L, EBP100L, EBS200L, EBA200L, EBP200L, EBS300L, EBA300L, EBP300L		

halogen lamp			
for socket E14 / E27			
			
1			
vm nr.	359728	Ref. No.	006645
description	halogen lamp socket E14 230V 40W ø 25mm lens L 54mm L 80mm temp.-resist. 300°C Qty 1		
For models:	MAX18/35X		

for socket G4 / G6.35 / G9			
			
1			
vm nr.	357191	Ref. No.	0C9877
description	halogen lamp socket G4 12V 10W temp.-resist. 300°C OSRAM HALOSTAR OVEN		

			
1			
vm nr.	359599	Ref. No.	002956 007056 0C2803 0K2984 0K8586 0KE767 0W1780 60050318
description	halogen lamp socket G4 12V 20W temp.-resist. 500°C		

linear lamps			
halogen lamps			
			
1			
vm nr.	359313	Ref. No.	032118 093041 099154 OTTF29
description	halogen lamp socket R7s L 117.6mm 230V 150W IMPORT		
For models:	WMGHUK, DL07/NA, DL14/NA, DL14/AC, DL07/C, DL14/F, DL21/F, DL-P14/F, DLP21/F, SM08C., SM15CP, SM15C., SM15CA, SM15/CS., SM21/CP, SM21C., SM21CA., SM15VP, SM15VA., SM21VP, SM21VA., SMPV07, FSV07C2X, FSV11C3X, FSV15C4X, FSV07C2C, CM07C, FSV11C3C, FSV15C4C, FSV11C3CX, CM07C2, FSV15C4CX, FSV11C3CC, FSV15C4CC, CM11C, CM11C2, CM15C, CM15C2, DI07HWD, SM08C, SM15C, SM15/CS, SM21C, SM15F, SM21F, SMP15F, SMP21F, ZSM08/C, ZSM15/C, ZSM15/CS...(Other models you can see in the webshop)		

oven lamps

universal oven lamps

mounting diameter 28.5mm



1

vm nr.	359317	Ref. No.	0H7040 0K3358 567783
description	oven lamp mounting ø 28.5mm 12V 5W socket G4 temp.-resist. 300°C cable length 300mm		
For models:	5611-3-10, 5611-3-6, 5611-3-8, 5612-3-10, 5612-3-6, 5612-3-8, 5614-3-10, 5614-3-6, 5614-3-8		
spare parts for	359317		
	vm nr.	359308	Ref. No. 0H6582 60050416 7791450300
oven lamp glass			



1

vm nr.	359308	Ref. No.	0H6582 60050416 7791450300
description	oven lamp glass		
For models:	5611-3-10, 5611-3-6, 5611-3-8, 5612-3-10, 5612-3-6, 5612-3-8, 5614-3-10, 5614-3-6, 5614-3-8		

mounting diameter 35.5mm



1

vm nr.	359701	Ref. No.	002625 0C5508 60050296
description	lamp socket socket E14 220-230V mounting ø 35.5mm connection male faston 6.3mm 15W		
For models:	FCF/G6-0, FCFG101/0, FCFG102-0, FCFG201-0, FCFG202-0, FCF/E6-0, FCFE101-0, FCFE102-0, FCFE201-0, FCFE202-0, FCF061ELN, FCF101ELN, FCFG102-0T, FCF/G6-1-JAP, FCF/G101/1-1-JAP, FCF/G102/1-1-JAP, FCFE6-1J, FCFE101-1J, FCFE102-1J, FCF/G101/1, ECF/G6/0, ECFG101-0, ECFG102-0, ECFG201-0, ECFG202-0, ECF/E6-0, ECFE101-0, ECFE102-0, ACF/G6-0, ACFG101-0, ACFG102-0, ACFG201-0, ACFG202-0, ACF/E6-0, ACEF101-0, ACEF102-0, ACEF201-0, ACEF202-0, JCF/G6-1, JCF/G101/1-1, JCF/G102/1-1, JCF/E6-1, JCF/E101/1-1, JCF/E102/1-1, JCF/G6-2, JCF/G101/1-2, JCF/G102/1-2, JCF/E6-2, JCF/E101/1-2, JCF/E102/1-2...(Other models you can see in the webshop)		
accessories for	359701		
	vm nr.	359705	Ref. No. —
oven lamp glass thr.ø 33.5mm ø 52mm hard glas temp.-resist. 350°C			
	vm nr.	359709	Ref. No. —
oven lamp glass thr.ø 33.5mm ø 42mm hard glas temp.-resist. 350°C			
	vm nr.	359721	Ref. No. —
gasket silicone ED ø 48mm ID ø 39.5mm thickness 5mm Qty 1 pcs			

accessories for	359701		
	vm nr.	359942	Ref. No. —
oven lamp glass thr.ø 33.5mm ø 41mm hard glas temp.-resist. 350°C			



1

vm nr.	357080	Ref. No.	007055
description	lamp socket socket G4 mounting ø 35.5mm connection cable 2400mm		
For models:	FCZ061EAA, FCZ101EAA, FCZ061EAH, FCZ101EAH, FCZ061EAN, FCZ101EAN, FCZ061ETA, FCZ101ETA, FCZ061ETH, FCZ101ETH, FCZ061ETN, FCZ101ETN, FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ101GTG, FCZ102GTG, FCZ101GTD, FCZ102GTD, FCZ061EBA, FCZ101EBA, FCZ061EBH, FCZ101EBH, FCZ061EBN, FCZ101EBN, FCZ061EBC, FCZ101EBC, FCZ061EBA2, FCZ101EBA2, FCZ061EBH2, FCZ101EBH2, FCZ061EBN2, FCZ101EBN2, FCZ061EBC2, FCZ101EBC2, FCZ061GBG, FCZ101GBG, FCZ102GBG, FCZ061GBD, FCZ101GBD, FCZ102GBD, FCZ061GBI, FCZ101GBI, FCZ101GBG2, FCZ102GBG2, FCZ101GBD2, FCZ102GBD2...(Other models you can see in the webshop)		



1

vm nr.	359841	Ref. No.	007105
description	lamp socket socket G4 mounting ø 35.5mm connection cable 3500mm		
For models:	FCZ201EAA, FCZ202EAA, FCZ201EAH, FCZ201EAN, FCZ201ETA, FCZ202ETA, FCZ201ETH, FCZ201ETN, FCZ201GAG, FCZ202GAG, FCZ201GAD, FCZ202GAD, FCZ201GTG, FCZ202GTG, FCZ201GTD, FCZ202GTD, FCZ201EBA, FCZ202EBA, FCZ201EBH, FCZ201EBN, FCZ201EBC, FCZ201EBA2, FCZ202EBA2, FCZ201EBH2, FCZ201EBN2, FCZ201EBC2, FCZ201GBG, FCZ202GBG, FCZ201GBD, FCZ202GBD, FCZ201GBI, FCZ201GBG2, FCZ202GBG2, FCZ201GBD2, FCZ202GBD2, FCZ201GBI2, FCZ201ECA, FCZ202ECA, FCZ201ECH, FCZ201ECN, FCZ201ECA2, FCZ202ECA2, FCZ201ECH2, FCZ201ECN2, FCZ201GCG, FCZ202GCG, FCZ201GCD, FCZ202GCD, FCZ201GCG2, FCZ202GCG2...(Other models you can see in the webshop)		

accessories for	359841		
	vm nr.	359763	Ref. No. 002626 0F0075 0K8368 0KE752 30001788 60050280
frame without socket			
	vm nr.	359764	Ref. No. 002627 0F0071 0K8365
lamp glass ø 44mm			
	vm nr.	359765	Ref. No. 002628 0F0150 0K8376 60050281
lamp holder ID ø 38mm ED ø 76mm			



1

vm nr.	359762	Ref. No.	002709 006106 0C1555 60050279
description	lamp socket socket G4 mounting ø 35.5mm connection cable 450mm		
For models:	FCV/G10L3, FCV/G6L3TOWNGAS, FCV/G6L3, FCVG10L3T, FCVG102L3, FCV/E101/1, FCV/G20L3, FCVG202L3, FCVE6L3J, FCV/E10L3JAP, FCV/E102/1L3JAP, FCV/E10L6JAP, FCV/E102/1L6JAP, FCV/G6L-3JAP, FCVG10L3J, FCV/G102L3J, FCV/G10L6JAP, FCV/G102/1L6JAP, FCVG6L3CJ, FCV/E61/1, FCV/G10L2, FCV/E61/1, FCV/E101/1, FCV/E101/1, FCV/E10L2, FCV/E102/1, FCV/E61/1, FCV/E61/1, FCV/E101/1, FCV/E101/2, FCV/G6L3C, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCVG6L3CT, FCVG6L3CJ, FCV/E10L3, FCV/E102/1, FCV/E6L3, FCV/E102/1L3, FCV/E20L3, FCVE202L3, FCV/G6L4, FCV/E6L4, FCV/E101/1, FCV/G10L6, FCV/E10L6, FCV/G102/1L6, FCV/E102/1L6...(Other models you can see in the webshop)		

mounting diameter 47.8mm



1

vm nr.	357187	Ref. No.	056708
description	oven lamp mounting ø 47.8mm 230V 15W socket E14 temp.-resist. 300°C connection male faston 6.3mm hard glas		
For models:	FZG18, FZE18, FPE30, FPE18, FZ/G18, FZ/E18, FP/E30, FP/E18		
spare parts for	357187		
	vm nr.	359610	Ref. No. 0A2883 0H7035 0K6588 0KE265 0KS867 3000031017 6061052 E767
light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips			
	vm nr.	359725	Ref. No. —
oven lamp glass thread ø 44mm H 43mm ø 54mm hard glas temp.-resist. 350°C			

mounting diameter 65.5mm



1

vm nr.	357078	Ref. No.	033804
description	oven lamp mounting ø 65.5mm 230V 40W socket G9 temp.-resist. 300°C connection male faston 6.3mm hard glas		
For models:	MP712BT, MP928BT, MC2036BT, MPV920BT, MPV924BT, MCV2032BT, BP1124BT, BC1432BT, BC1832BT, BC2232BT, EP1112T, EP1428T, EC1428T, EC1828T, EC2228T, EP1116T, EP1120T, EP1124T, EP1128T, EP1132T, EP1136T, EP1140T, EP1412T, EP1416T, EP1420T, EP1424T, EP1432T, EP1436T, EP1440T, EC1412T, EC1416T, EC1420T, EC1424T, EC1432T, EC1436T, EC1440T, EC1816T, EC1820T, EC1824T, EC1832T, EC1836T, EC1840T, EC2220T, EC2224T, EC2232T, EC2236T, EC2240T, MPV712BT, MPV716BT, MPV720BT...(Other models you can see in the webshop)		



1

vm nr.	359022	Ref. No.	004160
description	lamp socket socket E14 mounting ø 65.5mm connection male faston 6.3mm		



1

vm nr.	359724	Ref. No.	004163
description	oven lamp glass thread ø 62mm H 46mm ø 74mm hard glas temp.-resist. 350°C		
For models:	MAX18/35X, ZCMDE6, ZCBDE12, ZCMME6, ZCBME12, ZCMDE4, ZCBDE8, ZCMME4, ZCBME8, ZCMDE9, ZCBDE18, ZCMME9, ZCBME18, ZCBDG8, ZCBGDG12, ZCBGDG18, FFP516, FFP532, PDE830, PDE1230, PDE12L30, PDE1830, PDE835, PDE1235, PDE12L35, PDE1835, PME430, PME630, PME6L30, PME930, PME435, PME635, PME6L35, PME935, PME830, PME1230, PME12L30, PME1830, PME835, PME1235, PME12L35, PME1835		



1

vm nr.	357083	Ref. No.	005875
description	sealing ring metal ID ø 62.5mm ED ø 80mm thickness 3mm		
For models:	MAX18/35X, ZCMM6, ZCBME12, ZCMM64, ZCBME8, ZCMM69, ZCBME18, PDE830, PDE1230, PDE12L30, PDE1830, PDE835, PDE1235, PDE12L35, PDE1835, PME430, PME630, PME6L30, PME930, PME435, PME635, PME6L35, PME935, PME830, PME1230, PME12L30, PME1830, PME835, PME1235, PME12L35, PME1835		

55x70mm



1

vm nr.	359298	Ref. No.	0K3363 0K3364 77705U10323	
description	lamp socket 230V 25W socket E14 mounting measurements 70x55mm connection male faston 6.3mm			
accessories for	359298			
	vm nr.	359937	Ref. No.	—
	lamp glass L 80mm W 65mm mounting measurements 52x67mm			

1

vm nr.	359375	Ref. No.	003956
description	lamp socket complete without lamp socket E14 mounting measurements 55x70mm		
For models:	FCF/E3, 5711-2-6, 5711-2-7, 5711-2-8, 5711-2-10, 5712-2-6, 5712-2-7, 5712-2-8, 5712-2-10, 5714-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5717-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5711-2-6L, 5711-2-7L, 5711-2-8L, 5711-2-10L, 5712-2-6L, 5712-2-7L, 5712-2-8L, 5712-2-10L, 5714-2-6L, 5714-2-7L, 5714-2-8L, 5714-2-10L, 5714-2-6L, 5714-2-7L, 5714-2-8L, 5714-2-10L, 5711-3-6, 5711-3-7, 5711-3-8, 5711-3-10, 5712-3-6, 5712-3-7, 5712-3-8, 5712-3-8E, 5712-3-10, 5714-3-6, 5714-3-7, 5714-3-8, 5714-3-8E, 5714-3-10, 5717-3-6, 5717-3-7, 5717-3-8...(Other models you can see in the webshop)		

55x100mm



1

vm nr.	359698	Ref. No.	054991 055021 0G3691 77722210423
description	lamp socket L 100mm W 55mm socket E14 connection male faston 6.3mm		
For models:	FCFG40, FCFG41, FCFG40D, FCFG40F, PFCFG40F, FCFE40, FCFE40D, FCFE40UK, PFCFE40F, FCFG40J, FCFG40J, FCFE40J, FCFE40J, FCFG41J, FCFG40J, FCVE6-1U, FCVE6-3U, FCVE6-1, FCVE6-3, FCVE6-3CE, FCVE6-1UK, FCVE6-3UK, FCFG6-1, FCFG6-3, FCFG6-1UK, FCFG6-3UK, FCVE10-2, FCVE10-4, FCVE103CE, FCVE10-2UK, FCVE10-4UK, FCFG10-2, FCFG10-4, FCFG10-1SG, FCFG10-2, FCFG10-4D, FCFG10-2UK, FCFG10-4UK, FCFG10-2, FCFG10-4, FCVE20-2, FCVE20-4, FCVE203CE, FCVE20/P-V, FCVE20-2UK, FCVE20-4UK, FCFG20-2, FCFG20-4, FCFG20-2, FCFG20-4D...(Other models you can see in the webshop)		
spare parts for	359698		
	vm nr.	358119	Ref. No. —
frame L 118mm W 72mm mounting distance 143mm for bulb socket			
	vm nr.	358122	Ref. No. —
gasket L 112mm W 68mm silicone thickness 3mm for bulb socket			
	vm nr.	358123	Ref. No. —
lamp glass L 112mm W 68mm			

spare parts for 359698				
	vm nr.	359612	Ref. No.	004112 004161 054319 054840 056709 0C3044 0C3568 0H2405 0H6613 0K3859 0K6585 0K7928 245812 300003101 440403 91310191 B26E14
	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips			
	vm nr.	359714	Ref. No.	055022 0H2410 0H6672 0K7946
	gasket for bulb socket			
	vm nr.	359715	Ref. No.	0H6989 284255 7872150100
	lamp glass L 110mm W 65mm thickness 5mm			
accessories for	359698			
	vm nr.	359612	Ref. No.	004112 004161 054319 054840 056709 0C3044 0C3568 0H2405 0H6613 0K3859 0K6585 0K7928 245812 300003101 440403 91310191 B26E14
	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips			
	vm nr.	359938	Ref. No.	—
	borosilicate glass L 115mm W 69mm			

			
vm nr.	359698	Ref. No.	054991 055021 0G3691 77722210423
description	lamp socket L 100mm W 55mm socket E14 connection male faston 6.3mm		
For models:	FCFG40, FCFG41, FCFG40D, FCFG40F, PFCFG40F, FCFE40, FCFE40D, FCFE40UK, PFCFE40F, FCFG40J, FCFG40J, FCFE40J, FCFE40J, FCFG41J, FCFG40J, FCVE6-1U, FCVE6-3U, FCVE6-1, FCVE6-3, FCVE6-3CE, FCVE6-1UK, FCVE6-3UK, FCFG6-1, FCFG6-3, FCFG6-1UK, FCFG6-3UK, FCVE10-2, FCVE10-4, FCVE103CE, FCVE10-2UK, FCVE10-4UK, FCFG10-2, FCFG10-4, FCFG10-ISG, FCFG10-2, FCFG10-4D, FCFG10-2UK, FCFG10-4UK, FCFG10-2, FCFG10-4, FCVE20-2, FCVE20-4, FCVE203CE, FCVE20/P-V, FCVE20-2UK, FCVE20-4UK, FCFG20-2, FCFG20-4, FCFG20-2, FCFG20-4D...(Other models you can see in the webshop)		
spare parts for	359698		
vm nr.	358119	Ref. No.	—
frame	L 118mm W 72mm mounting distance 143mm for bulb socket		
vm nr.	358122	Ref. No.	—
gasket	L 112mm W 68mm silicone thickness 3mm for bulb socket		
vm nr.	358123	Ref. No.	—
lamp glass	L 112mm W 68mm		
vm nr.	359612	Ref. No.	004112 004161 054319 054840 056709 0C3044 0C3568 0H2405 0H6613 0K3859 0K6585 0K7928 245812 300003101 440403 91310191 B26E14
light bulb	t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips		
vm nr.	359714	Ref. No.	055022 0H2410 0H6672 0K7946
gasket	for bulb socket		
vm nr.	359715	Ref. No.	0H6989 284255 7872150100
lamp glass	L 110mm W 65mm thickness 5mm		
vm nr.	359716	Ref. No.	0H7118
frame	for bulb socket		

accessories for	359698		
vm nr.	359612	Ref. No.	004112 004161 054319 054840 056709 0C3044 0C3568 0H2405 0H6613 0K3859 0K6585 0K7928 245812 300003101 440403 91310191 B26E14
light bulb	t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips		
vm nr.	359938	Ref. No.	—
borosilicate glass	L 115mm W 69mm		

			
vm nr.	359716	Ref. No.	0H7118
description	frame for bulb socket		
For models:	9030-2, 9031-2		

			
vm nr.	359714	Ref. No.	055022 0H2410 0H6672 0K7946
description	gasket for bulb socket		
For models:	FCFG40, FCFG41, FCFG40D, FCFG40F, PFCFG40F, FCFE40, FCFE40D, FCFE40UK, PFCFE40F, FCFG40J, FCFG40J, FCFE40J, FCFE40J, FCFG41J, FCFG40J, FCVE6-1U, FCVE6-3U, FCVE6-1, FCVE6-3, FCVE6-3CE, FCVE6-1UK, FCVE6-3UK, FCFG6-1, FCFG6-3, FCFG6-1UK, FCFG6-3UK, FCVE10-2, FCVE10-4, FCVE103CE, FCVE10-2UK, FCVE10-4UK, FCFG10-2, FCFG10-4, FCFG10-ISG, FCFG10-2, FCFG10-4D, FCFG10-2UK, FCFG10-4UK, FCFG10-2, FCFG10-4, FCVE20-2, FCVE20-4, FCVE203CE, FCVE20/P-V, FCVE20-2UK, FCVE20-4UK, FCFG20-2, FCFG20-4, FCFG20-2, FCFG20-4D...(Other models you can see in the webshop)		

			
vm nr.	359715	Ref. No.	0H6989 284255 7872150100
description	lamp glass L 110mm W 65mm thickness 5mm		
For models:	9030-2, 9031-2, 9100-2, 9101-2, 9102-2, 9104-2		

1

				
vm nr.	359698	Ref. No.	054991 055021 0G3691 77722210423	
description	lamp socket L 100mm W 55mm socket E14 connection male faston 6.3mm			
For models:	FCFG40, FCFG41, FCFG40D, FCFG40F, PFCFG40F, FCFE40, FCFE40D, FCFE40UK, PFCFE40F, FCFG40J, FCFG40J, FCFE40J, FCFE40J, FCFG41J, FCFG40J, FCVE6-1U, FCVE6-3U, FCVE6-1, FCVE6-3, FCVE6-3CE, FCVE6-1UK, FCVE6-3UK, FCVG6-1, FCVG6-3, FCVG6-1UK, FCVG6-3UK, FCVE10-2, FCVE10-4, FCVE103CE, FCVE10-2UK, FCVE10-4UK, FCVG10-2, FCVG10-4, FCVG10-ISG, FCVG10-2, FCVG10-4D, FCVG10-2UK, FCVG10-4UK, FCVG10-2, FCVG10-4, FCVE20-2, FCVE20-4, FCVE203CE, FCVE20/P-V, FCVE20-2UK, FCVE20-4UK, FCVG20-2, FCVG20-4, FCVG20-2, FCVG20-4D...(Other models you can see in the webshop)			
spare parts for	359698			
	vm nr.	358119	Ref. No.	—
frame L 118mm W 72mm mounting distance 143mm for bulb socket				
	vm nr.	358122	Ref. No.	—
gasket L 112mm W 68mm silicone thickness 3mm for bulb socket				
	vm nr.	358123	Ref. No.	—
lamp glass L 112mm W 68mm				
	vm nr.	359612	Ref. No.	004112 004161 054319 054840 056709 0C3044 0C3568 0H2405 0H6613 0K3859 0K6585 0K7928 245812 300003101 440403 91310191 B26E14
light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips				
	vm nr.	359714	Ref. No.	055022 0H2410 0H6672 0K7946
gasket for bulb socket				
	vm nr.	359715	Ref. No.	0H6989 284255 7872150100
lamp glass L 110mm W 65mm thickness 5mm				
	vm nr.	359716	Ref. No.	0H7118
frame for bulb socket				

accessories for	359698			
	vm nr.	359612	Ref. No.	004112 004161 054319 054840 056709 0C3044 0C3568 0H2405 0H6613 0K3859 0K6585 0K7928 245812 300003101 440403 91310191 B26E14
light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips				
	vm nr.	359938	Ref. No.	—
borosilicate glass L 115mm W 69mm				

			
1			
			
vm nr.	101372	Ref. No.	0H2272 0H6617 OK7521 60050420
description	oven lamp complete L 100mm W 55mm 230V 25W socket E14 rectangular temp.-resist. 300°C connection male faston 6.3mm		
For models:	AR170, AR170, AR170, AR170, AR170, AR170, AR170, AR170, AR170, AR170, AR170, AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR340, AR340, AR340, AR340, AR340, AR340, AR340, AR340, AR340S, AR340S, AR340S, AR340S, AR340S, AR340S, AR340S, AR340S, AR340S, AR340S, HC-AR, AR85, AR85, AR85, AR85, AR85, AR85... (Other models you can see in the webshop)		
spare parts for	101372		
	vm nr.	359612	Ref. No. 004112 004161 054319 054840 056709 0C3044 0C3568 0H2405 0H6613 OK3859 OK6585 OK7928 245812 300003101 440403 91310191 B26E14
	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips		
	vm nr.	359698	Ref. No. 054991 055021 OG3691 77722210423
	lamp socket L 100mm W 55mm socket E14 connection male faston 6.3mm		
	vm nr.	359714	Ref. No. 055022 0H2410 OH6672 OK7946
	gasket for bulb socket		

Table continues overleaf

spare parts for 101372				
	vm nr.	359715	Ref. No.	0H6989 284255 7872150100
lamp glass L 110mm W 65mm thickness 5mm				
	vm nr.	359716	Ref. No.	0H7118
frame for bulb socket				

50x75.5mm

	1			
vm nr.	359309	Ref. No.	0H6577 0H6580 OK2044	
description oven lamp L 75mm W 50mm 230V 40W socket E14 temp.-resist. 300°C connection male faston 6.3mm				

producer-specific oven lamps

ELECTROLUX

	1			
vm nr.	359763	Ref. No.	002626 0F0075 OK8368 0KE752 30001788 60050280	
description frame without socket				
For models: FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ061EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FCZ201EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ202ETA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ201EBA, FCZ202EBA, FCZ061EBH, FCZ101EBH, FCZ201EBH, FCZ061EBN, FCZ101EBN...(Other models you can see in the webshop)				

	1			
vm nr.	359764	Ref. No.	002627 0F0071 OK8365	
description lamp glass ø 44mm				
For models: FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ061EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FCZ201EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ202ETA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ201EBA, FCZ202EBA, FCZ061EBH, FCZ101EBH, FCZ201EBH, FCZ061EBN, FCZ101EBN...(Other models you can see in the webshop)				

	1			
vm nr.	359765	Ref. No.	002628 0F0150 OK8376 60050281	
description lamp holder ID ø 38mm ED ø 76mm				
For models: FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ061EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FCZ201EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ202ETA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ201EBA, FCZ202EBA, FCZ061EBH, FCZ101EBH, FCZ201EBH, FCZ061EBN, FCZ101EBN...(Other models you can see in the webshop)				

	1			
vm nr.	359841	Ref. No.	007105	
description lamp socket socket G4 mounting ø 35.5mm connection cable 3500mm				
For models: FCZ201EAA, FCZ202EAA, FCZ201EAH, FCZ201EAN, FCZ201ETA, FCZ202ETA, FCZ201ETH, FCZ201ETN, FCZ201GAG, FCZ202GAG, FCZ201GAD, FCZ202GAD, FCZ201GTG, FCZ202GTG, FCZ201GTD, FCZ202GTD, FCZ201EBA, FCZ202EBA, FCZ201EBH, FCZ201EBN, FCZ201EBC, FCZ201EBA2, FCZ202EBA2, FCZ201EBH2, FCZ201EBN2, FCZ201EBC2, FCZ201GBG, FCZ202GBG, FCZ201GBD, FCZ202GBD, FCZ201GBI, FCZ201GBG2, FCZ202GBG2, FCZ201GBD2, FCZ202GBD2, FCZ201GBI2, FCZ201ECA, FCZ202ECA, FCZ201ECH, FCZ201ECN, FCZ201ECA2, FCZ202ECA2, FCZ201ECH2, FCZ201ECN2, FCZ201GCG, FCZ202GCG, FCZ201GCD, FCZ202GCD, FCZ201GCG2, FCZ202GCG2...(Other models you can see in the webshop)				
accessories for 359841				
	vm nr.	359763	Ref. No.	002626 0F0075 OK8368 0KE752 30001788 60050280
frame without socket				
	vm nr.	359764	Ref. No.	002627 0F0071 OK8365
lamp glass ø 44mm				
	vm nr.	359765	Ref. No.	002628 0F0150 OK8376 60050281
lamp holder ID ø 38mm ED ø 76mm				

			
1			
vm nr.	359762	Ref. No.	002709 006106 0C1555 60050279
description	lamp socket socket G4 mounting ø 35.5mm connection cable 450mm		
For models:	FCV/G10L3, FCV/G6L3TOWNGAS, FCV/G6L3, FCVG10L3T, FCVG102L3, FCV/E101/1, FCV/G20L3, FCVG202L3, FCVE6L3J, FCV/E10L3JAP, FCV/E102/1L3JAP, FCV/E10L6JAP, FCV/E102/1L6JAP, FCV/G6L-3JAP, FCVG10L3J, FCVG102L3J, FCV/G10L6JAP, FCV/G102/1L6JAP, FCVG6L3CJ, FCV/E61/1, FCV/G10L2, FCV/E61/1, FCV/E101/1, FCV/E101/1, FCV/E10L2, FCV/E102/1, FCV/E61/1, FCV/E61/1, FCV/E101/1, FCV/E101/2, FCV/G6L3C, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCVG6L3CT, FCVG6L3CJ, FCV/E10L3, FCV/E102/1, FCV/E6L3, FCV/E102/1L3, FCV/E20L3, FCVE202L3, FCV/G6L4, FCV/E6L4, FCV/E101/1, FCV/G10L6, FCV/E10L6, FCV/G102/1L6, FCV/E102/1L6...(Other models you can see in the webshop)		

			
2			
vm nr.	360647	Ref. No.	0C4459
description	reflector		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ061EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FCZ201EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ202ETA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ201EBA, FCZ202EBA, FCZ061EBH, FCZ101EBH, FCZ201EBH, FCZ061EBN, FCZ101EBN...(Other models you can see in the webshop)		

1

vm nr.	359376	Ref. No.	054320
description	lamp socket socket E14		
For models:	FCF/E4, FCF/E4-3KW, FCF/E4-OLD, FCF/E4D, FCFE4PH, JCF/E4, JCF/E4, ECF/E4, ECF/E4-3KW, FCF/E4OLD3, ACF/E4, ACF/E4-3KW, FCF/E4OLD4, NCF/E4, FCF/E4OLD2, FCF/E4OLD1, FCF/E4D, ZCF/E4, ZCF/E4		
accessories for	359376		
vm nr.	359377	Ref. No.	054318

oven lamp glass H 30mm ø 47mm

1

vm nr.	359377	Ref. No.	054318
description	oven lamp glass H 30mm ø 47mm		
For models:	FCF/E4, FCF/E4-3KW, FCF/E4-OLD, FCF/E4D, FCFE4PH, JCF/E4, JCF/E4, ECF/E4, ECF/E4-3KW, FCF/E4OLD3, ACF/E4, ACF/E4-3KW, FCF/E4OLD4, NCF/E4, FCF/E4OLD2, FCF/E4OLD1, FCF/E4D, ZCF/E4, ZCF/E4		

accessories for	359377		
vm nr.	359376	Ref. No.	054320

lamp socket socket E14

lamps

light bulbs

			
1			
vm nr.	359610	Ref. No.	0A2883 0H7035 0K6588 0KE265 0KS867 3000031017 6061052 E767
description	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips		

			
1			
vm nr.	359612	Ref. No.	004112 004161 054319 054840 056709 0C3044 0C3568 0H2405 0H6613 0K3859 0K6585 0K7928 245812 300003101 440403 91310191 B26E14
description	light bulb t.max. 300°C socket E14 25W 230V ø 25mm L 56mm lens L 30mm for oven lamp type Philips		
For models:	HCCS20W, HCCS20W, FCF02EV, FCF02EOEM, FCF/G6-0, FCFG101/0, FCFG102-0, FCFG201-0, FCFG202-0, FCF/E6-0, FCFE101-0, FCFE102-0, FCFE201-0, FCFE202-0, FCF061ELN, FCF101ELN, FCF6EHOR, FCFG10160H, FCF061ENS, FCF101ENS, FCF102ENS, FCF201ENS, FCFG102-0T, FCF/G6-1-JAP, FCF/G101/1-1-JAP, FCF/G102/1-1-JAP, FCFE6-1J, FCFE101-1J, FCFE102-1J, FCF/G101/1, FCF/E3, FCF/E4, FCF/E4-3KW, FCF4E, FCF4E-3KW, FCF/E2, FCF/E2D, FCF/E2UK, FCF/E4-OLD, FCF/E4D, FCFE4PH, FCFG40, FCFG41, FCFG40D, FCFG40F, PFCFG40F, FCFE40, FCFE40D, FCFE40UK, PFCFE40F...(Other models you can see in the webshop)		



1

vm nr.	359611	Ref. No.	081696 050596
description	light bulb t.max. 300°C socket E14 40W 230V ø 45mm L 75mm lens L 50mm for oven lamp IMPORT		
For models:	AP20, ALP110, ALP120, ALP220, ALP240, ALN110, ALN120, ALN220, ALN240, ALNN120, ALNN220, ALNN230, ALNSO120, ALP110UK, ALN110UK, ALNN220UK, ALF110, ALF220UK, ALNF220, ALF110, ALF120, ALF220, ALNF120, ALNF220, ALNF230, ADN220ES, ADF110ES, ADF220ES, ADN110ESP, ADF110ESP, ILP110, ILP110UK, ILN120, ILP111, ILP220, ILP220UK, ILP240, ILP221, ILN110, ILN110UK, ILN120, ILN111, ILN220, ILN220UK, ILN240, ILN221, ILNN220, ILN220UK, ALP110UK...(Other models you can see in the webshop)		

halogen lamps

for socket E14 / E27



1

vm nr.	359728	Ref. No.	006645
description	halogen lamp socket E14 230V 40W ø 25mm lens L 54mm L 80mm temp.-resist. 300°C Qty 1		
For models:	MAX18/35X		

for socket G4 / G6.35 / G9



1

vm nr.	357191	Ref. No.	0C9877
description	halogen lamp socket G4 12V 10W temp.-resist. 300°C OSRAM HALOSTAR OVEN		



1

vm nr.	359599	Ref. No.	002956 007056 0C2803 0K2984 0K8586 0KE767 0W1780 60050318
description	halogen lamp socket G4 12V 20W temp.-resist. 500°C		

timers

programme timers



1

vm nr.	360633	Ref. No.	003833 0C8731 0C8755
description	time switch kit 14000F3 operation time 120min impulse electric shaft ø 6x4.6mm shaft L 20mm CDC 230V engines 1 chambers 2		



1

vm nr.	360508	Ref. No.	0KU798
description	timer BIGATTI engines 1 chambers 2 operation time 60min 230V 50/60Hz shaft ø 6x5mm shaft L 19.5mm manif. no. D94.04 / CCS011 motor type UDS11UD5RKZ253 for oven		



1

vm nr.	360456	Ref. No.	045909 066907
description	timer FIBER P34 engines 1 chambers 2 operation time 36min 230V shaft ø 5X3mm shaft L 22mm manif. no. P345J02L867 motor type M51BJ0L6400		

electric timers

			
1			
vm nr.	350143	Ref. No.	0H6117 0K0484 212606 350006 MSWT6501A
description timer MS65 without bell operation time 60min time spreadmin 2CO at 250V 16A permanent position no time range 0-60min impulse electric shaft ø 6x4.6mm shaft L 22mm EATON (INVENSYS) ambient temperature max. 85°C 50Hz 2-pole 230V			

mechanical timers

			
1			
vm nr.	350061	Ref. No.	003431 005216 0C6345 3570057012
description timer DTJ with bell 2-pole operation time 120min impulse mechanical 2NO at 250V 16A permanent position yes shaft ø 6x4.6mm shaft 6x4.6mm shaft L 24mm mounting distance 28mm connection lateral			
For models: FCF/E4, FCF/E4-3KW, FCF/E4-OLD, FCF/E4D, FCFE4PH, JCF/E4, JCF/E4, ECF/E4, ECF/E4-3KW, FCF/E4OLD3, ACF/E4, ACF/E4-3KW, FCF/E4OLD4, NCF/E4, FCF/E2, FCF/E4OLD2, FCF/E4OLD1, FCF/E4D, ZCF/E4, ZCF/E4			

			
1			
vm nr.	350009	Ref. No.	056485
description timer M2 with bell 2-pole operation time 60min impulse mechanical 2NO at 250V 16A permanent position no shaft ø 6x4.6mm shaft 6x4.6mm shaft L 24mm mounting distance 28mm connection lateral			
For models: FVE3, FVE3, VAPE3			
accessories for 350009			
	vm nr.	110366	Ref. No. —
knob switch zero mark t.max.°C ø 44mm shaft ø 6x4.6mm shaft flat upper black			
	vm nr.	110373	Ref. No. —
dial plate graduation 60min permanent position no rotation 30-300° ø 60mm timers knob ø 45mm			

			
1			
vm nr.	350141	Ref. No.	0K6863
description timer TF 2-pole operation time 120min 2NO at 250V 16A permanent position no shaft ø 6x4.6mm shaft L 23mm mounting distance 28mm mounting thread M3 ambient temperature max. 80°C			

alarm devices

alarm units

			
1			
vm nr.	350056	Ref. No.	055368 0A2504 0A2505 0F0169 0KN825
description alarm device 220-240VAC ømm H 25mm wall-mounted version mounting distancemm 83dB protection IPx0			
For models: FDV40G, FDV40E, FDV40GZ, FDV40EL, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, RCP/E2S, MCP/E2S, PCP/E2SHP, OCP/E2S, TCP/E2S, TFRE1S12M0, TFRE2D12M0, TFRE1S12M4, TFRE2D12M4, FCF02EV, FCF02EOEM, FCF/G6-0, FCFG101/0, FCFG102-0, FCFG201-0, FCFG202-0, FCF/E6-0, FCFE101-0, FCFE102-0, FCFE201-0, FCFE202-0, FCF061ELN, FCF101ELN, FCF6EHOR, FCFG10160H, FCF061ENS, FCF101ENS, FCF102ENS, FCF201ENS, FCFG102-OT, FCF/G6-1-JAP, FCF/G101/1-1-JAP, FCF/G102/1-1-JAP, FCFE6-1J, FCFE101-1J, FCFE102-1J, FCF/G101/1, FCF/E3, FCF/E2, FCF/E2D...(Other models you can see in the webshop)			

buzzers

			
1			
vm nr.	350050	Ref. No.	0G1057 0H6572 0H6596 0K2031 244123 245527 705559
description buzzer 230VAC connection male faston 6.3mm screw mounting thread M4 60dB			
For models: 5702-2-2, 5702-2-3, 5704-2-2, 5704-2-3, 5707-2-2, 5707-2-3, 5701-3-2, 5701-3-3, 5702-3-2, 5702-3-3, 5704-3-2, 5704-3-3, 5707-3-2, 5707-3-3, 5611-3-6, 5612-3-6, 5614-3-6			




1 			
vm nr.	350085	Ref. No.	059001 0G1993 ZZ111162
description	buzzer connection plug-in connection		
For models:	FCVE20/P-V, FCVE10-P, FCVE10PUK, FCVG10-P, FCVG10PUK, FCVE20-P, FCVE20PUK, FCVG20-P, FCVG20PUK, 5611-3-10, 5612-3-10, 5614-3-10		


contactors


BENEDIKT & JÄGER


power contactors			
1 			
vm nr.	381471	Ref. No.	0C2244
description	power contactor resistive load 110A 230 (AC3/400V) 22kW main contacts 3NO connection screw		

1 			
vm nr.	380773	Ref. No.	045920 047048 048403 048825 069129 069130 072319 0E0580 0E3757 0K9120 0KA631 0KC418 0KL558 0KV050 0L0285 6282 628211 CA312 K310A01 S444524014 S648601800
description	power contactor resistive load 25A 230VAC (AC3/400V) 10A/4kW main contacts 3NO auxiliary contacts 1NC connection screw connection type K3-10A01230		
For models:	EBS50, EBS50, EBS50, EBS50, EBV50, EBV50, EBV50, EBV50, EBS100, EBS100, EBS100, EBS100, EBV100, EBV100, EBV100, EBV100, EBV100, EBV-C100, EBV-C100, EBV-C100, EBV-C100, EBV-C100, EBS200, EBS200, EBS200, EBS200, EBV200, EBV200, EBV200, EBV200, EBV200, EBV-C200, EBV-C200, EBV-C200, EBV-C200, EBV-C200, EBS300, EBS300, EBS300, EBS300, EBV300, EBV300, EBV300, EBV300, EBV300, EBV-C300, EBV-C300, EBV-C300, EBV-C300...(Other models you can see in the webshop)		

			
1			
vm nr.	380772	Ref. No.	045981 045982 048519 052370 053116 054544 057896 057951 066726 072058 075796 081676 082986 088477 0K2975 0KL557 440034000 60050305 S648608400
			
2			
vm nr.	380959	Ref. No.	058670 0KZ813 K3-10ND10 24
			
description	power contactor resistive load 25A 230VAC (AC3/400V) 10A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type K3-10A10230		
For models:	AP20, BC100A, BC100DA, BC100RA, BC100RDA, BC180A, BC180DA, BC180RA, BC180RDA, BC180RPA, BC22, BC44, BC44H, BCF11, BCF22, BCF44, BCF44H, BCF100A, BCF100DA, BCF100RA, BCF100RDA, BCF180A, BCF180DA, BCF180RA, BCF180RDA, BCF180RPA, , BCW061, BCW101, BCW102, BCFW061, BCFW101, BC22, BC44, BC44H, BCF11, BCF22, BCF44, BCF44H, BC120A, BC120RA, BCF120A, BCF120RA, BCWS061T, BCFW102, BLAST C/FREEZER, BLAST C/FREEZER, BLAST C/FREEZER...(Other models you can see in the webshop)		

			
1			
vm nr.	380779	Ref. No.	046994 054259 058004 075723 0E0020 0E1291 0K3968 0K8545 0K9127 0KG583 0L0360 0TR640 30001827 60050202 S648602300 S648608000 S648608700
			
1			
vm nr.	380774	Ref. No.	006437 006438 006879 058805 0KA632 0KI328 60050260 62790702 68767513210 7835500017
			
description	power contactor resistive load 25A 24VAC (AC3/400V) 14A/5.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type K3-14ND10		
For models:	LV4800HERC, WT200ELP, Z480PESECO, DTVSX, H512LVELEPL, H512LVLEPL, WT150HEL, WT730ERT, WTF4HSRB, WT150ELEPL+RBP, RT10ERCBF, WT140ELP, H522VELECO, WT730WSRTS, CT191SXE, WT100EL, H522LVERC, RT140ERCF, WT200HERC, RT190ELG, WT95ERF, RT34HDEDEP, CT191DXE, WT790WSLTM, CT190SXV, A/DTEDX, LV4800ELC, RT100ELCG, RT270EDEPLU, RT140EPLS, WT190HEL, WT150SLEPL, RT270HDESECOFWHIRPOO, WTF4HELA, RT2500EDBERGERAND, WT150SLM, WT95SL, FT72VDT, RT4800HDEDEPLBERGERA, WT100SRP, RT142ESECOFWHIRPOOL, RT140EDEPLF, WT150HSLC, CT140EDX, RT100ESECO, FP50A, RT190VDU, WTF4HSLB, H522LVLEPL, RT270EDECO...(Other models you can see in the webshop)		

			
1			
vm nr.	380959	Ref. No.	058670 0KZ813 K3-10ND10 24
			
description	power contactor resistive load 25A 24VAC (AC3/400V) 10A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type K3-10ND10 24		
For models:	FCVE6-3CE, FCVE103CE, FCVE203CE, FCVE20/P-V, FCVMG62, FCVE10-P, FCVE10PUK, FCVG10-P, FCVG10PUK, FCVE20-P, FCVE20PUK, FCVG20-P, FCVG20PUK, AFCV/G6-1, AFCV/G6-3, SCO/G6-3, AFCV/G101, AFCV/G103, SCO/G10-3, AFCV/G201, AFCV/G203, SCO/G20-3		

			
1			
vm nr.	380774	Ref. No.	006437 006438 006879 058805 0KA632 0KI328 60050260 62790702 68767513210 7835500017
			
description	power contactor resistive load 32A 230VAC (AC3/400V) 18A/7.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type K3-18ND10		
For models:	BF/E1S12, BFR/E1S14, MCP/E1SH, MCP/E1SUH, MCP/E2SUHS, MCP/E2SH, MCP/E2SUH, MCP/E2SUT, MCP/E2SHB, PBR/E2FM, PBR/E2IM, PMV/E1C, PMV/E2C, PF/E1D05, PF/E1S12, PF/E2D12, PF/E1D05E5, PF/E1S12E5, PF/E2D12E5, PPI/E260P, ECP/E1ELHU, PCP/E2SH, PCP/E1SH, PCP/E2SH, PCP/E2SH3B, PCP/E1ELH, OBR/E2FM, OBR/E2IM, OMV/E1C, OMV/E2C, OF/E1S12, OF/E2D12, OPI/E260P, OCP/E2S, OCP/E1SH, OCP/E2SH, TBR/E2FM, TBR/E2IM, TMV/E1C, TMV/E2C, TF/E1D05, TF/E1S12, TF/E2D12, TFR/E1S12, TFR/E2D12, TFR/E1S14, TFR/E2D14, TF/E1D05E5, TF/E1S12E5, TF/E2D12E5...(Other models you can see in the webshop)		



1

vm nr.	380673	Ref. No.	0H7052 0K3384 0K9307 582311
description	power contactor resistive load 45A 230VAC (AC3/400V) 11kW		
For models:	FDV40E, FDV40EL, FDV20E, FDV20EL, FCV/E20L3, FCVE202L3, FCVE202L6, 5717-3-7, 5717-3-8, 5717-3-8E, 5717-3-10, 5717-3-8M, 5717-3-8C, 5711-3-10F, 5711-3-10S, 5707-3-2, 5707-3-3, ECVE202T4, ECVE202T6, ZFT/E1M0, ACVE202C4, ACV/E202/1, ZCV/E202/1, ZCV/E202/1, 5612-3-10, 5612-3-6, 5612-3-8, 5614-3-10, 5614-3-6, 5614-3-8		



1

vm nr.	380521	Ref. No.	005238 0K3385 60050337
description	power contactor resistive load 45A 230VAC (AC3/400V) 23A/11kW main contacts 4NO connection screw connection type K2-23A0040230		
For models:	5717-3-7, 5717-3-8, 5717-3-8E, 5717-3-10, 5717-3-8M, 5717-3-8C		



1

vm nr.	380637	Ref. No.	002167 052329 054928 057950 059943 0H9713 0K4938 0K9129 0KE717 0KI949 0W0690 11151355 11151409 18005214 K223X022
description	power contactor resistive load 45A 230VAC main contacts 3NO auxiliary contacts 1NO connection screw type K2-23A10 230		
For models:	MFR/E740, RFR/E2S40, XFR/E2S40, JFR/E2S40, MFR/E2S40, RFR/E741, CFR/E702, HFR/E418, HFR/E818, HFR/E430, HFR/E830, HFRS/E430, HFR/E431, HFR/E831, HBR/E810, HBR/E815, HBR/E811, HBR/E816, HPN/EI815D, HPN/EI815, HPA/EI825, HPNS/EI815, HPNS/EI815D, ZFR/E418, ZFR/E818, ZFR/E430, ZFR/E830, ZFRS/E430, ZFR/E431, ZFR/E831, ZBR/E810, ZBR/E815, ZBR/E811, ZBR/E816, ZPN/EI815D, ZPN/EI815, ZPNS/EI815, ZPNS/EI815D, AFR/E430, AFR/E830, AFRS/E430, AFR/E431, AFR/E831, ABR/E810, ABR/E815, ABR/E811, ABR/E816, ABR/E810, ABR/E815, ABR/E811...(Other models you can see in the webshop)		



1

vm nr.	381173	Ref. No.	0C9763
description	power contactor resistive load 50A 230VAC (AC3/400V) 24A/11kW main contacts 3NO auxiliary contacts 1NO connection torx type K3-24B00 50/60Hz		

			
1			
vm nr.	381085	Ref. No.	0L0355 648613200
description	power contactor resistive load 50A 230VAC (AC3/400V) 24A/11kW main contacts 3NO auxiliary contacts connection screw connection type K3-24A00230		
For models:	FCZ102EAA, FCZ102ETA, FCZ202ETA, FCZ102EBA, FCZ102EBA2, FCZ202EBA2, FCZ102ECA, FCZ102ECA2, FCZ202ECA2, FCFE101- 0, FCFE102-0, FCFE201-0, FCFE202-0, FCF101ELN, FCF101ENS, FCF102ENS, FCF201ENS, FCFE101-1J, FCFE102-1J, ECFE101-0, ECFE102-0, ECFE201-0, ECFE202-0, ECF101ENS, ECF102ENS, EC- F201ENS, AOS102EAA1, AOS102EAC1, AOS102EAS1, AOS062EAM1, AOS102EAM1, AOS062EAB1, AOS102EAB1, AOS102EAK1, AOS102E- AT1, AOS102ETA1, AOS202ETA1, AOS062ETM1, AOS102ETM1, AO- S202ETM1, AOS102ETK1, AOS202ETK1, AOS102EBA1, AOS102EBC1, AOS102EBK1, AOS102EBA2, AOS202EBA2, AOS102EBK2, AOS202EBK2, AOS102ECA1...(Other models you can see in the webshop)		

			
2			
vm nr.	380775	Ref. No.	007080
description	power contactor resistive load 65A 230VAC (AC3/400V) 32A/15kW main contacts 3NO auxiliary contacts connection screw connection type K3-32A00230		
For models:	KPI/E10, KPI/E15, KPI/E15A, KPI/E15H, KPI/E10H, KFR/E1E, KFR/E2F, KFR/E1C, KFR/E2D, KFR/E1CE5, KFR/E2DE5, QPI/E10, QPI/E15, QPI/ E15H, QPI/E10H, QFR/E1E, QFR/E2F, QFR/E1C, QFR/E2D, WPI/E10, WPI/E15, WPI/E15A, WPI/E15H, WPI/E10H, WFR/E1E, WFR/E2F, WFR/ E1C, WFR/E2D, FCZ101EAA, FCZ102EAA, FCZ101EAH, FCZ101EAN, FCZ201EAN, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ202ETA, FCZ101ETH, FCZ201ETH, FCZ101ETN, FCZ201ETN, FCZ101EBA, FCZ102EBA, FCZ101EBH, FCZ101EBN, FCZ201EBN, FCZ101EBC, FCZ201EBC, FCZ101EBA2, FCZ102EBA2...(Other models you can see in the webshop)		

			
1			
vm nr.	380776	Ref. No.	007104 0G3044 11151645
description	power contactor resistive load 80A 230VAC (AC3/400V) 40A/18.5kW main contacts 3NO auxiliary contacts connection screw connection type K3-40A00230 contacts		
For models:	FCZ201EAA, FCZ202EAA, FCZ201EAH, FCZ201ETA, FCZ202ETA, FCZ201ETH, FCZ201ETN, FCZ201EBA, FCZ202EBA, FCZ201EBH, FCZ201EBC, FCZ201EBA2, FCZ202EBA2, FCZ201EBH2, FCZ201EBN2, FCZ201EBC2, FCZ202ECA, FCZ201ECA2, FCZ202ECA2, FCZ201ECH2, FCZ201ECN2, FCS101E44J, FCS101EP4J, FCS201E4, FCS201EP, FCS101EX4J, FCS201EX, CL221, AOS201EA, AOS201EB, AOS201E- B5M, AOS201EB6M, AOS102EA2N, AOS102EB2N, AOS202EA2N, AOS202EB2N, AOS201EA0H, AOS201EB0H, AOS202EA, AOS202EB, AOS201EAAQ, AOS201EBAQ, AOS202EAAQ, AOS202EBAQ, AOS102EANQ, AOS102EBNQ, AOS202EANQ, AOS202EBNQ, AOS201EAHQ, AOS201EBHQ...(Other models you can see in the webshop)		

auxiliary contacts

			
1			
vm nr.	380677	Ref. No.	047046 059086 0E0888 0H7044 0K9121 0KC515 11151408 60050473 HN01 S640605500
description	auxiliary contact contacts 1NC AC15 10A for contactors K2/K3 con- nection screw type HN01 AC1 25A		
For models:	EBS50, EBS50, EBS50, EBS50, EBV50, EBV50, EBV50, EBV50, EBS100, EBS100, EBS100, EBS100, EBV100, EBV100, EBV100, EBV100, EBV100, EBV-C100, EBV-C100, EBV-C100, EBS200, EBS200, EBS200, EBS200, EBV200, EBV200, EBV200, EBV200, EBV200, EBV200, EBV-C200, EBV-C200, EBV-C200, EBV-C200, EBV-C200, EBS300, EBS300, EBS300, EBS300, EBV300, EBV300, EBV300, EBV300, EBV300, EBV-C300, EBV-C300, EBV-C300, EBV-C300, EBV-C300, EBS50...(Other models you can see in the webshop)		



vm nr.	380678	Ref. No.	046995 0E0418 0H7043 0H7045 0K9119 0KA929 0KE890 11151407 1SHN10 60050474 NH11PKZM0 S640605400
description	auxiliary contact contacts 1NO AC15 10A for contactors K2/K3 connection screw type HN10 AC1 25A		
For models:	EBS50, EBS50, EBS50, EBS50, EBV50, EBV50, EBV50, EBV50, EBV50, EBS100, EBS100, EBS100, EBS100, EBV100, EBV100, EBV100, EBV100, EBV100, EBV-C100, EBV-C100, EBV-C100, EBV-C100, EBV-C100, EBV200, EBV200, EBV200, EBV200, EBV200, EBV200, EBV-C200, EBV-C200, EBV-C200, EBV-C200, EBV300, EBV300, EBV300, EBV300, EBV300, EBV-C300, EBV-C300, EBV-C300, EBV-C300, EBV-C300, EBV-C300, LC10E, LC12E, CLC12, LACE12M/EI, CLC22, LACE22M, CLC22V...(Other models you can see in the webshop)		

ISKRA (FANAL)

power contactors



vm nr.	380213	Ref. No.	086215
description	power contactor resistive load 20A 230VAC (AC3/400V) 8.5A/5.5kW main contacts 3NO auxiliary contacts 1NO connection screw connection type Fanal DSL7 10 type ISKRA K07M 10		



vm nr.	380204	Ref. No.	003027 004206 0K3606 6208
description	power contactor resistive load 25A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type Fanal DSL9 10 type ISKRA KNL9 10		
For models:	SGE350, SGE350, GR35E6U, MAX18/35X, ZCMDE6, ZCBDE12, ZCMDE4, ZCBDE8, ZCMDE9, ZCBDE18, FFPS16, FFPS32		

CONTACTORS/RELAYS ELECTROLUX

TRIPUS (Eichhoff)

small relay switches



vm nr.	380121	Ref. No.	0H6544 0H7193 501966 60050495 601962
description	small relay switch 230V main contacts 3NO/1NC auxiliary contacts knob ø70mm (227-piece) connection Faston 6.3mm type E3250 resistive load 16A		
For models:	7560-3, 7561-3, 7562-3, 7563-3, 7564-2, 9050-3, 9100-3, 9101-3, 9102-3, 9104-3, 9106-3, 9108-3, 9111-3, 9113-3, 9114-3, 9115-3, 9116-3, 9250-3-0, 9250-3-8, 9300-3-0, 9300-3-8, 9301-3-0, 9301-3-8, 9302-3-0, 9302-3-8, 9304-3-0, 9304-3-8, 9306-3-0, 9306-3-8, 9308-3-0, 9311-3-0, 9311-3-8, 9313-3-0, 9313-3-8, 9314-3-0, 9314-3-8, 9315-3-0, 9315-3-8, 9316-3-0, 9316-3-8, 9317-3-8, 9411-3, 9413-3, 9414-3, 9415-3, 9416-3		

relays

power relays

with flange mounting



vm nr.	380131	Ref. No.	046001 053737 081261
description	power relays Italiana Relè 230VAC 16A 3CO connection male faston 6.3mm screw mounting manuf. no. B2-3-230AC		
For models:	AP20, ILP110, ILP110UK, ILN120, ILP111, ILP220, ILP220UK, ILP240, ILP221, ILN110, ILN110UK, ILN120, ILN111, ILN220, ILN220UK, ILN240, ILN221, ILNN220, ILNN220UK, ILNN230, ILF110, ILF110, ILF120, ILF220, ILF220UK, ILF240, ILNF120, ILNF220, ILNF220UK, ILNF230, FCVE10-2, FCVE10-4, FCVE10-2UK, FCVE10-4UK, FCGV10-2, FCGV10-4, FCGV10-2UK, FCGV10-4UK, FCVE20-2, FCVE20-4, FCVE20-2UK, FCVE20-4UK, FCGV20-2, FCGV20-4, FCGV20-2UK, FCGV20-4UK, ZOFCV/E102, ZOFCV/E104, ZOFCV/G102, ZOFCV/G104...(Other models you can see in the webshop)		

with bracket mounting

			
1			
vm nr.	380626	Ref. No.	031295 031314 031609 031610 058557 058857 069882 083215 60050261 727944
description	power relays FINDER 230VAC 10A 2CO connection male faston 4.8mm bracket mounting manuf. no. 62.62.8.230.0000		
For models:	BC11, BC22, BC44, BC44H, BCF11, BCF22, BCF44, BCF44H, BCF15A6, , , BCFW061, BCFW101, ALN110, ALN120, ALNN120, ALNN220, ALNN230, ALN110UK, ALNN220UK, ALF110, ALF220UK, ALNF220, ALF110, ALF120, ALF220, ALF240, ALNF120, ALNF220, ALNF230, BC11, BC22, BC44, BC44H, BCF11, BCF22, BCF44, BCF44H, BCWS061T, BCFW102, ALN110UK, ALNN220UK, ALF110UK, ALNF220UK, ALN110, ALN120, ALF110, ALF120, ALF220, ALF240...(Other models you can see in the webshop)		

			
1			
vm nr.	380312	Ref. No.	056446 056466 085296 086214 0D0013
description	power relays FINDER 230VAC 10A 3CO connection male faston 4.8mm bracket mounting dimensions 52x32.2x36.5mm manuf. no. 60.63.8.230.0000		
For models:	MCP/G700, 7CPE07P, 7CPG07P, M70EPC, M70GPC, RCP/G700, HBR/G801, HBR/G806, HBR/G811, HBR/G816, HBR/G801D, HBR/G806D, HBR/G811D, HBR/G816D, HBR/E801, HBR/E806, HBR/E811, HBR/E816, ZBR/G801, ZBR/G806, ZBR/G811, ZBR/G816, ZBR/G801D, ZBR/G806D, ZBR/G811D, ZBR/G816D, ZR/G413, BR/E806, ZBR/E811, ZBR/E816, ABR/G801, ABR/G806, ABR/G811, ABR/G816, ABR/G801D, ABR/G806D, ABR/G811D, ABR/G816D, ABR/E801, ABR/E806, ABR/E811, ABR/E816, FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ061EAH, FCZ101EAH, FCZ061EAN, FCZ101EAN, FCZ061ETA...(Other models you can see in the webshop)		

			
1			
vm nr.	380139	Ref. No.	OPE302
description	power relays FINDER 230VAC 16A 2CO connection F6.3 bracket mounting dimensions 68x38.2x35.8mm manuf. no. 62.82.8.230.0000		
For models:	MTC1200P, MTC1400P, MTC1600P, MTC1800P, MTC2000P, MTC1210P, MTC1410P, MTC1610P, MTC1810P, MTC2010P, MTCD1200P, MTCD1400P, MTCD1600P, MTCD1800P, MTCD2000P, MSR1207, MSR1407, MSR1607, MSR1807, MSR2007, MSR1217, MSR1417, MSR1617, MSR1817, MSR2017, MSRP1207, MSRP1407, MSRP1607, MSRP1807, MSRP2007		

			
1			
vm nr.	380636	Ref. No.	056510 60050217
description	power relays FINDER 24VAC 10A 3CO connection male faston 4.8mm bracket mounting manuf. no. 60.63.8.024.0000		
For models:	BC100A, BC100DA, BC100RA, BC100RDA, BC180A, BC180DA, BC180RA, BC180RDA, BC180RPA, BCF100A, BCF100DA, BCF100RA, BCF100RDA, BCF180A, BCF180DA, BCF180RA, BCF180RDA, BCF180RPA, AQC31U US, AQC60U, AQC119U US, , , BC28A6, Crosswise, , , BCF15A6, , , BCW061, BCW101, BCW201R, BCW102, BCFW061, BCFW101, BCFW201R, BC120A, BC120RA, BCF120A, BCF120RA, BCWS061T, BCFW102, BLAST C/FREEZER, BLAST C/FREEZER, BLAST C/FREEZER, BLAST C/FREEZER, BLAST C/FREEZER, BLAST C/FREEZER, BLAST C/FREEZER, BLAST C/FREEZER...(Other models you can see in the webshop)		

			
1			
vm nr.	380185	Ref. No.	085647
description	power relays Italiana Relé 230VAC 30A 1NO connection F6.3 bracket mounting dimensions 36.5x32.2x51.8mm manuf. no. A10-230AC-FA		
For models:	DLV14/F, DLVT14/F, DLV21/F, DLVT21/F, ZDLV14/F, ZDLVT14/F, DLV21/F, DLVT21/F, ADLV14/F, ADLVT14/F, DLV21/F, DLVT21/F, SMV15/F, SMV21/F, SMV15/F, SMV21/F		




1

vm nr.	380950	Ref. No.	0A9500
description	relay SCHRACK 230VAC 25A 2CO connection F6.3 with mounting strap at 250V 25A manuf. no. RM805730 250V 4-pole		
For models:	SSWC12, SSWC16, SSWC20, SSWB12, SSWB16, SSWB20, DRVAF12, DRVAF16, DRVAF20, DRVP12, DRVP16, DRVP20, ZLRW12C, ZLRW16C, ZLRW20C, ZLRW12B, ZLRW16B, ZLRW20B		

plug-in/print relays



1



vm nr.	380333	Ref. No.	0E5849 OK4551 OK4947 OK6309 11031629 11031637 18005339
description	print relay 230VAC 2CO at 250V 8A connection pins raster size 5mm FINDER manuf. no. 40.52.8.230.0000 95.65/95.75		
For models:	RT10ED, RT10ES, RT10SR, RT10SL, RT10ED/230, RT10ES/230, RT10ERF60, RT10ELF60, RT10ERF, RT10ELF, RT10ERBF60, RT10ELBF60, RT10ERG, RT10ELG, RT10EDH, RT10ESH, RT10SRB, RT10SLB, RT10ED/230H, RT10ES/230H, RT10ERBF, RT10ELBF, RT10ERBG, RT10ELBG, RT10EDECO, RT10ESECO, RT10SRC, RT10SLC, RT10ED/230E, RT10ES/230E, RT10ERCF, RT10ELCF, RT10ERCG, RT10ELCG, RT10EDHE, RT10ESHE, RT10SRCB, RT10SLCB, RT10ED/230HE, RT10ES/230HE, RT10ERCBF, RT10ELCBF, RT10ERCBG, RT10ELCBG, RT10ERASIA, RT10ELASIA, RT10SRASIA, RT10SLASIA, RT10ERCINA, RT10ELCINA...(Other models you can see in the webshop)		
accessories for	380333		
	vm nr.	380340	Ref. No. —
relay socket dimensions 62x36x15mm 250V voltage AC 10A Italiana Relè manuf. no. ZMEM/5			
	vm nr.	380505	Ref. No. —
relay socket 2CO 40.52 dimensions 81.9x15.5x75mm 250V voltage AC 10A FINDER manuf. no. 95.95.3			
	vm nr.	381181	Ref. No. —
relay socket 2-pole 40.51/40.52/40.61 connection screw clamp dimensions 15.8x78.6mm 250V voltage AC 10A FINDER manuf. no. 95.75			

level relays

GICAR



1

vm nr.	400018	Ref. No.	004837 005048 055359 055458 0A8502 0H6151 0H6585 0K9194 0KE598 0M2262 18E18 213810 60050385 BR63051 MBR63051
description	level relay 230V voltage AC connection F6.3 type RL30/3ES/F/G		
For models:	FDV40G, FDV40E, FDV40GZ, FDV40EL, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, FCVG202L3, FCVG202L6, FCV/G202/1, FCS201G4, FCS202G4, FCS202GP, FCS202GX, FVE3, FCVE6-1U, FCVE6-3U, FCVE6-1, FCVE6-3, FCVE6-1UK, FCVE6-3UK, FCVG6-1, FCVG6-3, FCVG6-1UK, FCVG6-3UK, FCVE10-2, FCVE10-4, FCVE10-2UK, FCVE10-4UK, FCVG10-2, FCVG10-4, FCVG10-2, FCVG10-4D, FCVG10-2UK, FCVG10-4UK, FCVG10-2, FCVG10-4, FCVE20-2, FCVE20-4, FCVE20-2UK, FCVE20-4UK, FCVG20-2, FCVG20-4, FCVG20-2, FCVG20-4D, FCVG20-2UK, FCVG20-4UK...(Other models you can see in the webshop)		

miscellaneous



1

vm nr.	402951	Ref. No.	053913
description	level controller 50/60Hz 24V voltage AC 10A type RL30/3ES/11		
For models:	CRN22G, CRN/20G, CRN30G, CRN15G, CRN15V, CRN15E, CRN/22GZ, CRN20GZ, CRN30GZ, CRN15GZ, CRN15V-Z, CRN15EZ, CRN20GA, CRN30GA, CRN15GA, CRN15VA, CRN15EA, FCVE10, FCVE20, FVGC4, FV4G, FV4E, CR42G, CR42V, CR42E, CR/40G, CR/40V, CR40E, FV4G, FV4E, FVAC041		

			
1			
vm nr.	401638	Ref. No.	056496 60050216 911987
description	level relay 24V type RL30/3ES/F/G		
For models:	FCVE6-3CE, FCVE103CE, FCVE203CE, FCVM62E, FCVM62EUK, FCVE10-P, FCVE10PUK, FCVG10-P, FCVG10PUK, FCVE20-P, FCVE20PUK, FCVG20-P, FCVG20PUK, AFCV/G6-1, AFCV/G6-3, SCO/G6-3, AFCV/G101, AFCV/G103, SCO/G10-3, AFCV/G201, AFCV/G203, SCO/G20-3		

time relays

time relays

			
1			
vm nr.	360104	Ref. No.	004181
description	time relay FINDER 88.12.0.230.0002 time range 0.05s-100h 24-230V AC/DC 2x5A mounting measurements 45x45mm 2CO connection plug-in connection round 8-pole		
For models:	ZFC33, ZFC45		
accessories for	360104		
	vm nr.	380638	Ref. No.
			—
	relay socket 8-pole dimensions 51x41x23mm 250V 10A FINDER manuf. no. 90.26		

transformers

open transformers

with clamp terminal

			
1			
vm nr.	401266	Ref. No.	056512 34432503 60050218
description	transformer primary 230V secondary 12/24V 100VA		
For models:	FCVE6-3CE, FCVE103CE, FCVE203CE, FCVE20/P-V, FCVE10-P, FCVE10PUK, FCVG10-P, FCVG10PUK, FCVE20-P, FCVE20PUK, FCVG20-P, FCVG20PUK, AFCV/G6-1, AFCV/G6-3, SCO/G6-3, AFCV/G101, AFCV/G103, SCO/G10-3, AFCV/G201, AFCV/G203, SCO/G20-3		

encapsulated transformers

PMA

			
1			
vm nr.	401267	Ref. No.	007045
description	transformer primary 230V secondary 12/24V 60/40VA secondary 5/1.7A connection screw 50Hz		
For models:	FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ201EAH, FCZ102GAG, FCZ102GAD, FCZ102EBA, FCZ201EBA, FCZ202EBA, FCZ201EBH, FCZ102GBG, FCZ102GBD, FCZ102ECA, FCZ201ECA, FCZ202ECA, FCZ201ECH, FCZ102GCG, FCZ102GCD, FCS061GP, FCS061EP, FCS101EP4J, FCS101EP, FCS101GP9J, FCS101GP, FCS102GA9J, FCS201EP, FCS102GP, FCS202EP, FCS201GP, FCS202GP, FCS061EXLN, FCS061EX, FCS101EX4J, FCS101EX, FCS201EX, FCS201EXLN, FCS202EX, FCS101GX9J, FCS101GX, FCS102GX9J, FCS102GX, FCS201GX, FCS202GX, AOW101EA, AOS061EA, AOS061EB, AOS101EA, AOS101EB, AOS201EA, AOS201EB...(Other models you can see in the webshop)		

for lighting

			
1			
vm nr.	401547	Ref. No.	002710 002856 0C9422 0F0083 0K8481 17008908 60050262
description	transformer primary 230V secondary 11.5V 50W		
For models:	FCV/G10L3, FCV/G6L3TOWNGAS, FCV/G6L3, FCVG10L3T, FCV/G20L3, FCVG20L3, FCVE6L3J, FCV/E10L3JAP, FCV/E10L6JAP, FCV/G6L3JAP, FCVG10L3J, FCV/G10L6JAP, FCVG6L3CJ, FCV/G10L2, FCV/E10L2, FCV/G6L3C, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCVG6L3CT, FCVG6L3CJ, FCV/E10L3, FCV/E6L3, FCV/E20L3, FCVE20L3, FCV/G6L4, FCV/E6L4, FCV/G10L6, FCV/E10L6, FCV/G20L6, FCV/E20L6, FCVG20L6, FCVE20L6, FCV/E101/1, FCV/G101/1, FVC/E101/1, FCV/G201/1, FVC/E201/1, FCV/G202/1, FVC/E202/1, FCS061G3DI, FCS061E3CI, FCS061G4, FCS101E2, FCS061G4DT, FCS101E44J, FCS061G49J, FCS101G2, FCS101E4...(Other models you can see in the webshop)		



electronic controllers

ELIWELL

universal controllers

built-in version



1				
vm nr.	379690	Ref. No.	050295 050789	
description	electronic controller ELIWELL type ICP16D0750000 mounting measurements 71x29mm 230V voltage AC NTC/PTC relay outputs 1 CO-15A(8) NTC/PTC built-in depth 60mm defr. funct. -50 up to +150°C display 3½ digits			
accessories for	379690			
vm nr.	378194	Ref. No.	—	
	temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø7x24.5mm cable length 1.5m without screw connection 2-wire			
vm nr.	379052	Ref. No.	083583 050302	
	temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 1.5m without screw connection 2-wire			
vm nr.	379053	Ref. No.	—	
	temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C probe ø6x30mm cable length 3m without screw connection 2-wire			
vm nr.	379057	Ref. No.	—	
	temperature probe NTC 10kOhm cable PVC probe -20 up to +80°C cable -10 up to 100°C probe ø6x25mm cable length 3m 2-wire			
vm nr.	379064	Ref. No.	085961 0A9600 0D6591 31876	
	temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 3m without screw connection 2-wire			
vm nr.	379142	Ref. No.	050301	
	temperature probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C probe ø6x30mm cable length 1.5m without screw connection 2-wire			
vm nr.	379160	Ref. No.	—	
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire			
vm nr.	379161	Ref. No.	0A9498	
	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 3m without screw connection 2-wire			
vm nr.	379343	Ref. No.	092182 099570	
	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C probe ø6x40mm cable length 3m 2-wire			
vm nr.	379458	Ref. No.	050299	
	temperature probe NTC 10kOhm cable silicone probe -40 up to +110°C cable -50 up to +180°C probe ø6x40mm cable length 1.5m without screw connection 2-wire			

accessories for	379690			
vm nr.	379781	Ref. No.	—	
	temperature probe PTC 1kOhm cable thermoplastic probe -50 up to +150°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire			
vm nr.	379782	Ref. No.	—	
	temperature probe PTC 1kOhm cable thermoplastic probe -50 up to +150°C cable -40 up to +110°C probe ø6x14mm cable length 3m 2-wire resistor 1kOhm			

PIXSYS

universal controllers

built-in version



1				
vm nr.	379888	Ref. No.	0C3100	
description	electronic controller PIXSYS type ATR111-B mounting measurements 71x29mm 230V voltage AC NTC/PTC/Pt100/Pt1000/TC(J,K)/mV/ mA relay outputs 2 CO-8A(3) 8VDC/20mA NTC/PTC/Pt100/Pt1000/TC(J,K)/mV/ mA front measurements 35x77mm built-in depth 54mm protection IP64 accuracy 1% built-in version defr. funct. dependend on probe°C display 3 digits			
For models:	PME430, PME630, PME6L30, PME930, PME435, PME635, PME6L35, PME935, PME830, PME1230, PME12L30, PME1830, PME835, PME1235, PME12L35, PME1835, PDG433, PDG633, PDG933			

probes

universal probes

temperature probes



1				
vm nr.	379052	Ref. No.	083583 050302	
description	temperature probe PTC 1kOhm cable silicone probe -50 up to +150°C cable -50 up to +180°C probe ø6x40mm cable length 1.5m without screw connection 2-wire			
For models:	BC11, BC22, BC44, BC44H, BC11, BC22, BC44, BC44H, BC0144, BC072, ESBC72R, ESBC144R, ESBC10, ESBC10R, ESBC20, ESBC20R, ESBC40, ESBC40R, IKNSO120, ESK40H, EEVA10/1, EEVA20/1, EEVA40/1, EEVA40/2, EEVA10/1, EEVA20/1, EEVA40/1, EEVA40/2, ATPE061, ATPE101, ATPE201, ATPE102, AB100, AB210, AB430, AB431			



1				
vm nr.	379693	Ref. No.	004116	
description	temperature probe thermocouple J (Fe-CuNi) cable Vetrotex probe 0 up to +350°C cable°C probe ø6x100mm cable length 1.35m without screw connection cable colours red/blue 2-wire			
For models:	ZCMDG6, ZCMDG4, ZCMDG9, ZCBDG8, ZCBDG12, ZCBDG18, PME430, PME630, PME6L30, PME930, PME435, PME635, PME6L35, PME935, PME830, PME1230, PME12L30, PME1830, PME835, PME1235, PME12L35, PME1835, PDG433, PDG633, PDG933			

			
vm nr.	379715	Ref. No.	0C0324 0C6538
description	temperature probe thermocouple K (NiCr-Ni) cable PVC probe -50 up to 1150°C cable -10 up to 100°C connection plug thread probe ø4x70mm cable length 0.5m		
For models:	FCZ061EAA, FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ061EAH, FCZ201EAH, FCZ061EAN, FCZ201EAN, FCZ101GAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ101GAD, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ061EBA, FCZ102EBA, FCZ201EBA, FCZ202EBA, FCZ061EBH, FCZ201EBH, FCZ201EBN, FCZ101GBG, FCZ102GBG, FCZ201GBG, FCZ202GBG, FCZ101GBD, FCZ102GBD, FCZ201GBD, FCZ202GBD, FCZ061ECA, FCZ102ECA, FCZ201ECA, FCZ202ECA, FCZ061ECH, FCZ201ECH, FCZ061ECN, FCZ201ECN, FCZ101GCG, FCZ102GCG, FCZ201GCG, FCZ202GCG, FCZ101GCD, FCZ102GCD, FCZ201GCD, FCZ202GCD, AOS101GA, AOS101GB, AOS061EAAQ... (Other models you can see in the webshop)		

			
vm nr.	379716	Ref. No.	0C0325
description	temperature probe thermocouple K (NiCr-Ni) cable PVC probe -50 up to 1150°C cable -10 up to 100°C connection plug thread probe ø4x70mm cable length 0.85m		
For models:	FCZ061EAA, FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ061EAH, FCZ201EAH, FCZ061EAN, FCZ201EAN, FCZ201GAG, FCZ202GAG, FCZ201GAD, FCZ202GAD, FCZ061EBA, FCZ102EBA, FCZ201EBA, FCZ202EBA, FCZ061EBH, FCZ201EBH, FCZ201EBN, FCZ201GBG, FCZ202GBG, FCZ201GBD, FCZ202GBD, FCZ061ECA, FCZ102ECA, FCZ201ECA, FCZ202ECA, FCZ061ECH, FCZ201ECH, FCZ061ECN, FCZ201ECN, FCZ101GCG, FCZ102GCG, FCZ201GCG, FCZ202GCG, FCZ101GCD, FCZ102GCD, AOS101GB, AOS061EAAQ, AOS061EBAQ, AOS102EAAQ, AOS102EBAQ, AOS202EAAQ, AOS202EBAQ, AOS061EANQ, AOS061EBNQ, AOS102EANQ, AOS102EBNQ, AOS202EANQ, AOS202EBNQ, AOS061EACQ, AOS061EBCQ... (Other models you can see in the webshop)		

			
vm nr.	379713	Ref. No.	004209 0C3567
description	temperature probe thermocouple K (NiCr-Ni) cable Vetrotex probe -50 up to 1150°C cable -50 up to +350°C connection 2-wire thread probe ø3x200mm cable length 1.5m		
For models:	MAX18/35X, ZCMDE6, ZCBDE12, ZCMDE4, ZCBDE8, ZCMDE9, ZCBDE18, FFPS16, FFPS32, PDE830, PDE1230, PDE12L30, PDE1830, PDE835, PDE1235, PDE12L35, PDE1835		

core probes

			
vm nr.	378412 ¹	Ref. No.	0C3964 0C6616
description	core temperature probe multipoint probe cable SS corrugated hose probe -40 up to +250°C cable -40 up to +250°C connection plug probe ø3.5x100mm thread cable length 1.74m handle ø 10mm handle length 85mm		
For models:	AOW101EA, AOW101EABU		

¹multipoint probe

			
vm nr.	379724	Ref. No.	0C1522
description	core temperature probe multipoint probe cable SS corrugated hose probe -40 up to +250°C cable -40 up to +250°C connection plug probe ø3.5x95mm thread cable length 1.6m handle ø 10mm handle length 58mm		
For models:	FCS101EP4J, FCS101EP, FCS101GP9J, FCS101GP, FCS102GA9J, FCS102GP, FCS101EX4J, FCS101EX, FCS101GX9J, FCS101GX, FCS102GX9J, FCS102GX		

			
vm nr.	379091	Ref. No.	0H6492 0H6497 0T3795 31503507 60050411 E33.0158
description	core temperature probe Pt100 cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection 2-wire probe ø4.5x80mm thread cable length 1.3m handle ø 8mm handle length 70mm		
For models:	5612-3-10, 5612-3-8		

			
vm nr.	379096	Ref. No.	0H6493 0H6498 236147 31503508
description	core temperature probe Pt100 cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection 2-wire probe ø4.5x80mm thread cable length 1.5m handle ø 8mm handle length 70mm		
For models:	5614-3-10, 5614-3-8		

			
vm nr.	379037	Ref. No.	059002
description	core temperature probe Pt100 cable SS corrugated hose probe -40 up to +250°C cable -40 up to +250°C connection 2-wire probe ø4x100mm thread M12 cable length 2.2m handle ø 9mm handle length 90mm		
For models:	FCVE103CE, FCVE10-P, FCVE10PUK, FCVG10-P, FCVG10PUK, AFCV/G103		

			
vm nr.	379095	Ref. No.	055472 0K2962 60050213
description	core temperature probe Pt100 cable SS corrugated hose probe -40 up to +250°C cable -40 up to +250°C connection coded plug probe ø4x100mm thread M12 cable length 1.45m handle ø 9mm handle length 85mm		
For models:	FCVE6-3CE, FCVE203CE, FCVE20-P, FCVE20PUK, FCVG20-P, FCVG-20PUK, ZOFCV/G6-3, AFCV/G6-1, AFCV/G6-3, AFCV/G103, AFCV/G203		

			
vm nr.	379061	Ref. No.	003094 003853 0F0085 0H6499 OK9184
description core temperature probe Pt1000 cable SS corrugated hose probe -40 up to +250°C cable -40 up to +250°C connection 2-wire probe ø4x100mm thread M8 cable length 2.5m handle ø 10mm handle length 45mm			
For models: FCV/G20L3, FCVG202L3, FCV/E20L3, FCVE202L3, FCV/G20L6, FCV/E20L6, FCVG202L6, FCVE202L6, FCFG201-0, FCFG202-0, FCFE201-0, FCFE202-0, FCF201ENS, CS20ME4/200-3, CS20ME4/230-3, CS20ME6/230-3, CS20ME4/400-3N, CS20ME6/400-3N, CS-20ME4/400-3NE, CS20ME4/400-3, CS20ME4/440-3, CS20MT4/400-3N, CS20MT6/400-3N, CS20GE4/200-3, CS20GE4/230-3, CS20GE6/230-3, CS20GE4/400-3N, CS20GE6/400-3N, CS20GE4/400-3NE, CS-20GE4/400-3, CS20GE4/440-3, CS20GT4/400-3N, CS20GT6/400-3N, CS20LCE4/200-3, CS20LCE4/230-3, CS20LCE6/230-3, CS20LCE4/400-3N, CS20LCE6/400-3N, CS20LCE4/400-3NE, CS-20LCE4/400-3, CS20LCE4/440-3, CS20LCT4/400-3N, CS20LCT6/400-3N, C204200-3, C20230-3, C204400-3N, C206400-3N, C20T4/400-, C20P4200-3, C20P4230-3...(Other models you can see in the webshop)			

			
vm nr.	379407	Ref. No.	OK8488 E290105
description core temperature probe Pt1000 cable SS corrugated hose probe -40 up to +250°C cable -40 up to +250°C connection 2-wire probe ø4x100mm thread M8 cable length 2.7m handle ø 10mm handle length 45mm			

			
vm nr.	379060	Ref. No.	002673 0F0084 OK8487 60050267 L675
description core temperature probe Pt1000 cable SS corrugated hose probe -40 up to +250°C cable -40 up to +250°C connection 2-wire probe ø4x100mm thread M8 cable length 2m handle ø 10mm handle length 45mm			
For models: FCV/G10L3, FCV/G6L3TOWNGAS, FCV/G6L3, FCVG10L3T, FCVE6L3J, FCV/E10L3JAP, FCV/E10L6JAP, FCV/G6L3JAP, FCVG10L3J, FCV/G10L-6JAP, FCVG6L3CJ, FCV/E61/1, FCV/E61/1, FCV/E61/1, FCV/E61/1, FCV/E101/1, FCV/E101/2, FCV/G6L3C, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCVG6L3CT, FCVG6L3CJ, FCV/E10L3, FCV/E6L3, FCV/G6L4, FCV/E6L4, FCV/G10L6, FCV/E10L6, FCF/G6-0, FCFG101/0, FCFG102-0, FCF/E6-0, FCFE101-0, FCFE102-0, FCF061ELN, FCF101ELN, FCF6EHOR, FCFG10160H, FCF061ENS, FCF101ENS, FCF102ENS, FCFG102-0T, FCF/G6-1-JAP, FCF/G101/1-1-JAP, FCFE6-1J, FCFE101-1J, FCFE102-1J, FCF/G101/1...(Other models you can see in the webshop)			

			
vm nr.	379406	Ref. No.	006192
description core temperature probe Pt1000 cable SS corrugated hose probe -40 up to +250°C cable -40 up to +250°C connection 2-wire probe ø4x100mm thread M8 cable length 2m handle ø 10mm handle length 50mm			
For models: FCV/G10L3, FCVG10L3T, FCV/E101/1, FCVG10L3J, FCV/E101/1, FCV/E101/1, FCV/E101/1, FCFE101-0, FCFE102-0, FCF101ELN, FCF101ENS, FCF102ENS, FCFE101-1J, FCFE102-1J, FCS101E44J, FCS101E4, FCS101G4, FCS101G4DT, FCS102E44J, FCS101G49J, FCS102E4, FCS102G4, FCS102G49J, 5712-2-7, 5712-2-8, 5712-2-10, 5712-2-7L, 5712-2-8L, 5712-2-10L, 5712-3-7, 5712-3-8, 5712-3-8E, 5712-3-10, ECFE101-0, ECFE102-0, ECF101ENS, ECF102ENS, ECV/G10T4, ECV/E10T4, ECV/G10T4J, ACFE101-0, ACFE102-0, RCV101G4, RCV101E4, RCF101E, ACV/G10C4, ACV/E10C4, NCV/G10L4, ZCV/G10T4, ZCV/E10T4			

			
vm nr.	379976	Ref. No.	002821 60050250
description core temperature probe Pt1000 cable SS corrugated hose probe -40 up to +250°C cable -40 up to +250°C connection male faston 6.3mm probe ø4x100mm thread M8 cable length 3.1m handle ø 9mm handle length 50/55mm			
For models: FCVG102L3, FCV/E102/1L3JAP, FCV/E102/1L6JAP, FCVG102L3J, FCV/G102/1L6JAP, FCV/E102/1, FCV/E102/1, FCV/E102/1L3, FCV/G102/1L6, FCV/E102/1L6, FCFG101/0, FCFG102-0, FCFE102-0, FCFG102-0T, FCF/G102/1-1-JAP, FCFE102-1J, FCS101G4, FCS101G4DT, FCS101G49J, FCS102G4, FCS102G49J, ECFG101-0, ECFG102-0, ECFE102-0, ECVG102T4, ECVE102T4, ECV/G102/1T6, ECV/E102/1T6, ACFG101-0, ACFG102-0, ACFE102-0, JCF/G102/1-2, JCF/E102/1-2, RCF101G, ACVG102C4, ACVE102C4, ACV/G102/1C6, ACV/E102/1C6, NCF/G101/1, NCF/G102/1, NCF/E102/1, NCV/G102/1, ZCV/G102/1, ZCV/E102/1, ZCV/G102/1T6, ZCV/E102/1T6, ZCF/G101/1, ZCF/G102/1, ZCF/E102/1			

			
vm nr.	379977	Ref. No.	006174
description core temperature probe Pt1000 cable SS corrugated hose probe -40 up to +250°C cable -40 up to +250°C connection male faston probe ø4x100mm thread cable length 2.6m handle ø 10mm handle length 50mm			
For models: FCV/G20L3, FCVG202L3, FCV/G20L6, FCVG202L6, FCS201E4, FCS202E4, FCS201G4, FCS202G4, 5714-2-7, 5714-2-8, 5714-2-10, 5714-2-7L, 5714-2-8L, 5714-2-10L, 5714-2-7L, 5714-2-8L, 5714-2-10L, 5714-3-7, 5714-3-8, 5714-3-8E, 5714-3-10, 5717-3-7, 5717-3-8, 5717-3-8E, 5717-3-10, 5717-3-8M, 5717-3-8M, ECV/G20T4, ECVG202T4, ECV/G20T4J, ECV/G20T6, ECVG202T6, ACV/G20C4, ACVG202C4, ACV/G20C6, ACVG202C6, ZCV/G20T4, ZCV/G202/1, ZCV/G20T6, ZCV/G202/1			

			
1			
vm nr.	379964	Ref. No.	006525
description	core temperature probe Pt1000 cable SS corrugated hose probe -40 up to +250°C cable -40 up to +250°C connection male faston probe ø5.5x110mm thread cable length 2.5m handle ø 10mm handle length 100mm		
For models:	FCV/G101/1, FVC/E101/1		

			
1			
vm nr.	379954	Ref. No.	006527
description	core temperature probe Pt1000 cable SS corrugated hose probe -40 up to +250°C cable -40 up to +250°C connection plug probe ø5x100mm thread M8 cable length 3.2m handle ø 9mm handle length 50/50mm		
For models:	FCV/G102/1, FVC/E102/1		


			
1			
vm nr.	379718 ¹	Ref. No.	0C4240
description	core temperature probe thermocouple K (NiCr-Ni) cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection plug probe ø3.5x100mm thread cable length 2.2m handle ø 9mm handle length 45/50mm		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ061EAH, FCZ101EAH, FCZ061EAN, FCZ101EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ061ETH, FCZ101ETH, FCZ061ETN, FCZ101ETN, FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ101GTG, FCZ102GTG, FCZ101GTD, FCZ102GTD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ061EBH, FCZ101EBH, FCZ061EBN, FCZ101EBN, FCZ061EBC, FCZ101EBC, FCZ061EBA2, FCZ101EBA2, FCZ102EBA2, FCZ061EBH2, FCZ101EBH2, FCZ061EBN2, FCZ101EBN2, FCZ061EBC2, FCZ101EBC2, FCZ101GBG2, FCZ102GBG2, FCZ101GBD2, FCZ102GBD2, FCZ101GBI2, FCZ102GBI2, FCZ061ECA, FCZ101ECA...(Other models you can see in the webshop)		

¹ multipoint probe

			
1			
vm nr.	381460	Ref. No.	0C4241
description	core temperature probe thermocouple K (NiCr-Ni) cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection plug probe ø3.5x100mm thread cable length 2.2m handle ø 9mm handle length 45/50mm		

			
1			
vm nr.	379956	Ref. No.	006982
description	core temperature probe thermocouple K (NiCr-Ni) cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection plug probe ø3.5x100mm thread cable length 2.5m handle ø 9mm handle length 45/50mm		
For models:	AOS061EA, AOS061EA3J, AOS061EA2N, AOS061EA0H, AOS061GA, AOS101GA		

			
1			
vm nr.	379958	Ref. No.	006983
description	core temperature probe thermocouple K (NiCr-Ni) cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection plug probe ø3.5x100mm thread cable length 2.5m handle ø 9mm handle length 45/50mm		
For models:	AOS061EB, AOS061EB3J, AOS061EB2N, AOS061EB5M, AOS061EB6M, AOS061EB0H		

			
1			
vm nr.	379969	Ref. No.	0C1164
description	core temperature probe thermocouple K (NiCr-Ni) cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection plug probe ø3.5x100mm thread cable length 2.5m handle ø 9mm handle length 45/50mm		
For models:	AOS061GAEU, AOS061GAAU, AOS061EABU, AOS061EAFU, AOS061EA, AOS061EA3J, AOS061EA2N, AOS061EA0H, AOS061GA		



1			
vm nr.	379955	Ref. No.	007109
description	core temperature probe thermocouple K (NiCr-Ni) cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection plug probe ø3.5x100mm thread cable length 2.6m handle ø 9mm handle length 45/50mm		
For models:	AOS101EA, AOS101EA3J, AOS101EA2N, AOS101EA0H		



1			
vm nr.	379957	Ref. No.	007063 OC0224
description	core temperature probe thermocouple K (NiCr-Ni) cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection plug probe ø3.5x100mm thread cable length 2.6m handle ø 9mm handle length 45/50mm		
For models:	AOS101EB, AOS101EB3J, AOS101EB2N, AOS101EB5M, AOS101EB6M, AOS101EB0H		



1			
vm nr.	379960	Ref. No.	OC0956
description	core temperature probe thermocouple K (NiCr-Ni) cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection plug probe ø3.5x100mm thread cable length 2.6m handle ø 9mm handle length 45/50mm		
For models:	AOS101GAEU, AOS101GAAU, AOS101EABU, AOS101EAFU, AOS061EA, AOS101EA, AOS061EA3J, AOS101EA3J, AOS061EA2N, AOS101EA2N, AOS061EA0H, AOS101EA0H, AOS101GA		



1			
vm nr.	379723	Ref. No.	OC1212
description	core temperature probe thermocouple K (NiCr-Ni) cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection plug probe ø3.5x100mm thread cable length 2.85m handle ø 9mm handle length 50/50mm		
For models:	AOS102GAEU, AOS102GAAU, AOS102EA2N, AOS102EA, AOS102GB		



1			
vm nr.	379959	Ref. No.	OC1383
description	core temperature probe thermocouple K (NiCr-Ni) cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection plug probe ø3.5x100mm thread cable length 3.2m handle ø 9mm handle length 45/50mm		
For models:	FCZ201GTG, FCZ202GTG, FCZ201GTD, FCZ202GTD, FCZ201EBA, FCZ202EBA, FCZ201EBH, FCZ201EBN, FCZ201EBC, FCZ201GBG, FCZ202GBG, FCZ201GBD, FCZ202GBD, FCZ201GBI, FCZ201GBG2, FCZ202GBG2, FCZ201GBD2, FCZ202GBD2, FCZ201GBI2, FCZ201ECA, FCZ202ECA, FCZ201ECH, FCZ201ECN, FCZ201GCG, FCZ202GCG, FCZ201GCD, FCZ202GCD, FCZ201GCG2, FCZ202GCG2, FCZ201GCD2, FCZ202GCD2, AOS201EB, AOS201EB3J, AOS201EB2N, AOS202EB2N, AOS201EB0H, AOS202EB, AOS202GB, AOS201EBAQ, AOS202EBAQ, AOS201EBNQ, AOS202EBNQ, AOS201EBCQ, AOS201EBHQ, AOS201GBGQ, AOS202GBGQ, AOS201GBDQ, AOS202GBDQ, AOS201EAC1, AOS201EAQ1...(Other models you can see in the webshop)		



1			
vm nr.	379970 ¹	Ref. No.	OC1404
description	core temperature probe thermocouple K (NiCr-Ni) cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection plug probe ø3.5x100mm thread cable length 3.2m handle ø 9mm handle length 45/50mm		
For models:	FCZ201EAA, FCZ202EAA, FCZ201EAH, FCZ201EAN, FCZ201GAG, FCZ202GAG, FCZ201GAD, FCZ202GAD, FCZ201GTG, FCZ202GTG, FCZ201GTD, FCZ202GTD, FCZ201EBC, FCZ201GBG2, FCZ202GBG2, FCZ201GBD2, FCZ202GBD2, FCZ201GBI2, FCZ201GCG2, FCZ202GCG2, FCZ201GCD2, FCZ202GCD2, AOS201GAEU, AOS202GAEU, AOS201GAAU, AOS202GAAU, AOS201EABU, AOS201EAFU, AOS201EA, AOS201EA3J, AOS201EA2N, AOS202EA2N, AOS201EA0H, AOS202EA, AOS202GA, AOS201EAAQ, AOS202EAAQ, AOS201EANQ, AOS202EANQ, AOS201EACQ, AOS201EAHQ, AOS201EBFQ, AOS201GAGQ, AOS202GAGQ, AOS201GADQ, AOS202GADQ, AOS201GAIQ, AOS201GALQ, AOS201EAMQ, AOS201EABQ...(Other models you can see in the webshop)		

¹multipoint probe


1			
vm nr.	379725	Ref. No.	007093
description	core temperature probe thermocouple K (NiCr-Ni) cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection plug probe ø3.5x100mm thread cable length 3m handle ø 9mm handle length 50/50mm		
For models:	CL511, CL521, AOS201EA, AOS201EA3J, AOS201EA2N, AOS201EA0H		



vm nr.	379967	Ref. No.	OC0225
description	core temperature probe thermocouple K (NiCr-Ni) cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection plug probe ø3.5x90mm thread cable length 3.1m handle ø 9mm handle length 45/50mm		
For models:	AOS201EB, AOS201EB3J, AOS201EB2N, AOS201EB0H, AOS201GB		



vm nr.	379968	Ref. No.	OC1146
description	core temperature probe thermocouple K (NiCr-Ni) cable PTFE probe -50 up to +250°C cable -50 up to +250°C connection plug probe ø3.5x100mm thread cable length 3.9m handle ø 9mm handle length 45/50mm		
For models:	AOS201GA		

sensors



vm nr.	379966	Ref. No.	006995 OC6465
description	lambda sensor probe ø 12mm 5-pole probe L 50mm		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ061EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FCZ201EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ061ETH, FCZ101ETH, FCZ061ETN, FCZ101ETN, FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ061EBH, FCZ101EBH, FCZ061EBN, FCZ101EBN, FCZ061EBC, FCZ101EBC, FCZ201EBC, FCZ061EBA2, FCZ101EBA2, FCZ102EBA2, FCZ061EBH2... (Other models you can see in the webshop)		

accessories for	379966		
vm nr.	101248	Ref. No.	027478 050682 058370 0957007 0G2222 0K4315 214051400 727855
olive for pipe ø 12mm Qty 1 pcs suitable for PEL			

accessories for	379966		
vm nr.	101251	Ref. No.	—
union nut thread M20x1.5 for pipe ø 12mm			

accessories

fasteners

vm nr.	693748	Ref. No.	002674 0K2277 0K9619 0KD468
description	bracket for core temperature probe		
For models:	FDV40G, FDV40E, FDV40GZ, FDV40EL, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, FCV/G10L3, FCV/G6L3TOWNGAS, FCV/G6L3, FCVG10L3T, FCV/G20L3, FCVG20L3, FCVE6L3J, FCV/E10L3JAP, FCV/E10L6JAP, FCV/G6L3JAP, FCVG10L3J, FCV/G10L6JAP, FCVG6L3CJ, FCV/E61/1, FCV/E61/1, FCV/E61/1, FCV/E61/1, FCV/E101/1, FCV/E101/2, FCV/G6L3C, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCV/G6L3CT, FCVG6L3CJ, FCV/E10L3, FCV/E6L3, FCV/E20L3, FCVE20L3, FCV/G6L4, FCV/E6L4, FCV/G10L6, FCV/E10L6, FCV/G20L6, FCV/E20L6, FCVG20L6, FCVE20L6, FCF/G6-0, FCFG101/0... (Other models you can see in the webshop)		

miscellaneous

vm nr.	697993	Ref. No.	002701 0F0158
description	sleeve for temperature probe ø 11mm ID ø 4.3mm H 22.4mm		
For models:	FCZ101EAA, FCZ102EAA, FCZ101EAH, FCZ101EAN, FCZ101ETA, FCZ102ETA, FCZ202ETA, FCZ101ETH, FCZ101ETN, FCZ101EBA, FCZ102EBA, FCZ101EBH, FCZ101EBN, FCZ101EBC, FCZ101EBA2, FCZ102EBA2, FCZ202EBA2, FCZ101EBH2, FCZ101EBN2, FCZ101EBC2, FCZ101ECA, FCZ102ECA, FCZ101ECH, FCZ101ECN, FCZ101ECA2, FCZ102ECA2, FCZ202ECA2, FCZ101ECH2, FCZ101ECN2, FCV/G10L3, FCV/G6L3TOWNGAS, FCV/G6L3, FCVG10L3T, FCVG102L3, FCV/E101/1, FCV/G20L3, FCVG202L3, FCVE6L3J, FCV/E10L3JAP, FCV/E102/1L3JAP, FCV/E10L6JAP, FCV/E102/1L6JAP, FCV/G6L3JAP, FCVG10L3J, FCVG102L3J, FCV/G10L6JAP, FCV/G102/1L6JAP, FCVG6L3CJ, FCV/E61/1, FCV/G10L2... (Other models you can see in the webshop)		

electronics

PCBs

			
1			
vm nr.	401575	Ref. No.	0H9793 0K4880 0K4881 18003807 18003807T 740155
description	control PCB		
For models:	VARIOSTEAM/S-33.3/F, STEAM-O-MAT		

			
1			
vm nr.	400179	Ref. No.	002665 0C3758 0K1014 452200210 452470000 60050323
description	control PCB combi-steamer FCV/G 101/1 102/1		
For models:	FCV/G10L3, FCV/G6L3TOWNGAS, FCV/G6L3, FCVG10L3T, FCVG102L3, FCV/G20L3, FCVG202L3, FCVE6L3J, FCV/E10L3JAP, FCV/E102/1L3JAP, FCV/G6L3JAP, FCVG10L3J, FCVG102L3J, FCVG6L3CJ, FCV/E61/1, FCV/G10L2, FCV/E101/1, FCV/E10L2, FCV/E61/1, FCV/E101/2, FCV/G6L3C, FCV/G61/1, FCVG6L3CT, FCVG6L3CJ, FCV/E10L3, FCV/E102/1, FCV/E6L3, FCV/E102/1L3, FCV/E20L3, FCVE202L3, FCV/E101/1, FCS061G-3DI, FCS061E3CI, FCS101E2, FCS101G2, 5711-2-6, 5711-2-7, 5712-2-6, 5712-2-7, 5714-2-6, 5714-2-7, 5717-2-6, 5711-2-6L, 5711-2-7L, 5721-2-7, 5712-2-6L, 5712-2-7L, 5714-2-6L, 5714-2-7L...(Other models you can see in the webshop)		

			
1			
vm nr.	400188	Ref. No.	002725 0K1015 452200310
description	control PCB combi-steamer FCV/G 101/1 102/1		
For models:	FCV/G61/1, FCV/G61/1, FCV/G6L4, FCV/E6L4, FCV/G101/1, FVC/E101/1, FCV/G102/1, FVC/E102/1, FCV/G201/1, FVC/E201/1, FCV/G202/1, FVC/E202/1, FCS061E44J, FCS061G48J, FCS061G4, FCS061G4DT, FCS101E44J, FCS061G49J, FCS101E4, FCS101G4, FCS101G4DT, FCS102E44J, FCS101G49J, FCS102E4, FCS102G4, FCS201E4, FCS102G49J, FCS202E4, 5711-2-8, 5711-2-8CH, 5712-2-8, 5714-2-8, 5714-2-8, 5711-2-8L, 5712-2-8L, 5714-2-8L, 5714-2-8L, 5711-3-8, 5711-3-8CH, 5712-3-8, 5712-3-8E, 5712-3-8CH, 5714-3-8, 5714-3-8E, 5717-3-8, 5717-3-8E, 5717-3-8M, 5717-3-8C, 5717-3-8M, ECV/G6T4...(Other models you can see in the webshop)		

			
1			
vm nr.	403583	Ref. No.	0C4891 0C7350
description	control PCB combi-steamer FCZ06/10/20 L 450mm W 155mm display with core temperature probe		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ061EAH, FCZ101EAH, FCZ061EAN, FCZ101EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ202ETA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ061EBH, FCZ101EBH, FCZ061EBN, FCZ101EBN, FCZ061EBC, FCZ101EBC, FCZ061EBA2, FCZ101EBA2, FCZ102EBA2, FCZ201EBA2, FCZ202EBA2, FCZ061EBH2, FCZ101EBH2, FCZ201EBH2, FCZ061EBN2, FCZ101EBN2, FCZ201EBN2, FCZ061EBC2, FCZ101EBC2, FCZ201EBC2, FCZ101GBG2...(Other models you can see in the webshop)		

			
1			
vm nr.	400184	Ref. No.	002720 0C3765 0K1017 452200510 452470020 60050269
description	control PCB with keypad		
For models:	FCV/E101/1, FCV/E10L6JAP, FCV/E102/1L6JAP, FCV/G10L6JAP, FCV/G102/1L6JAP, FCV/E61/1, FCV/E101/1, FCV/E102/1, FCV/E61/1, FCV/E101/1, FCV/G61/1, FCV/G10L6, FCV/E10L6, FCV/G102/1L6, FCV/E102/1L6, FCV/G20L6, FCV/E20L6, FCVG202L6, FCVE202L6, FCV/E101/1, 5711-2-10, 5711-2-10CH, 5712-2-10, 5714-2-10, 5714-2-10, 5711-2-10L, 5721-2-10, 5712-2-10L, 5714-2-10L, 5714-2-10L, 5711-3-10, 5711-3-10CH, 5712-3-10, 5712-3-10C, 5714-3-10, 5717-3-6, 5717-3-10, 5712-2-10F, 5712-2-10S, 5714-2-10F, 5714-2-10S, 5711-3-10F, 5711-3-10S, 5712-3-10F, 5712-3-10S, 5714-3-10F, 5714-3-10S, ECV/G10T6, ECV/E10T6, ECV/G102/1T6...(Other models you can see in the webshop)		

			
1			
vm nr.	400747	Ref. No.	0C0043 452370000 675837902
description	keypad PCB combi-steamer FCZ06/10/20		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ061EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FCZ201EAN, FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ061EBH, FCZ101EBH, FCZ061EBN, FCZ101EBN, FCZ061EBC, FCZ101EBC, FCZ061ECA, FCZ101ECA, FCZ102ECA, FCZ061ECH, FCZ101ECH, FCZ061ECN, FCZ101ECN, AOS061GAEU, AOS101GAEU, AOS102GAEU, AOS201GAEU, AOS202GAEU, AOS061GAU, AOS101GAU, AOS102GAU, AOS201GAU, AOS202GAU, AOS061EABU, AOS101EABU, AOS201EABU...(Other models you can see in the webshop)		

			
1			
vm nr.	400749	Ref. No.	0C0041 452370100 675838802
description	keypad PCB combi-steamer FCZ06/10/20		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ061EAH, FCZ101EAH, FCZ061EAN, FCZ101EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ202ETA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ201EBA, FCZ202EBA, FCZ061EBH, FCZ101EBH, FCZ201EBH, FCZ061EBN, FCZ101EBN, FCZ201EBN, FCZ061EBC, FCZ101EBC, FCZ201EBC, FCZ061EBA2, FCZ101EBA2, FCZ102EBA2, FCZ201EBA2, FCZ202EBA2, FCZ061EBH2, FCZ101EBH2, FCZ201EBH2, FCZ061EBN2, FCZ101EBN2...(Other models you can see in the webshop)		

			
2			
vm nr.	361953	Ref. No.	0C6571 0C8805
description	display L 162mm W 308mm suitable for combi-steamer suitable for ELECTROLUX model FCZ/AOS		

			
1			
vm nr.	401667	Ref. No.	002683 0C3759 0H6292 452200420 452470030
description	keypad PCB		
For models:	FCV/G10L2, FCV/E10L2, FCS101E2, FCS101G2, 5711-2-6, 5712-2-6, 5714-2-6, 5717-2-6, 5711-2-6L, 5712-2-6L, 5714-2-6L, 5714-2-6L, 5711-3-6, 5712-3-6, 5714-3-6, RCV101G2, RCV101E2, ACV/G10C2, ACV/E10C2, NCV/G6L2, NCV/G10L2, NCV/E6L2, NCV/E10L2		

			
1			
vm nr.	400189	Ref. No.	005463 006435 006674 0K1018 0K1027 221507 452300140 452340140 452340165 675835400
description	main PCB combi-steamer 260200-245		
For models:	5711-2-6, 5711-2-7, 5711-2-8, 5711-2-8CH, 5712-2-6, 5712-2-7, 5712-2-8, 5714-2-6, 5714-2-7, 5714-2-8, 5717-2-6, 5714-2-7, 5714-2-8, 5711-2-6L, 5711-2-7L, 5711-2-8L, 5721-2-7, 5712-2-6L, 5712-2-7L, 5712-2-8L, 5714-2-6L, 5714-2-7L, 5714-2-8L, 5714-2-6L, 5714-2-7L, 5714-2-8L, 5711-3-6, 5711-3-7, 5711-3-8, 5711-3-8CH, 5712-3-6, 5712-3-7, 5712-3-8, 5712-3-8E, 5712-3-8CH, 5714-3-6, 5714-3-7, 5714-3-8, 5714-3-8E, 5717-3-7, 5717-3-8, 5717-3-8E, 5717-3-8M, 5717-3-8C		

			
1			
vm nr.	403025	Ref. No.	0C0968 0C4347
description	main PCB combi-steamer COP35 LIV. ACTIVE L 334mm W 110mm 230V		
For models:	FCS061GP, FCS061EP, FCS101EP4J, FCS101EP, FCS101GP9J, FCS102EP4J, FCS101GP, FCS102EP, FCS102GA9J, FCS201EP, FCS102GP, FCS202EP, FCS201GP, FCS202GP, FCS061EXLN, FCS061EX, FCS101EX4J, FCS101EXLN, FCS101EX, FCS102EX4J, FCS102EX, FCS201EX, FCS201EXLN, FCS202EX, FCS101GX9J, FCS101GX, FCS102GX9J, FCS102GX, FCS201GX, FCS202GX		

			
1			
vm nr.	403608	Ref. No.	003546 006613 006717 0C3764
description	main PCB convection oven L 340mm W 115mm display		
For models:	FCV/E101/1, FCV/E10L6JAP, FCV/E102/1L6JAP, FCV/G10L6JAP, FCV/G102/1L6JAP, FCV/E61/1, FCV/E101/1, FCV/E102/1, FCV/E61/1, FCV/E101/1, FCV/G61/1, FCV/G10L6, FCV/E10L6, FCV/G102/1L6, FCV/E102/1L6, FCV/G20L6, FCV/E20L6, FCVG202L6, FCVE202L6, FCV/E101/1, ECV/G10T6, ECV/E10T6, ECV/G102/1T6, ECV/E102/1T6, ECV/G20T6, ECV/E20T6, ECVG202T6, ECVE202T6, ECV/E10IGP, ACV/G10C6, ACV/G102/1C6, ACV/G20C6, ACVG202C6, ACV/E10C6, ACV/E102/1C6, ACVE20C6, ACV/E202/1, ZCV/G10T6, ZCV/E10T6, ZCV/G102/1T6, ZCV/E102/1T6, ZCV/G20T6, ZCV/E20T6, ZCV/G202/1, ZCV/E202/1		

			
1			
vm nr.	400744	Ref. No.	003763 0590893 0F0170 0K0671 0KE777
description	PCB		
For models:	FCF/G6-0, FCFG101/0, FCFG102-0, FCFG201-0, FCFG202-0, FCF/E6-0, FCFE101-0, FCFE102-0, FCFE201-0, FCFE202-0, FCF061ELN, FCF101ELN, FCF6EHOR, FCFG10160H, FCF061ENS, FCF101ENS, FCF102ENS, FCF201ENS, FCFG102-0T, FCF/G6-1-JAP, FCF/G101/1-1-JAP, FCF/G102/1-1-JAP, FCFE6-1J, FCFE101-1J, FCFE102-1J, FCF/G101/1, C7E4/200-3, C7E4/230-3, C7E4/400-3N, C7E6/400-3N, C7PE4/200-3, C7PE4/230-3, C7PE4/400-3N, C7PT4/400-3N, C104200-3, C104230-3, C104400-3N, C106400-3N, C10T4/400-, C10P4200-3, C10P4230-3, C10P44003N, C10P64003N, C10PT4/400, C204200-3, C20230-3, C204400-3N, C206400-3N, C20T4/400-, C20P4200-3...(Other models you can see in the webshop)		

			
1			
vm nr.	400752	Ref. No.	0C1071
description	PCB		
For models:	AOS061GAEU, AOS101GAEU, AOS102GAEU, AOS201GAEU, AOS-202GAEU, AOS061GAU, AOS101GAU, AOS102GAU, AOS201GAU, AOS202GAU, AOS061GA, AOS061GB, AOS101GA, AOS101GB, AOS-201GA, AOS201GB, AOS102GB, AOS102GA, AOS202GB, AOS202GA		



1

vm nr.	400187	Ref. No.	002666 452200410 60050298
description	PCB combi-steamer FCV/G 101/1 102/1		
For models:	FCV/G6L3TOWNGAS, FCV/G6L3, FCV/G20L3, FCVG202L3, FCVE6L3J, FCV/E10L3JAP, FCV/E102/1L3JAP, FCV/G6L3JAP, FCVG6L3CJ, FCV/E61/1, FCV/E101/1, FCV/E61/1, FCV/E101/2, FCV/G6L3C, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCVG6L3CT, FCVG6L3CJ, FCV/E10L3, FCV/E102/1, FCV/E6L3, FCV/E102/1L3, FCV/E20L3, FCVE202L3, FCV/G6L4, FCV/E6L4, FCV/E101/1, FCV/G101/1, FVC/E101/1, FCV/G102/1, FVC/E102/1, FCV/G201/1, FVC/E201/1, FCV/G202/1, FVC/E202/1, FCS061E44J, FCS061G48J, FCS061GP, FCS061G3DI, FCS061E3CI, FCS061G4, FCS061G4DT, FCS101E44J, FCS061G49J, FCS101E4, FCS101G4, FCS101G4DT, FCS102E44J, FCS101G49J...(Other models you can see in the webshop)		



2

vm nr.	400751	Ref. No.	007047
description	PCB combi-steamer FCZ06/10/20 level A		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ061EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FCZ201EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ202ETA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ201GAD, FCZ202GAD, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ061EBH, FCZ101EBH, FCZ061EBN, FCZ101EBN, FCZ061EBC, FCZ101EBC, FCZ201EBC, FCZ061EBA2...(Other models you can see in the webshop)		



1

vm nr.	400814	Ref. No.	004213
description	PCB pizza oven TH4351DC 2kW		
For models:	ZCMDE9, ZCBDE18, FFPS32, PDE830, PDE1230, PDE12L30, PDE1830, PDE835, PDE1235, PDE12L35, PDE1835		



1

vm nr.	401617	Ref. No.	002684 006611 006715 0C3757 452300111110 452340110 452440100 60050299
description	power PCB combi-steamer FCV 6GL		
For models:	FCV/G6L3TOWNGAS, FCV/G6L3, FCVE6L3J, FCV/G6L3JAP, FCVG6L3CJ, FCV/E61/1, FCV/G10L2, FCV/E10L2, FCV/E61/1, FCV/G6L3C, FCVG6L3CT, FCVG6L3CJ, FCV/E6L3, FCV/E101/1, FCS061G3DI, FCS061E3CI, FCS101E2, FCS101G2, RCV061G2, RCV061E2, RCV101G2, RCV101E2, ACV/G10C2, ACV/E10C2, ACV/G6C3, ACV/G6C3C, ACV/E6C3, NCV/G6L2, NCV/G10L2, NCV/E6L2, NCV/E10L2		



1

vm nr.	400748	Ref. No.	004105 006612 006716 0C3761 452300130131 452340130 452440200
description	power PCB combi-steamer FCV/G 101/1 102/1		
For models:	FCV/G10L3, FCVG10L3T, FCVG102L3, FCV/G20L3, FCVG202L3, FCV/E10L3JAP, FCV/E102/1L3JAP, FCVG10L3J, FCVG102L3J, FCV/E101/1, FCV/E101/2, FCV/G61/1, FCV/E10L3, FCV/E102/1, FCV/E102/1L3, FCV/E20L3, FCVE202L3, RCV101G2, RCV101E2		

			
1			
vm nr.	401572	Ref. No.	004079 006517 0C3762 0KE782 452340190 452340200 452440300
description	power PCB combi-steamer FCV/G 101/1 102/1		
For models:	FCV/G61/1, FCV/G61/1, FCV/G6L4, FCV/E6L4, FCV/G101/1, FVC/E101/1, FCV/G102/1, FVC/E102/1, FCV/G201/1, FVC/E201/1, FCV/G202/1, FVC/E202/1, FCS061E44J, FCS061G48J, FCS061G4, FCS061G4DT, FCS101E44J, FCS061G49J, FCS101E4, FCS101G4, FCS101G4DT, FCS102E44J, FCS101G49J, FCS102E4, FCS102G4, FCS201E4, FCS102G49J, FCS202E4, FCS201G4, FCS202G4, FCS061E4, ECV/G6T4, ECV/E6T4, ECV/G10T4, ECV/E10T4, ECVG102T4, ECVG102T4, ECV/G20T4, ECV/E20T4, ECVG202T4, ECVG202T4, ECV/G6T4, ECV/G10T4J, ECV/G61/1, ECV/G61/1, RCV061E4, RCV101G4, RCV101E4, ACV/G10C4, ACVG102C4...(Other models you can see in the webshop)		

			
2			
vm nr.	400750	Ref. No.	0C0042 0C4890 0C5150 0TT685 452371010 675837800
description	power PCB combi-steamer FCZ06/10/20		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ061EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FCZ201EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ202ETA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ061EBH, FCZ101EBH, FCZ061EBN, FCZ101EBN, FCZ061EBC, FCZ101EBC, FCZ061EBA2...(Other models you can see in the webshop)		

keypads

front foils

			
1			
vm nr.	401211	Ref. No.	007057
description	keypad foil		
For models:	AOS061GAEU, AOS101GAEU, AOS102GAEU, AOS201GAEU, AOS202GAEU, AOS061GAAU, AOS101GAAU, AOS102GAAU, AOS201GAAU, AOS202GAAU, AOS061EABU, AOS101EABU, AOS201EABU, AOS061EAFU, AOS101EAFU, AOS201EAFU, AOS061EA, AOS101EA, AOS201EA, AOS061EA3J, AOS101EA3J, AOS201EA3J, AOS061EA2N, AOS101EA2N, AOS201EA2N, AOS102EA2N, AOS202EA2N, AOS061EA0H, AOS101EA0H, AOS201EA0H, AOS102EA, AOS202EA, AOS061GA, AOS101GA, AOS201GA, AOS102GB, AOS202GB, AOS061EAAQ, AOS101EAAQ, AOS102EAAQ, AOS201EAAQ, AOS202EAAQ, AOS061EANQ, AOS101EANQ, AOS102EANQ, AOS201EANQ, AOS202EANQ, AOS061EACQ, AOS101EACQ, AOS201EACQ...(Other models you can see in the webshop)		

			
1			
vm nr.	401214	Ref. No.	007058
description	keypad foil		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ061EAH, FCZ101EAH, FCZ061EAN, FCZ101EAN, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ061EBH, FCZ101EBH, FCZ061EBN, FCZ101EBN, FCZ061EBC, FCZ101EBC, FCZ061ECA, FCZ101ECA, FCZ102ECA, FCZ061ECH, FCZ101ECH, FCZ061ECN, FCZ101ECN, AOS061EB, AOS101EB, AOS201EB, AOS061EB3J, AOS101EB3J, AOS201EB3J, AOS061EB2N, AOS101EB2N, AOS201EB2N, AOS061EB5M, AOS061EB6M, AOS102EB2N, AOS202EB2N, AOS061EB0H, AOS101EB0H, AOS201EB0H, AOS102EB, AOS202EB, AOS061GB, AOS101GB, AOS201GB, AOS102GA, AOS202GA, AOS061EBAQ, AOS101EBAQ, AOS102EBAQ, AOS201EBAQ...(Other models you can see in the webshop)		

			
1			
vm nr.	401247	Ref. No.	002719
description	keypad foil		
For models:	FCV/E101/1, FCV/E10L6JAP, FCV/E102/1L6JAP, FCV/G10L6JAP, FCV/G102/1L6JAP, FCV/E101/1, FCV/E102/1, FCV/E101/1, FCV/G10L6, FCV/E10L6, FCV/G102/1L6, FCV/E102/1L6, FCV/G20L6, FCV/E20L6, FCVG202L6, FCVE202L6		



accessories



1

vm nr.	400997	Ref. No.	002670 0F0086 0K8489 0T5656 60050319 869066
description	push button		
For models:	AQC22U US, AQC31U US, AQC60U, , , BC28A6, Crosswise, , BCF15A6, , ADN220ES, ADF110ES, ADF220ES, ADN110E, ADF110E, ADN220E, AD-F220E, BC15A, BC28A, Crosswise, BCF15A, BCF28A, Crosswise, BC10A, BCF7A, KFH/G1, KFH/E1, KFH/G1ELH, KFH/E1ELH, KFH/G1EH, KFH/E1EH, HFH/G435, HFH/G435, QFH/G1, QFH/E1, QFH/G1ELH, QFH/E1ELH, QFH/G1EH, QFH/E1H, ZFH/G435, ZFH/G435, WFH/G1, WFH/E1, WFH/G1ELH, WFH/E1ELH, WFH/G1EH, WFH/E1EH, AFH/G435, AFH/E435, EBS50....(Other models you can see in the webshop)		

solenoid valves

solenoid valves (water)

ELBI

straight



1

vm nr.	373009	Ref. No.	046795 046796 047534 048180
description	solenoid valve double straight 24V inlet 3/4" outlet 13.5mm DN10 t.max. 90°C duty cycle 100% ELBI		
For models:	CT92DXE, CT92SXE, CT92DXEUK, CT92SXEUK, CT92DXV, CT92SXV, CT92DXVUK, CT92SXVUK, CT140EDX, CT140ESX, CT140EDXUK, CT140SXEUK, CT140VDX, CT140VSX, CT141EDX, CT141ESX, CT141E-DUK, CT141ESUK, CT141VDX, CT141VSX, CT142DXE, CT142SXE, CT142DXEUK, CT142SXEUK, CT142DXV, CT142SXV, CT190DXE, CT190SXE, CT190DXEUK, CT190SXEUK, CT190DXV, CT190SXV, CT-191DXE, CT191SXE, CT191DXE, CT191SXEUK, CT191DXV, CT191SXV, CT192DXE, CT192SXE, CT192DXEUK, CT192SXEUK, CT192DXV, CT192SXV, CT240DXE, CT240SXE, CT240DXEUK, CT240SX, CT240DXV, CT240SXVUK....(Other models you can see in the webshop)		

KEYPADS/SOLENOID VALVES ELECTROLUX



1

vm nr.	373017	Ref. No.	003608 046655 047370 053827 055132 055529 056486 057577 086014 0K8513
description	solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm DN10 ELBI		

angled



1

vm nr.	373019	Ref. No.	069295
description	solenoid valve double angled 230VAC inlet 3/4" outlet 11.5mm DN10 ELBI		
spare parts for	373019		
	vm nr.	370467	Ref. No. —
	solenoid valve filter suitable for ELBI		



1

vm nr.	373012	Ref. No.	048817
description	solenoid valve single angled 230VAC inlet 3/4" outlet 13.5mm input 20l/min t.max. 90°C duty cycle 100% ELBI flow regulating valve inlet orange		
For models:	WT4, WT4B, WT4D, WT4DB, WT46, NUC3DD, WT4D60, WT4DDG, EUC1, EUC1DP, EUC3, EUC3DP, EUC1G, EUC1DP60, EUC3DD, LS5/1, LS5/1DP, LS5/3, LS5/3DP, LS5/1DP60, LS5/1DPAUS, LS5/1DPCS, KUC3, KUC3DP, NUC1, NUC1DP, NUC3, NUC3DP, NUC1DP60, NUC1DPA, LS61, LS61/60, LS6EP, LS6EP/DD, LS62, LS62D, LS62/UKRP, LS62F, LV62, LS62/60, ECOTEMP5, LS62/1P, LS62HD, LS63, LS63D, LS63/UKRP, LS63F, LV63, LS63/60, LS63/1P....(Other models you can see in the webshop)		

			
1			
vm nr.	373020	Ref. No.	049056
description	solenoid valve double angled 230VAC inlet 3/4" outlet 14mm input 10l/min DN10 t.max. 90°C duty cycle 100% ELBI flow regulating valve inlet white		
For models:	LB1, LB1/RBP, LB1/60, WT1WSDP, LB2DPSAUS, LB1G, WT2DPDI, LB2, WT2WSDP, WT1, WT1/3DP, WT2/3DP, WT2DPAUS, WT2, LB2DPDI, LB2DP3, WT2DPD3, UC1, GW1, LV1WSDP, LV2WSDP, GW2DPG, GW2G, GW2		

INTERELEKTRIK

medium temperature: 90°C 90°C 60°C
 ambient temperature: 60°C 25°C 60°C
 duty cycle: 40% 100% 100%

with reducers

			
1			
vm nr.	370659	Ref. No.	0G1981
description	solenoid valve double straight 230VAC inlet 3/4" outlet 11.5mm t.max. 90°C INTERELEKTRIK plastic flow regulating valve inlet white		
For models:	5611-3-10, 5611-3-6, 5611-3-8, 5612-3-10, 5612-3-6, 5612-3-8		

MÜLLER

medium temperature: 90°C
 duty cycle: 100%

			
1			
vm nr.	370117	Ref. No.	066379 0G2089 0G2196 0H6531 111053 60050401
description	solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm DN10 t.max. 90°C duty cycle 100% MÜLLER		
For models:	5611-3-10, 5611-3-6, 5611-3-8, 5612-3-10, 5612-3-6, 5612-3-8, 5614-3-10, 5614-3-6, 5614-3-8		
spare parts for	370117		
	vm nr.	370133	Ref. No. —
solenoid valve body single straight inlet 3/4" outlet 11.5mm DN10 t.max. 90°C duty cycle 100% MÜLLER 230V			
	vm nr.	371002	Ref. No. —
solenoid valve holder MÜLLER flange support			
	vm nr.	371009	Ref. No. —
compression spring for solenoid coil			

spare parts for	370117		
	vm nr.	371011	Ref. No. —
spare parts kit membrane with long star star hight 8mm MÜLLER			
	vm nr.	371017	Ref. No. —
solenoid coil MÜLLER 230VAC connection male faston 6.3mm			
	vm nr.	371122	Ref. No. —
solenoid valve filter ø 19mm H 10mm suitable for MÜLLER			
	vm nr.	501161	Ref. No. —
tap head for solenoid valve holder for solenoid coils			
accessories for	370117		
	vm nr.	371010	Ref. No. —
solenoid coil 230VAC connection with cable cable length 2000mm			
	vm nr.	371037	Ref. No. —
solenoid coil 24VAC 50/60Hz connection male faston 6.3mm			
	vm nr.	371038	Ref. No. —
solenoid coil 230VAC connection appliance plug			

ROBERTSHAW/INVENSYS

medium temperature: 90°C 90°C 60°C
 ambient temperature: 60°C 25°C 60°C
 duty cycle: 40% 100% 100%

			
1			
vm nr.	372021	Ref. No.	045631 046427 047536 0H9966 0K5389 1200020 120020 127291 19003298
description	solenoid valve double straight 230VAC inlet 3/4" outlet 11.5mm DN10 EATON (INVENSYS)		
For models:	LB80EPH, LB80E, LB120EPH, LB120E, LB160EPH, LB160E, LB160V, CLB160E, CLB160V, VARIOSTEAM/S-33.3/F, STEAM-O-MAT, LB80E, LB120E, LB160EZ, LB160V, CLB160E, CLB160V, EWM120, EWM160		

solenoid valves with reducers

single



vm nr.	372028	Ref. No.	056350 0C0688 0C4984
description	solenoid valve single angled 230VAC inlet 3/4" outlet 11.5mm input 10l/min t.max. 90°C duty cycle 100% EATON (INVENSYS) plastic flow regulating valve inlet white		
For models:	KBR/G2F, KBR/G2C, KBR/G3F, KBR/G3FH, KBR/G3C, KBR/G3CH, KBR/E2F, KBR/E2C, KBR/E3F, KBR/E3FH, KBR/E3C, KBR/E3CH, KBR/G2FH, KBR/G2CH, KBR/E2FH, KBR/E2CH, QBR/G2F, QBR/G2C, QBR/G3F, QBR/G3FH, QBR/G3C, QBR/G3CH, QBR/E2F, QBR/E2C, QBR/E3F, QBR/E3FH, QBR/E3C, QBR/E3CH, QBR/G2FH, QBR/G2CH, QBR/E2FH, QBR/E2CH, WBR/G2F, WBR/G2C, WBR/G3F, WBR/G3FH, WBR/G3C, WBR/G3CH, WBR/E2F, WBR/E2C, WBR/E3F, WBR/E3FH, WBR/E3C, WBR/E3CH, WBR/G2FH, WBR/G2CH, WBR/E2FH, WBR/E2CH		

2-fold



vm nr.	370775	Ref. No.	0696808400 0C5517
description	solenoid valve double straight 230VAC inlet 3/4 outlet 12mm EATON (INVENSYS) output A 0.25l/min output B 5l/min		
For models:	FCZ102EAA, FCZ102ETA, FCZ201ETA, FCZ202ETA, FCZ201ETH, FCZ201ETN, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ102EBA, FCZ102EBA2, FCZ201EBA2, FCZ202EBA2, FCZ201EBH2, FCZ201EBN2, FCZ201EBC2, FCZ101GBG2, FCZ102GBG2, FCZ201GBG2, FCZ202GBG2, FCZ101GBD2, FCZ102GBD2, FCZ201GBD2, FCZ202GBD2, FCZ101GBI2, FCZ102GBI2, FCZ201GBI2, FCZ102ECA, FCZ102ECA2, FCZ201ECA2, FCZ202ECA2, FCZ201ECH2, FCZ201ECN2, FCZ101GCG2, FCZ102GCG2, FCZ201GCG2, FCZ202GCG2, FCZ101GCD2, FCZ102GCD2, FCZ201GCD2, FCZ202GCD2, AOS102EAA1, AOS201EAA1, AOS202EAA1, AOS201EAH1...(Other models you can see in the webshop)		



vm nr.	372002	Ref. No.	0C5516 696808300
description	solenoid valve double straight 230VAC inlet 3/4" outlet 11.5mm 10 t.max. 90°C Invensys plastic output A 0.25l/min output B 2.5l/min flow regulating valve outlet A transparent/white flow regulating valve outlet B dark brown		
For models:	FCZ061EAA, FCZ101EAA, FCZ061EAH, FCZ101EAH, FCZ061EAN, FCZ101EAN, FCZ061ETA, FCZ101ETA, FCZ061ETH, FCZ101ETH, FCZ061ETN, FCZ101ETN, FCZ061GAG, FCZ061GAD, FCZ061EBA, FCZ101EBA, FCZ061EBH, FCZ101EBH, FCZ061EBN, FCZ101EBN, FCZ061EBC, FCZ101EBC, FCZ061EBA2, FCZ101EBA2, FCZ061EBH2, FCZ101EBH2, FCZ061EBN2, FCZ101EBN2, FCZ061EBC2, FCZ101EBC2, FCZ061GBG, FCZ061GBD, FCZ061ECA, FCZ101ECA, FCZ061ECH, FCZ101ECH, FCZ061ECN, FCZ101ECN, FCZ061ECA2, FCZ101ECA2, FCZ061ECH2, FCZ101ECH2, FCZ061ECN2, FCZ101ECN2, AOS061EAA1, AOS101EAA1, AOS061EAH1, AOS101EAH1, AOS061EAN1, AOS101EAN1...(Other models you can see in the webshop)		

3-fold



vm nr.	370345	Ref. No.	002859 0C1934 0K1872 60050324
description	solenoid valve triple straight 230VAC inlet 3/4" outlet 11.5mm t.max. 90°C EATON (INVENSYS) plastic output B 0.25l/min output C 1.2l/min flow regulating valve outlet B white flow regulating valve outlet C blue		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ201EAA, FCZ061EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FCZ201EAN, FCZ101GAG, FCZ102GAG, FCZ201GAG, FCZ101GAD, FCZ102GAD, FCZ201GAD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ201EBA, FCZ061EBH, FCZ101EBH, FCZ201EBH, FCZ101EBN, FCZ201EBN, FCZ101GBG, FCZ102GBG, FCZ201GBG, FCZ101GBD, FCZ102GBD, FCZ201GBD, FCZ061GBI, FCZ101GBI, FCZ201GBI, FCV/G6L4, AOS-061GAEU, AOS101GAEU, AOS102GAEU, AOS201GAEU, AOS061GAU, AOS101GAU, AOS102GAU, AOS201GAU, AOW101EA, AOS061EABU, AOS101EABU, AOS201EABU, AOS061EAFU, AOS101EAFU, AOS201EAFU...(Other models you can see in the webshop)		

with coded terminal



vm nr.	370269	Ref. No.	069262 072364
description	solenoid valve double straight 230VAC inlet 3/4" outlet 11.5mm DN10 EATON (INVENSYS)		
For models:	LC7E, LC10E, LC12E, CLC12E, LACE12M/EI, CLC22E, CLC22, LACE22M, CLC22V, CLC22V, LACV22M/V, CLC40V, LC7E, LC12E, CLC12E, CLC22E, CLC22V, CLC22E, CLC22V		



vm nr.	370355	Ref. No.	0C1113 0C1133 0C1933
description	solenoid valve single angled 230VAC inlet 3/4" outlet 11.5mm DN10 EATON (INVENSYS)		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ061EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FCZ201EAN, FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ061EBA, FCZ101EBA, FCZ061EBH, FCZ101EBH, FCZ101EBN, FCZ061EBC, FCZ101EBC, FCZ201EBC, FCZ061GBI, FCZ101GBI, FCZ201GBI, FCZ102ECA, FCZ201ECA, FCZ202ECA, FCZ201ECH, FCZ201ECN, FCZ061GCG, FCZ101GCG, FCZ102GCG, FCZ201GCG, FCZ202GCG, FCZ061GCD, FCZ101GCD, FCZ102GCD, FCZ201GCD, FCZ202GCD, FCS201EX, FCS201EXLN, FCS202EX...(Other models you can see in the webshop)		

RPE			
solenoid valves with reducers			
single			
			
1			
vm nr.	698496	Ref. No.	0C6225 0C6374
description	water distributor 230VAC RPE for combi-steamer		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ061EAH, FCZ101EAH, FCZ061EAN, FCZ101EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ061ETH, FCZ101ETH, FCZ061ETN, FCZ101ETN, FCZ061GAG, FCZ061GAD, FCZ101GTG, FCZ102GTG, FCZ101GTD, FCZ102GTD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ061EBH, FCZ101EBH, FCZ061EBN, FCZ101EBN, FCZ061EBC, FCZ101EBC, FCZ061EBA2, FCZ101EBA2, FCZ102EBA2, FCZ061EBH2, FCZ101EBH2, FCZ061EBN2, FCZ101EBN2, FCZ061EBC2, FCZ101EBC2, FCZ101GBG2, FCZ102GBG2, FCZ101GBD2, FCZ102GBD2, FCZ101GBI2, FCZ102GBI2, FCZ061ECA, FCZ101ECA, FCZ102ECA, FCZ061ECH, FCZ101ECH, FCZ061ECN... (Other models you can see in the webshop)		

TP




1

vm nr.	370021	Ref. No.	069463 0A6046 240003	
description	solenoid valve double straight 230VAC inlet 3/4" outlet 11.5mm DN10 TP flow regulating valve inlet white			
For models:	LTB11, LTB11UK, LTB11, 910-00-021, 910-00-023, 910-00-031, 910-00-033, 911-00-022, 911-00-024, 911-00-032, 911-00-034, CRYSTAL 11			
spare parts for	370021			
	vm nr.	371013	Ref. No.	—
solenoid coil TP 230VAC 50/60Hz				
accessories for	370021			
	vm nr.	371220	Ref. No.	—
reducer TP flow rate 3l/min red tolerance ±15%				
	vm nr.	371221	Ref. No.	—
reducer TP flow rate 5.5l/min yellow tolerance ±15%				
	vm nr.	371222	Ref. No.	—
reducer TP flow rate 6l/min grey tolerance ±15%				
	vm nr.	371223	Ref. No.	0E5551
reducer TP flow rate 10l/min white tolerance ±15%				
	vm nr.	371224	Ref. No.	—
reducer TP flow rate 12l/min bronze tolerance ±15%				
	vm nr.	371225	Ref. No.	—
reducer TP flow rate 16l/min light brown tolerance ±15%				
	vm nr.	371226	Ref. No.	0E5526
reducer TP flow rate 20l/min red tolerance ±15%				

	370021			
	vm nr.	371230	Ref. No.	—
	reducer TP flow rate 0.25l/min red tolerance ±25%			
	vm nr.	371231	Ref. No.	—
	reducer TP flow rate 0.35l/min violet tolerance ±25%			
	vm nr.	371232	Ref. No.	—
	reducer TP flow rate 0.5l/min orange tolerance ±25%			
	vm nr.	371233	Ref. No.	—
	reducer TP flow rate 0.8l/min white tolerance ±25%			
	vm nr.	371234	Ref. No.	—
	reducer TP flow rate 1l/min light blue tolerance ±25%			
	vm nr.	371235	Ref. No.	—
	reducer TP flow rate 1.2l/min brown tolerance ±25%			
	vm nr.	371236	Ref. No.	—
	reducer TP flow rate 1.5l/min light brown tolerance ±25%			
	vm nr.	371237	Ref. No.	—
	reducer TP flow rate 2.5l/min yellow tolerance ±25%			
	vm nr.	371238	Ref. No.	—
	reducer TP flow rate 3.4l/min dark green tolerance ±25%			
	vm nr.	371239	Ref. No.	—
	reducer TP flow rate 5l/min black tolerance ±25%			
	vm nr.	371240	Ref. No.	—
	reducer TP flow rate 8l/min blue tolerance ±20%			



1

vm nr.	370111	Ref. No.	OKZ810	
description	solenoid valve double straight 24VAC inlet 3/4" outlet 11.5mm DN10 TP			
For models:	WTF2ERC, WTF2ELC, WTF2SRC, WTF2SLC, WTF2HERC, WTF2HELC, WTF2HSRC, WTF2HSLC, WTF3ERC, WTF3ELC, WTF3SRC, WTF3SLC, WTF3HERC, WTF3HELC, WTF3HSRC., WTF3HSLC, WTF2ERB., WTF2ELB, WTF2SRB, WTF2SLB, WTF2HERB, WTF2HELB, WTF2HSRB, WTF2HSLB, WTF3ERB, WTF3ELB, WTF3SRB, WTF3SLB, WTF3HERB, WTF3HELB, WTF3HSRB, WTF3HSLB, WTF4HERB, WTF4HELB, WTF4HSRB, WTF4HSLB, WTF2ERA, WTF2ELA, WTF2SRA, WTF2SLA, WTF2HERA, WTF2HELA, WTF2HSRA, WTF2HSLA, WTF3ERA, WTF3ELA, WTF3SRA, WTF3SLA, WTF3HERA, WTF3HELA...(Other models you can see in the webshop)			
spare parts for	370111			
	vm nr.	371035	Ref. No.	—
solenoid coil 24VAC				
accessories for	370111			
	vm nr.	371220	Ref. No.	—
reducer TP flow rate 3l/min red tolerance ±15%				

Table continues overleaf

accessories for 370111			
	vm nr.	371221	Ref. No. —
reducer TP flow rate 5.5l/min yellow tolerance ±15%			
	vm nr.	371222	Ref. No. —
reducer TP flow rate 6l/min grey tolerance ±15%			
	vm nr.	371223	Ref. No. 0E5551
reducer TP flow rate 10l/min white tolerance ±15%			
	vm nr.	371224	Ref. No. —
reducer TP flow rate 12l/min bronze tolerance ±15%			
	vm nr.	371225	Ref. No. —
reducer TP flow rate 16l/min light brown tolerance ±15%			
	vm nr.	371226	Ref. No. 0E5526
reducer TP flow rate 20l/min red tolerance ±15%			
	vm nr.	371230	Ref. No. —
reducer TP flow rate 0.25l/min red tolerance ±25%			
	vm nr.	371231	Ref. No. —
reducer TP flow rate 0.35l/min violet tolerance ±25%			
	vm nr.	371232	Ref. No. —
reducer TP flow rate 0.5l/min orange tolerance ±25%			
	vm nr.	371233	Ref. No. —
reducer TP flow rate 0.8l/min white tolerance ±25%			
	vm nr.	371234	Ref. No. —
reducer TP flow rate 1l/min light blue tolerance ±25%			
	vm nr.	371235	Ref. No. —
reducer TP flow rate 1.2l/min brown tolerance ±25%			
	vm nr.	371236	Ref. No. —
reducer TP flow rate 1.5l/min light brown tolerance ±25%			
	vm nr.	371237	Ref. No. —
reducer TP flow rate 2.5l/min yellow tolerance ±25%			
	vm nr.	371238	Ref. No. —
reducer TP flow rate 3.4l/min dark green tolerance ±25%			
	vm nr.	371239	Ref. No. —
reducer TP flow rate 5l/min black tolerance ±25%			
	vm nr.	371240	Ref. No. —
reducer TP flow rate 8l/min blue tolerance ±20%			

			
1			
vm nr.	370017	Ref. No.	070312 20006 9020006
description solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm DN10 TP p max 10bar			
For models: LB035C, LB035R, LB035Q, LB040R, LB040Q, LB040AUS, G350C, LBICEQ010, LBIOEQ010, G350, G350DP, LBIOEQ014, G400, G400DP			
spare parts for 370017			
	vm nr.	371013	Ref. No. —
solenoid coil TP 230VAC 50/60Hz			
accessories for 370017			
	vm nr.	371220	Ref. No. —
reducer TP flow rate 3l/min red tolerance ±15%			
	vm nr.	371221	Ref. No. —
reducer TP flow rate 5.5l/min yellow tolerance ±15%			
	vm nr.	371222	Ref. No. —
reducer TP flow rate 6l/min grey tolerance ±15%			
	vm nr.	371223	Ref. No. 0E5551
reducer TP flow rate 10l/min white tolerance ±15%			
	vm nr.	371224	Ref. No. —
reducer TP flow rate 12l/min bronze tolerance ±15%			
	vm nr.	371225	Ref. No. —
reducer TP flow rate 16l/min light brown tolerance ±15%			
	vm nr.	371226	Ref. No. 0E5526
reducer TP flow rate 20l/min red tolerance ±15%			
	vm nr.	371230	Ref. No. —
reducer TP flow rate 0.25l/min red tolerance ±25%			
	vm nr.	371231	Ref. No. —
reducer TP flow rate 0.35l/min violet tolerance ±25%			
	vm nr.	371232	Ref. No. —
reducer TP flow rate 0.5l/min orange tolerance ±25%			
	vm nr.	371233	Ref. No. —
reducer TP flow rate 0.8l/min white tolerance ±25%			
	vm nr.	371234	Ref. No. —
reducer TP flow rate 1l/min light blue tolerance ±25%			
	vm nr.	371235	Ref. No. —
reducer TP flow rate 1.2l/min brown tolerance ±25%			
	vm nr.	371236	Ref. No. —
reducer TP flow rate 1.5l/min light brown tolerance ±25%			

Table continues overleaf

accessories for 370017				
	vm nr.	371237	Ref. No.	—
reducer TP flow rate 2.5l/min yellow tolerance $\pm 25\%$				
	vm nr.	371238	Ref. No.	—
reducer TP flow rate 3.4l/min dark green tolerance $\pm 25\%$				
	vm nr.	371239	Ref. No.	—
reducer TP flow rate 5l/min black tolerance $\pm 25\%$				
	vm nr.	371240	Ref. No.	—
reducer TP flow rate 8l/min blue tolerance $\pm 20\%$				

A solenoid valve with a yellow body and a white solenoid coil, with two white plastic ports.

1

vm nr.	370655	Ref. No.	047533
description	solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm DN10 TP plastic flow regulating valve inlet pink 8VA		
For models:	LB110E		

				
1				
vm nr.	370029	Ref. No.	058996 60050233	
description	solenoid valve single straight 24VAC inlet 3/4" outlet 11.5mm DN10 TP flow regulating valve inlet white			
For models:	FCVE10-P, FCVE10PUK, FCVG10-P, FCVG10PUK, FCVE20-P, FCVE20PUK, FCVG20-P, FCVG20PUK			
spare parts for	370029			
	vm nr.	371035	Ref. No.	—
solenoid coil 24VAC				
accessories for	370029			
	vm nr.	371220	Ref. No.	—
reducer TP flow rate 3l/min red tolerance ±15%				
	vm nr.	371221	Ref. No.	—
reducer TP flow rate 5.5l/min yellow tolerance ±15%				
	vm nr.	371222	Ref. No.	—
reducer TP flow rate 6l/min grey tolerance ±15%				
	vm nr.	371223	Ref. No.	0E5551
reducer TP flow rate 10l/min white tolerance ±15%				
	vm nr.	371224	Ref. No.	—
reducer TP flow rate 12l/min bronze tolerance ±15%				
	vm nr.	371225	Ref. No.	—
reducer TP flow rate 16l/min light brown tolerance ±15%				

accessories for 370029				
	vm nr.	371226	Ref. No.	0E5526
reducer TP flow rate 20l/min red tolerance $\pm 15\%$				
	vm nr.	371230	Ref. No.	—
reducer TP flow rate 0.25l/min red tolerance $\pm 25\%$				
	vm nr.	371231	Ref. No.	—
reducer TP flow rate 0.35l/min violet tolerance $\pm 25\%$				
	vm nr.	371232	Ref. No.	—
reducer TP flow rate 0.5l/min orange tolerance $\pm 25\%$				
	vm nr.	371233	Ref. No.	—
reducer TP flow rate 0.8l/min white tolerance $\pm 25\%$				
	vm nr.	371234	Ref. No.	—
reducer TP flow rate 1l/min light blue tolerance $\pm 25\%$				
	vm nr.	371235	Ref. No.	—
reducer TP flow rate 1.2l/min brown tolerance $\pm 25\%$				
	vm nr.	371236	Ref. No.	—
reducer TP flow rate 1.5l/min light brown tolerance $\pm 25\%$				
	vm nr.	371237	Ref. No.	—
reducer TP flow rate 2.5l/min yellow tolerance $\pm 25\%$				
	vm nr.	371238	Ref. No.	—
reducer TP flow rate 3.4l/min dark green tolerance $\pm 25\%$				
	vm nr.	371239	Ref. No.	—
reducer TP flow rate 5l/min black tolerance $\pm 25\%$				
	vm nr.	371240	Ref. No.	—
reducer TP flow rate 8l/min blue tolerance $\pm 20\%$				

			
1			
vm nr.	370032	Ref. No.	0E5070 0K1409
description	solenoid valve single straight 24VAC inlet 3/4" outlet 14mm DN10 TP flow regulating valve inlet white		
For models:	WTF2ERC, WTF2ELC, WTF2SRC, WTF2SLC, WTF2HERC, WTF2HELC, WTF2HSRC, WTF2HSLC, WTF3ERC, WTF3ELC, WTF3SRC, WTF3SLC, WTF3HERC, WTF3HELC, WTF3HSRC., WTF3HSLC, WTF2ERB., WTF2ELB, WTF2SRB, WTF2SLB, WTF2HERB, WTF2HELB, WTF2HSRB, WTF2HSLB, WTF3ERB, WTF3ELB, WTF3SRB, WTF3SLB, WTF3HERB, WTF3HELB, WTF3HSRB, WTF3HSLB, WTF4HERB, WTF4HELB, WTF4HSRB, WTF4HSLB, WTF2ERA, WTF2ELA, WTF2SRA, WTF2SLA, WTF2HERA, WTF2HELA, WTF2HSRA, WTF2HSLA, WTF3ERA, WTF3ELA, WTF3SRA, WTF3SLA, WTF3HERA, WTF3HELA...(Other models you can see in the webshop)		
spare parts for	370032		
	vm nr.	371035	Ref. No. —
solenoid coil 24VAC			

Table continues overleaf

accessories for 370015				
	vm nr.	371236	Ref. No.	—
reducer TP flow rate 1.5l/min light brown tolerance ±25%				
	vm nr.	371237	Ref. No.	—
reducer TP flow rate 2.5l/min yellow tolerance ±25%				
	vm nr.	371238	Ref. No.	—
reducer TP flow rate 3.4l/min dark green tolerance ±25%				
	vm nr.	371239	Ref. No.	—
reducer TP flow rate 5l/min black tolerance ±25%				
	vm nr.	371240	Ref. No.	—
reducer TP flow rate 8l/min blue tolerance ±20%				



1

vm nr.	370016	Ref. No.	045701 046320 047466 047529 047531 047532 047843 048178 048179 048571 048894 069178 069179 0T3867 319536 696609700
description	solenoid valve single angled 230VAC inlet 3/4" outlet 14mm DN10 TP		
For models:	RBR/E700, RBR/E700, LB120EPH, LB120E, LB160EPH, LB160E, LB160V, CLB160E, CLB160V, LB110E, LS500F, LS501F, LS540F, LS540DK, LS541F, LS720F, LSE720DK, LSE720PH, LS860F, LS860DK, LS860PH, LS1080F, LS1080UK, LS1080PH, LSE721F, LS861F, LS540, LS1080M, LS1080, LS1080D, LS1080UK, LS1080/63, LS500F, LS500UK, LS501, LS501UK, LS540D, LS540/63, LSE721, LS720, LSE720UK, LS721UK, LSE720D, LS541, LS860, LS860, LS860D, LS860UK, LS861UK, LS860/63...(Other models you can see in the webshop)		
spare parts for	370016		
	vm nr.	371013	Ref. No. —
solenoid coil TP 230VAC 50/60Hz			
accessories for	370016		
	vm nr.	371220	Ref. No. —
reducer TP flow rate 3l/min red tolerance ±15%			
	vm nr.	371221	Ref. No. —
reducer TP flow rate 5.5l/min yellow tolerance ±15%			
	vm nr.	371222	Ref. No. —
reducer TP flow rate 6l/min grey tolerance ±15%			
	vm nr.	371223	Ref. No. 0E5551
reducer TP flow rate 10l/min white tolerance ±15%			

accessories for 370016				
	vm nr.	371224	Ref. No.	—
reducer TP flow rate 12l/min bronze tolerance ±15%				
	vm nr.	371225	Ref. No.	—
reducer TP flow rate 16l/min light brown tolerance ±15%				
	vm nr.	371226	Ref. No.	0E5526
reducer TP flow rate 20l/min red tolerance ±15%				
	vm nr.	371230	Ref. No.	—
reducer TP flow rate 0.25l/min red tolerance ±25%				
	vm nr.	371231	Ref. No.	—
reducer TP flow rate 0.35l/min violet tolerance ±25%				
	vm nr.	371232	Ref. No.	—
reducer TP flow rate 0.5l/min orange tolerance ±25%				
	vm nr.	371233	Ref. No.	—
reducer TP flow rate 0.8l/min white tolerance ±25%				
	vm nr.	371234	Ref. No.	—
reducer TP flow rate 1l/min light blue tolerance ±25%				
	vm nr.	371235	Ref. No.	—
reducer TP flow rate 1.2l/min brown tolerance ±25%				
	vm nr.	371236	Ref. No.	—
reducer TP flow rate 1.5l/min light brown tolerance ±25%				
	vm nr.	371237	Ref. No.	—
reducer TP flow rate 2.5l/min yellow tolerance ±25%				
	vm nr.	371238	Ref. No.	—
reducer TP flow rate 3.4l/min dark green tolerance ±25%				
	vm nr.	371239	Ref. No.	—
reducer TP flow rate 5l/min black tolerance ±25%				
	vm nr.	371240	Ref. No.	—
reducer TP flow rate 8l/min blue tolerance ±20%				
	vm nr.	503139	Ref. No.	—
solenoid valve filter ø 19.5mm H 16mm				

			
vm nr.	370031	Ref. No.	0H2513 0L0175
description	solenoid valve single angled 24VAC inlet 3/4" outlet 14mm DN10 TP		
For models:	PW1EFL, PW1EFL, PW1EFL/60HZ, PW2EFL, PW2EFL, PW2EFL/60HZ, PW2VFL, WT830EFL, WT830EFL, WT830EFL/60HZ, WT850, WT850EFL, WT850EFL/60HZ, WT850SFL, FT36EDTS, FT36ESTS, FT36VDTs, FT36VSTs, FT36ED, FT36ES, FT36VD, FT36VS, FT50ED, FT50ES, FT50VD, FT50VS, FT72ED, FT72ES, FT72VD, FT72VS, FT36EDT, FT36EST, FT36VDT, FT36VST, FT50EDT, FT50EST, FT50VDT, FT50VST, FT72EDT, FT72EST, FT72VDT, FT72VST, FT36WED, FT36WES, FT36WVD, FT36WVS, FT50WED, FT50WES, FT50WVD, FT50WVS...(Other models you can see in the webshop)		
accessories for	370031		
	vm nr.	371220	Ref. No. —
reducer TP flow rate 3l/min red tolerance ±15%			
	vm nr.	371221	Ref. No. —
reducer TP flow rate 5.5l/min yellow tolerance ±15%			
	vm nr.	371222	Ref. No. —
reducer TP flow rate 6l/min grey tolerance ±15%			
	vm nr.	371223	Ref. No. 0E5551
reducer TP flow rate 10l/min white tolerance ±15%			
	vm nr.	371224	Ref. No. —
reducer TP flow rate 12l/min bronze tolerance ±15%			
	vm nr.	371225	Ref. No. —
reducer TP flow rate 16l/min light brown tolerance ±15%			
	vm nr.	371226	Ref. No. 0E5526
reducer TP flow rate 20l/min red tolerance ±15%			
	vm nr.	371230	Ref. No. —
reducer TP flow rate 0.25l/min red tolerance ±25%			
	vm nr.	371231	Ref. No. —
reducer TP flow rate 0.35l/min violet tolerance ±25%			
	vm nr.	371232	Ref. No. —
reducer TP flow rate 0.5l/min orange tolerance ±25%			
	vm nr.	371233	Ref. No. —
reducer TP flow rate 0.8l/min white tolerance ±25%			
	vm nr.	371234	Ref. No. —
reducer TP flow rate 1l/min light blue tolerance ±25%			
	vm nr.	371235	Ref. No. —
reducer TP flow rate 1.2l/min brown tolerance ±25%			
	vm nr.	371236	Ref. No. —
reducer TP flow rate 1.5l/min light brown tolerance ±25%			

accessories for	370031		
	vm nr.	371237	Ref. No. —
reducer TP flow rate 2.5l/min yellow tolerance ±25%			
	vm nr.	371238	Ref. No. —
reducer TP flow rate 3.4l/min dark green tolerance ±25%			
	vm nr.	371239	Ref. No. —
reducer TP flow rate 5l/min black tolerance ±25%			
	vm nr.	371240	Ref. No. —
reducer TP flow rate 8l/min blue tolerance ±20%			

solenoid valves with reducers



1

vm nr.	370343	Ref. No.	055444
description	solenoid valve double angled 230VAC inlet 3/4" t.max. 90°C TP plastic outlet 11.5mm output B 1l/min flow regulating valve outlet B light blue		
For models:	FDV40G, FDV40GZ, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, FCV/G10L3, FCVG10L3T, FCVG102L3, FCV/G20L3, FCVG202L3, FCV/E10L3JAP, FCV/E102/1L3JAP, FCVG10L3J, FCVG102L3J, FCV/E101/1, FCV/E101/2, FCV/G61/1, FCV/E10L3, FCV/E102/1, FCV/E102/1L3, FCV/E20L3, FCVG202L6, FCV/G201/1, FCS101E44J, FCS101E4, FCS102E44J, FCS102E4, FCS201G4, FCS202GP, FCVG6-1, FCVG6-3, FCVG6-1UK, FCVG6-3UK, FCVE10-2, FCVE10-4, FCVE10-2UK, FCVE10-4UK, FCVG10-2, FCVG10-4, FCVG10-2UK, FCVG10-4UK, FCVE20-2, FCVE20-4, FCVE20-2UK, FCVE20-4UK, FCVG20-2, FCVG20-4...(Other models you can see in the webshop)		



1

vm nr.	370342	Ref. No.	046654 047579 057814 60050303
description	solenoid valve double straight 230VAC inlet 3/4" input 16l/min t.max. 90°C TP plastic flow regulating valve inlet light brown outlet 11.5mm output B 0.25l/min flow regulating valve outlet B red		
For models:	FCV/G6L3TOWNGAS, FCV/G6L3, FCV/E101/1, FCVE6L3J, FCV/G6L3JAP, FCVG6L3CJ, FCV/E61/1, FCV/G10L2, FCV/E10L2, FCV/E61/1, FCV/G6L3C, FCV/G61/1, FCVG6L3CT, FCVG6L3CJ, FCV/E6L3, FCV/E101/1, FCS061E44J, FCS061G48J, FCS061G3DI, FCS061E3CI, FCS101E2, FCS061G4DT, FCS061G49J, FCS101G2, FCVG10-ISG, ECV/G6T4C, ECV/E101GP, LSDS5I, LSDS5V, RCV061G2, RCV061E2, RCV101G2, RCV101E2, ACV/G10C2, ACV/E10C2, ACV/G6C3, ACV/G6C3C, ACV/E6C3, NCV/G6L2, NCV/G10L2, NCV/E6L2, NCV/E10L2, FCVG10-ISG, ZCV/G6T4C		



1

vm nr.	370660	Ref. No.	0H2505 OK8195 482289400
description	solenoid valve double straight 230VAC inlet 3/4" input 5.5l/min 10 t. max. 90°C TP plastic flow regulating valve inlet yellow outlet 11.5mm output B 0.25l/min flow regulating valve outlet B red		
For models:	AR6ES, AR10ES, AR10ES, AR10ES, AR10ES, AR10ES, AR10ES, AR10ES, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ES, AR10ES, AR10ES, AR10ES, AR10ES, AR10ES, AR10ES, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ESP...(Other models you can see in the webshop)		



1

vm nr.	370427	Ref. No.	055350 085327 0KK221 23001 7BRE23001
description	solenoid valve single angled 230VAC inlet 3/4" outlet 11.5mm input/ min output 1.2l/min DN10 t.max. 90°C TP plastic flow regulating valve outlet dark brown		



1

vm nr.	370339	Ref. No.	0A2064 0K2983 0KM766
description	solenoid valve single angled 230VAC inlet 3/4" outlet 11.5mm output 1l/min t.max. 90°C TP plastic flow regulating valve outlet light blue		



1

vm nr.	370656	Ref. No.	046507 046633 047530 047756 068674
description	solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm 10 TP plastic flow regulating valve inlet green		
For models:	LS360F, LS360DK, LS365F, LS365, LS365PH, LS360D, LS365D, LS360, LS365, LS360/63, LS365/63, LS367, LS360, LS365F, HB3PNT		



1

VM nr.	370341	Ref. No.	002753 60050300
description	solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm output 1l/min t.max. 90°C TP plastic flow regulating valve outlet light blue output A 1l/min		
For models:	FCV/G6L3TOWNGAS, FCV/G6L3, FCVE6L3J, FCV/G6L3JAP, FCV/E61/1, FCV/E61/1, FCV/E61/1, FCV/E61/1, FCV/E6L3, FCV/G6L4, FCV/E6L4, FCS061E44J, FCS061EP, FCS061E3CI, FCS061E4, FCS061EXLN, FCS061EX, 5711-2-6, 5711-2-7, 5711-2-8, 5711-2-10, 5711-2-8CH, 5711-2-10CH, 5711-2-6L, 5711-2-7L, 5711-2-8L, 5711-2-10L, 5711-3-6, 5711-3-7, 5711-3-8, 5711-3-10, 5711-3-8CH, 5711-3-10CH, 5711-3-10F, 5711-3-10S, ECV/G6T4, ECV/E6T4, RCV061E2, RCV061E4, ACV/G6C3, ACV/E6C3, NCV/G6L2, NCV/E6L2, ZCV/G6T4, ZCV/E6T4		



1

vm nr.	370344	Ref. No.	002712 047539 047540 069296 0K1519 0K1523 50300010 60050292
description	solenoid valve triple angled 230VAC inlet 3/4" outlet 11.5mm t.max. 90°C TP plastic output B 0.25l/min output C 1l/min flow regulating valve outlet B red flow regulating valve outlet C light blue		
For models:	FCVG202L3, FCV/E10L6JAP, FCV/E102/1L6JAP, FCV/G10L6JAP, FCV/G102/1L6JAP, FCV/E61/1, FCV/E101/1, FCV/E102/1, FCV/E61/1, FCV/E101/1, FCV/G61/1, FCV/G61/1, FCV/E6L4, FCV/G10L6, FCV/E10L6, FCV/G102/1L6, FCV/E102/1L6, FCV/G20L6, FCV/E20L6, FCVG202L6, FCV/E101/1, FCV/G101/1, FVC/E101/1, FCV/G102/1, FVC/E102/1, FCV/G201/1, FVC/E201/1, FCV/G202/1, FCS061GP, FCS061EP, FCS061G4, FCS101EP4J, FCS101G4, FCS101EP, FCS101G4DT, FCS101GP9J, FCS102EP4J, FCS101G49J, FCS101GP, FCS102EP, FCS102G4, FCS201E4, FCS102GA9J, FCS201EP, FCS102G49J, FCS102GP, FCS201GP, FCS202G4, FCS202GP, FCS061E4...(Other models you can see in the webshop)		



1

vm nr.	370347	Ref. No.	0A2415 60050239
description	solenoid valve triple angled 24V inlet 3/4" outlet 11.5mm plastic output C 1l/min		
For models:	FCVE103CE, FCVE203CE, FCVE10-P, FCVE10PUK, FCVG10-P, FCVG-10PUK, FCVE20-P, FCVE20PUK, FCVG20-P, FCVG20PUK, AFCV/G6-1, AFCV/G6-3, SCO/G6-3, AFCV/G101, AFCV/G103, SCO/G10-3, AFCV/G201, AFCV/G203, SCO/G20-3		

			
vm nr.	370658	Ref. No.	OK8035
description	solenoid valve triple straight 230VAC inlet 3/4" outlet 11.5mm input 5.5l/min 10 t.max. 90°C TP plastic flow regulating valve inlet yellow output A 1l/min output C 0.25l/min flow regulating valve outlet A light blue flow regulating valve outlet C red		
For models:	AR6ES, AR6ES, AR6ES, AR6ES, AR6ES, AR6ES, AR6ES, AR6ES, AR6ES, AR6ES, AR6ES, AR6ES, AR6ES, AR10ES, AR10ES, AR10ES, AR10ES, AR10ES, AR10ES, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ES, AR10ES, AR10ES, AR10ES, AR10ES, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ESP...(Other models you can see in the webshop)		

			
vm nr.	370375	Ref. No.	0F0001 OK8512
description	solenoid valve triple straight 230VAC inlet 3/4" outlet 11.5mm t.max. 90°C TP plastic output A 2.5l/min output C 0.25l/min flow regulating valve outlet A yellow flow regulating valve outlet C red		
For models:	FCVE202L6, FVC/E202/1, FCS202E4, FCS202EP, FCS202EX, CS-7ME4/200-3, CS7ME4/230-3, CS7ME4/400-3N, CS7ME6/400-3N, CS7ME4/400-3N/EO, CS7ME4/400-3/50HZ/MA, CS7ME4/440-3/60HZ/MA, CS7MT4/400-3N, CS7GE4/200-3, CS7GE4/230-3, CS7GE4/400-3N, CS7GE6/400-3N, CS7GE4/400-3N/EO, CS7GE4/400-3/50HZ/MA, CS7GE4/440-3/60HZ/MA, CS7GT4/400-3N, CS7LCE4/200-3, CS7LCE4/230-3, CS7LCE4/400-3N, CS7LCE6/400-3N, CS7LCE4/400-3N/EO, CS7LCE4/400-3/50HZ/M, CS7LCE4/440-3/60HZ/M, CS7LCT4/400-3N, CS10ME4/200-3, CS10ME4/230-3, CS10ME6/230-3, CS10ME4/400-3N, CS10ME6/400-3N, CS10ME4/400-3N/EO, CS10ME4/400-3/50HZ/M, CS10ME4/440-3/60HZ/M, CS10MT4/400-3N, CS10MT6/400-3N, CS10GE4/200-3, CS10GE4/230-3, CS10GE6/230-3, CS10GE4/400-3N, CS10GE6/400-3N, CS10GE4/400-3N/EO, CS10GE4/400-3/50HZ/M, CS10GE4/440-3/60HZ/M, CS10GT4/400-3N, CS10GT6/400-3N, CS10LCE4/200-3...(Other models you can see in the webshop)		

			
vm nr.	370250	Ref. No.	047538 0E0330
description	solenoid valve triple straight 230VAC inlet 3/4" outlet 11.5mm t.max. 90°C TP plastic output B 0.25l/min flow regulating valve outlet B red		
For models:	LC5, LB70E, LB110E, LB70E, LC5Z		

metal			
CEME			
solenoid valves			
			
vm nr.	370348	Ref. No.	007015
description	solenoid valve 2-ways 230VAC connection 1/2" L 60mm t.max. 90°C membranes NBR p max 10bar p min 0.25bar brass		
For models:	AOW101EA, AOS061EA, AOS101EA, AOS061EA3J, AOS101EA3J, AOS061EA2N, AOS101EA2N, AOS061EA0H, AOS101EA0H, AOS061GA, AOS101GA, AOW101EABU		

			
vm nr.	370350	Ref. No.	007017
description	solenoid valve SS 230V inlet 6.5mm outlet 6.5mm -10 up to 140°C hose ø 6mm combi-steamer body SS 50Hz		
For models:	AOS061EA, AOS101EA, AOS201EA, AOS061EA3J, AOS101EA3J, AOS201EA3J, AOS061EA2N, AOS101EA2N, AOS201EA2N, AOS061EA0H, AOS101EA0H, AOS201EA0H, AOS061GA, AOS101GA, AOS201GA		

ODE			
2-way			
			
vm nr.	370356	Ref. No.	0C1121
description	solenoid valve 2-ways 230VAC inlet 3/4" outlet 3/4" connection 3/4" L 104mm DN 19mm slide-on receptacle DIN -10 up to +90°C ODE type series 21W3 coil type BDA membranes NBR (water) p max 16bar p min 0.2bar		
For models:	FCZ201EAA, FCZ202EAA, FCZ201EAH, FCZ201EAN, FCZ201GAG, FCZ202GAG, FCZ201GAD, FCZ202GAD, FCZ201EBC, FCZ201GBI, FCZ201ECA, FCZ202ECA, FCZ201ECH, FCZ201ECN, FCZ201GCG, FCZ202GCG, FCZ201GCD, FCZ202GCD, AOS202GAEU, AOS202GAU, AOS201EA, AOS201EA3J, AOS201EA2N, AOS202EA2N, AOS201EA0H, AOS202EA, AOS201GA, AOS202GA, AOS201EAAQ, AOS202EAAQ, AOS201EANQ, AOS202EANQ, AOS201EACQ, AOS201EAHQ, AOS201GAGQ, AOS202GAGQ, AOS201GADQ, AOS202GADQ, AOS201GAIQ, AOS201GALQ, AOS201EAA1, AOS202EAA1, AOS201EAH1, AOS201EAN1, AOS201EAC1, AOS201EAE1, AOS201EAF1, AOS201EAQ1, AOS201EAM1, AOS202EAM1...(Other models you can see in the webshop)		
accessories for	370356		
	vm nr.	371090	Ref. No. —
	 power socket plug type DIN 43650A screw		

			
vm nr.	370653	Ref. No.	0C1148
description	solenoid valve brass 2-ways 230VAC inlet 1/2" outlet 1/2" connection 1/2" L 66mm DN 13mm t.max. 90°C -10 up to +90°C ODE type series 21WA4 coil type BDF membranes NBR (water) p max 16bar p min 0.2bar 50/60Hz		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ061EAH, FCZ101EAH, FCZ061EAN, FCZ101EAN, FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ061EBC, FCZ101EBC, FCZ061GBI, FCZ101GBI, FCZ061ECA, FCZ101ECA, FCZ102ECA, FCZ061ECH, FCZ101ECH, FCZ061ECN, FCZ101ECN, FCZ061GCG, FCZ101GCG, FCZ102GCG, FCZ061GCD, FCZ101GCD, FCZ102GCD, FCS061EXLN, FCS061EX, FCS101EX4J, FCS101EXLN, FCS101EX, FCS102EX4J, FCS102EX, FCS201EX, FCS201EXLN, FCS202EX, FCS101GX9J, FCS101GX, FCS102GX9J, FCS102GX, FCS201GX, FCS202GX, AOW101EA, AOS061EA, AOS101EA, AOS061EA3J...(Other models you can see in the webshop)		

ball valves electric

			
vm nr.	401140	Ref. No.	005026 0K1518 60050497
description	ball valve inlet 1" IT outlet 1" IT with plug 230V L 152mm 50/60Hz closed off-current mode of operation electric connection cable 200mm size DN25		
For models:	FCVG202L3, FCV/G20L6, FCV/E20L6, FCVG202L6, FCVE202L6, FCV/G201/1, FVC/E201/1, FVC/E202/1, 5712-2-7, 5712-2-8, 5712-2-10, 5714-2-7, 5714-2-8, 5714-2-10, 5717-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5712-2-7L, 5712-2-8L, 5712-2-10L, 5714-2-7L, 5714-2-8L, 5714-2-10L, 5714-2-6L, 5714-2-7L, 5714-2-8L, 5714-2-10L, 5711-3-7, 5711-3-8, 5711-3-10, 5711-3-8CH, 5711-3-10CH, 5712-3-7, 5712-3-8, 5712-3-8E, 5712-3-10, 5712-3-8CH, 5712-3-10C, 5714-3-7, 5714-3-8, 5714-3-8E, 5714-3-10, 5717-3-6, 5717-3-7, 5717-3-8, 5717-3-8E, 5717-3-10, 5717-3-8M, 5717-3-8C...(Other models you can see in the webshop)		

			
vm nr.	400293	Ref. No.	059004 0L0949
description	ball valve inlet 3/4" IT outlet 3/4" IT electric 24V 50/60Hz cable length 250mm		
For models:	FCVE10-P, FCVE10PUK, FCVG10-P, FCVG10PUK, FCVE20-P, FCVE20PUK, FCVG20-P, FCVG20PUK		

1



vm nr.	401139	Ref. No.	002713 0C0882 0F0171 0K1526 0K8453 0K9349 2255318 60050290 696804201 867016 8670160
description	ball valve inlet 3/4" IT outlet 3/4" IT with plug 230V L 65mm 50/60Hz closed off-current mode of operation electric connection cable 200mm		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ061EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FCZ201EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ202ETA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ201EBA, FCZ202EBA, FCZ061EBH, FCZ101EBH, FCZ201EBH, FCZ061EBN, FCZ101EBN...(Other models you can see in the webshop)		

1



vm nr.	541867	Ref. No.	003772 60050313 C6065A1275 C6065A1275B
description	pressure control ø 80mm triggering pressure 0.5mbar pressure range adjustable 0.5-2.5mbar connection 7.5/10.5mm 250V voltage AC 1CO pressure connection ø 7.5-10.5mm		
For models:	FDV40G, FDV40GZ, FDV40GA, FDV20G, FDV20GZ, FDV20GA, FCV/G10L3, FCVG10L3T, FCVG102L3, FCV/G20L3, FCVG202L3, FCVG10L3J, FCVG102L3J, FCV/G10L6JAP, FCV/G102/1L6JAP, FCV/G10L2, FCV/G10L6, FCV/G102/1L6, FCV/G20L6, FCVG202L6, FCV/G101/1, FCV/G102/1, FCS101G2, FCS101G4, FCS101G4DT, FCS101GP9J, FCS101G49J, FCS101GP, FCS102G4, FCS102GA9J, FCS102G49J, FCS102GP, FCS101GX9J, FCS101GX, FCS102GX9J, FCS102GX, 5712-2-6, 5712-2-7, 5712-2-8, 5712-2-10, 5714-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5717-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5712-2-6L, 5712-2-7L...(Other models you can see in the webshop)		

1



vm nr.	541797	Ref. No.	006536
description	pressure control triggering pressure 0.5mbar pressure range 0.8/0.6mbar pressure connection horizontal gas technology connection 6mm 250V		
For models:	FCV/G20L3, FCVG202L3, FCV/G20L6, FCVG202L6, FCV/G201/1, FCV/G202/1, FCS201G4, FCS201GP, FCS202G4, FCS202GP, FCS201GX, FCS202GX, ECV/G20T4, ECVG202T4, ECV/G20T4J, ECV/G20T6, ECVG202T6, ACV/G20C4, ACVG202C4, ACVG202C6		

1



vm nr.	541352	Ref. No.	005746 0380072
description	pressure control triggering pressure 1.5mbar reset pressure 1.2mbar pressure range 1.5/1.2mbar pressure connection horizontal gas technology connection 6mm suitable for ZANUSSI		
For models:	FCVG6L3CJ, FCV/G6L3C, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCVG6L3CT, FCVG6L3CJ, FCS061G48J, FCS061GP, FCS061G3DI, FCS061G4, FCS061G4DT, FCS061G49J, 5721-2-7, 5721-2-10, ECV/G6T4C, ECV/G61/1, ECV/G61/1, RCV061G2, ACV/G6C3C, ZCV/G6T4C, ZCV/G61/1		

pressure switches

for gas equipment

1



vm nr.	541073	Ref. No.	002635 0360001 0K2021 60050317
description	pressure control ø 45mm pressure range adjustable 5-20mbar pressure connection vertical gas technology connection 1/4" pressure connection ø 1/4"mm		
For models:	FCV/G10L3, FCVG10L3T, FCVG102L3, FCVG10L3J, FCVG102L3J, FCV/G10L6JAP, FCV/G102/1L6JAP, FCVG6L3CJ, FCV/G10L2, FCV/G6L3C, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCVG6L3CT, FCVG6L3CJ, FCV/G6L4, FCV/G10L6, FCV/G102/1L6, FCV/G101/1, FCV/G102/1, FCS061G48J, FCS061GP, FCS061G3DI, FCS061G4, FCS061G4DT, FCS061G49J, FCS101G2, FCS101G4, FCS101G4DT, FCS101GP9J, FCS101G49J, FCS101GP, FCS102G4, FCS102GA9J, FCS102G49J, FCS102GP, FCS101GX9J, FCS101GX, FCS102GX9J, FCS102GX, 5721-2-7, 5721-2-10, ECV/G6T4, ECV/G10T4, ECVG102T4, ECV/G6T4C, ECV/G10T4J, ECV/G61/1, ECV/G61/1...(Other models you can see in the webshop)		

for steam control

			
1			
vm nr.	541799	Ref. No.	0C1126
description	pressure control ø 34mm pressure range 0.2-6.0bar connection 15mm CEME difference 0.1-0.8bar pressure connection 15mm		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ061EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FCZ201EAN, FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ061EBC, FCZ101EBC, FCZ201EBC, FCZ061GBI, FCZ101GBI, FCZ201GBI, FCZ061ECA, FCZ101ECA, FCZ102ECA, FCZ201ECA, FCZ202ECA, FCZ061ECH, FCZ101ECH, FCZ201ECH, FCZ061ECN, FCZ101ECN, FCZ201ECN, FCZ061GCG, FCZ101GCG, FCZ102GCG, FCZ201GCG, FCZ202GCG, FCZ061GCD, FCZ101GCD, FCZ102GCD, FCZ201GCD, FCZ202GCD, FCS061EXLN, FCS061EX... (Other models you can see in the webshop)		

for combi-steamers

			
1			
vm nr.	542127	Ref. No.	0C6217
description	pressure control pressure range 200-3000mbar pressure range 0.2 - 3bar connection 8mm MA-TER 250V 12A pressure connection 8mm		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ061EAH, FCZ101EAH, FCZ061EAN, FCZ101EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ202ETA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ061GAG, FCZ061GAD, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ061EBH, FCZ101EBH, FCZ061EBN, FCZ101EBN, FCZ061EBC, FCZ101EBC, FCZ061EBA2, FCZ101EBA2, FCZ102EBA2, FCZ201EBA2, FCZ202EBA2, FCZ061EBH2, FCZ101EBH2, FCZ201EBH2, FCZ061EBN2, FCZ101EBN2, FCZ201EBN2, FCZ061EBC2, FCZ101EBC2... (Other models you can see in the webshop)		

electrodes

			
1			
vm nr.	401264	Ref. No.	007033 0C4098
description	level electrode 1/4" total length 103mm probe L 76mm insulated probe length 71mm PTFE insulated connection angled, male faston 6.3mm stainless steel ø 2.5mm		
For models:	FCZ061EAA, FCZ101EAA, FCZ061EAH, FCZ101EAH, FCZ061EAN, FCZ101EAN, FCZ061ETA, FCZ101ETA, FCZ061ETH, FCZ101ETH, FCZ061ETN, FCZ101ETN, FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ061EBA, FCZ101EBA, FCZ061EBH, FCZ101EBH, FCZ061EBN, FCZ101EBN, FCZ061EBC, FCZ101EBC, FCZ061EBA2, FCZ101EBA2, FCZ061EBH2, FCZ101EBH2, FCZ061EBN2, FCZ101EBN2, FCZ061EBC2, FCZ101EBC2, FCZ061GBG, FCZ101GBG, FCZ102GBG, FCZ201GBG... (Other models you can see in the webshop)		

			
1			
vm nr.	401258	Ref. No.	0A2838 0K3039 60050240
description	level electrode 1/4" total length 120mm probe L 94mm insulated probe length 90mm PTFE insulated connection angled, male faston 6.3mm stainless steel ø 2.5mm		
For models:	FCVE10-2, FCVE10-4, FCVE103CE, FCVE10-2UK, FCVE10-4UK, FCVG10-2, FCVG10-4, FCVG10-2, FCVG10-4D, FCVG10-2UK, FCVG10-4UK, FCVG10-2, FCVG10-4, FCVE20-2, FCVE20-4, FCVE203CE, FCVE20-2UK, FCVE20-4UK, FCVG20-2, FCVG20-4, FCVG20-2, FCVG20-4D, FCVG20-2UK, FCVG20-4UK, FCVG20-4, FCVG20-4D, FCVE10-P, FCVE10PUK, FCVG10-P, FCVG10PUK, FCVE20-P, FCVE20PUK, FCVG20-P, FCVG20PUK, ZOFCV/E102, ZOFCV/E104, ZOFCV/G102, ZOFCV/G104, ZOFCV/E202, ZOFCV/E204, ZOFCV/G202, ZOFCV/G204, AFCV/G101, AFCV/G103, SCO/G10-3, AFCV/G201, AFCV/G203, SCO/G20-3		

			
1			
vm nr.	400121	Ref. No.	055346 0H2444 0K2067 0K8045 908161
description	level electrode 1/4" total length 121mm probe L 94mm insulated probe length 90mm PTFE insulated connection angled, male faston 6.3mm stainless steel		
For models:	FCV/G6L4, FCVE6-1U, FCVE6-3U, FCVE6-1, FCVE6-3, FCVE6-1UK, FCVE6-3UK, FCVG6-1, FCVG6-3, FCVG6-1UK, FCVG6-3UK, FCVE10-2, FCVE10-4, FCVE10-2UK, FCVE10-4UK, FCVG10-2, FCVG10-4, FCVG10-2UK, FCVG10-4UK, FCVE20-2, FCVE20-4, FCVE20-2UK, FCVE20-4UK, FCVG20-2, FCVG20-4, FCVG20-2UK, FCVG20-4UK, 5711-2-6, 5711-2-7, 5711-2-8, 5711-2-10, 5711-2-8CH, 5711-2-10CH, 5711-2-6L, 5711-2-7L, 5711-2-8L, 5711-2-10L, ECV/G6T4, FCV/E6-1, FCV/E6-1, FCV/G6-1, ZOFCV/G6-3, ZOFCV/E102, ZOFCV/E104, ZOFCV/G102, ZOFCV/G104, ZOFCV/E202, ZOFCV/E204, ZOFCV/G202, ZOFCV/G204... (Other models you can see in the webshop)		

			
1			
vm nr.	401355	Ref. No.	0C1086
description	level electrode 1/4" total length 130mm probe L 102mm insulated probe length 98mm PTFE insulated connection angled, male faston 6.3mm stainless steel		
For models:	AOS061GAEU, AOS061GAU, AOS061GA, AOS061GB		

			
vm nr.	401261	Ref. No.	003878 0H6627 OK2066
description	level electrode 1/4" total length 138mm probe L 112mm insulated probe length 108mm PTFE insulated connection angled, male faston 6.3mm stainless steel ø 2.5mm		
For models:	FCV/E61/1, FCV/E101/1, FCV/E101/1, FCV/E102/1, FCV/E61/1, FCV/E101/1, FCV/E101/2, FCV/E10L3, FCV/E102/1, FCV/E102/1L3, FCV/E6L4, FCV/E10L6, FCV/E102/1L6, FCV/E101/1, FVC/E101/1, FVC/E102/1, FCS061EP, FCS101E44J, FCS101EP4J, FCS101E4, FCS101EP, FCS102E44J, FCS102EP4J, FCS102E4, FCS102EP, FCS061E4, FCS061EXLN, FCS061EX, FCS101EX4J, FCS101EXLN, FCS101EX, FCS102EX4J, FCS102EX, FCS201EX, FCS201EXLN, FCS202EX, 5711-3-6, 5711-3-7, 5711-3-8, 5711-3-10, 5711-3-8CH, 5711-3-10CH, 5712-3-6, 5712-3-7, 5712-3-8, 5712-3-8E, 5712-3-10, 5712-3-8CH, 5712-3-10C, 5714-3-6... (Other models you can see in the webshop)		

			
vm nr.	401345	Ref. No.	OC1201
description	level electrode 1/4" total length 142mm probe L 116mm insulated probe length 112mm PTFE insulated connection angled, male faston 6.3mm stainless steel ø 2.5mm		
For models:	FCZ102EAA, FCZ201EAA, FCZ201EAH, FCZ201EAN, FCZ201ETA, FCZ201ETA, FCZ201ETH, FCZ201ETN, FCZ102EBA, FCZ201EBA, FCZ201EBH, FCZ201EBN, FCZ201EBC, FCZ102EBA2, FCZ201EBA2, FCZ201EBH2, FCZ201EBN2, FCZ201EBC2, FCZ102ECA, FCZ102ECA2, FCZ201ECA2, FCZ201ECH2, FCZ201ECN2, AOS102GAU, AOS-102GAU, AOS201EABU, AOS201EAFU, AOS201EA, AOS201EB, AOS201EA3J, AOS201EB3J, AOS201EA2N, AOS201EB2N, AOS201E-B5M, AOS201EB6M, AOS102EA2N, AOS102EB2N, AOS201EA0H, AOS201EB0H, AOS102EA, AOS102EB, AOS102GB, AOS102GA, AOS102EAAQ, AOS102EBAQ, AOS201EAAQ, AOS201EBAQ, AOS102EANQ, AOS102EBNQ, AOS201EANQ...(Other models you can see in the webshop)		

			
vm nr.	401259	Ref. No.	053909 OC0438
description	level electrode 1/4" total length 155mm probe L 128mm insulated probe length 124mm PTFE insulated connection angled, male faston 6.3mm stainless steel ø 2.5mm		
For models:	FVGC4, FV4G, FV4E, FCVE6-1U, FCVE6-3U, FCVE6-1, FCVE6-3, FCVE6-3CE, FCVE6-1UK, FCVE6-3UK, FCGV10-2, FCGV10-4, FCGV10-2, FCGV10-4D, FCGV10-2UK, FCGV10-4UK, FCGV10-2, FCGV10-4, FCVE20-P-V, FCGV20-2, FCGV20-4, FCGV20-2, FCGV20-4D, FCGV20-2UK, FCGV20-4UK, FCGV20-4, FCGV20-4D, FCVE20-V, FCVE20VUK, FCVM62E, FCVM62EUK, FCGV10-P, FCGV10PUK, FCGV20-P, FCGV-20PUK, FCV/E6-1, FCV/E6-1, ZOFCV/G102, ZOFCV/G104, ZOFCV/G202, ZOFCV/G204, FV4G, FV4E, FVAC041, AFCV/G101, AFCV/G103, SCO/G10-3, AFCV/G201, AFCV/G203, SCO/G20-3...(Other models you can see in the webshop)		

			
vm nr.	401262	Ref. No.	OC1055
description	level electrode 1/4" total length 159mm probe L 130mm insulated probe length 126mm PTFE insulated connection angled, male faston 6.3mm stainless steel ø 2.5mm		
For models:	AOS101GAU, AOS202GAU, AOS101GAU, AOS202GAU, AOS-101GA, AOS101GB, AOS202GB, AOS202GA		

			
vm nr.	401263	Ref. No.	OC1105
description	level electrode 1/4" total length 220mm probe L 195mm insulated probe length 189mm PTFE insulated connection angled, male faston 6.3mm stainless steel ø 2.5mm		
For models:	AOS201GAU, AOS202GAU, AOS201GAU, AOS202GAU, AOS-201GA, AOS201GB, AOS202GB, AOS202GA		

			
vm nr.	401265	Ref. No.	005879 OC0439
description	level electrode 1/4" total length 240mm probe L 216mm insulated probe length 210mm PTFE insulated connection angled, male faston 6.3mm stainless steel ø 2.5mm		
For models:	FCZ202EAA, FCZ202EBA, FVC/E20L3, FCVE20L3, FVC/E20L6, FCVE20L6, FVC/E201/1, FVC/E202/1, FCS201E4, FCS201EP, FCS202E4, FCS202EP, FCS201EX, FCS202EX, 5714-3-7, 5714-3-8, 5714-3-8E, 5714-3-10, 5717-3-7, 5717-3-8, 5717-3-8E, 5717-3-10, 5717-3-8M, 5717-3-8M, AOS202EA2N, AOS202EB2N, AOS202EA, AOS202EB, AOS202EAAQ, AOS202EBAQ, AOS202EANQ, AOS202EB-NQ, ECV/E20T4, ECV202T4, ECV/E20T6, ECV202T6, AOS202EAA1, AOS202EAM1, AOS202EAB1, AOS202EAK1, AOS202EAT1, AOS202E-BA1, AOS202EBK1, EJA202EAA, EJA202EBA, ACV/E20C4, ACVE20C4, ACVE20C6, ACV/E202/1, ZCV/E20T4...(Other models you can see in the webshop)		

			
vm nr.	401255	Ref. No.	005765
description	level electrode 1/4" total length 64mm probe L 37mm insulated probe length 33mm PTFE insulated connection angled, male faston 6.3mm ø 2.5mm marking L		
For models:	FCV/G61/1, FVC/G61/1, FVC/G61/1, FCS061GP, FCS061G4, 5721-2-7, 5721-2-10, ECV/G61/1, ECV/G61/1, ZCV/G61/1		

			
vm nr.	401254	Ref. No.	005766
description	level electrode 1/4" total length 74mm probe L 47mm insulated probe length 41mm PTFE insulated connection angled, male faston 6.3mm stainless steel ø 2.5mm marking S		
For models:	FCV/G61/1, FVC/G61/1, FVC/G61/1, FCS061GP, FCS061G4, 5721-2-7, 5721-2-10, ECV/G61/1, ECV/G61/1, ZCV/G61/1		

			
vm nr.	400120	Ref. No.	056449 0K2068
description	level electrode 1/4" total length 83mm probe L 62mm insulated probe length 57mm PTFE insulated connection angled, male faston 6.3mm stainless steel ø 2.5mm		
For models:	FCV/G6L4, FCVG6-1, FCVG6-3, FCVG6-1UK, FCVG6-3UK, 5711-2-6, 5711-2-7, 5711-2-8, 5711-2-10, 5711-2-8CH, 5711-2-10CH, 5711-2-6L, 5711-2-7L, 5711-2-8L, 5711-2-10L, ECV/G6T4, FCV/G6-1, ZOFCV/G6-3, AFCV/G6-1, AFCV/G6-3, SCO/G6-3, ZCV/G6T4		

			
vm nr.	400124	Ref. No.	002694 003084 0F0010 0K8460 0K9176 0KE754 60050287 908500 9085006
description	level electrode push-in total length 128mm probe L 103mm insulated probe length 93mm PTFE insulated connection F6.3 ø 2.5mm		
For models:	FCV/E10L3, FCV/E102/1L3, FCV/E6L4, FCV/E10L6, FCV/E102/1L6, FCS101EP4J, FCS101EP, FCS102EP4J, FCS102EP, FCS101EX4J, FCS101EXLN, FCS101EX, FCS102EX4J, FCS102EX, CS7ME4/200-3, CS7ME4/230-3, CS7ME4/400-3N, CS7ME6/400-3N, CS7ME4/400-3N/EO, CS7ME4/400-3/50HZ/MA, CS7ME4/440-3/60HZ/MA, CS7MT4/400-3N, CS7GE4/200-3, CS7GE4/230-3, CS7GE4/400-3N, CS7GE6/400-3N, CS7GE4/400-3N/EO, CS7GE4/400-3/50HZ/MA, CS7GE4/440-3/60HZ/MA, CS7GT4/400-3N, CS7LCE4/200-3, CS7LCE4/230-3, CS7LCE4/400-3N, CS7LCE6/400-3N, CS7LCE4/400-3N/EO, CS7LCE4/400-3/50HZ/M, CS7LCE4/440-3/60HZ/M, CS7LCT4/400-3N, CS10ME4/200-3, CS10ME4/230-3, CS10ME6/230-3, CS10ME4/400-3N, CS10ME6/400-3N, CS10ME4/400-3N/EO, CS10ME4/400-3/50HZ/M, CS10ME4/440-3/60HZ/M, CS10MT4/400-3N, CS10MT6/400-3N, CS10GE4/200-3, CS10GE4/230-3...(Other models you can see in the webshop)		

			
vm nr.	401548	Ref. No.	004891 005235 0K2064
description	level electrode push-in total length 175mm probe L 151mm insulated probe length 142mm PTFE insulated connection F6.3 ø 2.5mm		
For models:	5717-3-7, 5717-3-8, 5717-3-8E, 5717-3-10, 5717-3-8M, 5717-3-8C, 5714-3-10F, 5714-3-10S		

			
vm nr.	401260	Ref. No.	002632
description	level electrode total length 75mm probe L 50mm insulated probe length 46mm PTFE insulated connection angled, male faston 6.3mm		
For models:	FDV40G, FDV40GZ, FDV40GA, FDV20G, FDV20GZ, FDV20GA, FCV/G10L3, FCVG10L3T, FCVG102L3, FCV/G20L3, FCVG202L3, FCVG10L3J, FCVG102L3J, FCV/G10L6JAP, FCV/G102/1L6JAP, FCV/G10L6, FCV/G102/1L6, FCV/G20L6, FCVG202L6, FCV/G101/1, FCV/G102/1, FCV/G201/1, FCV/G202/1, FCS101G4, FCS101G4DT, FCS101GP9J, FCS101G49J, FCS101GP, FCS102G4, FCS102GA9J, FCS102G49J, FCS102GP, FCS201G4, FCS201GP, FCS202G4, FCS202GP, FCS101GX9J, FCS101GX, FCS102GX9J, FCS102GX, FCS201GX, FCS202GX, 5712-2-6, 5712-2-7, 5712-2-8, 5712-2-10, 5714-2-6, 5714-2-7, 5714-2-8, 5714-2-10...(Other models you can see in the webshop)		

			
vm nr.	400123	Ref. No.	002633 0F0161
description	spacer piece for level electrode		
For models:	FDV40G, FDV40GZ, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, FCV/G10L3, FCVG10L3T, FCVG102L3, FCV/G20L3, FCVG202L3, FCVG10L3J, FCVG102L3J, FCV/G10L6JAP, FCV/G102/1L6JAP, FCV/E20L3, FCVE202L3, FCV/G10L6, FCV/G102/1L6, FCV/G20L6, FCV/E20L6, FCVG202L6, FCVE202L6, FCV/G101/1, FCV/G102/1, FCV/G201/1, FVC/E201/1, FCV/G202/1, FVC/E202/1, FCS101G4, FCS101G4DT, FCS101GP9J, FCS101G49J, FCS101GP, FCS102G4, FCS201E4, FCS102GA9J, FCS201EP, FCS102G49J, FCS202E4, FCS102GP, FCS202EP, FCS201G4, FCS201GP, FCS202G4, FCS202GP, FCS201EX, FCS201EXLN...(Other models you can see in the webshop)		

			
vm nr.	693744	Ref. No.	055435
description	spacer piece for level electrode size 5mm		
For models:	FCV/E10L3JAP, FCV/E102/1L3JAP, FCV/E10L6JAP, FCV/E102/1L6JAP, FCV/E61/1, FCV/E101/1, FCV/E101/1, FCV/E102/1, FCV/E61/1, FCV/E101/1, FCV/E101/2, FCV/E10L3, FCV/E102/1, FCV/E102/1L3, FCV/E20L3, FCVE202L3, FCV/E6L4, FCV/E10L6, FCV/E102/1L6, FCV/E20L6, FCVE202L6, FCV/E101/1, FVC/E101/1, FVC/E102/1, FVC/E201/1, FVC/E202/1, FCS061EP, FCS101E44J, FCS101EP4J, FCS101E4, FCS101EP, FCS102E44J, FCS102EP4J, FCS102E4, FCS102EP, FCS201E4, FCS202E4, FCS061E4, FCS061EXLN, FCS061EX, FCS101EX4J, FCS101EXLN, FCS101EX, FCS102EX4J, FCS102EX, FV4G, FVE3, FCVE6-1U, FCVE6-3U, FCVE6-1...(Other models you can see in the webshop)		

			
vm nr.	693743	Ref. No.	055347 0K3038
description	spacer piece for level electrode size 9mm		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ061EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FCZ201EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ202ETA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ201EBA, FCZ202EBA, FCZ061EBH, FCZ101EBH, FCZ201EBH, FCZ061EBN, FCZ101EBN, FCZ201EBN, FCZ061EBC, FCZ101EBC, FCZ201EBC, FCZ061EBA2, FCZ101EBA2, FCZ102EBA2, FCZ201EBA2, FCZ202EBA2, FCZ061EBH2, FCZ101EBH2, FCZ201EBH2, FCZ061EBN2, FCZ101EBN2, FCZ201EBN2, FCZ061EBC2, FCZ101EBC2, FCZ201EBC2...(Other models you can see in the webshop)		



fans

axial fans

ebm-papst

			
1			
vm nr.	601715 ¹	Ref. No.	002690 004000 006878 058855 0C1478 60050254
description	axial fan L 119mm W 119mm H 38mm 230VAC 50Hz 18W bearing ball bearing manuf. no. 4656ZW metal connection cable 310mm ebm-papst fan wheel ø 110mm temp.-resist. 75°C		
For models:	MCP/E1SH, MCP/E1SUH, MCP/E2SUHS, MCP/E2SH, MCP/E2SUH, MCP/E2SUT, MCP/E2SHB, ECP/E1ELHU, PCP/E1SH, PCP/E2SH, PCP/E2SH3B, PCP/E1ELH, OCP/E1SH, OCP/E2SH, TCP/E1ELHU, TCP/E2SH, TCP/E1ELH, FCV/E101/1, FCVE6L3J, FCV/E10L3JAP, FCV/E102/1L3JAP, FCV/E10L6JAP, FCV/E102/1L6JAP, FCVG6L3CJ, FCV/E61/1, FCV/E61/1, FCV/E101/1, FCV/E101/1, FCV/E102/1, FCV/E61/1, FCV/E61/1, FCV/E101/1, FCV/E101/2, FCV/G6L3C, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCV/G6L3CT, FCV/G6L3CJ, FCV/E10L3, FCV/E102/1, FCV/E102/1L3, FCV/E6L4, FCV/E101/1, FCV/E10L6, FCV/E102/1L6, FCV/E101/1, FVC/E101/1, FVC/E102/1...(Other models you can see in the webshop)		

¹with ball bearings

			
1			
vm nr.	601038 ¹	Ref. No.	083528
description	axial fan L 80mm W 80mm H 38mm 230VAC 50/60Hz 12W bearing ball bearing manuf. no. 8556N metal connection cable 300mm ebm-papst fan wheel ø 75mm temp.-resist. 90°C airflow 50m³/h		
accessories for	601038		
	vm nr.	691102	Ref. No.
	guard ø 75mm mounting distance 71mm for axial fan 80mm		

¹with ball bearings

import

			
1			
vm nr.	601834 ¹	Ref. No.	087945
description	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 16/15W bearing ball bearing manuf. no. RAM1238B1 connection cable cable length 900mm XINRUILIAN fan wheel ø 110mm temp.-resist. -10 up to +70°C input current 0.16A		

¹with ball bearings

			
1			
vm nr.	601080 ¹	Ref. No.	002656 0C4106 0C4423 0D6787 0E2261 0K7491 60050297
description	axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 23/20W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 110mm temp.-resist. 70°C		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ061EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FCZ201EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ202ETA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ201EBA, FCZ202EBA, FCZ061EBH, FCZ101EBH, FCZ201EBH, FCZ061EBN, FCZ101EBN...(Other models you can see in the webshop)		
accessories for	601080		
	vm nr.	550898	Ref. No.
	connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan		
	vm nr.	692519	Ref. No.
	guard L 120mm W 120mm plastic		

¹with ball bearings

			
1			
vm nr.	601130 ¹	Ref. No.	006125
description	axial fan L 80mm W 80mm H 25mm 230VAC 50/60Hz 13/14W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 75mm temp.-resist. 70°C airflow 30.6m³/h		
For models:	KI/E1, KI/E2, KI/E2E5, KFR/E2F, HFH/G430, HFH/E430, HFR/E830, HFH/G400U, HFH/G401U, HFH/G435, HFH/G435, QI/E1, QI/E2, QI/E2E5, QFR/E2F, ZFH/G430, ZFH/E430, ZFH/G435, ZFH/G435, WI/E1, WI/E2, WI/E2E5, WFR/E2F, AFR/E830, AFH/G435, AFH/E435		
accessories for	601130		
	vm nr.	550898	Ref. No. —
	connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan		

¹with ball bearings

cross flow fans

ebm-papst

1

vm nr.	601034	Ref. No.	081795
description	cross flow fan ebm-papst QLK45/1200-2513 roller ø 45mm roller length 120mm laminated core thickness 13mm motor position right 230V/50Hz 17W refrigeration bearing rubber connection male faston 6.3mm airflow 80m³/h 0 up to +60°C		

1

vm nr.	601047	Ref. No.	0H6923 60050453
description	cross flow fan ebm-papst QLZ06/0600-2513 roller ø 60mm roller length 60mm laminated core thickness 13mm motor position right 230V/50Hz 17W refrigeration bearing rubber connection male faston 6.3mm airflow 40m³/h 0 up to +60°C		
For models:	5611-3-10, 5611-3-6, 5611-3-8, 5612-3-10, 5612-3-6, 5612-3-8, 5614-3-10, 5614-3-6, 5614-3-8		

COPREL

with standard coil

			
1			
vm nr.	601101	Ref. No.	083737 0T1550 292202657 30001372
description	cross flow fan COPREL TFL(FN) roller ø 60mm roller length 300mm laminated core thickness 30mm motor position left 230V/50Hz 43W refrigeration bearing rubber connection male faston 6.3mm coil type airflow 268m³/h -10 up to +60°C		
For models:	ESR4212FR, ESR4212F, ESR41GR, ESR41FR, ESR41G, ESF41FR, ESR41F, , , , ESR41F60HZ, ESR422F60HZ, ESR41G60HZ, ESF41GR, TE1502GT, TZ1502GT, KE1502GT, KZ1502GT, ESR41F, ESR41G, ESR41FR, ESF41FR, ESR421/2F, EUKR41GR, ESR421/2FR, ESF41GR, EUKR41N, EUKR421/2F, UKR41F, PDVN501V11C, PDVN501V12C, PDVN507V11C, PDVN-507V11C		

with moulded coils

			
1			
vm nr.	601340	Ref. No.	0A2272 0A3008 300778
description	cross flow fan roller ø 60mm roller length 180mm laminated core thickness 30mm motor position right 230V/50Hz 19W universal bearing silicone connection male faston 6.3mm -30 up to +100°C 230V 50Hz		
accessories for	601340		
	vm nr.	415122	Ref. No. 0k4812
	heater battery mounting distance 185mm W 40mm H 35mm 2000W 230V temperature restriction 105°C heating circuits 2 connection cable cable length 340mm L 197mm for cross flow fan		
	vm nr.	420267	Ref. No. —
	heater battery mounting distance 185mm W 40mm H 35mm 2000W 230V temperature restriction °C heating circuits 2 connection cable cable length 340mm L 197mm for cross flow fan		

accessories for cross flow fans

heater battery



1

vm nr.	415122	Ref. No.	0k4812
description	heater battery mounting distance 185mm W 40mm H 35mm 2000W 230V temperature restriction 105°C heating circuits 2 connection cable cable length 340mm L 197mm for cross flow fan		

hot air motors



1

vm nr.	511302	Ref. No.	0H6643 0K2093 246195 60050427
description	engine shaft gasket ID ø 16mm ED ø 40mm for 55/56 series		
For models:	5611-3-10, 5611-3-6, 5611-3-8, 5612-3-10, 5612-3-6, 5612-3-8, 5614-3-10, 5614-3-6, 5614-3-8		




1

vm nr.	601040	Ref. No.	054570 054829 10521400
description	fan motor		
For models:	FCFG6D, FCFE6D, FCFE6D, FCFG6, FCFG6F, PFCFG6, FCFE6, FCFE6UK, PFCFE6, FCVE6-1U, FCVE6-3U, FCVE6-1, FCVE6-3, FCVE6-1UK, FCVE6-3UK, FCFG6-1, FCFG6-3, FCFG6-1UK, FCFG6-3UK, FCF/G6, FCF/E6, FCF/E6-1, FCF/E6-1, FCF/G6-1, ZOFCV/G6-3, AFCV/G6-1, AFCV/G6-3, COCO6G, COCO6E, COCVC423AF, FCFE061, ZOFCF/G6D		



1

vm nr.	500103	Ref. No.	0H6929 0K2763 131091099
description	fan motor 220-240/380-415V 3 phase 50/60Hz 0.25kW 1400rpm speeds 1 L1 150mm L2 32mm L3 40mm ø 125mm M10R IT at 50Hz 1400rpm at 60Hz 1700rpm type L7Aw4D-099 no. X3 D1 ø 17mm D2 ø 14mm		
For models:	5611-3-6, 5612-3-6, 5614-3-6		




1


vm nr.	601041	Ref. No.	053826 054836 10522500
description	fan motor 220-240/380-415V 3 phase 50Hz 0.19kW 1350rpm 1/0.58A		
For models:	FCFG10, FCFG10D, FCFG10NL, FCFE10, FCFE10UK, FCVE10, FCVE10-2, FCVE10-4, FCVE10-2UK, FCVE10-4UK, FCFG10-2, FCFG10-4, FCFG10-2, FCFG10-4D, FCFG10-2UK, FCFG10-4UK, FCFG10-2, FCFG10-4, FCFG101, FCF/E10, ZOFCV/E102, ZOFCV/E104, ZOFCV/G102, ZOFCV/G104, COCO10G, COCO10E, FCFE101, ZOFCF/G10D		





1





vm nr.	601449	Ref. No.	058667 0K3026 10925440
description	fan motor 220-240/380-415V 3 phase 50Hz 0.19kW 1350rpm speeds 1 L1 105mm L2 74mm L3 35mm L4 12mm D1 ø 9x10mm D2 ø 12mm M6R IT 0.58/1A type FIR1092 no. 1092 shaft flat length 9mm		
For models:	FCFG10, FCFG10D, FCFG10NL, FCFE10, FCFE10UK, FCVE10-2, FCVE10-4, FCVE103CE, FCVE10-2UK, FCVE10-4UK, FCFG10-1SG, FCVE20VUK, FCFG101, ZOFCV/E102, ZOFCV/E104, FF/E10, FF/G10, COCO10G, COCO10E, FCFG10-1SG, FCFE101, ZOFCF/G10D		
accessories for	601449		
	vm nr.	693846	Ref. No. 058731
	spacer piece for fan motor		
	vm nr.	693847	Ref. No. 058729
	fixing plate for hot air motors ED ø 230mm H 2.5mm ID ø 16mm		
	vm nr.	694297	Ref. No. 058957
	flange for hot air motors ED ø 270mm H 3.5mm ID ø 16mm		

 			
1			
vm nr.	601378	Ref. No.	054011 054012 054837 058607 1093V5440
description	fan motor 220-240/380-415V 3 phase 50Hz 0.35kW 1350rpm speeds 1 L1 143mm L2 91mm L3 34mm D1 ø 10mm D2 ø 16mm M6R IT 1.8/1A number of pole pairs 4 at 50Hz 1350rpm type FIR1093/V		
For models:	FCFG20, FCFG20D, FCFG20F, PFCFG20, FCFE20, FCFE20UK, FCFG40, FCFG41, FCFG40D, FCFG40F, PFCFG40F, FCFE40, FCFE40D, FCFE40UK, PFCFE40F, FCVE20, FCVE20-2, FCVE20-4, FCVE203CE, FCVE20-2UK, FCVE20-4UK, FCFG20-2, FCFG20-4, FCFG20-2, FCFG20-4D, FCFG20-2UK, FCFG20-4UK, FCFG20-4, FCFG20-4D, FCFG201, FCFG202, FCFG202, FCF/E20, FCFE202, ZOFCV/E202, ZOFCV/E204, ZOFCV/G202, ZOFCV/G204, FF/E40, FF/E20, FF/G20, FF/G40, AFCF/E40, COCO20G, COCO20E, 4236N, 4238N, FCFE201, ZOFCF/G20D		

 			
2			
vm nr.	601360	Ref. No.	058587 10922330
description	fan motor 220V 1 phase 50Hz 0.1kW 1350rpm speeds 1 L1 105mm L2 66mm L3 35mm D1 ø 10mm D2 ø 12mm M6R IT 0.9A number of pole pairs 4 suitable capacitor 4µF/450V at 50Hz 1350rpm type FIR1092/M		
For models:	FCFG6D, FCFE6D, FCFE6D, FCFG6, FCFG6F, PFCFG6, FCFE6, FCFE6UK, PFCFE6, FCVE6-1U, FCVE6-3U, FCVE6-1, FCVE6-3, FCVE6-3CE, FCVE6-1UK, FCVE6-3UK, FCFG6-1, FCFG6-3, FCFG6-1UK, FCFG6-3UK, FCF/G6, FCF/E6, FCF/E6-1, FCF/E6-1, FCF/G6-1, ZOFCV/G6-3, AFCV/G6-1, AFCV/G6-3, SCO/G6-3, AFCF/E6, FF/G6, COCO6G, COCO6E, COCUE423AF, FCFE061, ZOFCF/G6D		

 			
1			
vm nr.	500141	Ref. No.	002616 0F0007 0K8482 0KE545 60050295
description	fan motor 230V 1 phase 50/60Hz 0.19kW 1450/1750rpm speeds 1 L1 150mm L2 52mm L3 35mm D1 ø 9/10mm D2 ø 14mm M6R IT 1.3A Cos(φ) 0.91 at 50Hz 1450rpm at 60Hz 1750rpm type LM80/4 no. 596477 shaft flat length 12mm		
For models:	FCV/G10L3, FCV/G6L3TOWNGAS, FCV/G6L3, FCFG10L3T, FCV/E101/1, FCV/G20L3, FCVE6L3J, FCV/E10L3JAP, FCV/E61/1, FCV/G10L2, FCV/E101/1, FCV/E10L2, FCV/E61/1, FCV/E101/2, FCV/E10L3, FCV/E6L3, FCV/E20L3, FCV/E101/1, FCF/G6-0, FCFG101/0, FCFG102-0, FCFG201-0, FCF/E6-0, FCFE101-0, FCFE102-0, FCFE201-0, FCFE202-0, FCF061ELN, FCF101ELN, FCF6EHOR, FCFG10160H, FCF061ENS, FCF101ENS, FCF102ENS, FCF201ENS, FCFG102-0T, FCFE6-1J, FCFE101-1J, FCFE102-1J, FCF/G101/1, FCS061E3CI, FCS101E2, FCS101G2, CS7ME4/200-3, CS7ME4/230-3, CS7ME4/400-3N, CS7ME6/400-3N, CS7ME4/400-3N/EO, CS7ME4/400-3/50HZ/MA, CS7ME4/440-3/60HZ/MA...(Other models you can see in the webshop)		

 			
1			
vm nr.	500143	Ref. No.	002739
description	fan motor 230V 1 phase 50/60Hz 0.35kW 1400/1700rpm speeds 1 L1 165mm L2 91mm L3 35mm D1 ø 9/10mm D2 ø 16mm M6R IT 2.7A Cos(φ) 0.9 at 50Hz 230V at 60Hz 230V at 50Hz 1400rpm at 60Hz 1700rpm suitable capacitor 16µF/450V type LM80/4 no. 556749 shaft flat length 13mm		
For models:	FCVG102L3, FCFG202L3, FCV/E102/1L3JAP, FCV/E102/1, FCV/E102/1L3, FCVE202L3, FCFG101/0, FCFG102-0, FCFG202-0, FCFE101-0, FCFE102-0, FCFE201-0, FCFE202-0, FCF101ELN, FCF101ENS, FCF102ENS, FCF201ENS, FCFG102-0T, FCFE101-1J, FCFE102-1J, 5717-2-6, 5714-2-6L, 5707-2-2, 5707-3-2, ECFG101-0, ECFG102-0, ECFG202-0, ECFE101-0, ECFE102-0, ECFE201-0, ECFE202-0, ECF101ENS, ECF102ENS, ECF201ENS, ACFG101-0, ACFG102-0, ACFG202-0, ACFE101-0, ACFE102-0, ACFE201-0, ACFE202-0, JCF/G102/1-1, JCF/E102/1-1, RCF101G, RCF101E, RCF201E, NCF/G101/1, NCF/G102/1, NCF/E102/1, ZCF/G101/1...(Other models you can see in the webshop)		


1

vm nr.	601222	Ref. No.	006998
description	fan motor 230V 1 phase 50Hz 0.06/0.19kW 890/1395rpm speeds 2 L1 165mm L2 49mm L3 35mm D1 ø 10mm D2 ø 16mm M6R IT 1.6/1.4A Cos(f) 0.85 at 50Hz 230V at 60Hz 230V at 50Hz 890/1395rpm at 60Hz 950/1695rpm suitable capacitor 12.5µF/450V 4P/6P type LM/FB80 no. 496040 shaft flat length 13mm		
For models:	FCZ061EAA, FCZ101EAA, FCZ201EAA, FCZ061EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FCZ201EAN, FCZ061ETA, FCZ101ETA, FCZ201ETA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ061GAG, FCZ101GAG, FCZ201GAG, FCZ061GAD, FCZ101GAD, FCZ201GAD, FCZ101GTG, FCZ201GTG, FCZ101GTD, FCZ201GTD, FCZ061EBA, FCZ101EBA, FCZ201EBA, FCZ061EBH, FCZ101EBH, FCZ201EBH, FCZ061EBN, FCZ101EBN, FCZ201EBN, FCZ061EBC, FCZ101EBC, FCZ201EBC, FCZ061EBA2, FCZ101EBA2, FCZ201EBA2, FCZ061EBH2, FCZ101EBH2, FCZ201EBH2, FCZ061EBN2, FCZ101EBN2, FCZ201EBN2, FCZ061EBC2...(Other models you can see in the webshop)		




1

vm nr.	500653	Ref. No.	005748
description	fan motor 230V 1 phase 50Hz 0.06/0.19kW 930/1425rpm speeds 2 L1 150mm L2 52mm L3 35mm D1 ø 10mm D2 ø 16mm M6R IT 1.3/0.8A power input 0.19W at 50Hz 930/1425rpm suitable capacitor 10µF shaft flat length 12mm		
For models:	FCV/G61/1, FCS061GP, FCS061G4, 5721-2-7, 5721-2-10, ECV/G6T4C, ECV/G61/1, ECV/G61/1, ZCV/G6T4C, ZCV/G61/1		

1

vm nr.	500142	Ref. No.	002698 005028 60050275
description	fan motor 230V 1 phase 50Hz 0.06/0.19kW 930/1380rpm speeds 2 L1 160mm L2 52mm L3 35mm D1 ø 9/10mm D2 ø 16mm M6R IT 1.5/0.7A Cos(f) 0.9 at 50Hz 930/1380rpm at 60Hz 1100/1700rpm suitable capacitor 12.5µF/400V 4P/6P type LM/FB80 no. 552059 shaft flat length 12mm		
For models:	FCV/E10L6JAP, FCV/E61/1, FCV/E101/1, FCV/E61/1, FCV/E101/1, FCV/G61/1, FCV/G6L4, FCV/E6L4, FCV/G10L6, FCV/E10L6, FCV/G20L6, FCV/E20L6, FCV/E101/1, FCV/G101/1, FVC/E101/1, FCV/G201/1, FVC/E201/1, FCS061E44J, FCS061EP, FCS101E44J, FCS101EP4J, FCS101E4, FCS101G4, FCS101EP, FCS101G4DT, FCS101GP, FCS201E4, FCS201EP, FCS201G4, FCS201GP, FCS061E4, FCS061EXLN, FCS061EX, FCS101EX4J, FCS101EX, FCS201EX, FCS101GX, FCS201GX, 5711-2-7, 5711-2-8, 5711-2-10, 5711-2-8CH, 5711-2-10CH, 5712-2-7, 5712-2-8, 5712-2-10, 5714-2-7, 5714-2-8, 5714-2-10, 5711-2-7L...(Other models you can see in the webshop)		

1

vm nr.	500144	Ref. No.	002748 005237 0K2755 0K2764 60050276
description	fan motor 230V 1 phase 50Hz 0.11/0.35kW 900/1400rpm speeds 2 L1 165mm L2 91mm L3 35mm D1 ø 9/10mm D2 ø 16mm M6R IT 2.7/1.3A at 50Hz 230V at 60Hz 230V at 50Hz 900/1400rpm at 60Hz 1080/1680rpm suitable capacitor 16µF/450V 4P/6P type LM/FB80 no. 358008 shaft flat length 12mm		
For models:	FCV/E102/1L6JAP, FCV/E102/1, FCV/G102/1L6, FCV/E102/1L6, FCV/G202L6, FCVE202L6, FCV/G102/1, FVC/E102/1, FCV/G202/1, FVC/E202/1, FCS102E44J, FCS102EP4J, FCS102E4, FCS102EP, FCS102G4, FCS202E4, FCS102GP, FCS202EP, FCS202G4, FCS202GP, FCS102EX4J, FCS102EX, FCS202EX, FCS102GX, FCS202GX, 5714-2-7, 5714-2-8, 5714-2-10, 5714-2-7L, 5714-2-8L, 5714-2-10L, 5717-3-7, 5717-3-8, 5717-3-8E, 5717-3-10, 5717-3-8C, 57074-2-3, 5707-3-3, ECVG102T4, ECVE102T4, ECVG202T4, ECVE202T4, ECV/G102/1T6, ECV/E102/1T6, ECVG202T6, ECVE202T6, JCF/G102/1-2, JCF/E102/1-2, ACVG102C4, ACVG202C4...(Other models you can see in the webshop)		



1

vm nr.	601219	Ref. No.	002617 0C6461 0KG540
description	fan wheel D1 ø 350mm H1 135mm blades 6 D2 ø 10mm D3 ø 10mm H2 13mm H3 24mm		
For models:	FCV/G10L3, FCVG10L3T, FCV/G20L3, FCV/G10L2, FCV/E10L2, FCV/E10L3, FCV/E20L3, FCV/G10L6, FCV/E10L6, FCV/G20L6, FCV/E20L6, FCV/E101/1, FCV/G101/1, FVC/E101/1, FCV/G201/1, FVC/E201/1, FCFE101-0, FCFE102-0, FCFE201-0, FCFE202-0, FCF101ELN, FCF101ENS, FCF102ENS, FCF201ENS, FCFE101-1J, FCFE102-1J, FCS101E2, FCS101G2, FCS101E4, FCS101G4, FCS101EP, FCS101GP, FCS201E4, FCS201EP, FCS201G4, FCS201GP, FCS101EX, FCS201EX, FCS101GX, FCS201GX, 5712-2-6, 5712-2-7, 5712-2-8, 5712-2-10, 5714-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5712-2-6L, 5712-2-7L...(Other models you can see in the webshop)		



1

vm nr.	601233	Ref. No.	0C1129 0C6463
description	fan wheel D1 ø 350mm H1 135mm blades 6 D2 ø 10mm D3 ø 10mm H2 37.5mm		
For models:	FCZ101EAA, FCZ201EAA, FCZ101EAH, FCZ201EAH, FCZ101EAN, FCZ201EAN, FCZ101ETA, FCZ201ETA, FCZ101ETH, FCZ201ETH, FCZ101ETN, FCZ201ETN, FCZ101GAG, FCZ201GAG, FCZ101GAD, FCZ201GAD, FCZ101GTG, FCZ201GTG, FCZ101GTD, FCZ201GTD, FCZ101EBA, FCZ201EBA, FCZ101EBH, FCZ201EBH, FCZ101EBN, FCZ201EBN, FCZ101EBC, FCZ201EBC, FCZ101EBA2, FCZ201EBA2, FCZ101EBH2, FCZ201EBH2, FCZ101EBN2, FCZ201EBN2, FCZ101EBC2, FCZ201EBC2, FCZ101GBG, FCZ201GBG, FCZ101GBD, FCZ201GBD, FCZ101GBI, FCZ201GBI, FCZ101GBG2, FCZ201GBG2, FCZ101GBD2, FCZ201GBD2, FCZ101GBI2, FCZ201GBI2, FCZ101ECA, FCZ201ECA...(Other models you can see in the webshop)		



1

vm nr.	601197	Ref. No.	053782 054890
description	fan wheel D1 ø 350mm H1 135mm blades 6 D2 ø 9.5mm D3 ø 9.5mm H2 38mm H3 20mm		
For models:	FCFG101/0, FCFG102-0, FCFG201-0, FCFE101-0, FCFE201-0, FCF101ELN, FCFG102-0T, FCF/G101/1-1-JAP, FCFG10, FCFG10D, FCFG10NL, FCFE10, FCFE10UK, FCVE10, FCFG10J, FCFE10J, FCFG10J, FCVE10-2, FCVE10-4, FCVE103CE, FCVE10-2UK, FCVE10-4UK, FCVG10-2, FCVG10-4, FCVG10-5G, FCVG10-2, FCVG10-4D, FCVG10-2UK, FCVG10-4UK, FCVG10-2, FCVG10-4, FCVE10-P, FCVE10PUK, FCVG10-P, FCVG10PUK, ECFG101-0, ECFG102-0, ECFG201-0, ECFE101-0, FCFG101, FCF/E10, ZOFCV/E102, ZOFCV/E104, ZOFCV/G102, ZOFCV/G104, ACFG101-0, ACFG102-0, ACFG201-0, ACVE101-0, ACVE201-0...(Other models you can see in the webshop)		



1

vm nr.	601234	Ref. No.	0C1172 0C6464
description	fan wheel D1 ø 380mm H1 170mm blades 12 D2 ø 10mm D3 ø 10mm H2 38mm H3 19mm		
For models:	FCZ102EAA, FCZ202EAA, FCZ102ETA, FCZ202ETA, FCZ102GAG, FCZ202GAG, FCZ102GAD, FCZ202GAD, FCZ102GTG, FCZ202GTG, FCZ102GTD, FCZ202GTD, FCZ102EBA, FCZ202EBA, FCZ102EBA2, FCZ202EBA2, FCZ102GBG, FCZ202GBG, FCZ102GBD, FCZ202GBD, FCZ102GBG2, FCZ202GBG2, FCZ102GBD2, FCZ202GBD2, FCZ102GBI2, FCZ102ECA, FCZ202ECA, FCZ102ECA2, FCZ202ECA2, FCZ102GCG, FCZ202GCG, FCZ102GCD, FCZ202GCD, FCZ102GCG2, FCZ202GCG2, FCZ102GCD2, FCZ202GCD2, AOS102GAEU, AOS-202GAEU, AOS102GAU, AOS202GAU, AOS102EA2N, AOS102EB2N, AOS202EA2N, AOS202EB2N, AOS102EA, AOS102EB, AOS202EA, AOS202EB, AOS102GB...(Other models you can see in the webshop)		

			
1			
vm nr.	601218	Ref. No.	054014 054914 055378
description	fan wheel D1 ø 440mm H1 152mm blades 6 D2 ø 10mm D3 ø 10mm H2 37mm H3 31mm		
For models:	FCFE102-0, FCFE202-0, FCFG20, FCFG20D, FCFG20F, PFCFG20, FCFE20, FCFE20UK, FCFG40, FCFG41, FCFG40D, FCFG40F, PFCFG40F, FCFE40, FCFE40D, FCFE40UK, PFCFE40F, FCVE20, FCFG20J, FCFE20J, FCFG40J, FCFE40J, FCFG20J, FCFG41J, FCVE20-2, FCVE20-4, FCVE203CE, FCVE20-2UK, FCVE20-4UK, FCFG20-2, FCFG20-4, FCFG20-2, FCFG20-4D, FCFG20-2UK, FCFG20-4UK, FCFG20-4, FCFG20-4D, FCVE20-P, FCVE20PUK, FCFG20-P, ECFE102-0, FCFG-20PUK, FCFG201, FCFG202, FCFG202, FCF/E20, FCFE202, ZOFCV/E202, ZOFCV/E204, ZOFCV/G202...(Other models you can see in the webshop)		

			
2			
vm nr.	601232	Ref. No.	003715 0C8307
description	fan wheel D1 ø 440mm H1 155mm blades 6 D2 ø 10mm D3 ø 16mm H2 51mm H3 39mm		
For models:	FCFG101/0, FCFG102-0, FCFG202-0, FCFG102-0T, FCF/G102/1-1-JAP, ECFG101-0, ECFG102-0, ECFG202-0, ACFG101-0, ACFG102-0, ACFG202-0, JCF/G102/1-1, JCF/G102/1-2, RCF101G, NCF/G101/1, NCF/G102/1, ZCF/G101/1, ZCF/G102/1, ZCF/G202/1		


			
1			
vm nr.	693847	Ref. No.	058729
description	fixing plate for hot air motors ED ø 230mm H 2.5mm ID ø 16mm		
For models:	FCFG6D, FCFE6D, FCFE6D, FCFG10, FCFG10D, FCFG10NL, FCFE10, FCFE10UK, FCFG6, FCFG6F, PFCFG6, FCFE6, FCFE6UK, PFCFE6, FCFE6J50, FCFE6J60, FCFG10J, FCFG10J, FCFE10J, FCFE10J, FCFG6J, FCFG6J, FCFG6J, FCFG6J, FCFG10J, FCFG10J, FCVE6-1U, FCVE6-3U, FCVE6-1, FCVE6-3, FCVE6-3CE, FCVE6-1UK, FCVE6-3UK, FCFG6-1, FCFG6-3, FCFG6-1UK, FCFG6-3UK, FCVE10-2, FCVE10-4, FCVE103CE, FCVE10-2UK, FCVE10-4UK, FCFG10-ISG, FCVE20-P-V, FCVE20-V, FCVE20VUK, FCFG62E, FCFG62EUK, FCFG62, FCVE10-P...(Other models you can see in the webshop)		

			
1			
vm nr.	511300	Ref. No.	002873 0F0199 0G0014 0K2486 0K5556 0K8687 0K8840 1140203517 12044490 19006832 60050274
description	O-ring Viton thickness 3.53mm ID ø 28.17mm for 57 series for motor shaft		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ061EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FCZ201EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ202ETA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ201EBA, FCZ202EBA, FCZ061EBH, FCZ101EBH, FCZ201EBH, FCZ061EBN, FCZ101EBN...(Other models you can see in the webshop)		

			
1			
vm nr.	511301	Ref. No.	002699 0F0096 0K0447 0KE120 0KE540 60050273
description	shaft seal ID ø 16mm ED ø 38mm thickness 18mm		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ061EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FCZ201EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ202ETA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ201EBA, FCZ202EBA, FCZ061EBH, FCZ101EBH, FCZ201EBH, FCZ061EBN, FCZ101EBN...(Other models you can see in the webshop)		

hot air fans

ebm-papst



vm nr.	601198	Ref. No.	054842
description	hot air fan 230V 38W L1 65mm L2 20mm L3 25mm L4 130mm fan wheel ø 153mm type RRC140/0024A18 ebm-papst		
For models:	FCF02EV, FCF02EOEM, FCF/E3, FCF/E2, FCF/E2D, FCF/E2UK, FCF/E2, FCF/E2, FCF/E2D, BCFCV101/1, BCFCV102/1, BCFCV101/1, BCFCV102/1		

miscellaneous



vm nr.	601199	Ref. No.	005202 3570114102 3581907619 3581913773
description	hot air fan 220-240V 24-28W L1 60mm L2 25mm L3mm L4 87mm fan wheel ømm PLASET type M0850		
For models:	FCF/E4, FCF/E4-3KW, JCF/E4, JCF/E4, ECF/E4, ECF/E4-3KW, ACF/E4, ACF/E4-3KW, NCF/E4, ZCF/E4, ZCF/E4		



vm nr.	601201	Ref. No.	054314 054315
description	hot air fan 230V 26W fan wheel ø 150mm		
For models:	FCF/E4-OLD, FCF/E4D, FCFE4PH, FCF/E4OLD3, FCF/E4OLD4, FCF/E4OLD2, FCF/E4OLD1, FCF/E4D		

group 6



vm nr.	601731	Ref. No.	0KB666
description	hot air fan 220-230VAC 50W L1 71mm L2 4mm L3 6mm L4 87mm fan wheel ø 81mm PLASET type P/N M4307		
For models:	FCV31E3, 7CO30, CCO30G, ECO312CF, OTS100		


accessories

fan wheels for hot air fans




vm nr.	601200	Ref. No.	005221
description	fan wheel ø 150mm W 20mm shaft intake ø 6x5mm zinc-plated blades 7		
For models:	FCF/E4, FCF/E4-3KW, JCF/E4, JCF/E4, ECF/E4, ECF/E4-3KW, ACF/E4, ACF/E4-3KW, NCF/E4, ZCF/E4, ZCF/E4		

radial fans




vm nr.	601238	Ref. No.	002639 60050312
description	radial fan 230V voltage AC 50Hz 40W H1 205mm L1 205mm D1 ø 150mm W1 103mm W2 32mm H2 83mm W3 34mm H3 86mm		
For models:	FDV40G, FDV40GZ, FDV40GA, FDV20G, FDV20GZ, FDV20GA, FCF/G10L3, FCF/G10L3T, FCF/G10L3, FCF/G20L3, FCF/G20L3, FCF/G10L3J, FCF/G10L3J, FCF/G10L6JAP, FCF/G102/1L6JAP, FCF/G10L2, FCF/G10L6, FCF/G102/1L6, FCF/G20L6, FCF/G202L6, FCF/G101/1, FCF/G102/1, FCF/G201/1, FCF/G202/1, FCS101G2, FCS101G4, FCS101G4DT, FCS101GP9J, FCS101G49J, FCS101GP, FCS102G4, FCS102GA9J, FCS102G49J, FCS102GP, FCS201G4, FCS201GP, FCS202G4, FCS202GP, FCS101GX9J, FCS101GX, FCS102GX9J, FCS102GX, FCS201GX, FCS202GX, 5712-2-6, 5712-2-7, 5712-2-8, 5712-2-10, 5714-2-6, 5714-2-7...(Other models you can see in the webshop)		

1

vm nr.	601732	Ref. No.	0C4103
description	radial fan 230V voltage AC 50Hz 70W H1 174mm L1 176mm W1 99mm W2 40mm H2 45.5mm W3 83mm H3 83mm		
For models:	FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ061GBG, FCZ101GBG, FCZ102GBG, FCZ201GBG, FCZ202GBG, FCZ061GBD, FCZ101GBD, FCZ102GBD, FCZ201GBD, FCZ202GBD, FCZ061GBI, FCZ101GBI, FCZ201GBI, FCZ101GBG2, FCZ102GBG2, FCZ201GBG2, FCZ202GBG2, FCZ101GBD2, FCZ102GBD2, FCZ201GBD2, FCZ202GBD2, FCZ101GBI2, FCZ102GBI2, FCZ201GBI2, FCZ061GCG, FCZ101GCG, FCZ102GCG, FCZ201GCG, FCZ202GCG, FCZ061GCD, FCZ101GCD, FCZ102GCD... (Other models you can see in the webshop)		

1

vm nr.	500817	Ref. No.	0C1112
description	radial fan 24V voltage DC 50Hz 55W H1 180mm L1 180mm D1 ø 50mm W1 112mm W2 40mm H2 45mm W3 83mm H3 83mm		
For models:	AOS102GAEU, AOS201GAEU, AOS202GAEU, AOS102GAAU, AOS201GAAU, AOS202GAAU, AOS201GA, AOS201GB, AOS102GB, AOS102GA, AOS202GB, AOS202GA		

accessories universal



1

vm nr.	693846	Ref. No.	058731
description	spacer piece for fan motor		
For models:	FCFG6D, FCFE6D, FCFE6D, FCFG10, FCFG10D, FCFG10NL, FCFE10, FCFE10UK, FCFG20, FCFG20D, FCFG20F, PFCFG20, FCFE20, FCFE20UK, FCFG40, FCFG41, FCFG40D, FCFG40F, PFCFG40F, FCFE40, FCFE40D, FCFE40UK, PFCFE40F, FCFG6, FCFG6F, PFCFG6, FCFE6, FCFE6UK, PFCFE6, FCFG10J, FCFG10J, FCFE10J, FCFE10J, FCFG20J, FCFG20J, FCFE20J, FCFE20J, FCFG40J, FCFG40J, FCFE40J, FCFE40J, FCFG10J, FCFG10J, FCFG20J, FCFG20J, FCFG41J, FCFG40J, FCVE6-1U, FCVE6-3U, FCVE6-1... (Other models you can see in the webshop)		

motors

gear motors

miscellaneous



1

vm nr.	501432	Ref. No.	0C8687 0C8692
description	gear motor METEOR type 956 6W 230V 50Hz 2rpm shaft ø 6mm combi-steamer		

pumps

booster pumps II

accessories



1

vm nr.	365015	Ref. No.	057576 0F0032 0K4727 0K8508 0KJ296 MP810UF
description	operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		
For models:	CS7ME4/200-3, CS7ME4/230-3, CS7ME4/400-3N, CS7ME6/400-3N, CS7ME4/400-3N/EO, CS7ME4/400-3/50HZ/MA, CS7ME4/440-3/60HZ/MA, CS7MT4/400-3N, CS7GE4/200-3, CS7GE4/230-3, CS7GE4/400-3N, CS7GE6/400-3N, CS7GE4/400-3N/EO, CS7GE4/400-3/50HZ/MA, CS7GE4/440-3/60HZ/MA, CS7GT4/400-3N, CS7LCE4/200-3, CS7LCE4/230-3, CS7LCE4/400-3N, CS7LCE6/400-3N, CS7LCE4/400-3N/EO, CS7LCE4/400-3/50HZ/M, CS7LCE4/440-3/60HZ/M, CS7LCT4/400-3N, CS10ME4/200-3, CS10ME4/230-3, CS10ME6/230-3, CS10ME4/400-3N, CS10ME6/400-3N, CS10ME4/400-3N/EO, CS10ME4/400-3/50HZ/M, CS10ME4/440-3/60HZ/M, CS10MT4/400-3N, CS10MT6/400-3N, CS10GE4/200-3, CS10GE4/230-3, CS10GE6/230-3, CS10GE4/400-3N, CS10GE6/400-3N, CS10GE4/400-3N/EO, CS10GE4/400-3/50HZ/M, CS10GE4/440-3/60HZ/M, CS10GT4/400-3N, CS10GT6/400-3N, CS10LCE4/200-3, CS10LCE4/230-3, CS10LCE6/230-3, CS10LCE4/400-3N, CS10LCE6/400-3N, CS10LCE4/400-3N/EO... (Other models you can see in the webshop)		



1			
vm nr.	365017	Ref. No.	083406 0L2035
description	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
For models:	BC22, BC44, BC44H, BCF11, BCF22, BCF44, AQC60U, AQC119U US, BC28A6, Crosswise, , , , BCW061, BCW101, BCW102, BCFW061, BCFW101, BC22, BC44, BCF11, BCF22, BCF44, BCWS061T, BCFW102, BC22, BC44, BCF11, BCF22, BCF44, BCFWS102, BCFWS101, BC28A, Crosswise, BC56VA, Crosswise 20, BC56HA, BCF28A, Crosswise, BCF64A, Crosswise 20, BCF56HA, BCFWS061, BCFWS061T, BLAST C/ FREEZER, LS6EADD, LS6EA/DPDD, WT38TDE, LS6EADP3, LS6EAD-PWS...(Other models you can see in the webshop)		



1			
vm nr.	365012	Ref. No.	049260 0KB768 909
description	operating capacitor capacity 6.3µF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection male faston 6.3mm protection		
For models:	LS32UK/RP, WT302UK/RP, LS33UK/RP, WT303UK/RP, LB1, LB1WS, LB1WSDP, WT1WSDP, WT2TOP60, WT2DPDI, WT2WSDPDI, LB1TOP, WT2TOPDI, LB2WS, LB2, LB2WSDP, WT2WSDP, WT2WSDPD, WT2WS, WT1, WT1WS, WT1TOP, WT2TOP, WT1/3DP, WT2/3DP, WT2DPAUS, WT2, LB2DPDI, LB2WSDPDI, LB2WSDPD, LB2TOP, LB2DP3, WT2DPD3, NGW, NGWDPDD, LS6EADD, LS6EA/DPDD, LS6EADP3, LS6SANA, LS6EA/UK, LS6EA/DPUK, LS6EA/60, EUCAIUSPH6, LS65, LS62/UK, LS63/UK, WT37J60, WT37J50, LS64/UK, LS6AH240U...(Other models you can see in the webshop)		

vibration pumps



1			
vm nr.	499317	Ref. No.	OCA120
description	vibration pump 208-240V 46-60/38-54W 50/60Hz inlet ø 6 outlet ø 5 CEME type B46 kit L 142mm		



1			
vm nr.	499107	Ref. No.	0KB664 680801400
description	vibration pump type MP3 230V 5W 50Hz inlet ø 3 outlet ø 3 Invensys L 54mm		
For models:	FCV31E3, 7CO30, CCO30G, ECO312CF, OTS100		

condensators & interference suppression filters

operating capacitors

plastic



1			
vm nr.	365015	Ref. No.	057576 0F0032 0K4727 0K8508 0KJ296 MP810UF
description	operating capacitor capacity 10µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35.5mm L 59mm M8 plastic connection male faston 6.3mm protection		
For models:	CS7ME4/200-3, CS7ME4/230-3, CS7ME4/400-3N, CS7ME6/400-3N, CS7ME4/400-3N/EO, CS7ME4/400-3/50HZ/MA, CS7ME4/440-3/60HZ/MA, CS7MT4/400-3N, CS7GE4/200-3, CS7GE4/230-3, CS7GE4/400-3N, CS7GE6/400-3N, CS7GE4/400-3N/EO, CS7GE4/400-3/50HZ/MA, CS7GE4/440-3/60HZ/MA, CS7GT4/400-3N, CS7LCE4/200-3, CS7LCE4/230-3, CS7LCE4/400-3N, CS7LCE6/400-3N, CS7LCE4/400-3N/EO, CS7LCE4/400-3/50HZ/M, CS7LCE4/440-3/60HZ/M, CS7LCT4/400-3N, CS10ME4/200-3, CS10ME4/230-3, CS10ME6/230-3, CS10ME4/400-3N, CS10ME6/400-3N, CS10ME4/400-3N/EO, CS10ME4/400-3/50HZ/M, CS10ME4/440-3/60HZ/M, CS10MT4/400-3N, CS10MT6/400-3N, CS10GE4/200-3, CS10GE4/230-3, CS10GE6/230-3, CS10GE4/400-3N, CS10GE6/400-3N, CS10GE4/400-3N/EO, CS10GE4/400-3/50HZ/M, CS10GE4/440-3/60HZ/M, CS10GT4/400-3N, CS10GT6/400-3N, CS10LCE4/200-3, CS10LCE4/230-3, CS10LCE6/230-3, CS10LCE4/400-3N, CS10LCE6/400-3N, CS10LCE4/400-3N/EO...(Other models you can see in the webshop)		

			
1			
vm nr.	365021	Ref. No.	052797 0A2914 BC0164521
description	operating capacitor capacity 16µF 425V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 35mm L 73mm single M8 plastic connection male faston 6.3mm 416.10.99 protection		
For models:	MBR/G710D, MBR/E710D, RBR/G710D, 7BRE60XN, XBR/E710D, XBR/G751, XBR/G756, XBR/E716, RBR/E700, FCFG10J, FCFG10J, FCFG6J, FCFG6J, FCFG6J, FCFG6J, FCFG10J, FCFG10J, FCVE20-P, FCVE20PUK, FCVG20-P, FCVG20PUK, HBR/G1013, HBR/E1013, HBR/G1013, HBR/E1013, LS32, LS32/4.5, LS32UK/RP, LS32F, LV32F, C55, LV32/60, WT302, WT302/4.5, WT302UK/RP, WT302F, WT302/60, LS33, LS33/4.5, LS33UK/RP, LS33F, LV33F, C55A, LS33/60, WT303, WT303/4.5, WT303UK/RP, WT303F, WT303/60, LS61...(Other models you can see in the webshop)		

			
1			
vm nr.	365013	Ref. No.	049126 BC0084520
description	operating capacitor capacity 8µF 400V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 31.5mm L 55mm M8 plastic connection male faston 6.3mm protection		
For models:	LS32, LS32/4.5, LS32F, LV32F, C55, LV32/60, WT302, WT302/4.5, WT302F, WT302/60, LS33, LS33/4.5, LS33F, LV33F, C55A, LS33/60, WT303, WT303/4.5, WT303F, WT303/60, NUC3DD, EUC1, EUC1DP, EUC3, EUC3DP, EUC1G, EUC1DP60, EUC3DD, KUC3, KUC3DP, NUC1, NUC1DP, NUC3, NUC3DP, NUC1DP60, NUC1DPA, LB1, LB1WS, LB1WSDP, LB1/RBP, LB1/TOP, WT1WSDP, WT2TOP60, WT2DPDI, WT2WSDPDI, LB1TOP, WT2TOPDI, LB2WS, LB2, LB2WSDP...(Other models you can see in the webshop)		

			
2			
vm nr.	365017	Ref. No.	083406 OL2035
description	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
For models:	BC22, BC44, BC44H, BCF11, BCF22, BCF44, AQC60U, AQC119U US, BC28A6, Crosswise, , , , BCW061, BCW101, BCW102, BCFW061, BCFW101, BC22, BC44, BCF11, BCF22, BCF44, BCWS061T, BCFW102, BC22, BC44, BCF11, BCF22, BCF44, BCFWS102, BCFWS101, BC28A, Crosswise, BC56VA, Crosswise 20, BC56HA, BCF28A, Crosswise, BCF64A, Crosswise 20, BCF56HA, BCFWS061, BCFWS061T, BLAST C/ FREEZER, LS6EADD, LS6EA/DPDD, WT38TDE, LS6EADP3, LS6EAD-PWS...(Other models you can see in the webshop)		

			
1			
vm nr.	365139	Ref. No.	056148 0U0403 18000902 416332729 60050283 754000
description	operating capacitor capacity 10µF 450V tolerance 5% 60Hz ambient temperature max. -25 up to +70°C ø 40mm L 83mm M8 aluminium connection male faston 6.3mm C.87.8BF2 MKP protection		
For models:	FCZ061EBC, FCZ101EBC, FCV/G10L3, FCV/G6L3TOWNGAS, FCV/G6L3, FCVG10L3T, FCV/E101/1, FCVE6L3J, FCV/E10L3JAP, FCV/E10L6JAP, FCV/G6L3JAP, FCV/E61/1, FCV/G10L2, FCV/E61/1, FCV/E101/1, FCV/E101/1, FCV/E10L2, FCV/E102/1, FCV/E61/1, FCV/E61/1, FCV/E101/1, FCV/E101/2, FCV/G6L3C, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCVG6L3CT, FCV/E10L3, FCV/E102/1, FCV/E6L3, FCV/G6L4, FCV/E6L4, FCV/E101/1, FCV/G10L6, FCV/E10L6, FCV/E101/1, FCV/G101/1, FVC/E101/1, FCFG6-0, FCFG101/0, FCFG102-0, FCFG201-0, FCF/E6-0, FCFE101-0, FCFE102-0, FCFE201-0, FCFE202-0, FCF061ELN, FCF101ELN...(Other models you can see in the webshop)		

			
1			
vm nr.	365012	Ref. No.	049260 OKB768 909
description	operating capacitor capacity 6.3µF 450V tolerance 5% 50Hz ambient temperature max. -25 to +85°C ø 30mm L 61mm M8 plastic connection male faston 6.3mm protection		
For models:	LS32UK/RP, WT302UK/RP, LS33UK/RP, WT303UK/RP, LB1, LB1WS, LB1WSDP, WT1WSDP, WT2TOP60, WT2DPDI, WT2WSDPDI, LB1TOP, WT2TOPDI, LB2WS, LB2, LB2WSDP, WT2WSDP, WT2WSDPD, WT2WS, WT1, WT1WS, WT1TOP, WT2TOP, WT1/3DP, WT2/3DP, WT2DPAUS, WT2, LB2DPDI, LB2WSDPDI, LB2WSDPD, LB2TOP, LB2DP3, WT2DPD3, NGW, NGWDPDD, LS6EADD, LS6EA/DPDD, LS6EADP3, LS6SANA, LS6EA/UK, LS6EA/DPUK, LS6EA/60, EUCAIUSPH6, LS65, LS62/UK, LS63/UK, WT37J60, WT37J50, LS64/UK, LS6AH240U...(Other models you can see in the webshop)		

filters

interference suppression filters



1

vm nr.	365143	Ref. No.	003510 728024
description	interference suppression filter 275V capacity 47nF 100Ohm		
For models:	RBR/E2FM, RBR/E2IM, RBK/E2FM, RF/E1D05, RF/E1S08, RF/E2D08, RFR/E1S08, RFR/E2D08, RFR/E1S12, RFR/E2D12, RFR/E2S40, RF/E1S12, RF/E2D12, RF/E1S12, RF/E1S12E5, RFR/E1S12, XBR/E2FM, XBR/E2IM, XBK/E2FM, XF/E1D05, XF/E1S08, XF/E2D08, XFR/E1S08, XFR/E2D08, XFR/E1S12, XFR/E2D12, XFR/E2S40, XF/E1S12, XF/E2D12, XF/E1S12, XF/E2D12, XFR/E1S12, XFR/E2D12, JBR/E2FM, JF/E1D05, JF/E1S08, JF/E2D08, JFR/E1S08, JFR/E2D08, JFR/E1S12, JFR/E2D12, JFR/E2S40, JF/E1S12, JF/E2D12, JF/E1S12, JF/E2D12, MBR/E2FM, MBR/E2IM, MBK/E2FM, MF/E1D05...(Other models you can see in the webshop)		



1

vm nr.	365046	Ref. No.	046217 084035 0G2043 4011135001 60050076
description	interference suppression filter type 10S7E-G1474253105-Q 115/250V 50/60Hz conductor 2 with E connection male faston 6.3mm L 40mm ø 40mm Hmm Wmm M8 plastic Qty 1 pcs		
For models:	ILP111, ILP220, ILP220UK, ILP240, ILP221, ILN111, ILN220, ILN220UK, ILN240, ILN221, ILF220, ILF220UK, ILF240, TRN1301, TRNA1301, TRNM1301, TRN1302, TRNA1302, TRNM1302, TRN1303, TRNA1303, TRNM1303, TRN1801, TRNA1801, ARNM1801, TRN1802, TRNA1802, TRNM1802, TRN1803, TRNA1803, TRNM1803, TRN2201, TRNA2201, TRNM2201, TRN2202, TRNA2202, TRNM2202, TRN2203, TRNA2203, TRNM2203, TR1202, TR1221, TR1603, TR1622, TR1641, TR2004, TR2023, TR2042, MCF/G1095, MC/G352...(Other models you can see in the webshop)		



1

vm nr.	365050	Ref. No.	049303 0KE945
description	interference suppression filter type 411.13.5901D 250V 50Hz conductor 4 plug connection male faston 6.3mm L 50mm ø 38mm Hmm Wmm plug plastic Qty 1 pcs		
For models:	RF/E1D05, RF/E1S08, RF/E2D08, RFR/E1S08, RFR/E2D08, RFR/E1S12, RFR/E2D12, RFR/E2S40, RF/E1S12, RF/E2D12, RFR/E1S14, RFR/E2D14, RF/E1S12, RCP/E2S, RI/E1, RI/E2, RIF/E2, RIV/E2, RF/E1S07, RF/E2D07, RFR/E1S07, RFR/E2D07, RF/E1S12E5, RFR/E1S12, XF/E1D05, XF/E1S08, XF/E2D08, XFR/E1S08, XFR/E2D08, XFR/E1S12, XFR/E2D12, XFR/E2S40, XF/E1S12, XF/E2D12, XFR/E1S14, XFR/E2D14, XF/E1S12, XF/E2D12, XI/E1, XI/E2, XIF/E2, XIV/E2, XF/E1S07, XF/E2D07, XFR/E1S07, XFR/E2D07, XFR/E1S12, XFR/E2D12, JF/E1D05, JF/E1S08...(Other models you can see in the webshop)		



1

vm nr.	365140	Ref. No.	037269 047541 047883 694604400 S694604400
description	operating capacitor capacity 12.5µF 450V tolerance 5% 60Hz ambient temperature max. -25 up to +70°C ø 40mm L 83mm M8 aluminium connection male faston 6.3mm C.87.8BF2 MKP protection		
For models:	FCZ061EAA, FCZ101EAA, FCZ201EAA, FCZ202EAA, FCZ061EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FCZ201EAN, FCZ061ETA, FCZ101ETA, FCZ201ETA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ061GAG, FCZ101GAG, FCZ201GAG, FCZ061GAD, FCZ101GAD, FCZ201GAD, FCZ101GTG, FCZ201GTG, FCZ101GTD, FCZ201GTD, FCZ061EBA, FCZ101EBA, FCZ201EBA, FCZ202EBA, FCZ061EBH, FCZ101EBH, FCZ201EBH, FCZ061EBN, FCZ101EBN, FCZ201EBN, FCZ061EBC, FCZ101EBC, FCZ201EBC, FCZ061EBA2, FCZ101EBA2, FCZ201EBA2, FCZ061EBH2, FCZ101EBH2, FCZ201EBH2, FCZ061EBN2, FCZ101EBN2...(Other models you can see in the webshop)		



2

vm nr.	365160	Ref. No.	047744 0H1044 416334429 BC0204521
description	operating capacitor capacity 20µF 420V tolerance 5% 60Hz ambient temperature max. -25 up to +70°C ø 45mm L 82mm M8 aluminium connection male faston 6.3mm C.87.8BF2 protection		
For models:	CUTE0523, CUTE0538, FCVG102L3, FCV/E102/1L3JAP, FCV/E102/1L6JAP, FCV/E102/1L3, FCV/G102/1L6, FCV/E102/1L6, FCV/G102/1, FVC/E102/1, FVC/E202/1, FCFG101/0, FCFG102-0, FCFG202-0, FCFE101-0, FCFE102-0, FCFE201-0, FCFE202-0, FCF101ELN, FCF101ENS, FCF102ENS, FCF201ENS, FCFG102-0T, FCFE101-1J, FCFE102-1J, FCS102E44J, FCS102EP4J, FCS102E4, FCS102EP, FCS102G4, FCS202E4, FCS102GP, FCS202EP, FCS202G4, FCS202GP, FCS102EX4J, FCS102EX, FCS202EX, FCS102GX, FCS202GX, ECFG101-0, ECFG102-0, ECFG202-0, ECFE101-0, ECFE102-0, ECFE201-0, ECFE202-0, ECF101ENS, ECF102ENS, ECF201ENS...(Other models you can see in the webshop)		



1

vm nr.	365141	Ref. No.	0C1186 416335164
description	operating capacitor capacity 31.5µF 450V with metal case tolerance 5% ø 45mm L 132mm M8x1.25		
For models:	FCZ102EAA, FCZ202EAA, FCZ102ETA, FCZ202ETA, FCZ202GAG, FCZ202GAD, FCZ102GTG, FCZ202GTG, FCZ102GTD, FCZ202GTD, FCZ102EBA, FCZ202EBA, FCZ102EBA2, FCZ202EBA2, FCZ202GBG, FCZ202GBD, FCZ102GBG2, FCZ202GBG2, FCZ102GBD2, FCZ202GBD2, FCZ102GBI2, FCZ102ECA, FCZ202ECA, FCZ102ECA2, FCZ202ECA2, FCZ202GCG, FCZ202GCD, FCZ102GCG2, FCZ202GCG2, FCZ102GCD2, FCZ202GCD2, AOS102GAEU, AOS202GAEU, AOS102EA2N, AOS102EB2N, AOS202EA2N, AOS202EB2N, AOS102EA, AOS102EB, AOS202EA, AOS202EB, AOS102GB, AOS102GA, AOS202GB, AOS202GA, AOS102EAAQ, AOS102EBAQ, AOS202EAAQ, AOS202EBAQ, AOS102EANQ...(Other models you can see in the webshop)		

line filters

with housing



1

vm nr.	365077	Ref. No.	059078 0K2392 411105236
description	line filter type 411524410 250V 50/60Hz conductor 2 with E connection male faston 6.3mm L 50mm ø 38mm Hmm Wmm M8 plastic Qty 1 pcs		
For models:	FDV40G, FDV40E, FDV40GZ, FDV40EL, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, KFR/E1E, KFR/E2F, KFR/E1C, KFR/E2D, KFR/E1CE5, KFR/E2DE5, KFH/G1, KFH/E1, KFH/G1ELH, KFH/E1ELH, KFH/G1EH, KFH/E1EH, HFH/G430, HFH/E430, HFR/E430, HFR/E830, HFH/G435, HFH/G435, HFRS/E430, HFR/E431, HFR/E831, QFR/E1E, QFR/E2F, QFR/E1C, QFR/E2D, QFH/G1, QFH/E1, QFH/G1ELH, QFH/E1ELH, QFH/G1EH, QFH/E1H, ZFH/G430, ZFH/E430, ZFR/E430, ZFR/E830, ZFH/G435, ZFH/G435, ZFRS/E430, ZFR/E431, ZFR/E831...(Other models you can see in the webshop)		

fuses

fine fuses



1

vm nr.	358666	Ref. No.	0W3499
description	fine fuse size ø5x20mm 0.315A fast-acting rated 250V Qty 10 pcs		
For models:	C240, C260, D1000V, T1000, T1000, T1000, C24001, C240R01, C26001, C260R01, C290R01, C260R02, C240R02		



1

vm nr.	358610	Ref. No.	002347 058869 0W3317
description	fine fuse size ø5x20mm 10A fast-acting rated 250V Qty 10 pcs		
For models:	FCZ102EAA, FCZ102ETA, FCZ102GAG, FCZ102GAD, FCZ101GTG, FCZ102GTG, FCZ101GTD, FCZ102GTD, FCZ102EBA, FCZ102EBA2, FCZ102GBG, FCZ102GBD, FCZ061GBI, FCZ101GBI, FCZ101GBG2, FCZ102GBG2, FCZ101GBD2, FCZ102GBD2, FCZ101GBI2, FCZ102GBI2, FCZ102ECA, FCZ102ECA2, FCZ102GCG, FCZ102GCD, FCZ101GCG2, FCZ102GCG2, FCZ101GCD2, FCZ102GCD2, FCFE201-0, FCFE202-0, FCF201ENS, FCVM62E, FCVM62EUK, FCVMG62, 5714-2-7, 5714-2-8, 5714-2-10, 5717-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5714-2-7L, 5714-2-8L, 5714-2-10L, 5714-2-6L, 5714-2-7L, 5714-2-8L, 5714-2-10L, 5714-3-6, 5714-3-7...(Other models you can see in the webshop)		



1

vm nr.	358532	Ref. No.	0A8438
description	fine fuse size ø5x20mm 2A fast-acting rated 250V Qty 10 pcs		
For models:	BC100A, BC100DA, BC100RA, BC100RDA, BC180A, BC180DA, BC180RA, BC180RDA, BC180RPA, BCF100A, BCF100DA, BCF100RA, BCF100RDA, BCF180A, BCF180DA, BCF180RA, BCF180RDA, BCF180RPA, BCW201R, BCFW201R, BC120A, BC120RA, BCF120A, BCF120RA, BLAST C/FREEZER, BLAST C/FREEZER, BLAST C/FREEZER, BLAST C/FREEZER, BLAST C/FREEZER, BLAST C/FREEZER, BLAST C/FREEZER, BLAST C/FREEZER, BC0144, BC072, ESBC72R, ESBC144R, ESBF70, ESBF70R, ESBF144, ESBF144R, AOCP2028R, AOCP2028RD, AOCP2028RT, AOFP2028R, AOFP2028RD, AOFP2028RT, EABPR101, EABC101R, AOFP201CR, BLAST C/FREEZER, BLAST C/FREEZER...(Other models you can see in the webshop)		



1

vm nr.	358677	Ref. No.	053741 057783 083602 088227 090017 0H0516 0KD887 0KP602 0KP604 0KT789 60050226 728014
description	fine fuse size ø5x20mm 4A fast-acting rated 250V Qty 10 pcs		
For models:	BCF11, AQC119U US, , , BCW061, BCFW061, BCF11, BCWS061T, BC56VA, Crosswise 20, BC56HA, BCF64A, Crosswise 20, BCF56HA, BCFWS061, BCFWS061T, BLAST C/FREEZER, MBR/E710D, MBR/E700, MBR/E700UK, MBR/E716, MBR/E706, MFR/E350, MFR/E700, MFR/E370, MFR/E350UK, MFR/E700UK, MFR/E370UK, MFR/E370D, MFR/E350D, MFR/E700D, MFR/E355, MFR/E355UK, MFR/E355D, MFR/E705, MFR/E705UK, MFR/E705D, MFR/E740, RBR/E2FM, RBR/E2IM, RBK/E2FM, RCP/E2S, XBR/E2FM, XBR/E2IM, XBK/E2FM, JBR/E2FM, MBR/E2FM, MBR/E2IM, MBK/E2FM, MCP/E2S...(Other models you can see in the webshop)		

			
1			
vm nr.	358533	Ref. No.	002348 005077 053534 058871 068914 072068 083499 0C1480 0F0187 0H7033 0K8698 11019129 60050255 CF00023
description fine fuse size ø5x20mm 6.3A fast-acting rated 250V Qty 10 pcs			
For models: BC44, BC44H, BCW101, BCW102, BCFW101, BC44, BC44H, BCFW102, BC44, BC44H, BCFWS102, BCFWS101, STRP1101, STRP1102, STRP1601, STRP1602, STRP1603, STRP2201, STRP2202, STRP2203, STRP1101S, STRP1601S, STRP2201S, STRP1602R, STRP1603R, STRP2201R, STRP2202R, STRP2203R, STRP1101R, STRP1102R, STRP1601R, FDV40G, FDV40E, FDV40GZ, FDV40EL, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, MCP/E1SH, MCP/E1SUH, MCP/E2SUHS, MCP/E2SH, MCP/E2SUH, MCP/E2SUT, MCP/E2SHB, ECP/E1ELHU, PCP/E1SH...(Other models you can see in the webshop)			

			
1			
vm nr.	358594	Ref. No.	002820 0F0189 0H7031 11019111
description fine fuse size ø5x20mm 0.16A slow-acting rated 250V Qty 10 pcs			
For models: FCV/G10L3, FCV/G6L3TOWNGAS, FCV/G6L3, FCVG10L3T, FCVG10L3J, FCV/E101/1, FCV/G20L3, FCVG20L3, FCVE6L3J, FCV/E10L3JAP, FCV/E102/1L3JAP, FCV/E10L6JAP, FCV/E102/1L6JAP, FCV/G6L-3JAP, FCVG10L3J, FCVG10L3J, FCV/G10L6JAP, FCV/G102/1L6JAP, FCVG6L3CJ, FCV/E61/1, FCV/G10L2, FCV/E61/1, FCV/E101/1, FCV/E101/1, FCV/E10L2, FCV/E102/1, FCV/E61/1, FCV/E61/1, FCV/E101/1, FCV/E101/2, FCV/G6L3C, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCVG6L3CT, FCVG6L3CJ, FCV/E10L3, FCV/E102/1, FCV/E6L3, FCV/E102/1L3, FCV/E20L3, FCVE20L3, FCV/G6L4, FCV/E6L4, FCV/E101/1, FCV/G10L6, FCV/E10L6, FCV/G102/1L6, FCV/E102/1L6...(Other models you can see in the webshop)			

			
1			
vm nr.	358592	Ref. No.	086338 3049003
description fine fuse size ø5x20mm 0.1A slow-acting rated 250V Qty 10 pcs			
For models: CIM120AS, CIM120WS			

			
1			
vm nr.	358596	Ref. No.	002920
description fine fuse size ø5x20mm 0.25A slow-acting rated 250V Qty 10 pcs			
For models: FCV/G10L3, FCV/G6L3TOWNGAS, FCV/G6L3, FCVG10L3T, FCVE6L3J, FCV/E10L3JAP, FCV/E10L6JAP, FCV/G6L3JAP, FCVG10L3J, FCV/G10L6JAP, FCVG6L3CJ, FCV/E61/1, FCV/G10L2, FCV/E61/1, FCV/E10L2, FCV/E61/1, FCV/E61/1, FCV/G6L3C, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCVG6L3CT, FCVG6L3CJ, FCV/E10L3, FCV/E6L3, FCV/G6L4, FCV/E6L4, FCV/G10L6, FCV/E10L6, FCV/E101/1, FCV/G101/1, FVC/E101/1, FCS061G48J, FCS061GP, FCS061G3DI, FCS061E-3CI, FCS061G4, FCS101E2, FCS061G4DT, FCS101E44J, FCS061G49J, FCS101G2, FCS101E4, FCS101G4, FCS101G4DT, FCS101G49J, AOW101EA, 5711-2-8CH, 5711-2-10CH...(Other models you can see in the webshop)			

			
1			
vm nr.	358703	Ref. No.	002750 0F0188 0K8741 60050264
description fine fuse size ø5x20mm 0.4A slow-acting rated 250V Qty 10 pcs			
For models: FCVG102L3, FCV/E101/1, FCV/E102/1L3JAP, FCV/E102/1L6JAP, FCVG102L3J, FCV/G102/1L6JAP, FCV/E101/1, FCV/E101/1, FCV/E102/1, FCV/E101/1, FCV/E101/2, FCV/E102/1, FCV/E102/1L3, FCV/E101/1, FCV/G102/1L6, FCV/E102/1L6, FCV/G102/1, FVC/E102/1, FCS102E44J, FCS102E4, FCS102G4, FCS201E4, FCS102G49J, FC-S202E4, FCS202G4, CS7ME4/200-3, CS7ME4/230-3, CS7ME4/400-3N, CS7ME6/400-3N, CS7ME4/400-3N/EO, CS7ME4/400-3/50HZ/MA, CS7ME4/440-3/60HZ/MA, CS7MT4/400-3N, CS7GE4/200-3, CS7GE4/230-3, CS7GE4/400-3N, CS7GE6/400-3N, CS7GE4/400-3N/EO, CS7GE4/400-3/50HZ/MA, CS7GE4/440-3/60HZ/MA, CS7GT4/400-3N, CS7LCE4/200-3, CS7LCE4/230-3, CS7LCE4/400-3N, CS7LCE6/400-3N, CS7LCE4/400-3N/EO, CS7LCE4/400-3/50HZ/M, CS7LCE4/440-3/60H-Z/M, CS7LCT4/400-3N, CS10ME4/200-3...(Other models you can see in the webshop)			

			
1			
vm nr.	358599	Ref. No.	0C2301
description fine fuse size ø5x20mm 0.8A slow-acting rated 250V Qty 10 pcs			
For models: FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ061EAAH, FCZ101EAAH, FCZ201EAAH, FCZ061EAA, FCZ101EAA, FCZ201EAA, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ202ETA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ201EBA, FCZ202EBA, FCZ061EBH, FCZ101EBH, FCZ201EBH, FCZ061EBN, FCZ101EBN...(Other models you can see in the webshop)			

			
1			
vm nr.	358607	Ref. No.	007054
description	fine fuse size ø5x20mm 6.3A slow-acting rated 250V Qty 10 pcs		
For models:	AOS061EA, AOS061EB, AOS101EA, AOS101EB, AOS061EA3J, AOS061EB3J, AOS101EA3J, AOS101EB3J, AOS061EA2N, AOS061EB2N, AOS101EA2N, AOS101EB2N, AOS061EB5M, AOS101EB5M, AOS201EB5M, AOS061EB6M, AOS101EB6M, AOS201EB6M, AOS102EA2N, AOS102EB2N, AOS202EA2N, AOS202EB2N, AOS061EA0H, AOS061EB0H, AOS101EA0H, AOS101EB0H, AOS102EA, AOS102EB, AOS202EA, AOS202EB, AOS061GA, AOS101GA, AOS201GA, AOS201GB, AOS102GB, AOS102GA, AOS202GB, AOS202GA		

fine fuse holders

			
1			
vm nr.	358029	Ref. No.	0F0031
description	fuse holder suitable fuse ø5x20mm ø 14.5mm thread M16x1 1-pole 10A rated 500V connection F6.3		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ061EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FCZ201EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ202ETA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ201EBA, FCZ202EBA, FCZ061EBH, FCZ101EBH, FCZ201EBH, FCZ061EBN, FCZ101EBN...(Other models you can see in the webshop)		

			
1			
vm nr.	358396	Ref. No.	056582 60050251
description	fuse holder suitable fuse ø5x20mm ø 15mm mounting ø 12.5mm 16A rated 250V L 46mm connection male faston 4.8mm		
For models:	MBR/E710D, MBR/E700, MBR/E700UK, MBR/E716, MBR/E706, BCP/E1, FDV40G, FDV40E, FDV40GZ, FDV40EL, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, 7BRE60XN, 7BRE60X, RBR/E700UK, RBR/E716, RBR/E706, XBR/E710D, M70EBP, XBR/E710, CBR/E700, XBR/E716, XBR/E706, PPD/G260, PPI/G260P, ECP/E1ELHU, PCP/E1ELH, OPD/G260, OPI/G260P, TPD/G260, TPI/G260P, TCP/E1ELHU, TCP/E1ELH, TFRE1S12M0, TFRE2D12M0, TFRE1S12M4, TFRE2D12M4, KPI/G10, KPI/G15, KPD/G10, KPD/G15, KPD/G15A, KPI/G15A, KPI/G06, KPI/G15H, KPI/G10H...(Other models you can see in the webshop)		

electric accessories

cables

cable harnesses

			
1			
vm nr.	401849	Ref. No.	002763 60050352
description	connecting cable		
For models:	FDV40G, FDV40E, FDV40GZ, FDV40EL, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, FCV/G10L3, FCVG10L3T, FCVG102L3, FCV/G20L3, FCVG202L3, FCV/E10L3JAP, FCV/E102/1L3JAP, FCV/E10L6JAP, FCV/E102/1L6JAP, FCVG10L3J, FCVG102L3J, FCV/G10L-6JAP, FCV/G102/1L6JAP, FCV/E61/1, FCV/E101/1, FCV/E101/1, FCV/E102/1, FCV/E61/1, FCV/E101/1, FCV/E101/2, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCV/E10L3, FCV/E102/1, FCV/E102/1L3, FCV/E20L3, FCVE202L3, FCV/G6L4, FCV/E6L4, FCV/G10L6, FCV/E10L6, FCV/G102/1L6, FCV/E102/1L6, FCV/G20L6, FCV/E20L6, FCVG202L6, FCVE202L6, FCV/E101/1, FCV/G101/1...(Other models you can see in the webshop)		

connection cables

			
1			
vm nr.	699204	Ref. No.	0C3678
description	kable set L 630mm suitable for combi-steamer		

terminals

porcelain clamps

			
1			
vm nr.	550115	Ref. No.	053805
description	porcelain terminal block 2-pole 10mm ² max. 30A max 450V L 37mm W 37mm H 23mm mounting distancemm Qty 1 pcs		
For models:	TC1200TOP, TC1210TOP, TC1400TOP, TC1410TOP, TC1600TOP, TC1610TOP, TC1800TOP, TC1810TOP, TC2000TOP, TC2010TOP, TCD1200TOP, TCD1400TOP, TCD1600TOP, TCD1800TOP, TCD2000TOP, TC1000, TC1010, TC1200, TC1210, TC1400, TC1410, TC1600, TC1610, TC1800, TC1810, TC2000, TC2010, TCD1000, TCD1200, TCD1400, TCD1600, TCD1800, TCD2000, TC1200, TC1210, TC1400, TC1410, TC1600, TC1610, TC1800, TC1810, TC2000, TC2010, TCD1200, TCD1400, TCD1600, TCD1800, TCD2000, TC1000, TC1000...(Other models you can see in the webshop)		

			
1			
vm nr.	550114	Ref. No.	054042
description	porcelain terminal block 4-pole 2.5mm ² hole distance 18mm max. 10A max 250V L 40mm W 20mm H 15mm mounting distance 18mm Qty 1 pcs		
For models:	MCF/GE705, MCF/GE1055, MCF/GE700, MCFGE1050, MCF/GE700D, MCFGE1050D, MC/E350D, MC/E350UK, MC/E700D, MC/E700UK, MC/E1050D, MCF/GE1055UK, MC/E350, MC/E700, MC/E1050, MI/E350, MI/E700, MI/E350D, MI/E700D, MI/E360, MI/E710, MI/E360D, MI/E710D, MCF/GE702, MCFGE1052, MCF/GE700, MCFGE1050, MR/E350D, MR/E350UK, MR/E360, MR/E700D, MR/E700UK, MR/E710, MR/E720, MR/E715, MR/E725, MR/E350, MR/E700, MR/E720D, MFR/E355, MFR/E355UK, MFR/E355D, MPN/EI760, MPNEI760UK, MTF/GE1050, MT/G700F, MTF/G700F, MTF/G1055F, MTFGE1055F, MM/E700...(Other models you can see in the webshop)		

terminal blocks

			
1			
vm nr.	550232	Ref. No.	0W3543
description	lustre terminal 12-pole cross section 2.5mm ² max. 32A max 450V temp.-resist. 150°C		
For models:	LB81E, LB81BP, LB81COP, LB121E, LB121BP, LB161E, LB161BP, LB161V, CLB161E, CLB161V, T3900, T3900, T390013, T353019, T2130, T2130C, T3190, T3190, T3250_EL, T3250_GAS, T3250_EL, T3250_GAS, T3650, T3650, T3650, T3350_EL, T3350_GAS, T3350_EL, T3350_GAS, T3530, T3530, T3190E, T3190G, T329001, T329002, T329003, T329004, T329005, T329006, T329007, T329008, T329009, T329010, T329011, T329012, T353001, T353002, T353003, T353004, T353005...(Other models you can see in the webshop)		

connection terminals with screw/faston connections

			
1			
vm nr.	550278	Ref. No.	046357 0KE877 727938
description	power terminal block 3-pole max. 40A max 400V connection ø6mm ² / F6.3 temp.-resist. 150°C cross section 6mm ²		
For models:	MCF/G702, MCF/G1052, MCF/G700, MCF/G1050, MBR/G710D, MFR/G350, MFR/G700, MFR/G350D, MFR/G700D, MFR/G350F, MFR/G700F, MFR/G350E, MFR/G700E, FDV40G, FDV40GZ, FDV40GA, FDV20G, FDV20GZ, FDV20GA, RC/G1, RC/G2, RCV/G2, RCV/G3, RCF/G2, RCF/G3, RSF/G2, RSV/G2, RSF/G3, RPI/G260P, RW/E1, RB/E1, MCF/G2A, MCF/G3A, XC/G1, XC/G2, XCV/G2, XCV/G3, XCF/G2, XCF/G3, XSF/G2, XSV/G2, XSF/G3, XPI/G260P, XW/E1, XB/E1, JC/G1, JC/G2, JCV/G2, JCV/G3, JCF/G2...(Other models you can see in the webshop)		

			
1			
vm nr.	550411	Ref. No.	046347 048574 0E0994 0E1603 0E5176 0KE434 0KE541 0KG206
description	power terminal block 6-pole max. 40A max 450V connection ø6mm ² / F6.3 temp.-resist. 150°C cross section 6mm ²		
For models:	CMV11-F, CMV11F, CMV15-F, CMV15F, CMV15F2, CMV15F2, CMV11-F, CMV15/F, LS32/4.5, LS32UK/RP, LS32F, LV32F, C55, LV32/60, WT302/4.5, WT302UK/RP, WT302F, WT302/60, LS33/4.5, LS33UK/RP, LS33F, LV33F, C55A, LS33/60, WT303/4.5, WT303UK/RP, WT303F, WT303/60, LB8G, LB8G/63, LB8GF, LB8GPH, LB80EPH, LB80E, LB120EPH, LB120E, LB160EPH, LB160E, LB160V, CLB160E, CLB160V, W3400H06, W355HE, W365H, W375H5, W3105H, W3130H, W3130H, W3240H....(Other models you can see in the webshop)		

rail-mounted terminals

rail-mounted terminal blocks

			
1			
vm nr.	550598	Ref. No.	058875
description	rail-mounted terminal block 5-pole contacts 3P+N+E cross section 1.0-10mm ²		
For models:	MIF/E700, MIF/E700D, MIF/E710, MIF/E710D, MBR/E710D, MBR/E700, MBR/E700UK, MBR/E716, MBR/E706, MFR/E705, MFR/E705UK, MFR/E705D, 7BRE60XN, 7BRE60X, RBR/E700UK, RBR/E716, RBR/E706, XMIF/E710, CIF/E710, XBR/E710D, M70EBP, XBR/E710, CBR/E700, XBR/E716, XBR/E706, PIW/Z1, PI/Z2F, PG/E1, PG/E1E5, TIW/Z1, TI/Z2F, TG/E1, TG/E1E5, HCF/E800, HCF/GE810, KRF/E2R, KRF/E2RP, ZCF/E800, ZCF/GE810, QCF/M2, QCF/W2, QRF/E2R, QRF/E2RP, ACF/GE810, WRF/E2R, WRF/E2RP, ECF/G-E810, FCZ061EAA, FCZ061EAB, FCZ061EAN...(Other models you can see in the webshop)		

			
1			
vm nr.	551081 ¹	Ref. No.	058608 2238003
description	rail-mounted terminal block 5-pole contacts 3P+N+E cross section 1.5-16mm ² with fuse terminal suitable fuse ø5x30mm		
For models:	MFR/E740, RFR/E741, CFR/E702, HCF/E810, KPI/E10, KPI/E15, KPI/E15A, KPI/E15H, KPI/E10H, KBR/E2F, KBR/E2C, KBR/E3F, KBR/E3FH, KBR/E3C, KBR/E3CH, KBR/E2FH, KBR/E2CH, KFR/E1C, KFR/E2D, KFR/E1CE5, KFR/E2DE5, HFR/E418, HBR/E800, HBR/E805, HBR/E801, HBR/E806, HBR/E810, HBR/E815, HBR/E811, HBR/E816, HBR/E800UK, HBR/E820, HBR/E825, HBR/E800, HBR/E805, HBR/E810, HBR/E815, HBR/E811, HBR/E816, HBR/E800UK, QPI/E10, QPI/E15, QPI/E15H, QPI/E10H, QBR/E2F, QBR/E2C, QBR/E3F, QBR/E3FH, QBR/E3C, QBR/E3CH...(Other models you can see in the webshop)		

¹with fused terminal block

			
1			
vm nr.	551072	Ref. No.	059794
description	rail-mounted terminal block cross section 6mm ² suitable fuse 5x20/5x25mm		
For models:	MFR/E355, MFR/E355UK, MFR/E355D, MFR/E705, MFR/E705UK, MFR/E705D, RBR/E2FM, RBR/E2IM, RBK/E2FM, RCP/E2S, XBR/E2FM, XBR/E2IM, XBK/E2FM, JBR/E2FM, MBR/E2FM, MBR/E2IM, MBK/E2FM, MCP/E2S, RFR/E356, RFR/E701, PBR/E2FM, PBR/E2IM, PPI/E260P, PCP/E2SHP, OBR/E2FM, OBR/E2IM, OPI/E260P, OCP/E2S, TBR/E2FM, TBR/E2IM, TPI/E260P, TCP/E2S, KPI/E06, KCP/E1RU, KCP/G1U, KCP/G2U, KCP/E1U, HFR/E410, HFR/E411, HFR/E412, HPN/EI815D, HPN/EI810, HPN/EI815, HPN/ED811, HPN/ED816, HPA/ED825, HPA/EI825, HPNS/EI815, HPNS/EI815D, HPN/EI806...(Other models you can see in the webshop)		

electronic components

resistors

			
1			
vm nr.	359929	Ref. No.	058872 60050256
description	resistor 1000hm		
For models:	FCV/G10L3, FCV/G6L3TOWNGAS, FCV/G6L3, FCVG10L3T, FCVG102L3, FCV/E101/1, FCV/G20L3, FCVG202L3, FCVE6L3J, FCV/E10L3JAP, FCV/E102/1L3JAP, FCV/E10L6JAP, FCV/E102/1L6JAP, FCV/G6L-3JAP, FCVG10L3J, FCVG102L3J, FCV/G10L6JAP, FCV/G102/1L6JAP, FCVG6L3CJ, FCV/E61/1, FCV/G10L2, FCV/E61/1, FCV/E101/1, FCV/E101/1, FCV/E10L2, FCV/E102/1, FCV/E61/1, FCV/E61/1, FCV/E101/1, FCV/E101/2, FCV/G6L3C, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCVG6L3CT, FCVG6L3CJ, FCV/E10L3, FCV/E102/1, FCV/E6L3, FCV/E102/1L3, FCV/E20L3, FCVE202L3, FCV/G6L4, FCV/E6L4, FCV/E101/1, FCV/G10L6, FCV/E10L6, FCV/G102/1L6, FCV/E102/1L6...(Other models you can see in the webshop)		

gas valves and ignition boxes

gas control valves

HONEYWELL

			
1			
vm nr.	106007	Ref. No.	005925 VK4105A1118B
description	gas valve type VK4105A 220-240V 50/60Hz gas inlet flange 32x32mm gas outlet flange 32x32mm thermocouple connection pilot connection pressure range 15-60mbar max 60mbar operator type suitable for HONEYWELL flange 32x32mm		
For models:	FCV/G20L3, FCVG202L3, FCVG6L3CJ, FCV/G6L3C, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCVG6L3CT, FCVG6L3CJ, FCS061G48J, FCS061GP, FCS061G3DI, FCS061G4, FCS061G4DT, FCS061G49J, 5721-2-7, 5721-2-10, ECV/G6T4C, ECV/G61/1, ECV/G61/1, RCV061G2, ACV/G6C3C, ZCV/G6T4C, ZCV/G61/1		
accessories for	106007		
	vm nr.	102845	Ref. No. —
	gas connection angled 1/2" flange 32x32mm hole distance 24x24mm Tandem		
	vm nr.	102846	Ref. No. —
	gas connection straight 1/2" flange 32x32mm hole distance 24x24mm suitable for Tandem		

			
1			
vm nr.	106008	Ref. No.	006596 VK4105P2037B
description	gas valve type VK4105P 220/240V 50/60Hz gas inlet 1/2" NPT gas outlet 1/2" NPT thermocouple connection pilot connection pressure range 15-60mbar max 60mbar operator type HONEYWELL suitable for coil type 220/240V (V4336A 2220) flange 32x32mm		
For models:	FCV/G20L6, FCVG202L6, FCV/G201/1, FCV/G202/1, FCS201G4, FCS201GP, FCS202G4, FCS202GP, FCS201GX, FCS202GX, ECV/G20T4, ECVG202T4, ECV/G20T6, ECVG202T6, ACV/G20C4, ACVG202C4, ACVG202C6		
accessories for	106008		
	vm nr.	102845	Ref. No. —
	gas connection angled 1/2" flange 32x32mm hole distance 24x24mm Tandem		
	vm nr.	102846	Ref. No. —
	gas connection straight 1/2" flange 32x32mm hole distance 24x24mm suitable for Tandem		



SIT

ELETTROSIT



1

vm nr.	101123	Ref. No.	0810138 0A2035
description	gas valve SIT type ELETTROSIT 230V gas inlet 3/4" gas outlet 3/4" thermocouple connection M9x1 pilot connection M10x1 bottom equiv. no. 0.810.138		
For models:	VO40G		
spare parts for	101123		
	vm nr.	101312	Ref. No. 004217 054539 056601 0927011 0927012 0H6997
microswitch			
	vm nr.	101352	Ref. No. —
solenoid coil 230V 50Hz suitable for ELETTROSIT			
accessories for	101123		
	vm nr.	100006	Ref. No. —
piezoelectric igniter suitable for ELETTROSIT body plastic blowing connection ø2.4mm ø 14mm			
	vm nr.	100904	Ref. No. 052833 0K2497 100904 102504
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	vm nr.	100905	Ref. No. 052834 0958031
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	vm nr.	101301	Ref. No. —
gas connection thread 1/2" straight ELETTROSIT screw with O-ring			
	vm nr.	101303	Ref. No. —
gas connection straight thread 3/4" ELETTROSIT			
	vm nr.	101309	Ref. No. 051281 055805
extension			



1

vm nr.	101127	Ref. No.	053643 054538 057543 0810175 0K7815
description	gas valve SIT type ELETTROSIT 230V gas inlet 3/4" gas outlet 3/4" thermocouple connection M9x1 pilot connection M10x1 lateral equiv. no. 0.810.175		
For models:	FCFG10, FCFG10D, FCFG10NL, FCFG20, FCFG20D, FCFG20F, PFCFG20, FCFG40, FCFG41, FCFG40D, FCFG40F, PFCFG40F, FCFG10J, FCFG10J, FCFG20J, FCFG20J, FCFG40J, FCFG40J, FCFG10J, FCFG10J, FCFG20J, FCFG20J, FCFG41J, FCFG40J, HCPA/G1219, HCPA/G1219, HBR/G803, HBR/G804, HBR/G803, HBR/G804, HBR/G803, HBR/G805, HBR/G1003, HBR/G1003, HBR/G1004, HBR/G803, HBR/G804, HBR/G1013, HFR/G420, HFR/G420, HFR/G420NL, HFR/G840, HFR/G840, HFR/G840, HFR/G840, HFR/G421, FCFG101, FCFG201, FCFG202, FCFC202...(Other models you can see in the webshop)		
spare parts for	101127		
	vm nr.	101312	Ref. No. 004217 054539 056601 0927011 0927012 0H6997
microswitch			
	vm nr.	101352	Ref. No. —
solenoid coil 230V 50Hz suitable for ELETTROSIT			
accessories for	101127		
	vm nr.	100006	Ref. No. —
piezoelectric igniter suitable for ELETTROSIT body plastic blowing connection ø2.4mm ø 14mm			
	vm nr.	100904	Ref. No. 052833 0K2497 100904 102504
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	vm nr.	100905	Ref. No. 052834 0958031
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	vm nr.	101301	Ref. No. —
gas connection thread 1/2" straight ELETTROSIT screw with O-ring			
	vm nr.	101303	Ref. No. —
gas connection straight thread 3/4" ELETTROSIT			
	vm nr.	101309	Ref. No. 051281 055805
extension			



1

vm nr.	101122	Ref. No.	053242 054437 0810110
description	gas valve SIT type ELETTROSIT 24V gas inlet 3/4" gas outlet 3/4" thermocouple connection M9x1 equiv. no. 0.810.171 pilot outlet M10x1		
For models:	HFR/G1680, HFR/G2480		
spare parts for	101122		
	vm nr.	101312	Ref. No. 004217 054539 056601 0927011 0927012 0H6997
microswitch			
accessories for	101122		
	vm nr.	100006	Ref. No. —
piezoelectric igniter suitable for ELETTROSIT body plastic blowing connection ø2.4mm ø 14mm			
	vm nr.	100904	Ref. No. 052833 0K2497 100904 102504
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	vm nr.	100905	Ref. No. 052834 0958031
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	vm nr.	101301	Ref. No. —
gas connection thread 1/2" straight ELETTROSIT screw with O-ring			
	vm nr.	101303	Ref. No. —
gas connection straight thread 3/4" ELETTROSIT			
	vm nr.	101309	Ref. No. 051281 055805
extension			

NOVASIT



1

vm nr.	101760	Ref. No.	006182 0820060	
description	gas valve SIT series Novasit 820 220V 50Hz gas inlet 1/2" gas outlet 1/2" thermocouple connection M9x1 pilot connection M10x1 ignition pressure 3-5mbar pressure range 3-30mbar pressure regulator connection blind equiv. no. 0.820.060			
For models:	FCFG10160H, FCF/G101/1, ACFG10160H			
spare parts for	101760			
	vm nr.	101065	Ref. No.	0006245 056589 0K2953
magnet unit with cable L 44mm D1 ø 30mm D2 ø 20mm suitable for NOVASIT				
	vm nr.	101867	Ref. No.	—
solenoid coil 220V 60Hz				
accessories for	101760			
	vm nr.	100006	Ref. No.	—
piezoelectric igniter suitable for ELETTROSIT body plastic blowing connection ø2.4mm ø 14mm				
	vm nr.	100904	Ref. No.	052833 0K2497 100904 102504
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				
	vm nr.	100905	Ref. No.	052834 0958031
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	vm nr.	101305	Ref. No.	—
gas connection straight 1/2" flange 45x45mm ELETTROSIT/V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm				
	vm nr.	101306	Ref. No.	0A5398
gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL				
	vm nr.	101307	Ref. No.	—
gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL				
	vm nr.	101308	Ref. No.	—
gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL				
	vm nr.	101312	Ref. No.	004217 054539 056601 0927011 0927012 0H6997
microswitch				
	vm nr.	101313	Ref. No.	0967064 0K3020
solenoid coil 230V 50Hz				

Table continues overleaf



accessories for 101761				
	vm nr.	101308	Ref. No.	—
gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL				
	vm nr.	101312	Ref. No.	004217 054539 056601 0927011 0927012 0H6997
microswitch				
	vm nr.	101314	Ref. No.	—
solenoid coil 24V 50Hz				
	vm nr.	101317	Ref. No.	0960103 0K3022
plug with cable L 1000mm suitable for NOVASIT				
	vm nr.	101318	Ref. No.	—
cover cap for solenoid coil suitable for NOVASIT				



vm nr.	101967	Ref. No.	059473 0822110	
description	gas valve SIT series Novasit 822 230V 50Hz gas inlet 1/2" gas outlet 1/2" thermocouple connection pilot connection M10x1 ignition pressure 3-5mbar pressure range 3-30mbar pressure regulator connection perforated equiv. no. 0.822.110			
For models:	HBR/G800, HBR/G805, HBR/G801, HBR/G806, HBR/G810, HBR/G815, HBR/G811, HBR/G816, HBR/G800D, HBR/G805D, HBR/G801D, HBR/G806D, HBR/G810D, HBR/G815D, HBR/G811D, HBR/G816D, HBR/G800NL, HBR/G805NL, HBR/G810NL, HBR/G800UK, ZBR/G800, ZBR/G805, ZBR/G801, ZBR/G806, ZBR/G810, ZBR/G815, ZBR/G811, ZBR/G816, ZBR/G800D, ZBR/G805D, ZBR/G801D, ZBR/G806D, ZBR/G810D, ZBR/G815D, ZBR/G811D, ZBR/G816D, ZBR/G800UK, ABR/G800, ABR/G805, ABR/G801, ABR/G806, ABR/G810, ABR/G815, ABR/G811, ABR/G816, ABR/G800D, ABR/G805D, ABR/G801D, ABR/G806D, ABR/G810D...(Other models you can see in the webshop)			
spare parts for	101967			
	vm nr.	101313	Ref. No.	0967064 0K3020
solenoid coil 230V 50Hz				
	vm nr.	101542	Ref. No.	—
solenoid coil 50Hz NOVA 822/826/827 suitable for NOVASIT 230V				
accessories for	101967			
	vm nr.	100904	Ref. No.	052833 0K2497 100904 102504
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				
	vm nr.	100905	Ref. No.	052834 0958031
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	vm nr.	101305	Ref. No.	—
gas connection straight 1/2" flange 45x45mm ELETROSIT/V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm				

accessories for 101967				
	vm nr.	101306	Ref. No.	0A5398
gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL				
	vm nr.	101307	Ref. No.	—
gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL				
	vm nr.	101308	Ref. No.	—
gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL				
	vm nr.	101503	Ref. No.	—
O-ring EPDM thickness 2mm ID ø 32mm Qty 1 pcs				
	vm nr.	101924	Ref. No.	—
plug with cable L 1090mm suitable for NOVA 822/826/827				



vm nr.	106858	Ref. No.	059032
description	gas valve SIT series Novasit 825 24V 50Hz gas inlet 1/2" gas outlet 1/2" thermocouple connection M9x1 pilot connection M10x1 ignition pressure 3-5mbar pressure range 3-37mbar pressure regulator connection standard		
For models:	FCVG10-P, FCGV10PUK, FCGV20-P, FCGV20PUK, AFCV/G101, AFCV/G103, SCO/G10-3, AFCV/G201, AFCV/G203, SCO/G20-3		



SIGMA



1

vm nr.	106009	Ref. No.	0848037 0C1057
description	gas valve 230V 50Hz gas inlet 3/4" gas outlet 3/4" pressure range 0.5-12mbar Sigma equiv. no. 0.848.037		
For models:	FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ061GBG, FCZ101GBG, FCZ102GBG, FCZ201GBG, FCZ202GBG, FCZ061GBD, FCZ101GBD, FCZ102GBD, FCZ201GBD, FCZ202GBD, FCZ061GBI, FCZ101GBI, FCZ201GBI, FCZ101GBG2, FCZ102GBG2, FCZ201GBG2, FCZ202GBG2, FCZ101GBD2, FCZ102GBD2, FCZ201GBD2, FCZ202GBD2, FCZ101GBI2, FCZ102GBI2, FCZ201GBI2, FCZ061GCG, FCZ101GCG, FCZ102GCG, FCZ201GCG, FCZ202GCG, FCZ061GCD, FCZ101GCD, FCZ102GCD... (Other models you can see in the webshop)		
accessories for	106009		
	vm nr.	107222	Ref. No. —
plug for solenoid valve 3-pole cable length 1070mm			

TANDEM



1

vm nr.	101984	Ref. No.	002714 0836010 0K2200 60050315 60050357
description	gas valve 230V 50Hz gas inlet 1/2" gas outlet 1/2" pilot connection level slow ignition ignition times pressure range 2-50mbar power supply for modulator 230VAC rectified Tandem equiv. no. 0.836.010		
For models:	FDV40G, FDV40GZ, FDV40GA, FDV20G, FDV20GZ, FDV20GA, BRN70G, BRN70GZ, BRN70GA, FCV/G10L6JAP, FCV/G102/1L6JAP, FCV/G6L4, FCV/G10L6, FCV/G102/1L6, FCV/G20L6, FCVG202L6, FCV/G101/1, FCV/G102/1, FCS101G4, FCS101G4DT, FCS101GP, FCS102G4, FCS102GP, 5711-2-6, 5711-2-7, 5711-2-8, 5711-2-10, 5711-2-8CH, 5711-2-10CH, 5712-2-7, 5712-2-8, 5712-2-10, 5714-2-7, 5714-2-8, 5714-2-10, 5714-2-7, 5714-2-8, 5714-2-10, 5711-2-6L, 5711-2-7L, 5711-2-8L, 5711-2-10L, 5712-2-7L, 5712-2-8L, 5712-2-10L, 5714-2-7L, 5714-2-8L, 5714-2-10L, 5714-2-7L...(Other models you can see in the webshop)		
spare parts for	101984		
	vm nr.	101379	Ref. No. 002452 0967090 60050316
solenoid coil 230V 50Hz suitable for Tandem			

accessories for	101984		
	vm nr.	101274	Ref. No. —
olive for pipe ø 16mm Qty 1 pcs			
	vm nr.	101275	Ref. No. 052668
union screw thread 1/2" for pipe ø 16mm Qty 1 pcs			
	vm nr.	101925	Ref. No. 059474 17011108
plug with O-ring thread M10x1 for pilot burner suitable for NOVASIT			
	vm nr.	102845	Ref. No. —
gas connection angled 1/2" flange 32x32mm hole distance 24x24mm Tandem			
	vm nr.	102846	Ref. No. —
gas connection straight 1/2" flange 32x32mm hole distance 24x24mm suitable for Tandem			
	vm nr.	102847	Ref. No. —
O-ring			



1

vm nr.	101189	Ref. No.	002340 005897 0830040 0K1416 60050358
description	gas valve 230V 50Hz gas inlet 1/2" gas outlet 1/2" pilot connection M10x1 level slow ignition ignition times pressure range 3-50mbar power supply for modulator equiv. no. 0.830.040 suitable for Tandem		
For models:	FCV/G10L3, FCVG10L3T, FCVG102L3, FCV/G20L3, FCVG202L3, FCVG10L3J, FCVG102L3J, FCV/G10L2, FCV/G6L4, FCS101G2, FCV-MG62, 5711-2-6, 5711-2-7, 5711-2-8, 5711-2-10, 5711-2-8CH, 5711-2-10CH, 5712-2-6, 5714-2-6, 5717-2-6, 5711-2-6L, 5711-2-7L, 5711-2-8L, 5711-2-10L, 5712-2-6L, 5714-2-6L, 5714-2-6L, 5712-2-10F, 5714-2-10F, 5702-2-2, 5704-2-2, 5707-2-2, ECV/G6T4, ZCBGD8, ZCBDG12, ZCBDG18, RCV101G2, ACV/G10C2, NCV/G10L2, ZCV/G6T4, 7573-2, 7574-2, 7575-2, 7576-2, 7773-2, 7774-2, 7775-2, 7776-2, 9100-2, 9101-2...(Other models you can see in the webshop)		
spare parts for	101189		
	vm nr.	101379	Ref. No. 002452 0967090 60050316
solenoid coil 230V 50Hz suitable for Tandem			
accessories for	101189		
	vm nr.	100904	Ref. No. 052833 0K2497 100904 102504
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	vm nr.	100905	Ref. No. 052834 0958031
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	vm nr.	101274	Ref. No. —
olive for pipe ø 16mm Qty 1 pcs			

Table continues overleaf



accessories for 101189				
	vm nr.	101275	Ref. No.	052668
union screw thread 1/2" for pipe ø 16mm Qty 1 pcs				
	vm nr.	101925	Ref. No.	059474 17011108
plug with O-ring thread M10x1 for pilot burner suitable for NOVASIT				
	vm nr.	102845	Ref. No.	—
gas connection angled 1/2" flange 32x32mm hole distance 24x24mm Tandem				
	vm nr.	102846	Ref. No.	—
gas connection straight 1/2" flange 32x32mm hole distance 24x24mm suitable for Tandem				
	vm nr.	102847	Ref. No.	—
O-ring				

			
1			
vm nr.	101166	Ref. No.	OK0326 OK0327 OKC667 101166 S4560B1006
description	ignition box HONEYWELL type S4560B 1006 electrodes 1 waiting time 0s safety time 10s 220-240V 10VA 50Hz		
For models:	7573-2, 7574-2, 7575-2, 7576-2, 7773-2, 7774-2, 7775-2, 7776-2, 9100-2, 9101-2, 9102-2, 9104-2, 9113-2, 9114-2, 9115-2, 9116-2		

ignition boxes

HONEYWELL

			
1			
vm nr.	101165	Ref. No.	002351 OC0921 OE1499 OK2372 60050362 S4560A1008 S4560A1008B
description	ignition box HONEYWELL type S4560A 1008 equiv. no. S4560A 1008 electrodes 1 waiting time 0s safety time 10s 220-240V 10VA 50Hz		
For models:	BRN70G, BRN70GZ, BR70GZ, BRNG70A, FCV/G6L4, FCVMG62, 5711-2-6, 5711-2-7, 5711-2-8, 5711-2-10, 5711-2-8CH, 5711-2-10CH, 5711-2-6L, 5711-2-7L, 5711-2-8L, 5711-2-10L, ECV/G6T4, HCPA/G1219, CPD42G-Z, CPD40GZ, CPD42V-Z, CPD42E-Z, CPD40VZ, CPD40EZ, D200E, D200G, D200GC/OP, DI200E, DI200G, D350E, D350G, D350V, TT350, TT350, TT350, TT600E, TT600G, TT600V, D650E, D650G, D650V, D1000V, T353019, T3650, T3650, T3650, T1000, T3530, T3530, T1000... (Other models you can see in the webshop)		
spare parts for 101165			
	vm nr.	358696	Ref. No. —
fine fuse size ø5x20mm 4A medium lag rated 250V Qty 10 pcs			

			
1			
vm nr.	102347	Ref. No.	002641 OK1525 102347 60050363 S4560M1010B
description	ignition box HONEYWELL type S4560M 1010 electrodes 1 waiting time 10s safety time 5s 220-240V 10VA 50Hz		
For models:	FDV40G, FDV40GZ, FDV40GA, FDV20G, FDV20GZ, FDV20GA, FCV/G10L3, FCVG10L3T, FCVG102L3, FCV/G20L3, FCVG202L3, FCVG10L3J, FCVG102L3J, FCV/G10L6JAP, FCV/G102/1L6JAP, FCV/G10L2, FCV/G10L6, FCV/G102/1L6, FCV/G20L6, FCVG202L6, FCV/G101/1, FCV/G102/1, FCS101G2, FCS101G4, FCS101G4DT, FCS101GP9J, FCS101G49J, FCS101GP, FCS102G4, FCS102GA9J, FCS102G49J, FCS102GP, 5712-2-6, 5712-2-7, 5712-2-8, 5712-2-10, 5714-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5717-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5717-2-6, 5714-2-8, 5714-2-10, 5712-2-6L, 5712-2-7L, 5712-2-8L, 5712-2-10L, 5714-2-6L, 5714-2-7L... (Other models you can see in the webshop)		

			
1			
vm nr.	101184	Ref. No.	005924 101184 S4565C1033B
description	ignition box HONEYWELL type S4565C 1033 equiv. no. S4565C 1033 electrodes 2 waiting times safety time 5s 220-240V 4VA 50/60Hz		
For models:	FCV/G20L3, FCVG202L3, FCVG6L3CJ, FCV/G6L3C, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCVG6L3CT, FCVG6L3CJ, FCV/G20L6, FCVG202L6, FCV/G201/1, FCV/G202/1, FCS061G48J, FCS061GP, FCS061G3DI, FCS061G4, FCS061G4DT, FCS061G49J, FCS101G4, FCS101G4DT, FCS101G49J, FCS102G4, FCS102G49J, FCS201G4, FCS201GP, FCS202G4, FCS202GP, FCS101GX9J, FCS101GX, FCS102GX9J, FCS102GX, FCS201GX, FCS202GX, 5721-2-7, 5721-2-10, ECV/G20T4, ECVG202T4, ECV/G6T4C, ECV/G61/1, ECV/G20T4J, ECV/G61/1, ECV/G20T6, ECVG202T6, RCV061G2, ACV/G6C3C, ACV/G20C4, ACVG202C4, ACVG202C6... (Other models you can see in the webshop)		



SIT



1

vm nr.	101685	Ref. No.	005898 91310280
description	ignition box SIT type 503EFD electrodes 2 waiting time 1.5s safety time 10s 220/240V 10VA 50-60Hz protection IP40		
For models:	ZCBDG8, ZCBDG12, ZCBDG18		



1

vm nr.	101990	Ref. No.	005908 0537307
description	ignition box SIT type 537ABC electrodes 3 waiting time 1.5s safety time 5s 230V 10VA 50-60Hz protection IP40		
For models:	FCVG6L3CJ, FCV/G6L3C, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCVG6L3CT, FCVG6L3CJ, 5721-2-7, 5721-2-10, ECV/G6T4C, ECV/G61/1, ECV/G61/1, RCV061G2, ACV/G6C3C, ZCV/G6T4C, ZCV/G61/1		



1

vm nr.	102346	Ref. No.	0577307 0C1059 0C1878
description	ignition box SIT type 577DBC electrodes 2 waiting time 1.5s safety time 6s 220/240V 20VA 50/60Hz protection IP40		
For models:	AOS061GAEU, AOS101GAEU, AOS102GAEU, AOS201GAEU, AOS-202GAEU, AOS061GAAU, AOS101GAAU, AOS102GAAU, AOS201GAAU, AOS202GAAU, AOS061GA, AOS061GB, AOS101GA, AOS101GB, AOS-201GA, AOS201GB, AOS102GB, AOS102GA, AOS202GB, AOS202GA		



1

vm nr.	102589	Ref. No.	0C4260
description	ignition box SIT type 579DBC electrodes 1 waiting time 1.5s safety time 3.5s 220/240V 12VA 50/60Hz		
For models:	FCZ102EAA, FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ102EBA, FCZ061GBG, FCZ101GBG, FCZ102GBG, FCZ201GBG, FCZ202GBG, FCZ061GBD, FCZ101GBD, FCZ102GBD, FCZ201GBD, FCZ202GBD, FCZ061GBI, FCZ101GBI, FCZ201GBI, FCZ101GBG2, FCZ102GBG2, FCZ201GBG2, FCZ202GBG2, FCZ101GBD2, FCZ102GBD2, FCZ201GBD2, FCZ202GBD2, FCZ101GBI2, FCZ102GBI2, FCZ201GBI2, FCZ102ECA, FCZ061GCG, FCZ101GCG, FCZ102GCG, FCZ201GCG, FCZ202GCG...(Other models you can see in the webshop)		

safety valves

SIT

440 series



1

vm nr.	101100	Ref. No.	0440013 050106
description	gas valve pressure range 50mbar gas inlet 1/2" gas outlet 1/2" pilot connection M10x1 (tube ø 6mm) thermocouple connection M9x1 type 0.440.013		
For models:	FP/G1-ZO		
accessories for	101100		
	vm nr.	100904	Ref. No. 052833 0K2497 100904 102504
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	vm nr.	100905	Ref. No. 052834 0958031
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			



ignition parts

pilot burners

SIT

100 series



1

vm nr.	106907	Ref. No.	002572 0190083 0190085 02V35 050812 050813 051141 051624 051976 057737 058329 058715 0C0494 0G0100 0G0302 0K2942 0K5618 0K5698 0K5737 0K7809 0KE453 0M0902 19001195 19011195 19012868 330299600 720151 75204011001
description	pilot burner SIT type 100 series 3 flames nozzle ø 0.35mm gas connection 6mm		
For models:	MCF/G705, MCF/G1055, MCF/G700, MCF/G1050, MCF/G705E, MCF/G1055E, MCF/G700, MCF/G705F, MCF/G1055F, MCF/G702, MCF/G1052, MCF/G700, MCF/G1050, MR/G351, MR/G701, MR/G721, MR/G1071, MR/G350, MR/G360, MR/G700, MR/G700NL, MR/G710, MR/G1070, MR/G720, MR/G715, MR/G725, MR/G1075, MR/G361, MR/G711, MR/G716, MR/G726, MR/G1076, MFR/G360, MPN/GD761, MPN/GI761, MPN/GI760D, MPN/GD760, MPN/GD760F, MPN/GI760, MPN/GI760F, MT/G700D, MTF/G700D, MTF/G1050D, MT/G700, MTF/G700, MTF/G1050, MTF/GE1050, MT/G700F, MTF/G700F, MTF/G1055F... (Other models you can see in the webshop)		
spare parts for	106907		
	vm nr.	100246	Ref. No.
			02I37 056656 056797 0977031 0G0150 0G2787 0K1318 0K2895 0K3558 0K5866 0KW952 0M0833 19022988 19022989 M02I37 MOL02I37
	pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75		
	vm nr.	100855	Ref. No.
			00411 005618
	pilot burner bracket triple		

spare parts for	106907			
	vm nr.	100885	Ref. No.	—
	air mixing sleeve for pilot burner Qty 1 pcs			
	vm nr.	100916	Ref. No.	—
	compression spring for pilot burner Qty 1 pcs			
	vm nr.	100917	Ref. No.	—
	gasket for pilot burner Qty 1 pcs aluminium			
	vm nr.	100918	Ref. No.	—
	screw for pilot burner			
	vm nr.	107162	Ref. No.	—
	pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs			
	vm nr.	107702	Ref. No.	052686 0901404 11061232 727912
	pilot burner bottom part SIT 100 series nozzle ø 0.35mm			
accessories for	106907			
	vm nr.	100245	Ref. No.	003633 006188 056799 0977030 0G0082 0G2785 0G2786 0G5006 0K2946 0KD857 19012718 19022995
	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75			
	vm nr.	100904	Ref. No.	052833 0K2497 100904 102504
	locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	vm nr.	100905	Ref. No.	052834 0958031
	locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	vm nr.	102110	Ref. No.	006249 054810 0C0152 0C0153 0C0626 517824900 517870202
	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	vm nr.	102111	Ref. No.	—
	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			
	vm nr.	107171	Ref. No.	058330 058753 0977051 0G2234
	pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs			
	vm nr.	107700	Ref. No.	052281
	pilot burner bottom part SIT 100 series nozzle ø 0.25mm			
	vm nr.	107701	Ref. No.	—
	pilot burner bottom part SIT 100 series nozzle ø 0.2mm			



accessories

pilot burner bottom parts



1

vm nr.	107700	Ref. No.	052281
description	pilot burner bottom part SIT 100 series nozzle ø 0.25mm		
For models:	RFR/G301, RFR/G300, RFR/G301, RFR/G701, RFR/G701F, HFR/G420, HFR/G420, HFR/G840, HFR/G840, HFR/G840, HFR/G421, HFR/G420, ZHFRG421, HFR/G840, RFR/G301, RFR/G701		
spare parts for	107700		
	vm nr.	100916	Ref. No. —
compression spring for pilot burner Qty 1 pcs			
	vm nr.	100917	Ref. No. —
gasket for pilot burner Qty 1 pcs aluminium			
	vm nr.	100918	Ref. No. —
screw for pilot burner			
	vm nr.	102742	Ref. No. —
pilot burner nozzle LPG code 25 bore ø 0.25mm Qty 1 pcs			
accessories for	107700		
	vm nr.	100245	Ref. No. 003633 006188 056799 0977030 0G0082 0G2785 0G2786 0G5006 0K2946 0KD857 19012718 19022995
pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75			
	vm nr.	100246	Ref. No. 02137 056656 056797 0977031 0G0150 0G2787 0K1318 0K2895 0K3558 0K5866 0KW952 0M0833 19022988 19022989 M02137 MOL02137
pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75			
	vm nr.	100904	Ref. No. 052833 0K2497 100904 102504
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	vm nr.	100905	Ref. No. 052834 0958031
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			

accessories for	107700		
	vm nr.	102110	Ref. No. 006249 054810 0C0152 0C0153 0C0626 517824900 517870202
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	vm nr.	102111	Ref. No. —
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			

	1		
vm nr.	107702	Ref. No.	052686 0901404 11061232 727912
description	pilot burner bottom part SIT 100 series nozzle ø 0.35mm		
For models:	MR/G700NL, MFR/G350, MFR/G700, MFR/G350D, MFR/G700D, MFR/G350F, MFR/G700F, MFR/G350E, MFR/G700E, MFR/G350NL, MFR/G700NL, MFR/G740, MFR/G380, MFR/G381, MFR/G350, MFR/G351, MFR/G700, MFR/G701, RF/G1S07, RF/G2D07, RFR/G1S07, RFR/G2D07, RFR/G1S12, RFR/G2D12, RFR/G2S40, RFR/G1S14, RFR/G2D14, RF/G1S07, RF/G2D07, RFR/G1S07, RFR/G2D07, XF/G1S07, XFR/G2D07, XFR/G1S07, XFR/G2D07, XFR/G1S12, XFR/G2D12, XFR/G2S40, XFR/G1S14, XFR/G2D14, XF/G1S07, XF/G2D07, XFR/G1S07, XFR/G2D07, JF/G1S07, JF/G2D07, JFR/G1S07, JFR/G2D07, JFR/G1S12, JFR/G2D12... (Other models you can see in the webshop)		
spare parts for	107702		
	vm nr.	100246	Ref. No. 02137 056656 056797 0977031 0G0150 0G2787 0K1318 0K2895 0K3558 0K5866 0KW952 0M0833 19022988 19022989 M02137 MOL02137
pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75			
	vm nr.	100916	Ref. No. —
compression spring for pilot burner Qty 1 pcs			
	vm nr.	100917	Ref. No. —
gasket for pilot burner Qty 1 pcs aluminium			
	vm nr.	100918	Ref. No. —
screw for pilot burner			

Table continues overleaf



accessories for 107702				
	vm nr.	100245	Ref. No.	003633 006188 056799 0977030 0G0082 0G2785 0G2786 0G5006 0K2946 0KD857 19012718 19022995
pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75				
	vm nr.	100904	Ref. No.	052833 0K2497 100904 102504
locking screw M10x1 for pipe ø 4mm Qty 1 pcs				
	vm nr.	100905	Ref. No.	052834 0958031
locking screw M10x1 for pipe ø 6mm Qty 1 pcs				
	vm nr.	102110	Ref. No.	006249 054810 0C0152 0C0153 0C0626 517824900 517870202
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm				
	vm nr.	102111	Ref. No.	—
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm				
	vm nr.	102742	Ref. No.	—
pilot burner nozzle LPG code 25 bore ø 0.25mm Qty 1 pcs				
				
1	vm nr.	100880	Ref. No.	003614 006725 0901405
description pilot burner bottom part SIT 100 series nozzle ø 0.4mm				
For models: BF/G1S07, BFR/G1S14, PF/G1S07, PF/G2D07, PFR/G1S07, PFR/G2D07, PFR/G1S14, PFR/G2D14, PFR/G2S40, PFRG2D14HV, PFRG1S14HV, OF/G1S07, OFR/G1S07, OFR/G2D07, OFR/G1S14, OFR/G2D14, TF/G1S07, TF/G2D07, TFR/G1S07, TFR/G2D07, TFR/G1S14, TFR/G2D14, TFR/G2S40, KFR/G1A, KFR/G2B, KFR/G1E, KFR/G2F, KFH/G1, KFH/G1ELH, KFH/G1EH, KFR/G1T, FC1G, FC2G, HFH/G430, QFR/G1A, QFR/G2B, QFR/G1E, QFR/G2F, QFH/G1, QFH/G1ELH, QFH/G1EH, QFR/G1T, RF/G1680, RF/G2480, ZFH/G430, WFR/G1A, WFR/G2B, WFR/G1E, WFR/G2F, WFH/G1...(Other models you can see in the webshop)				

pilot burner brackets

universal



1

vm nr.	100855	Ref. No.	00411 005618
description pilot burner bracket triple			
For models: SFRG350, SFRG700, SCPG350, SFRG350, SFRG700, SRG350, SRG360, SRG700, SRG710, SMG350, SMG700, SCPG350			
accessories for 100855			
	vm nr.	100886	Ref. No. —
pilot burner bracket suitable for 100 series 3-piece			
	vm nr.	100887	Ref. No. —
opposite support for pilot burner suitable for 100 series			
	vm nr.	100888	Ref. No. —
screw bolt for pilot burner			

pilot burner nozzles




1

vm nr.	100245	Ref. No.	003633 006188 056799 0977030 0G0082 0G2785 0G2786 0G5006 0K2946 0KD857 19012718 19022995
description pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75			
For models: MBR/G710D, MBR/G700, MBR/G700F, MBR/G700UK, MBR/G701, MBR/G706, MBR/G701UK, MBR/G751, MBR/G756, MFG1500Z, MFG2200Z, FG250D, FG250S, FGC/250D, FGC/250S, RBR/G710D, RBR/G700, RBR/G700F, 7BRG60, 7BRG60X, RBR/G701UK, RBR/G751, RBR/G756, XBR/G710D, XBR/G700, XBR/G710, XBR/G700F, XBR/G700UK, XBR/G701, M70GBP, XBR/G701UK, XBR/G751, XBR/G756, CBR/G700, RBR/G700, RBR/E700, RBR/G700, BR80GZ, PCG810, PCG1210, PCG1610, PCG810F, PCG1210F, PCG1610F, PCG810D, PCG1210D, PCG1610D, PCG800NL, PCG1200NL, PCG1600NL...(Other models you can see in the webshop)			



			
vm nr.	100246	Ref. No.	02I37 056656 056797 0977031 0G0150 0G2787 0K1318 0K2895 0K3558 0K5866 0KW952 0M0833 19022988 19022989 M02I37 MOL02I37
description	pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75		
For models:	MCF/G705, MCF/G1055, MCF/G700, MCF/G1050, MCF/G705E, MCF/G1055E, MCF/G700D, MCF/G700, MCF/G705F, MCF/G1055F, MCF/G705NL, MCF/G1050D, MCF/G1055NL, MCF/G702, MCF/G1052, MCF/G700, MCF/G1050, MR/G351, MR/G701, MR/G721, MR/G1071, MR/G350, MR/G350F, MR/G350NL, MR/G350E, MR/G360, MR/G360F, MR/G700, MR/G700F, MR/G700NL, MR/G700E, MR/G710, MR/G710F, MR/G1070, MR/G720, MR/G715, MR/G725, MR/G1075, MR/G361, MR/G711, MR/G716, MR/G726, MR/G1076, MBR/G710D, MBR/G700, MBR/G700F, MBR/G700UK, MBR/G701, MBR/G706, MBR/G701UK...(Other models you can see in the webshop)		

ignition electrodes

			
vm nr.	100706	Ref. No.	02B06 02E10 051565 051977 056754 058135 0915036 0915055 0C0488 0G0083 0H6630 0K5703 0K9080 0KI377 0KQ943 0M0792 19012724 6010046 752040111 M02E10
description	ignition electrode connection M4 Qty 1 pcs		
For models:	MCF/G705, MCF/G1055, MCF/G700, MCF/G1050, MCF/G705E, MCF/G1055E, MCF/G700D, MCF/G700, MCF/G705F, MCF/G1055F, MCF/G705NL, MCF/G1050D, MCF/G1055NL, MCF/G702, MCF/G1052, MCF/G700, MCF/G1050, MR/G351, MR/G701, MR/G721, MR/G1071, MR/G350, MR/G350F, MR/G350NL, MR/G350E, MR/G360, MR/G360F, MR/G700, MR/G700F, MR/G700NL, MR/G700E, MR/G710, MR/G710F, MR/G1070, MR/G720, MR/G715, MR/G725, MR/G1075, MR/G361, MR/G711, MR/G716, MR/G726, MR/G1076, MBR/G710D, MBR/G700, MBR/G700F, MBR/G700UK, MBR/G701, MBR/G706, MBR/G701UK...(Other models you can see in the webshop)		

			
vm nr.	100707	Ref. No.	003272 054336 058385 0915037 0A2856 300903
description	ignition electrode D1 ø 7mm D2 ø 9mm connection ø2.4mm L1 14mm L2 6mm BL1 18mm BL2 3mm BL3 23mm to clip Qty 1 pcs		
For models:	HCPA/G1219, HCPA/G11219, HCPA/G121, HCPA/G121, NC4/FV, NC6/FVL, NC6/FV, NC6/2FV, NC8/2FV, NCG1V, NCG2V, NFG/20, NFG20+20, NFT/2GL, NFT/2GR, NFT/2GLC, 1TPG18F, 110FTL/N, 1104F/G, 1106F/2G, 1102FTL/N, 110FTR/N, 1102FTR/N, 1108F/2G, 110CP1, 110FR2, NC4/FV, NC6/FV, NC6/2FV, NC8/2FV, NC6/FVL, NFT/2GL, NFT/4GL, NFT/2GR, NFT/4GR, NFT/4GLR, NFT/4GLRC, NFT/2GLC, NFT/4GLC, NCG1V, NCG2V, NFG/20, NFG20+20, NTP/A, 090213, 090214, PCF/GG840, PCF/GG1260, PCF/GG1680, PTF/GG1835...(Other models you can see in the webshop)		

140 - 145 -150 series



1

vm nr.	107114 ¹	Ref. No.	003527 003635 004124 004283 0140015 059379 0C3193 0G2266 0G2418 0H6312 19013339 21624 727819 I07868 MM0000256
description	pilot burner SIT type 140 series 2 flames nozzle ømm gas connectionmm		
For models:	MT/G350, MT/G352, RCF/G9, RBR/G2FM, RBR/G2IM, RBK/G2FM, RR/G1FL, RR/G1FR, RR/G1CL, RR/G2FL, RR/G2FM, RR/G2CL, RRV/G1FL, RRV/G1FR, RRV/G1CL, RRV/G2FL, RRV/G2FM, RRV/G2CL, RR/G2CM, RTV/G2, RTF/G2, RSF/G2, RSV/G2, RSF/G3, RBV/G2, XCF/G9, XBR/G2FM, XBR/G2IM, XBR/G2FM, XR/G1FL, XR/G1FR, XR/G1CL, XR/G2FL, XR/G2FM, XR/G2CL, XRV/G1FL, XRV/G1FR, XRV/G1CL, XRV/G2FL, XRV/G2FM, XRV/G2CL, XR/G2CM, XTV/G2, XTF/G2, XSF/G2, XSV/G2, XSF/G3, XBV/G2, JBR/G2FM, JR/G1FL...(Other models you can see in the webshop)		
spare parts for	107114		
vm nr.	100907	Ref. No.	003609 0C0121 11061236
screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple			



¹incl. thermocouple fitting
Table continues overleaf



accessories for 107114				
	vm nr.	100204	Ref. No.	003792 004127 059216 07873 0977115 0C3214 0G2263 0G2415 0KT837 19013305 72780001 ADME01110
pilot burner nozzle SIT LPG code 14 bore ø 0.18/0.20mm Qty 1 pcs suitable for 140 series				
	vm nr.	100205	Ref. No.	—
pilot burner nozzle SIT LPG code 19 bore ø 0.23/0.26mm Qty 1 pcs suitable for SIT 150 series				
	vm nr.	100206	Ref. No.	—
pilot burner nozzle SIT natural gas code 36 bore ø 0.60/0.55mm Qty 1 pcs suitable for SIT 150 series				
	vm nr.	100207	Ref. No.	003784 003871 059215 0977113 0G2264 0G2416 19013306 72780002
pilot burner nozzle SIT natural gas code 27 bore ø 0.40/0.38mm suitable for SIT 140 series				
	vm nr.	100216	Ref. No.	—
pilot burner nozzle SIT natural gas code 38 bore ø 0.45mm Qty 1 pcs suitable for SIT 150 series				
	vm nr.	100701	Ref. No.	002564 004125 02B07 02E11 02I24 052610 056640 059380 059988 07714927 0915015 0915024 0A2473 0G2066 0G2265 0G2419 0H6628 0H6708 0H6802 0K4320 0KW911 0M0793 0M0823 1215009 19013340 727758 727820 72792 727920 M02E11
ignition electrode connection M4 Qty 1 pcs				
	vm nr.	100801	Ref. No.	—
gasket for pilot burner Qty 1 pcs				
	vm nr.	100897	Ref. No.	059161 0957009 0G2262 727799
olive for pipe ø 4mm Qty 1 pcs for pilot burner				
	vm nr.	100898	Ref. No.	003863
olive for pipe ø 6mm Qty 1 pcs for pilot burner				

accessories for 107114				
	vm nr.	100906	Ref. No.	003610 056641 057960 0974037 0G2227 0K5791 11061230 19013341 727759
screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10				
	vm nr.	100908	Ref. No.	046755 052125 0958013 0G2219 0K1348 0K5753 0KE882 0KL495 19012956 727742 727781
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	vm nr.	100909	Ref. No.	057821
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	vm nr.	102110	Ref. No.	006249 054810 0C0152 0C0153 0C0626 517824900 517870202
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm				
	vm nr.	102111	Ref. No.	—
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm				

POLIDORO

pilot burners



vm nr.	100051	Ref. No.	054032	
description	pilot burner POLIDORO 3 flames code gas connectionmm			
For models:	BCP/G1, RMV/G1C, RMV/G2C, RCP/G1S, RCP/G2D, XMV/G1C, XMV/G2C, XCP/G1S, XCP/G2D, JCP/G1S, JCP/G2D, MMV/G1C, MMV/G2C, MCP/G1S, MCP/G2D, ACPG2S, PCP/G1S, PCP/G2D, OCP/G1S, OCP/G2D, TCP/G1S, TCP/G2D, KP/G2, KMV/G2C, KCP/G1RU, KCP/G2RU, KCP/G1, KCP/G1R, KCP/G2, KCP/G2R, KCP/G1U, KCP/G2U, QP/G2, QMV/G2C, QCP/G1, QCP/G1R, QCP/G2, QCP/G2R, WCP/G1, WCP/G1R, WCP/G2, WCP/G2R, DCP/G400, FCF/G6-0, FCFG101/0, FCFG102-0, FCFG201-0, FCFG202-0, FCFG10160H, FCFG102-0T...(Other models you can see in the webshop)			
spare parts for	100051			
	vm nr.	100907	Ref. No.	003609 0C0121 11061236
screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple				
accessories for	100051			
	vm nr.	100000	Ref. No.	—
pilot burner nozzle POLIDORO LPG code 22 bore ø 0.22mm Qty 1 pc				

Table continues overleaf



accessories for 100051				
	vm nr.	100208	Ref. No.	—
pilot burner nozzle POLIDORO LPG code 20 bore ø 0.2mm Qty 1 pcs				
	vm nr.	100209	Ref. No.	—
pilot burner nozzle POLIDORO natural gas code 40 bore ø 0.4mm Qty 1 pcs				
	vm nr.	100701	Ref. No.	002564 004125 02B07 02E11 02I24 052610 056640 059380 059988 07714927 0915015 0915024 0A2473 0G2066 0G2265 0G2419 0H6628 0H6708 0H6802 0K4320 0KW911 0M0793 0M0823 1215009 19013340 727758 727820 72792 727920 M02E11
ignition electrode connection M4 Qty 1 pcs				
	vm nr.	100906	Ref. No.	003610 056641 057960 0974037 0G2227 0K5791 11061230 19013341 727759
screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10				
	vm nr.	100907	Ref. No.	003609 0C0121 11061236
screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple				
	vm nr.	100908	Ref. No.	046755 052125 0958013 0G2219 0K1348 0K5753 0KE882 0KL495 19012956 727742 727781
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				
	vm nr.	100909	Ref. No.	057821
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs				
	vm nr.	102110	Ref. No.	006249 054810 0C0152 0C0153 0C0626 517824900 517870202
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm				

accessories for 100051				
	vm nr.	102111	Ref. No.	—
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm				
	vm nr.	102508	Ref. No.	—
union screw thread M10x1 for pipe ø 4mm Qty 5 pcs				
	vm nr.	102509	Ref. No.	—
union screw thread M10x1 for pipe ø 6mm Qty 5 pcs				
	vm nr.	102699	Ref. No.	054037 054038
pilot burner nozzle POLIDORO natural gas code 25.2 bore ø 2x0.25mm Qty 1 pcs 2 bores				
	vm nr.	102795	Ref. No.	—
olive for pipe ø 4mm Qty 1 pcs				
	vm nr.	102797	Ref. No.	—
olive for pipe ø 6mm Qty 1 pcs				
	vm nr.	106703	Ref. No.	—
pilot burner nozzle POLIDORO natural gas code 27.2 bore ø 2x0.27mm Qty 1 pcs				
	vm nr.	106704	Ref. No.	—
pilot burner nozzle POLIDORO LPG code 16.2 bore ø 2x0.16mm Qty 1 pcs				
	vm nr.	106763	Ref. No.	—
pilot burner nozzle POLIDORO natural gas code 27.2A bore ø 2x 0.27mm Qty 1 pcs				
	vm nr.	106859	Ref. No.	054286
pilot burner nozzle POLIDORO LPG code 24 bore ø 0.24mm Qty 1 pcs				

electrodes

			
1			
vm nr.	505279	Ref. No.	0C4104
description gasket for ignition electrode L 65mm W 20mm			
For models: FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ061GBG, FCZ101GBG, FCZ102GBG, FCZ201GBG, FCZ202GBG, FCZ061GBD, FCZ101GBD, FCZ102GBD, FCZ201GBD, FCZ202GBD, FCZ061GBI, FCZ101GBI, FCZ201GBI, FCZ202GBI, FCZ101GBG2, FCZ102GBG2, FCZ201GBG2, FCZ202GBG2, FCZ101GBD2, FCZ102GBD2, FCZ201GBD2, FCZ202GBD2, FCZ101GBI2, FCZ102GBI2, FCZ201GBI2, FCZ202GBI2, FCZ061GCG, FCZ101GCG, FCZ102GCG, FCZ201GCG, FCZ202GCG, FCZ061GCD, FCZ101GCD, FCZ102GCD... (Other models you can see in the webshop)			



vm nr.	100701	Ref. No.	002564 004125 02B07 02E11 02I24 052610 056640 059380 059988 07714927 0915015 0915024 0A2473 0G2066 0G2265 0G2419 0H6628 0H6708 0H6802 0K4320 0KW911 0M0793 0M0823 1215009 19013340 727758 727820 72792 727920 M02E11
description ignition electrode connection M4 Qty 1 pcs			
For models: MCF/G1090, MCF/G1095, MCF/G995, MFR/G350, MFR/G700, MFR/G350D, MFR/G700D, MFR/G350F, MFR/G700F, MFR/G350E, MFR/G700E, MFR/G350NL, MFR/G700NL, MFR/G740, MFR/G380, MFR/G381, MFR/G350, MFR/G351, MFR/G700, MFR/G701, BCF/G2, BF/G1507, BFR/G1514, BR/G1FL, BR/G1FR, BR/G2FL, BR/G2FR, BCP/G1, MT/G350, MT/G352, MCP/G700, MCP/G701, MCP/G710, MCP/G711, MCP/G705, MCP/G706, RCF/G2, RCF/G3, RCF/G9, RBR/G2FM, RBR/G2IM, RBK/G2FM, RMV/G1C, RMV/G2C, RF/G1507, RF/G2D07, RFR/G1507, RFR/G2D07, RFR/G1512, RFR/G2D12...(Other models you can see in the webshop)			
accessories for 100701			
vm nr.	100906	Ref. No.	003610 056641 057960 0974037 0G2227 0K5791 11061230 19013341 727759
screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10			

vm nr.	100706	Ref. No.	02B06 02E10 051565 051977 056754 058135 0915036 0915055 0C0488 0G0083 0H6630 0K5703 0K9080 0KI377 0KQ943 0M0792 19012724 6010046 752040111 M02E10
description ignition electrode connection M4 Qty 1 pcs			
For models: MCF/G705, MCF/G1055, MCF/G700, MCF/G1050, MCF/G705E, MCF/G1055E, MCF/G700D, MCF/G700, MCF/G705F, MCF/G1055F, MCF/G705NL, MCF/G1050D, MCF/G1055NL, MCF/G702, MCF/G1052, MCF/G700, MCF/G1050, MR/G351, MR/G701, MR/G721, MR/G1071, MR/G350, MR/G350F, MR/G350NL, MR/G350E, MR/G360, MR/G360F, MR/G700, MR/G700F, MR/G700NL, MR/G700E, MR/G710, MR/G710F, MR/G1070, MR/G720, MR/G715, MR/G725, MR/G1075, MR/G361, MR/G711, MR/G716, MR/G726, MR/G1076, MBR/G710D, MBR/G700, MBR/G700F, MBR/G700UK, MBR/G701, MBR/G706, MBR/G701UK...(Other models you can see in the webshop)			
vm nr.	100707	Ref. No.	003272 054336 058385 0915037 0A2856 300903
description ignition electrode D1 ø 7mm D2 ø 9mm connection ø2.4mm L1 14mm L2 6mm BL1 18mm BL2 3mm BL3 23mm to clip Qty 1 pcs			
For models: HCPA/G1219, HCPA/G1219, HCPA/G121, HCPA/G121, NC4/FV, NC6/FVL, NC6/FV, NC6/2FV, NC8/2FV, NCG1V, NCG2V, NFG/20, NFG20+20, NFT/2GL, NFT/2GR, NFT/2GLC, 1TPG18F, 110FTL/N, 1104F/G, 1106F/2G, 1102FTL/N, 110FTR/N, 1102FTR/N, 1108F/2G, 110CP1, 110FR2, NC4/FV, NC6/FV, NC6/2FV, NC8/2FV, NC6/FVL, NFT/2GL, NFT/4GL, NFT/2GR, NFT/4GR, NFT/4GLR, NFT/4GLRC, NFT/2GLC, NFG/20, NCG1V, NCG2V, NFG/20, NFG20+20, NTP/A, 090213, 090214, PCF/GG840, PCF/GG1260, PCF/GG1680, PTF/GG1835...(Other models you can see in the webshop)			



vm nr.	102361	Ref. No.	002637 0826212 60050311
description	ignition electrode flange length 24mm flange width 17mm D1 ø 9.5mm L1 20mm L2 20mm BL1 30mm BL2 28mm fixing dimensions ø4.5mm with flange connection ø 6mm		
For models:	BRN70G, BRN/70GZ, BR70GZ, BRNG70A, FCV/G10L3, FCVG10L3T, FCVG102L3, FCVG10L3J, FCV/G10L6JAP, FCV/G102/1L-6JAP, FCV/G10L2, FCV/G6L4, FCV/G10L6, FCV/G102/1L6, 5711-2-6, 5711-2-7, 5711-2-8, 5711-2-10, 5711-2-8CH, 5711-2-10CH, 5711-2-6L, 5711-2-7L, 5711-2-8L, 5711-2-10L, 5712-2-10F, 5712-2-10S, 5714-2-10F, 5714-2-10S, ECV/G6T4, ECV/G10T4, ECVG102T4, ECV/G10T4J, ECV/G10T6, ECV/G102/1T6, HCPA/G1219, CPD42G-Z, CPD40GZ, RCV101G2, RCV101G4, ACV/G10C2, ACV/G10C4, ACVG102C4, ACV/G10C6, ACV/G102/1C6, NCV/G10L2, NCV/G10L4, NCV/G102/1, ZCV/G6T4, ZCV/G10T4...(Other models you can see in the webshop)		




vm nr.	102360	Ref. No.	002344 0829267 60050361
description	ignition electrode flange length 24mm flange width 17mm D1 ø 9.5mm L1 24mm L2 32mm BL1 33mm BL2 25mm fixing dimensions ø4.5mm with flange connection ø 6mm		
For models:	FCV/G6L4, FCVMG62, 5711-2-6, 5711-2-7, 5711-2-8, 5711-2-10, 5711-2-8CH, 5711-2-10CH, 5711-2-6L, 5711-2-7L, 5711-2-8L, 5711-2-10L, ECV/G6T4, ZCV/G6T4		




vm nr.	102175	Ref. No.	002638 60050310
description	ignition electrode flange length 24mm flange width 17mm D1 ø 9.5mm L1 31mm L2 30mm BL1 30mm BL2 28mm fixing dimensions ø4.5mm with flange connection ø 4mm		
For models:	FDV40G, FDV40GZ, FDV40GA, FDV20G, FDV20GZ, FDV20GA, BRN70G, BRN70E, BRN/70GZ, BRN/70EZ, BR70GZ, BR70EZ, BRNG70A, BRNE70A, FCV/G10L3, FCVG10L3T, FCV/G10L6JAP, FCV/G102/1L6JAP, FCV/G10L3J, FCVG102L3J, FCV/G10L6, FCV/G102/1L6, FCV/G20L3, FCVG20L3, FCVG10L3J, FCVG102L3J, FCV/G10L6JAP, FCV/G102/1L6JAP, FCV/G10L2, FCV/G10L6, FCV/G102/1L6, FCV/G20L6, FCVG20L6, FCV/G101/1, FCV/G102/1, FCV/G201/1, FCV/G202/1, FCS101G2, FCS101G4, FCS101G4DT, FCS101GP9J, FCS101G49J, FCS101GP, FCS102G4, FCS102GA9J, FCS102G49J, FCS102GP, FCS201G4, FCS201GP, FCS202G4, FCS202GP, FCS101GX9J, FCS101GX, FCS102GX9J, FCS102GX...(Other models you can see in the webshop)		



vm nr.	102344	Ref. No.	OC1068
description	ignition electrode flange length 24mm flange width 17mm D1 ø 9.5mm L1 35mm L2 35mm BL2 58mm connection F 4.8x0.8mm cable length 850mm fixing dimensions ø4.5mm with flange		
For models:	AOS101GAEU, AOS102GAEU, AOS201GAEU, AOS202GAEU, AOS101GAAU, AOS102GAAU, AOS201GAAU, AOS202GAAU, AOS061GA, AOS061GB, AOS101GA, AOS101GB, AOS201GA, AOS201GB, AOS102GB, AOS102GA, AOS202GB, AOS202GA		



vm nr.	102345	Ref. No.	OC1049
description	ignition electrode flange length 24mm flange width 17mm D1 ø 9.5mm L1 50mm BL1 30mm BL2 18mm connection F 4.8x0.8mm cable length 500mm fixing dimensions ø4.5mm with flange		
For models:	AOS061GAEU, AOS101GAEU, AOS102GAEU, AOS201GAEU, AOS-202GAEU, AOS061GAU, AOS101GAU, AOS102GAU, AOS201GAU, AOS202GAU, AOS061GA, AOS101GA, AOS101GB, AOS201GA, AOS201GB, AOS102GB, AOS102GA, AOS202GB, AOS202GA		



vm nr.	100780	Ref. No.	005886 OC5599
description	ignition electrode flange length 38mm flange width 17mm D1 ø 9.5mm L1 100mm L2 30mm L3 26mm BL1 20mm BL2 19mm connection F 4.8x0.8mm cable length 1300mm fixing dimensions ø4.5mm mounting distance 28mm with flange		
For models:	ZCBDG8, ZCBDG12, ZCBDG18		



vm nr.	102359	Ref. No.	002343 60050360
description	ignition electrode flange length 24mm flange width 17mm D1 ø 9.5mm L1 60mm L2 12mm BL1 33mm BL2 25mm fixing dimensions ø4.5mm with flange connection ø 4mm		
For models:	FCV/G6L4, FCVMG62, 5711-2-6, 5711-2-7, 5711-2-8, 5711-2-10, 5711-2-8CH, 5711-2-10CH, 5711-2-6L, 5711-2-7L, 5711-2-8L, 5711-2-10L, ECV/G6T4, ZCV/G6T4		



vm nr.	102351	Ref. No.	OC1137
description	ignition electrode flange length 38mm flange width 17mm D1 ø 9.5mm L1 20mm L2 35mm L3 26mm BL1 45mm BL2 48mm cable length 1180mm fixing dimensions ø4.5mm mounting distance 28mm with flange connection ø 6mm		
For models:	AOS201GAEU, AOS201GAU, AOS061GA, AOS101GA, AOS201GA, AOS201GB		



vm nr.	106880	Ref. No.	OC5273
description	ignition electrode flange length 38mm flange width 17mm D1 ø 9.5mm D2 ø 8.5mm L1 10.5mm L2 42mm L3 9mm BL1 51mm BL2 40mm connection ø6 connection ø 6mm		



1			
vm nr.	102352	Ref. No.	0C1134
description	ignition electrode flange length 38mm flange width 17mm D1 ø 9.5mm L1 35mm BL1 30mm BL2 18mm connection F 2.8x0.8mm cable length 600mm fixing dimensions ø4.5mm mounting distance 28mm with flange with earthing contact		
For models:	AOS201GAEU, AOS202GAEU, AOS201GAAU, AOS202GAAU, AOS-061GA, AOS101GA, AOS201GA, AOS201GB, AOS202GB, AOS202GA		



1			
vm nr.	102349	Ref. No.	005920
description	ignition electrode flange length 38mm flange width 17mm D1 ø 9.5mm L1 38mm L2 10mm BL1 23mm BL2 18mm connection F 4.8x0.8mm cable length 700mm fixing dimensions ø4.5mm mounting distance 28mm with flange		
For models:	FCVG6L3CJ, FCV/G6L3C, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCVG6L3CT, FCVG6L3CJ, FCS061G48J, FCS061GP, FCS061G3DI, FCS061G4, FCS061G4DT, FCS061G49J, 5721-2-7, 5721-2-10, ECV/G6T4C, ECV/G61/1, ECV/G61/1, RCV061G2, ACV/G6C3C, ZCV/G6T4C, ZCV/G61/1		



1			
vm nr.	104375	Ref. No.	005900 0C5598
description	ignition electrode flange length 38mm flange width 17mm D1 ø 9.5mm L1 8.5mm L2 20mm BL1 19mm BL2 21mm cable length 800mm		
For models:	ZCBGD8, ZCBDG12, ZCBDG18		



1			
vm nr.	102350	Ref. No.	005911
description	ignition electrode flange length 51mm flange width 23mm D1 ø 9.5mm L1 33mm L2 11mm BL1 20mm BL2 15mm connection F 6.3x0.8/2.8x0.8mm cable length 450mm fixing dimensions ø5.5mm with flange		
For models:	FCV/G61/1, FCV/G61/1, FCV/G61/1, FCS061GP, FCS061G4, 5721-2-7, 5721-2-10, ECV/G61/1, ECV/G61/1, ZCV/G61/1		



1			
vm nr.	102348	Ref. No.	005910
description	ignition electrode flange length 51mm flange width 23mm D1 ø 9.5mm L1 33mm L2 11mm BL1 20mm BL2 15mm connection F 6.3x0.8/2.8x0.8mm cable length 650mm fixing dimensions ø5.5mm with flange		
For models:	FCVG6L3CJ, FCV/G6L3C, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCVG6L3CT, FCVG6L3CJ, FCS061G48J, FCS061GP, FCS061G3DI, FCS061G4, FCS061G4DT, FCS061G49J, 5721-2-7, 5721-2-10, ECV/G6T4C, ECV/G61/1, ECV/G61/1, RCV061G2, ACV/G6C3C, ZCV/G6T4C, ZCV/G61/1		



vm nr.	103225	Ref. No.	0C4259 0C4462
description	monitoring and ignition electrodes flange length 62mm flange width 20mm D1 ø 9mm L1 40/38/32mm L2 -/15/13mm L4 -/28/22mm L3 -/13/9mm BL1 45mm BL2 45mm connection F4.8x0.8/F2.8x0.8 cable length 440/380mm fixing dimensions ø5mm		
For models:	FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ102GBG, FCZ201GBG, FCZ202GBG, FCZ102GBD, FCZ201GBD, FCZ202GBD, FCZ201GBI, FCZ101GBG2, FCZ102GBG2, FCZ201GBG2, FCZ202GBG2, FCZ101GBD2, FCZ102GBD2, FCZ201GBD2, FCZ202GBD2, FCZ101GBI2, FCZ102GBI2, FCZ201GBI2, FCZ102GCG, FCZ201GCG, FCZ202GCG, FCZ102GCD, FCZ201GCD, FCZ202GCD, FCZ101GCG2, FCZ102GCG2, FCZ201GCG2, FCZ202GCG2, FCZ101GCD2, FCZ102GCD2, FCZ201GCD2, FCZ202GCD2, AOS061GAGQ, AOS061GBGQ, AOS101GAGQ, AOS101GBGQ...(Other models you can see in the webshop)		



vm nr.	104535	Ref. No.	0C4461
description	monitoring and ignition electrodes group flange length 62mm flange width 20mm D1 ø 9mm L1 40/38/32mm BL1 45mm BL2 45mm connection F4.8x0.8/F2.8x0.8 cable length 440/230/230mm fixing dimensions ø5mm flange		
For models:	FCZ061GAG, FCZ101GAG, FCZ061GAD, FCZ101GAD, FCZ061GBG, FCZ101GBG, FCZ061GBD, FCZ101GBD, FCZ061GBI, FCZ101GBI, FCZ061GCG, FCZ101GCG, FCZ061GCD, FCZ101GCD, AOS061GAG1, AOS101GAG1, AOS061GAD1, AOS101GAD1, AOS061GAI1, AOS101GAI1, AOS101GAQ1, AOS061GAP1, AOS062GAP1, AOS101GAP1, AOS061GAU1, AOS101GAU1, AOS061GBG1, AOS101GBG1, AOS061GBD1, AOS101GBD1, AOS061GBI1, AOS101GBI1, AOS061GCG1, AOS101GCG1, AOS061GCD1, AOS101GCD1, AOS061GCP1, AOS062GCP1, AOS101GCP1, EJN061GAG, EJN101GAG, EJN061GAD, EJN101GAD, RDR061GAG, RDR101GAG, EJN061GBG, EJN101GBG, EJN061GBD, EJN101GBD, RDR061GBG...(Other models you can see in the webshop)		

1			
vm nr.	100906	Ref. No.	003610 056641 057960 0974037 0G2227 0K5791 11061230 19013341 727759
description	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		

ignition cables

pre-assembled cables

1			
vm nr.	100176	Ref. No.	002544 059146
description	ignition cable cable length 1000mm connection ø2.4mm / ø4mm permanent temperature 200°C		
For models:	MR/G351, MR/G701, MR/G721, MR/G1071, MR/G350, MR/G350F, MR/G350NL, MR/G350E, MR/G360, MR/G360F, MR/G700, MR/G700F, MR/G700NL, MR/G700E, MR/G710, MR/G710F, MR/G1070, MR/G720, MR/G715, MR/G725, MR/G1075, MR/G361, MR/G711, MR/G716, MR/G726, MR/G1076, MFR/G740, MFR/G380, MFR/G381, MFR/G350, MFR/G351, MFR/G700, MFR/G701, MPN/GD761, MPN/GI761, MPN/GI760D, MPN/GD760, MPN/GD760F, MPN/GI760, MPN/GI760F, MT/G700D, MT/G700, MT/G350, MT/G352, MM/G351, MM/G701, MM/G350, MM/G700, MM/G350F, MM/G700F...(Other models you can see in the webshop)		

1			
vm nr.	100026	Ref. No.	002578 0028398 054273 0K5687 0K1359 19012631
description	ignition cable cable length 1000mm connection ø4mm / F6.3mm		
For models:	MBR/G710D, MBR/G700, MBR/G700F, MBR/G700UK, MBR/G701, MBR/G706, MBR/G701UK, MBR/G751, MBR/G756, MFR/G350NL, MFR/G700NL, RBR/G710D, RBR/G700, RBR/G700F, 7BRG60, 7BRG60X, RBR/G701UK, RBR/G751, RBR/G756, XFR/G350NL, XFR/G700NL, XBR/G710D, XBR/G700, XBR/G710, XBR/G700F, XBR/G700UK, XBR/G701, M70GBP, XBR/G701UK, XBR/G751, XBR/G756, CBR/G700, RBR/G700, RBR/E700, RBR/G700, PTFG810, HMA/G800, HMA/G800D, HMA/G800NL, ZPTF/G1000, ZHMA/G80, CG148-001.A1AB, CG148-003.A2AB, CG248-201.A1ABBB, CG248-203.A1ABBB, CK248-209.D1ABBB, CK248-211.D1ABBB, LG159-703.A1BC, LG159-703.A2BC, LG159-704.A1BC...(Other models you can see in the webshop)		

1			
vm nr.	106848	Ref. No.	0C5328
description	ignition cable cable length 1040mm connection F2.8/ø6mm		



1 			
vm nr.	102180	Ref. No.	005559
description	ignition cable cable length 1200mm connection ø2.4mm / ø2.4mm		
For models:	1TPG18F, 110FTL/N, 1102FTL/N, 110FTR/N, 1102FTR/N, 110CP1, NC6/2FV, NFT/2GL, NFT/4GL, NFT/2GR, NFT/4GR, NFT/4GLR, NFT/4GL-RC, NFT/2GLC, NFT/4GLC, NCG1V, NCG2V, NTP/A, 090213, 090214, PTF/GG1835, PRA/G420, PRA/G430, PRA/G440, PRA/G840, PRA/G850, PRA/G860, PCP/G840, 1TPG18F, 1FTGF4L, 1FTGF4R, 1FTGC4L, 1FTGF8L, 1FTGF8R, 1FTGC8L, 1CP/G08S		

1 			
vm nr.	106850	Ref. No.	0C5327
description	ignition cable cable length 580mm connection F2.8/ø6mm		

1 			
vm nr.	100018	Ref. No.	00123 0028521 004943 059578 0U3507
description	ignition cable cable length 600mm connection ø2.4mm / ø4mm permanent temperature 200°C		
For models:	SFRG350, SFRG700, SCPG350, SFRG350, SFRG700, SRG350, SRG360, SRG700, SRG710, SMG350, SMG700, SCPG350		

1 			
vm nr.	106849	Ref. No.	0C5329
description	ignition cable cable length 850mm connection F2.8/ø6mm		



1 			
vm nr.	100019	Ref. No.	003755 006514
description	ignition cable cable length 900mm connection ø2.4mm / ø4mm		
For models:	BF/G1S07, BG/G1, BG/G2, BCP/G1, RBR/G2FM, RBR/G2IM, RBK/G2FM, RFR/G2S40, RR/G1FL, RR/G1FR, RR/G1CL, RR/G2FL, RR/G2FM, RR/G2CL, RRV/G1FL, RRV/G1FR, RRV/G1CL, RRV/G2FL, RRV/G2FM, RRV/G2CL, RR/G2CM, RG/G1, RG/G2, RGV/G1, RGV/G2, RTV/G2, RTF/G2, RCP/G1S, RCP/G2D, RBV/G2, XFR/G1S14, XFR/G2D14, XR/G1FL, XR/G1FR, XR/G1CL, XR/G2FL, XR/G2FM, XR/G2CL, XRV/G1FL, XRV/G1FR, XRV/G1CL, XRV/G2FL, XRV/G2FM, XRV/G2CL, XR/G2CM, XG/G1, XG/G2, XGV/G1, XGV/G2, XTV/G2...(Other models you can see in the webshop)		





vm nr.	106851	Ref. No.	006024
description	ignition cable set 1x6.3/ø4mm L:1100 1x6.3/ø4mm L:1500 1x2.8/ø6mm L:900 1x2.8/ø6mm L:1200 2x6.3/lug 5mm L:100		
For models:	FCV/G102/1L6JAP, FCV/G102/1L6, FCV/G102/1, FCS102G4, FCS102GP, FCS102GX, 5712-2-6, 5712-2-7, 5712-2-8, 5712-2-10, 5714-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5717-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5712-2-6L, 5712-2-7L, 5712-2-8L, 5712-2-10L, 5714-2-6L, 5714-2-7L, 5714-2-8L, 5714-2-10L, 5714-2-6L, 5714-2-7L, 5714-2-8L, 5714-2-10L, 5702-2-2, 5702-2-3, 5704-2-2, 5704-2-3, 5707-2-2, 57074-2-3, ECV/G102/1T6, ACV/G102/1C6, ZCV/G102/1T6		



vm nr.	106852	Ref. No.	006023
description	ignition cable set 1x6.3/ø4mm L:660 1x6.3/ø4mm L:1250 1x2.8/ø6mm L:700 1x2.8/ø6mm L:800 2x6.3/lug 5mm L:100		
For models:	FCV/G101/1, FCS101G4, FCS101G4DT, FCS101GP, FCS101GX		



ignition units



ignition switches




thermocouples

thermocouple sets universal



vm nr.	102006	Ref. No.	OKB732 OKB972 OKC366 OKC368 OKF226 OKG315 OKG409 OS0056 G1724003
description	thermocouple set 6-piece L 1200mm		



vm nr.	102000	Ref. No.	0KB964 0KC254 0S0055 G1724002
description	thermocouple set 6-piece L 900mm		

plug-in thermocouples

plug-in thermocouples standard


with barrel socket ø5mm - type Junkers with aluminised tip




			0260138 054102 054103 054104 058332 0G0790 0G2417 0K2870 0KT836 19013307 727773
vm nr.	102205	Ref. No.	
description	thermocouple M8x1 L 750mm plug connection ø5.0mm		
For models:	RC/G320, RC/G330, RC/G320F, RC/G720, RC/G730, MCF/G700, MCF/G1050, MCF/G700D, MCF/G700, MCF/G705NL, MCF/GE700, MCF-GE1050, MCF/GE700D, MCFGE1050D, MCF/G1050D, MCFG1055NL, MC/G350, MC/G350D, MC/G355NL, MC/G700, MC/G700D, MC/G705NL, MC/G1050, MC/G1050D, MC/G1055NL, MCF/G1090, MCF/G1095, MCF/G995, MC/G352, MC/G702, MC/G1052, MCF/G702, MCF/GE702, MCF/G1052, MCFGE1052, MC/G350, MC/G700, MC/G1050, MCF/G700, MCF/GE700, MCF/G1050, MCFGE1050, BC/G1, BCF/G2, MTF/G700D, MTF/G1050D, MTF/G700, MTF/G1050, MTF/GE1050, RC/G1...(Other models you can see in the webshop)		
accessories for	102205		
	vm nr.	101260	Ref. No. —
	thermocouple fitting thread M8x1 Qty 1 pcs		

with barrel socket $\varnothing 6(6.5)\text{mm}$

thermocouples SIT





vm nr.	107619	Ref. No.	0290059 0290064 0A2161 0H6251 0H6253 0H6254 0KB968 215780
description	thermocouple SIT M10x1 L 1000mm plug connection ø6.0(6.5)mm		
For models:	7500-2, 7501-2, 7502-2, 7502-9, 7503-2, 7504-2, 7504-9, 7505-2-9, 7505-9-9, 7508-2, 7511-2, 7512-2, 7512-9, 7530-2, 7531-2, 7550-2, 7551-2, 7552-2, 7553-2, 7700-2, 7701-2, 7703-2, 7711-2, 7730-2, 7731-2, 9000-2, 9001-2, 9002-2, 9004-2, 9006-9, 9012-2, 9030-2, 9031-2, 9201-2, 9203-2, 9211-2-0		





vm nr.	107621	Ref. No.	0290068 0H6248 0H6252 0KB970
description	thermocouple SIT M10x1 L 1500mm plug connection ø6.0(6.5)mm		
For models:	7542-2, 7544-2, 7742-2, 7744-2, 9042-2, 9044-2		




			
vm nr.	107604	Ref. No.	002573 0200129 OK5730 19012831
description	thermocouple SIT M8x1 L 1200mm plug connection ø6.0(6.5)mm		
For models:	CG148-001.A1AB, CG148-003.A2AB, CG248-201.A1ABBB, CG248-203.A1ABBB, CK248-209.D1ABBB, CK248-211.D1ABBB, LG159-703.A1BC, LG159-703.A2BC, LG159-704.A1BC, LG159-706.A1BC, LG259-711.A1ACCB, LG259-712.A1ACCB, LK259-707.D1ACCB, LK259-708.D1ACCB, LG259-739.A1ACCB, LG259-740.A1ACCB, CK248-205.D1ABBB, CK248-207.D1ABBB, LK159-707.D1BC, LK159-708.D1BC, LK259-727.D1ACCB, LK259-728.D1ACCB, LG159-704.A2BC, LK159-707.D2BC, LK159-708.D2BC, LG259-711.A2ACCB, LG259-712.A2ACCB, LK259-727.D2ACCB, LK259-728.D2ACCB, LK259-707.D2ACCB, LK259-708.D2ACCB, CK248-205.D2ABBB, CK248-207.D2ABBB, CK248-209.D2ABBB, CK248-211.D2ABBB, CG148-004.A1AB, CG148-005.A1AB, CG148-006.A1AB, CG248-240.A1ABBB, CG248-243.A1ABBB, CG248-244.A1ABBB, CG248-212.A1ABBB, CG248-213.A1ABBB, LG159-705.A1BC, LG159-753.A1BC, LG259-758.A1ACCB, LG259-754.A1ACCB, LG259-757.A1ACCB, CG148-001.A3AB, CG148-003.A2AB...(Other models you can see in the webshop)		


			
vm nr.	107601	Ref. No.	0G1120 OK5729 OK1368 19012830
description	thermocouple SIT M8x1 L 600mm plug connection ø6.0(6.5)mm		
For models:	CG148-001.A1AB, CG148-003.A2AB, CG248-201.A1ABBB, CG248-203.A1ABBB, CK248-209.D1ABBB, CK248-211.D1ABBB, LG159-703.A1BC, LG159-703.A2BC, LG159-704.A1BC, LG159-706.A1BC, LG259-711.A1ACCB, LG259-712.A1ACCB, LK259-707.D1ACCB, LK259-708.D1ACCB, LG259-739.A1ACCB, LG259-740.A1ACCB, CK248-205.D1ABBB, CK248-207.D1ABBB, LK159-707.D1BC, LK159-708.D1BC, LK259-727.D1ACCB, LK259-728.D1ACCB, LG159-704.A2BC, LK159-707.D2BC, LK159-708.D2BC, LG259-711.A2ACCB, LG259-712.A2ACCB, LK259-727.D2ACCB, LK259-728.D2ACCB, LK259-707.D2ACCB, LK259-708.D2ACCB, CK248-205.D2ABBB, CK248-207.D2ABBB, CK248-209.D2ABBB, CK248-211.D2ABBB, CG148-004.A1AB, CG148-005.A1AB, CG148-006.A1AB, CG248-240.A1ABBB, CG248-243.A1ABBB, CG248-244.A1ABBB, CG248-212.A1ABBB, CG248-213.A1ABBB, LG159-705.A1BC, LG159-753.A1BC, LG259-758.A1ACCB, LG259-754.A1ACCB, LG259-757.A1ACCB, CG148-001.A3AB, CG148-003.A2AB...(Other models you can see in the webshop)		


			
vm nr.	107605	Ref. No.	0290171 051119 0G2023 OK2872 727828
description	thermocouple SIT M8x1 L 1500mm plug connection ø6.0(6.5)mm		
For models:	MCF/G705, MCF/G1055, MCF/G700, MCF/G1050, MCF/G705E, MCF/G1055E, MCF/G700D, MCF/G700, MCF/G705F, MCF/G1055F, MCF/G705NL, MCF/G1050D, MCF/G1055NL, MCF/G702, MCF/G1052, MCF/G700, MCF/G1050, BCP/G1, MTF/G700D, MTF/G1050D, MTF/G700, MTF/G1050, MTF/GE1050, MT/G700F, MTF/G700F, MTF/G1055F, MTF-GE1055F, MF/G700, RCF/G2, RCF/G3, RCF/G9, RR/G1FL, RR/G1FR, RR/G2FL, RR/G2FM, RRV/G1FL, RRV/G1FR, RRV/G2FL, RRV/G2FM, RG/G1, RG/G2, RGV/G1, RGV/G2, RTV/G2, RTF/G2, RSF/G2, RSV/G2, RSF/G3, RBV/G2, MCF/G2A...(Other models you can see in the webshop)		


			
vm nr.	107602	Ref. No.	0290209 OC0202 0G2906 0G4070 11151701
description	thermocouple SIT M8x1 L 850mm plug connection ø6.0(6.5)mm		
For models:	ASG36, PC/G1, PC/G2, PCV/G2, PCV/G3, PCF/G2, PCF/G3, PCF/G9, PCF/M2, PCF/M3, PCF/M2E5, PTV/G2, PTF/G2, PSF/G2, PSV/G2, PSF/G3, PCV/G2N, PCF/G3N, PC/G2HV, PCV/G3N, PCF/G2N, PC/G1HV, PTV/G2N, PC/G1A, PC/G2A, PCV/G2A, PCV/G3A, PCF/G2A, PCF/G3A, PCF/M2A, PCF/M3A, OC/G1, OC/G2, OCV/G2, OCF/G2, OCF/G3, OCF/M2, OTV/G2, OTF/G2, OSF/G2, OSV/G2, TC/G1, TC/G2, TCV/G2, TCV/G3, TCF/G2, TCF/G3, TCF/M2, TCF/M3, TCF/M2E5...(Other models you can see in the webshop)		
accessories for	107602		
	vm nr.	100920	Ref. No. —
	thermocouple fitting thread M8x1 / M9x1 Qty 1 pcs		
	vm nr.	100922	Ref. No. —
	thermocouple fitting thread M10x1 / ASA 11/32 Qty 1 pcs		




			
vm nr.	107613	Ref. No.	002579 003281 004123 020094 0290125 059816 0G2065 0G2382 0H6224 0K2943 0K3464 0K5728 10070 19012829 727757
description	thermocouple SIT M9x1 L 1200mm plug connection ø6.0(6.5)mm		
For models:	MCF/G1090, MCF/G1095, MCF/G995, MPN/GD761, MPN/GI761, MPN/GI760D, MPN/GD760, MPN/GD760F, MPN/GI760, MPN/GI760F, BCF/G2, RPD/G240, RPD/G260, XPD/G240, XPD/G260, JPD/G240, JPD/G260, MPD/G240, MPD/G260, RCF/G1095, 7PDG06, 7PIG06, RPN/GD760F, RPN/GI760F, CCF/G995, CCF/G996, XFR/G350NL, XFR/G700NL, XPN/GI760D, M70GDKE, M70GIKE, XPN/GD760F, XPN/GI760F, PCV/G2, PCV/G3, PCF/G2, PCF/G3, PCF/G9, PTF/G2, PSF/G2, PSF/G3, PCV/G2N, PCF/G3N, PCV/G3N, PCF/G2N, PCV/G2A, PCV/G3A, PCF/G2A, PCF/G3A, OCV/G2...(Other models you can see in the webshop)		


			
vm nr.	107614	Ref. No.	003280 006588 027036 0290022 02R19 02T01 053043 056631 056840 059064 059390 0C5899 0H6250 0KI129 0KL502 0KR014 0M0893 310401 4443105 444311500 727861 9BDSGS3890 M02T01 S444311800 SGT130
description	thermocouple SIT M9x1 L 1500mm plug connection ø6.0(6.5)mm		

			
vm nr.	107608	Ref. No.	025204 027317 059282 059738 S444311600
description	thermocouple SIT M9x1 L 500mm plug connection ø6.0(6.5)mm		
For models:	RF/G300, HM/G800T, RF/G300		

			
vm nr.	107609	Ref. No.	00118 004942 0200185 025031 0290015 0290016 053002 056639 057781 058133 059283 0K2918 0K3506 6010055
description	thermocouple SIT M9x1 L 600mm plug connection ø6.0(6.5)mm		
For models:	MFG1500Z, MFG2200Z, BR/G1FL, BR/G1FR, BR/G2FL, BR/G2FR, MM/G351, MM/G701, MM/G350, MM/G700, MM/G350F, MM/G700F, MM/G700E, MCP/G700, MCP/G701, MCP/G710, MCP/G711, MCP/G705, MCP/G706, VO40G, RCP/G1S, RCP/G2D, XCP/G1S, XCP/G2D, JCP/G1S, JCP/G2D, MCP/G1S, MCP/G2D, ARG12FL, ARG24FL, ARG36FL, ARG48FL, ARG12FR, ARG24FR, ARG36FR, ARG48FR, AGG12, AGG24, AGG36, AGG48, ARG12FLCE, ARG24FLCE, ARG36FLCE, ARG48FLCE, ARG12FRCE, ARG24FRCE, ARG36FRCE, ARG48FRCE, AGG12CE, AGG24CE...(Other models you can see in the webshop)		

plug-in thermocouples with interruption

			
vm nr.	102068	Ref. No.	058503
description	thermocouple SIT with interrupter M9x1 L 320mm plug connection ø6.0mm soldering connection		
For models:	RF/G350D, RF/G700D		


			
vm nr.	102252	Ref. No.	002784
description	thermocouple with interrupter M9x1 L 600mm plug connection ø6.0mm cable 650mm		
For models:	HBR/G800, HBR/G805, HBR/G810, HBR/G815, HBR/G811, HBR/G816, HBR/G800UK, ZBR/G800, ZBR/G805, ZBR/G810, ZBR/G815, ZBR/G811, ZBR/G816, ZBR/G800UK, ABR/G800, ABR/G805, ABR/G810, ABR/G815, ABR/G811, ABR/G816, OBR/G800UK		

threaded thermocouples


threaded thermocouples standard

with socket with thread M8x1


SIT

			
vm nr.	107630	Ref. No.	0K5688
description	thermocouple SIT M8x1 L 600mm M8x1		
For models:	CG148-001.A1AB, CG148-003.A2AB, CG248-201.A1ABBB, CG248-203.A1ABBB, CK248-209.D1ABBB, CK248-211.D1ABBB, LG159-703.A1BC, LG159-703.A2BC, LG159-704.A1BC, LG159-706.A1BC, LG259-711.A1ACCB, LG259-712.A1ACCB, LG259-707.D1ACCB, LG259-708.D1ACCB, LG259-739.A1ACCB, LG259-740.A1ACCB, CK248-205.D1ABBB, CK248-207.D1ABBB, LK159-707.D1BC, LK159-708.D1BC, LK259-727.D1ACCB, LK259-728.D1ACCB, LG159-704.A2BC, LK159-707.D2BC, LK159-708.D2BC, LG259-711.A2ACCB, LG259-712.A2ACCB, LK259-727.D2ACCB, LK259-728.D2ACCB, LK259-707.D2ACCB, LK259-708.D2ACCB, CK248-205.D2ABBB, CK248-207.D2ABBB, CK248-209.D2ABBB, CK248-211.D2ABBB, CG148-004.A1AB, CG148-005.A1AB, CG148-006.A1AB, CG248-240.A1ABBB, CG248-243.A1ABBB, CG248-244.A1ABBB, CG248-212.A1ABBB, CG248-213.A1ABBB, LG159-705.A1BC, LG159-753.A1BC, LG259-758.A1ACCB, LG259-754.A1ACCB, LG259-757.A1ACCB, CG148-001.A3AB, CG148-003.A2AB...(Other models you can see in the webshop)		
accessories for	107630		
	vm nr.	102067	Ref. No. 055033 0992014
	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1		

			
vm nr.	107631	Ref. No.	0K0652 0U2960
description	thermocouple SIT M8x1 L 850mm M8x1		
accessories for	107631		
	vm nr.	102067	Ref. No. 055033 0992014
	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1		

			
vm nr.	107636	Ref. No.	025677
description	thermocouple SIT M9x1 L 600mm M8x1		
accessories for	107636		
	vm nr.	102067	Ref. No. 055033 0992014
	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1		

threaded thermocouples (miscellaneous)

			
vm nr.	107646	Ref. No.	0200211 052163 059952
description	thermocouple M9x1 L 1000mm M8x1		
For models:	PCG810, PCG1210, PCG1610, PCG810F, PCG1210F, PCG1610F, PCG810D, PCG1210D, PCG1610D, PCG800NL, PCG1200NL, PCG1600NL, PCSG810, PCSG1210, PCSG1610, HCF/GE81, HCF/GE81, HCF/GE81, HCFG1210, HCF/G1210D, HCF/G1200, HCF/G1200F, PHCF/G1200, HCF/G1200N, HCF/G1200D, HCFG1610, HCF/G1610D, HCF/G1600, HCF/G1600F, PHCF/G1600, HCF/G1600N, HCF/G1600D, HTF/G1210, ZPC/G810, ZPC/G1210, ZPC/G1610, HCA/G410, HCA/G810, HCA/G810, HCF/G1210, ZHCF/G161, HCF/GE81, HCF/GE81, HCA/G410D, HCA/G810, HCA/G810, HCF/G1210, HCF/G1610, HCF/G400, HC/G800...(Other models you can see in the webshop)		

thermopiles

			
vm nr.	102116	Ref. No.	002607 0240002 0940002 0K4319 11061247 727905
description	thermopile ROBERTSHAW L 900mm probe ø 9mm probe L 57mm 250-750mV screw connection 7/16"		
For models:	MFR/G740, RFR/G2540, XFR/G2540, JFR/G2540, MFR/G2540, ACFG24, ACFG36, ACFG24T, ACFG36T, RFR/G741, XFR/G351, CFR/G741, CFR/G351, PFR/G2540, TFR/G2540, FC1G, FC2G, HBR/G800, HBR/G805, HBR/G810, HBR/G815, HBR/G811, HBR/G816, HBR/G800UK, HBR/G821UK, RF/G1680, RF/G2480, ZBR/G821, ZBR/G826, ZBR/G800, ZBR/G805, ZBR/G810, ZBR/G815, ZBR/G811, ZBR/G816, ZBR/G800UK, ABR/G800, ABR/G805, ABR/G810, ABR/G815, ABR/G811, ABR/G816, OBR/G800UK		



accessories

air mixers



vm nr.	104536	Ref. No.	051774 727869
description	air mixing tube L 42mm D1 ø 26mm D2 ø 32mm ID ø 23mm thickness 1mm brass		
For models:	MPN/GD761, MPN/GI761, MPN/GI760D, MPN/GD760, MPN/GD760F, MPN/GI760, MPN/GI760F, FDV40G, FDV40GZ, FDV40GA, FDV20G, FDV20GZ, FDV20GA, 7PDG06, 7PIG06, RPN/GD760F, RPN/GI760F, XPN/GI760D, M70GDKE, M70GIKE, XPN/GD760F, XPN/GI760F, RPN/G760, RPN/G760, PRPN/G760, RPN/GI760, RPN/GI760, PRPN/GI76, KS/G2, KSF/G2, KSCF/G3, HPN/GI806, HPN/GI805, HT/G800, HT/G800D, HTF/G810, HTF/G800D, HTF/G1210, HT/G1210D, HT/G800NL, HTF/G800NL, HTFG1210NL, QS/G2, QSF/G2, QSCF/G3, ZPN/GI805, ZT/G800, ZT/G800D, ZTF/G810...(Other models you can see in the webshop)		

bar burners



vm nr.	105769	Ref. No.	003709
description	bar burner 1-row ø 50mm Wmm Hmm L 340mm flange width 57mm flange length 57mm convection oven		
For models:	FCFG101/0, FCFG102-0, FCFG201-0, FCFG10160H, FCFG102-0T, FCF/ G101/1-1-JAP, FCF/G102/1-1-JAP, FCF/G101/1, ECFG101-0, ECFG102-0, ECFG201-0, ACFG101-0, ACFG102-0, ACFG201-0, ACFG10160H, JCF/ G101/1-1, JCF/G102/1-1, JCF/G101/1-2, JCF/G102/1-2, RCF101G, NCF/ G101/1, NCF/G102/1, NCF/G101/1, ZCFG/G102/1, ZCFG/G102/1		



Vm nr.	105768	Ref. No.	003677
description	bar burner ø 50mm Wmm Hmm L 267mm flange width 57mm flange length 57mm convection oven		
For models:	FCF/G6-0, FCF/G6-1-JAP, ECF/G6/0, ACF/G6-0, JCF/G6-1, JCF/G6-2, RCF061G, NCF/G6-0, ZCF/G6-0		

1

vm nr.	102265	Ref. No.	0218101 055032 0A2405 0K2956
description	thermocouple extension thread M9x1 L 600mm		
For models:	RF/G1S07, RF/G2D07, RFR/G1S07, RFR/G2D07, RF/G1S07, RF/G2D07, RFR/G1S07, RFR/G2D07, XF/G1S07, XRF/G2D07, XFR/G1S07, XFR/ G2D07, XF/G1S07, XF/G2D07, XFR/G1S07, XFR/G2D07, JF/G1S07, JF/G2D07, JFR/G1S07, JFR/G2D07, JF/G1S07, JF/G2D07, JFR/G2D07, JFR/G2D07, MF/G1S07, MF/G2D07, MFR/G1S07, MFR/G2D07, MF/ G1S07, MF/G2D07, MFR/G1S07, MFR/G2D07, OCF/G840, OTF/G840, FCV/G6L3TOWNGAS, FCV/G6L3, FCV/G6L3JAP, FCVG10-2, FCVG10-4, FCVG10-ISG, FCVG10-2, FCVG10-4D, FCVG10-2UK, FCVG10-4UK, FCVG10-2, FCVG10-4, FCVG20-2, FCVG20-4D, FCVG20-4, FCVG20-4D... (Other models you can see in the webshop)		

nuts



vm nr.	102067	Ref. No.	055033 0992014
description	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1		
For models:	MBR/E710D, MBR/E700, MBR/E700UK, MBR/G701, MBR/G706, MBR/G701UK, MBR/G751, MBR/G756, MBR/E716, RBR/E706, XBR/E710D, M70EBP, XBR/E710, XBR/G701, M70GBP, XBR/G701UK, XBR/G751, XBR/G756, CBR/G700, CBR/E700, XBR/E716, XBR/E706, HR/G420D, HR/G820D, HR/G420, HR/G820, HR/G821, HBR/G800, HBR/G805, HBR/G801, HBR/G806, HBR/G810, HBR/G815, HBR/G811, HBR/G816, HBR/G800D, HBR/G805D, HBR/G801D, HBR/G806D, HBR/G810D...(Other models you can see in the webshop)		

interrupters



vm nr.	101265	Ref. No.	00460 005687 0974402 0C0363 0K3564 301000 750G301000
description	interrupter thread M9x1		
For models:	SFRG350, SFRG700, SFRG350, SFRG700		



			
1			
vm nr.	105784	Ref. No.	056451
description	bar burner ø 50mm Wmm Hmm L 300mm flange width 57mm flange length 57mm convection oven		
For models:	FCV/G6L4, FCGV6-1, FCGV6-3, FCGV6-1UK, FCGV6-3UK, 5711-2-6, 5711-2-7, 5711-2-8, 5711-2-10, 5711-2-8CH, 5711-2-10CH, 5711-2-6L, 5711-2-7L, 5711-2-8L, 5711-2-10L, ECV/G6T4, FCV/G6-1, ZOFCV/G6-3, AFCV/G6-1, AFCV/G6-3, SCO/G6-3, ZCV/G6T4		

			
1			
vm nr.	105766	Ref. No.	054028
description	bar burner ø 50mm Wmm Hmm L 525mm flange width 57mm flange length 57mm convection oven		
For models:	FCFG20, FCFG20D, FCFG20F, PFCFG20, FCFG20J, FCFG20J, FCFG20J, FCFG20J, FCFG20J, FF/G20, COCO20G, ZOFCF/G20D		

			
1			
vm nr.	105770	Ref. No.	004831
description	bar burner ø 60mm Wmm Hmm L 570mm flange width 61mm convection oven flange ø 79mm		
For models:	FCFG202-0, ECFG202-0, ZCF/G202/1		

burners for convection ovens

			
1			
vm nr.	104622	Ref. No.	002636
description	burner for convection oven ø 60mm L 220mm		
For models:	FDV40G, FDV40GZ, FDV40GA, FDV20G, FDV20GZ, FDV20GA, FCV/G10L3, FCGV10L3T, FCGV10L3, FCV/G20L3, FCGV20L3, FCGV10L3J, FCGV10L3J, FCV/G10L6JAP, FCV/G102/1L6JAP, FCV/G10L2, FCV/G10L6, FCV/G102/1L6, FCV/G20L6, FCGV20L6, FCV/G101/1, FCV/G102/1, FCV/G201/1, FCV/G202/1, FCS101G2, FCS101G4, FCS101G4DT, FCS101GP9J, FCS101G49J, FCS101GP, FCS102G4, FCS102GA9J, FCS102G49J, FCS102GP, FCS201G4, FCS201GP, FCS202G4, FCS202GP, FCS101GX9J, FCS101GX, FCS102GX9J, FCS102GX, FCS201GX, FCS202GX, 5712-2-6, 5712-2-7, 5712-2-8, 5712-2-10, 5714-2-6, 5714-2-7...(Other models you can see in the webshop)		

accessories

nozzle holders

			
1			
vm nr.	101347	Ref. No.	020988 051948 310056
description	nozzle holder angled		
For models:	MR/G351, MR/G701, MR/G721, MR/G1071, MR/G350, MR/G350F, MR/G350NL, MR/G350E, MR/G360, MR/G360F, MR/G700, MR/G700F, MR/G700NL, MR/G700E, MR/G710, MR/G710F, MR/G1070, MR/G720, MR/G715, MR/G725, MR/G1075, MR/G361, MR/G711, MR/G716, MR/G726, MR/G1076, MFR/G360, MPN/GD761, MPN/GI761, MPN/GI760D, MPN/GD760, MPN/GD760F, MPN/GI760, MPN/GI760F, MM/G700F, MM/G700E, MCP/G700, MG/G350D, MG/G700D, MG/G350, MG/G350E, MG/G350F, MG/G350NL, MG/G700, MG/G700E, MG/G700F, MG/G700NL, MG/G1050, MG/G1050F, MG/G1051...(Other models you can see in the webshop)		

			
1			
vm nr.	106866	Ref. No.	059250
description	nozzle holder L 40mm M10x1		
For models:	MCF/G1095, MCF/G995, MFR/G380, MFR/G381, BCF/G2, BF/G1S07, BFR/G1S14, BCP/G1, RCF/G9, RF/G1S07, RF/G2D07, RFR/G1S07, RFR/G2D07, RPD/G240, RPD/G260, RPI/G260, RPI/G260P, RCP/G1S, RCP/G2D, RBV/G2, RF/G1S07, RF/G2D07, RFR/G1S07, RFR/G2D07, XCF/G9, XF/G1S07, XRF/G2D07, XFR/G1S07, XFR/G2D07, XPD/G240, XPD/G260, XPI/G260, XPI/G260P, XCP/G1S, XCP/G2D, XBV/G2, XF/G1S07, XF/G2D07, XFR/G1S07, XFR/G2D07, JF/G1S07, JF/G2D07, JFR/G1S07, JFR/G2D07, JPD/G240, JPD/G260, JPI/G260, JCP/G1S, JCP/G2D, JBV/G2...(Other models you can see in the webshop)		

gas nozzles

main nozzles

gas nozzles M10x1

			
1			
vm nr.	100155	Ref. No.	056470 0G2229 0G2814 72780302
description	gas injector thread M10x1 bore ø 1.45mm L 30mm WS 12		
For models:	MCF/G1095, MCF/G995, MFR/G380, MFR/G381, BF/G1S07, RCF/G9, RF/G1S07, RF/G2D07, RFR/G1S07, RFR/G2D07, RF/G1S07, RF/G2D07, RFR/G1S07, RFR/G2D07, XCF/G9, XF/G1S07, XRF/G2D07, XFR/G1S07, XFR/G2D07, JF/G1S07, JF/G2D07, JFR/G1S07, JFR/G2D07, JF/G1S07, JF/G2D07, JFR/G2D07, JFR/G2D07, MCF/G9, MF/G1S07, MF/G2D07, MFR/G1S07, MFR/G2D07, MF/G1S07, MF/G2D07, MFR/G1S07, MFR/G2D07, RCF/G1095, 7FRG03T, CCF/G995, CFR/G381, T35GFR, PCF/G9, PF/G1S07, PF/G2D07, PFR/G1S07, PFR/G2D07...(Other models you can see in the webshop)		



1 			
vm nr.	101975	Ref. No.	003722 0G2230 0G2778 72780309
description	gas injector thread M10x1 bore ø 1.55mm L 30mm WS 12		
For models:	BF/G1S07, BCP/G1, RF/G1S07, RF/G2D07, RFR/G1S07, RFR/G2D07, RCP/G1S, RCP/G2D, XF/G1S07, XRF/G2D07, XFR/G1S07, XFR/G2D07, XCP/G1S, XCP/G2D, JF/G1S07, JF/G2D07, JFR/G1S07, JFR/G2D07, JCP/G1S, JCP/G2D, MF/G1S07, MF/G2D07, MFR/G1S07, MFR/G2D07, MCP/G1S, MCP/G2D, PF/G1S07, PF/G2D07, PFR/G1S07, PFR/G2D07, PCP/G1S, PCP/G2D, PBV/G2, OF/G1S07, OFR/G1S07, OFR/G2D07, OCP/G1S, OCP/G2D, TF/G1S07, TF/G2D07, TFR/G1S07, TFR/G2D07, TCP/G1S, TCP/G2D, TBV/G2, KPI/G10, KPI/G15, KPD/G10, KPD/G15, KPD/G15A...(Other models you can see in the webshop)		

1 			
vm nr.	100816	Ref. No.	002862
description	gas injector thread M10x1 bore ø 1.5mm WS 12		
For models:	BF/G1S07, RPD/G240, RF/G1S07, RF/G2D07, RFR/G1S07, RFR/G2D07, XPD/G240, XF/G1S07, XF/G2D07, XFR/G1S07, XFR/G2D07, JPD/G240, JF/G1S07, JF/G2D07, JFR/G2D07, JFR/G2D07, MPD/G240, MF/G1S07, MF/G2D07, MFR/G1S07, MFR/G2D07, PCF/G9, PF/G1S07, PF/G2D07, PFR/G1S07, PFR/G2D07, OCF/G9UK, OF/G1S07, OFR/G1S07, OFR/G2D07, TCF/G9, TCF/G9UK, TF/G1S07, TF/G2D07, TFR/G1S07, TFR/G2D07, KCF/G2, KCF/G3, KCF/G4, KCF/T2, KCF/T3, KCF/T4, KCF/G2H, KCF/G3A, KCF/G3H, KCF/G2L, KCF/G3HA, KCF/G2G, KCF/G3G, KCF/G4G...(Other models you can see in the webshop)		

1 			
vm nr.	106402	Ref. No.	003723
description	gas injector thread M10x1 bore ø 1.75mm L 30mm WS 12		
For models:	BCF/G2, RBV/G2, XBV/G2, JBV/G2, MBV/G2, PCV/G2, PCV/G3, PCF/G2, PCF/G3, PTV/G2, PTF/G2, PSF/G2, PSV/G2, PSF/G3, PPD/G260, PPI/G260P, PBV/G2, PCV/G2N, PCF/G3N, PCV/G3N, PCF/G2N, PTV/G2N, OCV/G2, OCF/G2, OCF/G3, OTV/G2, OTF/G2, OSF/G2, OSV/G2, OPD/G260, OPI/G260P, TCV/G2, TCV/G3, TCF/G2, TCF/G3, TTV/G2, TTF/G2, TSF/G2, TSV/G2, TSF/G3, TPD/G260, TPI/G260P, TBV/G2, KCF/G3A, KCF/G3HA, KCF/G3AG, KB/G1, KB/G2, KPI/G10, KPI/G15...(Other models you can see in the webshop)		

1 			
vm nr.	100152	Ref. No.	054631
description	gas injector thread M10x1 bore ø 1.8mm L 30mm WS 12		
For models:	MCF/G1050D, MCF/G702, MCF/G1052, MCF/G700, MCF/G1050, MTF/G700D, MTF/G1050D, MTF/G700, MTF/G1050, MTF/GE1050, MF/G700, RCF/G2, RCF/G3, RTV/G2, RTF/G2, RSF/G2, RSV/G2, RSF/G3, RPD/G260, RPI/G260P, RPI/G260P, MCF/G2A, MCF/G3A, XCF/G2, XCF/G3, XTV/G2, XTF/G2, XSF/G2, XSV/G2, XSF/G3, XPD/G260, XPI/G260, XPI/G260P, JCF/G2, JCF/G3, JTV/G2, JTF/G2, JPD/G260, JPI/G260, MCF/G2, MCF/G3, MTV/G2, MTF/G2, MSF/G2, MSV/G2, MSF/G3, MPD/G260, MPI/G260, MPI/G260P, RCF/G702...(Other models you can see in the webshop)		

1 			
vm nr.	106403	Ref. No.	054033 0G2806 72780311
description	gas injector thread M10x1 bore ø 1.9mm L 30mm WS 12		
For models:	KCP/G1, KCP/G1R, KCP/G2, KCP/G2R, HM/G800, QCP/G1, QCP/G1R, QCP/G2, QCP/G2R, ZM/G800, WCP/G1, WCP/G1R, WCP/G2, WCP/G2R, AM/G800, AM/G800D, OM/G800, DCP/G400, FCFG101/0, FCFG102-0, FCFG10160H, FCFG102-0T, FCF/G101/1-1-JAP, FCF/G101/1, FCFG20, FCFG20F, PFCFG20, FCFG40D, FCFG20J, FCFG20J, FCFG20J, FCFG20J, FCVG10-2, FCVG10-4D, FCVG10-2, FCVG10-4, FCVG20-2, FCVG20-4, FCVG20-2UK, FCVG20-4UK, FCVG20-P, ECFG101-0, ECFG102-0, FCVG20PUK, FCFG201, ZOFCV/G202, ZOFCV/G204, AFGROAOOOO, AFGROFOOOO, AFGUOAOOOO...(Other models you can see in the webshop)		

1 			
vm nr.	103300	Ref. No.	055459
description	gas injector thread M10x1 bore ø 2.15mm L 30mm WS 12		

1 			
vm nr.	102499	Ref. No.	056471 0KW910 727803 72780301
description	gas injector thread M10x1 bore ø 2.25mm L 30mm WS 12		
For models:	MCF/G1095, MCF/G995, RCF/G1095, CCF/G995, HCF/G810, HCF/G810D, HCF/G1210D, HCF/G1610D, HCF/G810NL, HCF/G1210, HCF/G1610, HCF/G810, HCF/G1210, HCF/G1610, HCF/G811, HC/G411, HC/G811, HC/G1211, KCF/G2, KCF/G3, KCF/G4, KCF/T2, KCF/T3, KCF/T4, KCF/G2H, KCF/G3H, KCF/G2L, KCF/G2G, KCF/G3G, KCF/G4G, KCF/G2HG, KCF/G3HG, KCF/G2LG, KRF/GT2R, KRF/GT2RP, KS/G2, KSF/G2, KSCF/G3, HTF/G810, HTF/G800D, HTF/G1210, HTF/G1210D, HTF/G800NL, HTFG1210NL, HFS/G800, ZCF/G810, ZCF/G810D, ZCF/G1210D, ZHCFG1610D, ZCF/G1210...(Other models you can see in the webshop)		

1 			
vm nr.	106408	Ref. No.	054034
description	gas injector thread M10x1 bore ø 3mm L 30mm WS 12		
For models:	RC/T1, RC/T2, RCV/T2, RCV/T3, RCF/T2, RCF/T3, RCF/W2, RCF/W3, MC/T1, MC/T2, MCV/T2, MCV/T3, MCF/T2, MCF/T3, MCF/W2, MCF/W3, KPI/G10, KPI/G15, KPD/G10, KPD/G15, KPD/G15A, KPI/G15A, KPI/G06, KPI/G15H, KPI/G10H, QPI/G10, QPI/G15, QPD/G10, QPD/G15, QPI/G06, QPI/G15H, QPI/G10H, WPI/G10, WPI/G15, WPD/G10, WPD/G15, WPD/G15A, WPI/G15A, WPI/G06, WPI/G15H, WPI/G10H, FCFG101/0, FCFG102-0, FCFG102-0T, FCF/G102/1-1-JAP, FCFG20, FCFG20F, PFCFG20, FCVG20-2, FCVG20-4...(Other models you can see in the webshop)		



			
1			
vm nr.	106452	Ref. No.	0A2533 72780128
description	gas injector thread M10x1 WS 12 bore ø 1.35mm		
For models:	BR/G1FL, BR/G1FR, BR/G2FL, BR/G2FR, BG/G1, BG/G2, RR/G1CL, RR/G2CL, RR/G1CL, RR/G2CL, RR/G2CM, RG/G1, RG/G2, RGV/G1, RGV/G2, RTV/G2, RTF/G2, RSF/G3, XR/G1CL, XR/G2CL, XRV/G1CL, XRV/G2CL, XR/G2CM, XG/G1, XG/G2, XGV/G1, XGV/G2, XTV/G2, XTF/G2, XSF/G3, JR/G1CL, JR/G2CL, JRV/G1CL, JRV/G2CL, JG/G1, JG/G2, JGV/G1, JGV/G2, JTV/G2, JTF/G2, MR/G1CL, MR/G2CL, MRV/G1CL, MRV/G2CL, MR/G2CM, MG/G1, MG/G2, MGV/G1, MGV/G2, MTV/G2...(Other models you can see in the webshop)		

			
2			
vm nr.	101961	Ref. No.	0A2103 72780104
description	gas injector thread M10x1 WS 12 bore ø 1.55mm		
For models:	MCF/G1090, MBR/G710D, MBR/G701, MBR/G706, MBR/G701UK, MBR/G751, MBR/G756, RFR/G1S12, RFR/G2D12, RFR/G2S40, XFR/G1S12, XFR/G2D12, XFR/G2S40, JFR/G1S12, JFR/G2D12, JFR/G2S40, MFR/G1S12, MFR/G2D12, MFR/G2S40, ARG12FL, ARG24FL, ARG36FL, ARG48FL, ARG12FR, ARG24FR, ARG36FR, ARG48FR, ARG12FLCE, ARG24FLCE, ARG36FLCE, ARG48FLCE, ARG12FRCE, ARG24FRCE, ARG36FRCE, ARG48FRCE, RBR/G710D, 7BRG60, 7BRG60X, RBR/G701UK, RBR/G751, RBR/G756, XBR/G701, M70GBP, XBR/G701UK, XBR/G751, XBR/G756, CBR/G700, PTV/G2, PTF/G2, PSF/G2...(Other models you can see in the webshop)		

			
1			
vm nr.	109115	Ref. No.	0C0141 62606003
description	gas injector thread M10x1 WS 12 bore ø 1.95mm		
For models:	KC/G1, KC/G2, KCF/G2, KC/G3, KCF/G3, KCF/G4, KCF/M2, KC/T1, KC/T2, KC/T3, KCF/T2, KCF/T3, KCF/T4, KCF/G2H, KC/G1H, KC/G2H, KC/G3H, KC/T1H, KC/T2H, KC/T3H, KCF/G3A, KCF/W2, KCF/G3H, KCF/G2L, KCF/G3HA, KC/G1G, KC/G2G, KCF/G2G, KC/G3G, KCF/G3G, KCF/G4G, KCF/M2G, KCF/G2HG, KC/G1H1G, KC/G2HG, KC/G3HG, KCF/G3AG, KCF/G3HG, KCF/M2E5G, KCF/G2LG, KS/G2, KSF/G2, KSCF/G3, QC/G1, QC/G2, QCF/G2, QC/G3, QCF/G3, QCF/G4, QCF/M2...(Other models you can see in the webshop)		

			
1			
vm nr.	106475	Ref. No.	0A2083 0C0143 0G2252 0G2887 0K0253 19013329 60050512 72780109
description	gas injector thread M10x1 WS 12 bore ø 2.2mm		
For models:	BR/G1FL, BR/G1FR, BR/G2FL, BR/G2FR, BG/G1, BG/G2, FDV40G, FDV40GZ, FDV40GA, FDV20G, FDV20GZ, FDV20GA, RR/G1FL, RR/G1FR, RR/G2FL, RR/G2FM, RRV/G1FL, RRV/G1FR, RRV/G2FL, RRV/G2FM, RG/G1, RG/G2, RGV/G1, RGV/G2, RTV/G2, RTF/G2, RSF/G3, XR/G1FL, XR/G1FR, XR/G2FL, XR/G2FM, XRV/G1FL, XRV/G1FR, XRV/G2FL, XRV/G2FM, XG/G1, XG/G2, XGV/G1, XGV/G2, XTV/G2, XTF/G2, XSF/G3, JR/G1FL, JR/G1FR, JR/G2FL, JR/G2FM, JRV/G1FL, JRV/G1FR, JRV/G2FL, JRV/G2FM...(Other models you can see in the webshop)		

			
1			
vm nr.	106469	Ref. No.	059382 0G2246 60050500 72780118
description	gas injector thread M10x1 WS 12 bore ø 2.5mm		
For models:	FDV40G, FDV40GZ, FDV40GA, FDV20G, FDV20GZ, FDV20GA, RC/T1, RC/T2, RCV/T2, RCV/T3, RCF/T2, RCF/T3, RCF/W2, RCF/W3, MC/T1, MC/T2, MCV/T2, MCV/T3, MCF/T2, MCF/T3, MCF/W2, MCF/W3, ARG12FL, ARG24FL, ARG36FL, ARG48FL, ARG12FR, ARG24FR, ARG36FR, ARG48FR, ARG12FLCE, ARG24FLCE, ARG36FLCE, ARG48FLCE, ARG12FRCE, ARG24FRCE, ARG36FRCE, ARG48FRCE, CCF/G996, HC/G410, HC/G810, HC/G1210, HCF/G810, HCF/G1210, HCF/G1610, KR/GT1, KR/GT2, KR/GT1R, KR/GT2R, KR/GT1C...(Other models you can see in the webshop)		

			
1			
vm nr.	106474	Ref. No.	0A2102 0G2886 0K0281 72780108
description	gas injector thread M10x1 WS 12 bore ø 2mm		
For models:	BC/G1, BCF/G2, BR/G1FL, BR/G1FR, BR/G2FL, BR/G2FR, BG/G1, BG/G2, RMV/G1C, RR/G1FL, RR/G1FR, RR/G2FL, RR/G2FM, RRV/G1FL, RRV/G1FR, RRV/G2FL, RRV/G2FM, RG/G1, RG/G2, RGV/G1, RGV/G2, RTV/G2, RTF/G2, RSF/G3, XMV/G1C, XR/G1FL, XR/G1FR, XR/G2FL, XR/G2FM, XRV/G1FL, XRV/G1FR, XRV/G2FL, XRV/G2FM, XG/G1, XG/G2, XGV/G1, XGV/G2, XTV/G2, XTF/G2, XSF/G3, JR/G1FL, JR/G1FR, JR/G2FL, JR/G2FM, JRV/G1FL, JRV/G1FR, JRV/G2FL, JRV/G2FM, JG/G1, JG/G2...(Other models you can see in the webshop)		



vm nr.	106675	Ref. No.	002864
description	gas injector thread M10x1 WS 12 bore ø 4.5mm		
For models:	FDV40G, FDV40GZ, FDV40GA, FDV20G, FDV20GZ, FDV20GA, FCV/G10L3, FCVG10L3T, FCVG102L3, FCVG202L3, FCVG10L3J, FCVG102L3J, FCV/G102/1L6JAP, FCV/G102/1L6, FCVG202L6, FCV/G102/1, FCV/G202/1, FCS101GP9J, FCS101GP, FCS102G4, FCS-102GA9J, FCS102G49J, FCS102GP, FCS201G4, FCS201GP, FCS202G4, FCS202GP, FCS202GX, 5717-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5714-2-6L, 5714-2-7L, 5714-2-8L, 5714-2-10L, 5707-2-2, 57074-2-3, ECVG102T4, ECVG202T4, ECV/G102/1T6, ECVG202T6, ACVG102C4, ACVG202C4, ACV/G102/1C6, ACVG202C6, NCV/G102/1, ZCV/G102/1, ZCV/G202/1, ZCV/G102/1T6...(Other models you can see in the webshop)		



vm nr.	100477	Ref. No.	0A2141
description	gas injector thread M10x1 WS 12 bore ø 1.65mm		

gas nozzles (other)



vm nr.	102865	Ref. No.	0A2301
description	gas injector bore ø 1.95mm		
For models:	RC/G1, RC/G2, RCV/G2, RCV/G3, RCF/G2, RCF/G3, RCF/G9, RCF/M2, RCF/M3, RSF/G2, RSV/G2, RSF/G3, MCF/G2A, MCF/G3A, XC/G1, XC/G2, XCV/G2, XCV/G3, XCF/G2, XCF/G3, XCF/G9, XCF/M2, XCFM3, XSF/G2, XSV/G2, XSF/G3, JC/G1, JC/G2, JCV/G2, JCV/G3, JCF/G2, JCF/G3, JCF/M2, JCFM3, MC/G1, MC/G2, MCV/G2, MCV/G3, MCF/G2, MCF/G3, MCF/G9, MCF/M2, MCF/M3, MSF/G2, MSV/G2, MSF/G3, PTV/G2, PTF/G2, PSF/G2, PSV/G2...(Other models you can see in the webshop)		

pilot burner nozzles

pilot burner nozzles POLIDORO



vm nr.	106859	Ref. No.	054286
description	pilot burner nozzle POLIDORO LPG code 24 bore ø 0.24mm Qty 1 pcs		
For models:	BCP/G1, RCP/G1S, RCP/G2D, XCP/G1S, XCP/G2D, JCP/G1S, JCP/G2D, MCP/G1S, MCP/G2D, ACPG25, PCP/G1S, PCP/G2D, OCP/G1S, OCP/G2D, TCP/G1S, TCP/G2D, KP/G2, KMV/G2C, KCP/G1RU, KCP/G2RU, KCP/G1, KCP/G1R, KCP/G2, KCP/G2R, KCP/G1U, KCP/G2U, QP/G2, QMV/G2C, QCP/G1, QCP/G1R, QCP/G2, QCP/G2R, WCP/G1, WCP/G1R, WCP/G2, WCP/G2R, DCP/G400, FCF/G6-0, FCFG101/0, FCFG102-0, FCFG201-0, FCFG202-0, FCFG10160H, FCFG102-0T, FCF/G6-1-JAP, FCF/G101/1-1-JAP, FCF/G102/1-1-JAP, FCF/G101/1, FCFG20, FCFG20D...(Other models you can see in the webshop)		



vm nr.	102699	Ref. No.	054037 054038
description	pilot burner nozzle POLIDORO natural gas code 25.2 bore ø 2x0.25mm Qty 1 pcs 2 bores		
For models:	BCP/G1, RMV/G1C, RMV/G2C, RCP/G1S, RCP/G2D, XMV/G1C, XMV/G2C, XCP/G1S, XCP/G2D, JCP/G1S, JCP/G2D, MMV/G1C, MMV/G2C, MCP/G1S, MCP/G2D, ARG12FL, ARG24FL, ARG36FL, ARG48FL, ARG-12FR, ARG24FR, ARG36FR, ARG48FR, ACPG25, ARG12FLCE, ARG24FLCE, ARG36FLCE, ARG48FLCE, ARG12FRCE, ARG24FRCE, ARG36FRCE, ARG48FRCE, PCP/G1S, PCP/G2D, OCP/G1S, OCP/G2D, TCP/G1S, TCP/G2D, KP/G2, KMV/G2C, KCP/G1RU, KCP/G2RU, KCP/G1, KCP/G1R, KCP/G2, KCP/G2R, KCP/G1U, KCP/G2U, QP/G2, QMV/G2C...(Other models you can see in the webshop)		

pilot burner nozzles SIT

100 series



vm nr.	100245	Ref. No.	003633 006188 056799 0977030 0G0082 0G2785 0G2786 0G5006 0K2946 0KD857 19012718 19022995
description	pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75		
For models:	MBR/G710D, MBR/G700, MBR/G700F, MBR/G700UK, MBR/G701, MBR/G706, MBR/G701UK, MBR/G751, MBR/G756, MFG1500Z, MFG2200Z, FCG250D, FCG250S, FGC/250D, FGC/250S, RBR/G710D, RBR/G700, RBR/G700F, 7BRG60, 7BRG60X, RBR/G701UK, RBR/G751, RBR/G756, XBR/G710D, XBR/G700, XBR/G710, XBR/G700F, XBR/G700UK, XBR/G701, M70GBP, XBR/G701UK, XBR/G751, XBR/G756, CBR/G700, RBR/G700, RBR/E700, RBR/G700, BR80GZ, PCG810, PCG1210, PCG1610, PCG810F, PCG1210F, PCG1610F, PCG810D, PCG1210D, PCG1610D, PCG800NL, PCG1200NL, PCG1600NL...(Other models you can see in the webshop)		

2			
vm nr.	107171	Ref. No.	058330 058753 0977051 0G2234
description	pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs		
For models:	MCF/G705, MCF/G1055, MCF/G700, MCF/G1050, MCF/G705E, MCF/G1055E, MCF/G700D, MCF/G700, MCF/G705F, MCF/G1055F, MCF/G705NL, MCF/G1050D, MCF/G1055NL, MCF/G702, MCF/G1052, MCF/G700, MCF/G1050, MR/G351, MR/G701, MR/G721, MR/G1071, MR/G350, MR/G350F, MR/G350NL, MR/G350E, MR/G360, MR/G360F, MR/G700, MR/G700F, MR/G700NL, MR/G700E, MR/G710, MR/G710F, MR/G1070, MR/G720, MR/G715, MR/G725, MR/G1075, MR/G361, MR/G711, MR/G716, MR/G726, MR/G1076, MFR/G360, MPN/GD761, MPN/GI761, MPN/GI760D, MPN/GD760, MPN/GD760F, MPN/GI760...(Other models you can see in the webshop)		

			
1			
vm nr.	100207	Ref. No.	003784 003871 059215 0977113 0G2264 0G2416 19013306 72780002
description	pilot burner nozzle SIT natural gas code 27 bore ø 0.40/0.38mm suitable for SIT 140 series		
For models:	BR/G1FL, BR/G1FR, BR/G2FL, BR/G2FR, MT/G350, MT/G352, VO40G, RCF/G9, RBR/G2FM, RBR/G2IM, RBK/G2FM, RR/G1FL, RR/G1FR, RR/ G1CL, RR/G2FL, RR/G2FM, RR/G2CL, RRV/G1FL, RRV/G1FR, RRV/G1CL, RRV/G2FL, RRV/G2FM, RRV/G2CL, RR/G2CM, RTV/G2, RTF/G2, RSF/G2, RSV/G2, RSF/G3, RBV/G2, XCF/G9, XBR/G2FM, XBR/G2IM, XBK/G2FM, XR/G1FL, XR/G1FR, XR/G1CL, XR/G2FL, XR/G2FM, XR/G2CL, XRV/G1FL, XRV/G1FR, XRV/G1CL, XRV/G2FL, XRV/G2FM, XRV/G2CL, XR/G2CM, XTV/G2, XTF/G2, XSF/G2...(Other models you can see in the webshop)		



160 series



1

vm nr.	107172	Ref. No.	02I36 054593 0977123 0A2540 0G2081 0KD989 0M0832 19022878 72015105 727755
description	pilot burner nozzle SIT LPG code 25 Qty 1 pcs		
For models:	MCF/G1090, MCF/G1095, MCF/G995, BCF/G2, MCP/G700, MCP/G701, MCP/G710, MCP/G711, MCP/G705, MCP/G706, RCF/G2, RCF/G3, RG/G1, RG/G2, RGV/G1, RGV/G2, RTV/G2, RTF/G2, RSF/G2, RSV/G2, RSF/G3, RPD/G240, RPD/G260, RPI/G260, RPI/G260P, MCF/G2A, MCF/G3A, XCF/G2, XCF/G3, XG/G1, XG/G2, XGV/G1, XGV/G2, XTV/G2, XTF/G2, XSF/G2, XSV/G2, XSF/G3, XPD/G240, XPD/G260, XPI/G260, XPI/G260P, JCF/G2, JCF/G3, JG/G1, JG/G2, JGV/G1, JGV/G2, JTV/G2, JTF/G2... (Other models you can see in the webshop)		



2

vm nr.	107650	Ref. No.	053667 057388
description	pilot burner nozzle SIT LPG code 30 Qty 1 pcs		
For models:	ACFG24, ACFG36, ACFG24T, ACFG36T, CCF/G996, PPD/G260, PPI/G260P, OPD/G260, OPI/G260P, TPD/G260, TPI/G260P, RF/G350D, RF/G700D, KPI/G10, KPI/G15, KPD/G10, KPD/G15, KPD/G15A, KPI/G15A, KPI/G15H, KPI/G10H, HBR/G800, HBR/G805, HBR/G810, HBR/G815, HBR/G811, HBR/G816, HBR/G800UK, QPI/G10, QPI/G15, QPD/G10, QPD/G15, QPI/G15H, QPI/G10H, ZBR/G800, ZBR/G805, ZBR/G810, ZBR/G815, ZBR/G811, ZBR/G816, ZBR/G800UK, WPI/G10, WPI/G15, WPD/G10, WPD/G15, WPD/G15A, WPI/G15A, WPI/G15H, WPI/G10H, ABR/G800... (Other models you can see in the webshop)		



1

vm nr.	107174	Ref. No.	02I35 053670 056635 057389 0977118 0A2409 0G2062 0KT740 0M0831 727754
description	pilot burner nozzle SIT natural gas code 41 Qty 1 pcs		
For models:	MCF/G1090, MCF/G1095, MCF/G995, BCF/G2, MCP/G700, MCP/G701, MCP/G710, MCP/G711, MCP/G705, MCP/G706, RCF/G2, RCF/G3, RG/G1, RG/G2, RGV/G1, RGV/G2, RTV/G2, RTF/G2, RSF/G2, RSV/G2, RSF/G3, RPD/G240, RPD/G260, RPI/G260, RPI/G260P, MCF/G2A, MCF/G3A, XCF/G2, XCF/G3, XG/G1, XG/G2, XGV/G1, XGV/G2, XTV/G2, XTF/G2, XSF/G2, XSV/G2, XSF/G3, XPD/G240, XPD/G260, XPI/G260, XPI/G260P, JCF/G2, JCF/G3, JG/G1, JG/G2, JGV/G1, JGV/G2, JTV/G2, JTF/G2... (Other models you can see in the webshop)		



1

vm nr.	107175	Ref. No.	053668 057521 0977119 0H6361 11061249
description	pilot burner nozzle SIT natural gas code 51 Qty 1 pcs suitable for 160 series		
For models:	RF/G350D, RF/G700D, HBR/G800, HBR/G805, HBR/G810, HBR/G815, HBR/G811, HBR/G816, HBR/G800UK, ZBR/G800, ZBR/G805, ZBR/G810, ZBR/G815, ZBR/G811, ZBR/G816, ZBR/G800UK, ABR/G800, ABR/G805, ABR/G810, ABR/G815, ABR/G811, ABR/G816, OBR/G800UK, FCFG6D, FCFG10, FCFG10D, FCFG6, FCFG6F, PFCFG6, FCFG10J, FCFG10J, FCFG6J, FCFG6J, FCFG6J, FCFG6J, FCFG10J, FCFG10J, HBR/G803, HBR/G804, HBR/G803, HBR/G804, HBR/G803, HBR/G1003, HBR/G1003, HBR/G1004, HBR/G1013, FCF/G6, FCFG101, HBR/G803, HBR/G804... (Other models you can see in the webshop)		

auxiliary gas parts

screw connections

double nipples



1

vm nr.	106518	Ref. No.	002716
description	double nipple T1: 1/2" T2: M24x1.5 tube ø 16mm		
For models:	FDV40G, FDV40GZ, FDV40GA, FDV20G, FDV20GZ, FDV20GA, HPN/GI810, HPN/GI815, HPN/GI816, HPN/GD811, HPN/GD816, HPA/GD825, HPA/GI825, HPNS/GI816, HPN/GI806, HPN/GI805, ZPN/GI810, 2PIG15, ZPN/GI816, ZPN/GD811, ZPN/GD816, 2PDAG15, 2PIAG15, ZPNS/GI816, ZPN/GI805, APN/GI810, APN/GI815, APN/GI816, APN/GD811, APN/GD816, APNS/GI816, OPN/GI815, APN/GI805, FCV/G10L3, FCVG10L3T, FCVG10L3, FCV/G20L3, FCVG202L3, FCVG10L3J, FCVG102L3J, FCV/G10L6JAP, FCV/G102/1L6JAP, FCV/G10L2, FCV/G10L6, FCV/G102/1L6, FCV/G20L6, FCVG202L6, FCV/G101/1, FCV/G102/1, FCS101G2... (Other models you can see in the webshop)		



olives				
				
1				
vm nr.	101248	Ref. No.	027478 050682 058370 0957007 0G2222 OK4315 214051400 727855	
description	olive for pipe ø 12mm Qty 1 pcs suitable for PEL			
For models:	MCF/G1090, MCF/G1095, MFR/G350, MFR/G700, MFR/G350D, MFR/G700D, MFR/G350F, MFR/G700F, MFR/G350E, MFR/G700E, MFR/G380, MFR/G381, BCF/G2, BF/G1S07, BFR/G1S14, MM/G351, MM/G701, MM/G350, MM/G700, MM/G350F, MM/G700F, MM/G700E, MCP/E700, MCP/G700, MCP/E700D, MCP/G701, MCP/G710, MCP/G711, RMV/G1C, RMV/G2C, RF/G1S07, RF/G2D07, RFR/G1S07, RFR/G2D07, RFR/G1S14, RFR/G2D14, RF/G1S07, RF/G2D07, RFR/G1S07, RFR/G2D07, XMV/G1C, XMV/G2C, XF/G1S07, XRF/G2D07, XFR/G1S07, XFR/G2D07, XFR/G1S14, XFR/G2D14, XF/G1S07, XF/G2D07...(Other models you can see in the webshop)			
accessories for	101248			
	vm nr.	101251	Ref. No.	—
union nut thread M20x1.5 for pipe ø 12mm				

				
1				
vm nr.		101257	Ref. No.	052007 054815
description		olive for pipe ø 20mm Qty 1 pcs		
For models:		MPN/GD761, MPN/GI761, MPN/GI760D, MPN/GD760, MPN/GD760F, MPN/GI760, MPN/GI760F, 7PDG06, 7PIG06, RPN/GD760F, RPN/GI760F, XPN/GI760D, M70GDKE, M70GIKE, XPN/GD760F, XPN/GI760F, RPN/G760, RPN/G760, PRPN/G760, RPN/GI760, RPN/GI760, RPN/GI760, PRPN/GI76, HCF/G810, HC/G410D, HC/G810D, HCF/G810D, HCF/G1210D, HCF/G1610D, HC/G410NL, HC/G810NL, HCF/G810NL, HCF/G1210, HCF/G1610, HCF/GE810, HCF/G810, HCF/G1210, HCF/G1610, HCF/G811, HCF/G800U, HCF/G1200U, HCF/G1600U, HPN/GI810, HPN/GI815, HPN/GI815D, HPN/GI816, HPN/GI816, HPN/GD811, HPN/GD816, HPA/GD825...(Other models you can see in the webshop)		
accessories for		101257		
				
vm nr.		101254	Ref. No.	054814 09074
union nut thread M28x1.5 tube ø 20mm				

				
1				
vm nr.		101246	Ref. No.	052127 727782
description		olive for pipe ø 4mm Qty 1 pcs		
For models:		MR/G351, MR/G701, MR/G350, MR/G350F, MR/G350NL, MR/G350E, MR/G360, MR/G360F, MR/G700, MR/G700F, MR/G700NL, MR/G700E, MR/G710, MR/G710F, MR/G715, MR/G361, MR/G711, MR/G716, MPN/GD761, MPN/GI761, MPN/GI760D, MPN/GD760, MPN/GD760F, MPN/GI760, MPN/GI760F, BCF/G2, BF/G1S07, BR/G1FL, BR/G1FR, BR/G2FL, BR/G2FR, BCP/G1, MT/G700D, MTF/G700D, MTF/G1050D, MT/G700, MTF/G700, MTF/G1050, MTF/GE1050, MT/G700F, MTF/G700F, MTF/G1055F, MTFGE1055F, MT/G350, MT/G352, MCP/G700, MCP/G701, MCP/G710, MCP/G711, MCP/G705...(Other models you can see in the webshop)		
accessories for		101246		
				
vm nr.		100908	Ref. No.	046755 052125 0958013 0G2219 OK1348 OK5753 OKE882 OKL495 19012956 727742 727781
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs				

				
1				
vm nr.		100897	Ref. No.	059161 0957009 0G2262 727799
description		olive for pipe ø 4mm Qty 1 pcs for pilot burner		
For models:		BCF/G2, BR/G1FL, BR/G1FR, BR/G2FL, BR/G2FR, MT/G350, MT/G352, RCF/G9, RBR/G2FM, RBR/G2IM, RBK/G2FM, RR/G1FL, RR/G1FR, RR/G1CL, RR/G2FL, RR/G2FM, RR/G2CL, RRV/G1FL, RRV/G1FR, RRV/G1CL, RRV/G2FL, RRV/G2FM, RRV/G2CL, RR/G2CM, RTV/G2, RTF/G2, RSF/G2, RSV/G2, RSF/G3, RBV/G2, XCF/G9, XBR/G2FM, XBR/G2IM, XBK/G2FM, XR/G1FL, XR/G1FR, XR/G1CL, XR/G2FL, XR/G2FM, XR/G2CL, XRV/G1FL, XRV/G1FR, XRV/G1CL, XRV/G2FL, XRV/G2FM, XRV/G2CL, XR/G2CM, XTV/G2, XTF/G2, XSF/G2... (Other models you can see in the webshop)		

				
1				
vm nr.	100870	Ref. No.	053665 0957014 0G2291 727756	
description	olive for pipe ø 4mm Qty 1 pcs suitable for 160 series for pilot burner			
For models:	MCF/G1090, MCF/G1095, MCF/G995, BCP/G1, MCP/G700, MCP/G701, MCP/G710, MCP/G711, MCP/G705, MCP/G706, RCF/G2, RCF/G3, RMV/G1C, RMV/G2C, RG/G1, RG/G2, RGV/G1, RGV/G2, RTF/G2, RSF/G2, RSV/G2, RSF/G3, RPD/G240, RPD/G260, RPI/G260, RPI/G260P, RCP/G1S, RCP/G2D, MCF/G2A, MCF/G3A, XCF/G2, XCF/G3, XG/G1, XG/G2, XGV/G1, XGV/G2, XTF/G2, XSF/G2, XSV/G2, XSF/G3, XPD/G240, XPD/G260, XPI/G260, XPI/G260P, XCP/G1S, XCP/G2D, JCF/G2, JCF/G3, JG/G1, JG/G2... Other models you can see in the webshop)			




1			
vm nr.	100898	Ref. No.	003863
description	olive for pipe ø 6mm Qty 1 pcs for pilot burner		
For models:	CRN22G, CRN/20G, CRN30G, CRN15G, HCPA/G1219, HCPA/GI 1219, CR22G, CRN/22GZ, CRN20GZ, CRN30GZ, CRN15GZ, ZCPAG1219, ZCPA/GI 1219, CR22G, CRN20GA, CRN30GA, CRN15GA, CR42G, CR/40G, CR15G, CR/41G, CR42G, CR40G		
accessories for	100898		
	vm nr.	100909	Ref. No. 057821
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs		



1			
vm nr.	101286	Ref. No.	053666
description	olive ID ø 6mm Qty 1 pcs		
accessories for	101286		
	vm nr.	100909	Ref. No. 057821
	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs		
	vm nr.	101464	Ref. No. —
	union nut thread M12x1 for pipe ø 6mm		

union nuts



1			
vm nr.	101254	Ref. No.	054814 09074
description	union nut thread M28x1.5 tube ø 20mm		
For models:	MPN/GD761, MPN/GI761, MPN/GI760D, MPN/GD760, MPN/GD760F, MPN/GI760, MPN/GI760F, 7PDG06, 7PIG06, RPN/GD760F, RPN/GI760F, XPN/GI760D, M70GDKE, M70GIKE, XPN/GD760F, XPN/GI760F, RPN/G760, RPN/G760, PRPN/G760, RPN/GI760, RPN/GI760, RPN/GI760, PRPN/GI76, HPN/GI810, HPN/GI815, HPN/GI815D, HPN/GI816, HPN/GI816, HPN/GD811, HPN/GD816, HPA/GD825, HPA/GI825, HPNS/GI816, HPN/GI806, HPN/GI805, HCPA/G1219, HCPA/GI 1219, ZPN/GI810, 2PIG15, ZPN/GI816, ZPN/GI816D, ZPN/GD811, ZPN/GD816, 2PDAG15, 2PIAG15, ZPNS/GI816, ZPN/GI805, ZCPAG1219, ZCPA/GI 1219, APN/GI810...(Other models you can see in the webshop)		
accessories for	101254		
	vm nr.	101257	Ref. No. 052007 054815
	olive for pipe ø 20mm Qty 1 pcs		

union screws



1			
vm nr.	100904	Ref. No.	052833 0K2497 100904 102504
description	locking screw M10x1 for pipe ø 4mm Qty 1 pcs		
For models:	MCF/G705, MCF/G1055, MCF/G700, MCF/G1050, MCF/G705E, MCF/G1055E, MCF/G700D, MCF/G700, MCF/G705F, MCF/G1055F, MCF/G705NL, MCF/G1050D, MCF/G1055NL, MCF/G1090, MCF/G1095, MCF/G995, MCF/G702, MCF/G1052, MCF/G700, MCF/G1050, MFR/G350, MFR/G700, MFR/G350D, MFR/G700D, MFR/G360, MFR/G350F, MFR/G700F, MFR/G350E, MFR/G700E, MFR/G350NL, MFR/G700NL, MTF/G700D, MTF/G1050D, MTF/G700, MTF/G1050, MTF/GE1050, MF/G700, MG/G350D, MG/G700D, MG/G350, MG/G350E, MG/G350F, MG/G350NL, MG/G700, MG/G700E, MG/G700F, MG/G700NL, MG/G1050, MG/G1050F, MG/G1051...(Other models you can see in the webshop)		



1			
vm nr.	100905	Ref. No.	052834 0958031
description	locking screw M10x1 for pipe ø 6mm Qty 1 pcs		
For models:	MBR/G710D, MBR/G700, MBR/G700F, MBR/G700UK, MBR/G701, MBR/G706, MBR/G701UK, MBR/G751, MBR/G756, MM/G351, MM/G701, MM/G350, MM/G700, MM/G350F, MM/G700F, MM/G700E, RBR/G710D, RBR/G700, RBR/G700F, 7BRG60, 7BRG60X, RBR/G701UK, RBR/G751, RBR/G756, RM/G350D, RM/G700D, 7BMG03T, 7BMG07T, RM/G350F, RM/G700F, XBR/G710D, XBR/G700, XBR/G710, XBR/G700F, XBR/G700UK, XBR/G701, M70GBP, XBR/G701UK, XBR/G751, XBR/G756, CBR/G700, XM/G350D, XM/G700D, T35GBM, T70GBM, XM/G350F, XM/G700F, CM/G700, RMG300, RM/G300D...(Other models you can see in the webshop)		



1			
vm nr.	100906	Ref. No.	003610 056641 057960 0974037 0G2227 0K5791 11061230 19013341 727759
description	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		



			
vm nr.	100907	Ref. No.	003609 0C0121 11061236
description	screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple		
For models:	BCF/G2, VO40G, ACFG24, ACFG36, ASG36, ACFG24T, ACFG36T, PC/G1, PC/G2, PCV/G2, PCV/G3, PCF/G2, PCF/G3, PCF/G9, PCF/M2, PCF/M3, PCF/M2E5, PTV/G2, PTF/G2, PSF/G2, PSV/G2, PSF/G3, PGV/G1, PGV/G2, PCV/G2N, PCF/G3N, PC/G2HV, PCV/G3N, PCF/G2N, PC/G1HV, PGV/G1HV, PTV/G2N, PGV/G2HV, PC/G1A, PC/G2A, PCV/G2A, PCV/G3A, PCF/G2A, PCF/G3A, PCF/M2A, PCF/M3A, OC/G1, OC/G2, OCV/G2, OCF/G2, OCF/G3, OCF/M2, OCF/G9UK, OTV/G2, OTF/G2...(Other models you can see in the webshop)		

			
vm nr.	100908	Ref. No.	046755 052125 0958013 0G2219 0K1348 0K5753 0KE882 0KL495 19012956 727742 727781
description	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		
For models:	MCF/G1090, MCF/G1095, MCF/G995, MR/G351, MR/G701, MR/G350, MR/G350F, MR/G350NL, MR/G350E, MR/G360, MR/G360F, MR/G700, MR/G700F, MR/G700NL, MR/G700E, MR/G710, MR/G710F, MR/G715, MR/G361, MR/G711, MR/G716, MPN/GD761, MPN/GI761, MPN/GI760D, MPN/GD760, MPN/GD760F, MPN/GI760, MPN/GI760F, BCF/G2, BF/G1S07, BR/G1FL, BR/G1FR, BR/G2FL, BR/G2FR, BCP/G1, MT/G700D, MTF/G700D, MTF/G1050D, MT/G700, MTF/G700, MTF/G1050, MTF/GE1050, MT/G700F, MTF/G700F, MTF/G1055F, MTFGE1055F, MT/G350, MT/G352, MCP/G700, MCP/G701...(Other models you can see in the webshop)		
accessories for	100908		
   	vm nr.	100897	Ref. No. 059161 0957009 0G2262 727799
	olive for pipe ø 4mm Qty 1 pcs for pilot burner		
	vm nr.	101246	Ref. No. 052127 727782
	olive for pipe ø 4mm Qty 1 pcs		
	vm nr.	101280	Ref. No. —
	olive for pipe ø 4mm Qty 1 pcs		
	vm nr.	101282	Ref. No. —
	olive for pipe ø 4mm L 7.4mm Qty 1 pcs		

			
vm nr.	100909	Ref. No.	057821
description	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs		
For models:	HCPA/G1219, HCPA/GI 1219, CR22G, ZCPAG1219, ZCPA/GI 1219, CR22G, CR/41G, CR42G, CR40G, ROCF/G1000, ROTF/G1000, ROSD/G1000, ROSF/G1000, RORA/G500, RORA/G1000, ROR/G500, ROR/G1000		
accessories for	100909		
   	vm nr.	100898	Ref. No. 003863
	olive for pipe ø 6mm Qty 1 pcs for pilot burner		
	vm nr.	101286	Ref. No. 053666
	olive ID ø 6mm Qty 1 pcs		
	vm nr.	101287	Ref. No. —
	olive for pipe ø 6mm Qty 1 pcs		
	vm nr.	101288	Ref. No. —
	olive for pipe ø 6mm L 6mm aluminium Qty 1 pcs ED ø 8.5mm		

gas hoses

CE approval to DIN 3383-1 EN 14800

			
vm nr.	250065	Ref. No.	0S1006
description	gas hose L 1000mm 1/2" IT - 1/2" ET braided EN 14800 DN12		

			
vm nr.	250067	Ref. No.	0S1007
description	gas hose L 1500mm 1/2" IT - 1/2" ET braided EN 14800 DN12		

			
vm nr.	250069	Ref. No.	0S1015
description	gas hose L 2000mm 1/2" IT - 1/2" ET braided EN 14800 DN12		

			
vm nr.	250063	Ref. No.	0S1025
description	gas hose L 500mm 1/2" IT - 1/2" ET braided EN 14800 DN12		



vm nr.	250056	Ref. No.	051005
description	gas hose L 1000mm 1/2" IT - 1/2" IT braided EN 14800 DN12		



vm nr.	250057	Ref. No.	051008
description	gas hose L 1500mm 1/2" IT - 1/2" IT braided EN 14800 DN12		



vm nr.	250058	Ref. No.	051003
description	gas hose L 2000mm 1/2" IT - 1/2" IT braided EN 14800 DN12		



vm nr.	250059	Ref. No.	051026
description	gas hose L 500mm 1/2" IT - 1/2" IT braided EN 14800 DN12		

pressure switches



vm nr.	541073	Ref. No.	002635 0360001 0K2021 60050317
description	pressure control ø 45mm pressure range adjustable 5-20mbar pressure connection vertical gas technology connection 1/4" pressure connection ø 1/4"mm		
For models:	FCV/G10L3, FCVG10L3T, FCVG102L3, FCVG10L3J, FCVG102L3J, FCV/G10L6JAP, FCV/G102/1L6JAP, FCVG6L3CJ, FCV/G10L2, FCV/G6L3C, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCVG6L3CT, FCVG6L3CJ, FCV/G6L4, FCV/G10L6, FCV/G102/1L6, FCV/G101/1, FCV/G102/1, FCS061G48J, FCS061GP, FCS061G3DI, FCS061G4, FCS061G4DT, FCS061G49J, FCS101G2, FCS101G4, FCS101G4DT, FCS101GP9J, FCS101G49J, FCS101GP, FCS102G4, FCS102GA9J, FCS102G49J, FCS102GP, FCS101GX9J, FCS101GX, FCS102GX9J, FCS102GX, 5721-2-7, 5721-2-10, ECV/G6T4, ECV/G10T4, ECVG102T4, ECV/G6T4C, ECV/G10T4J, ECV/G61/1, ECV/G61/1...(Other models you can see in the webshop)		



vm nr.	541867	Ref. No.	003772 60050313 C6065A1275 C6065A1275B
description	pressure control ø 80mm triggering pressure 0.5mbar pressure range adjustable 0.5-2.5mbar connection 7.5/10.5mm 250V voltage AC 1CO pressure connection ø 7.5-10.5mm		
For models:	FDV40G, FDV40GZ, FDV40GA, FDV20G, FDV20GZ, FDV20GA, FCV/G10L3, FCVG10L3T, FCVG102L3, FCV/G20L3, FCVG202L3, FCVG10L3J, FCVG102L3J, FCV/G10L6JAP, FCV/G102/1L6JAP, FCV/G10L2, FCV/G10L6, FCV/G102/1L6, FCV/G20L6, FCVG202L6, FCV/G101/1, FCV/G102/1, FCS101G2, FCS101G4, FCS101G4DT, FCS101GP9J, FCS101G49J, FCS101GP, FCS102G4, FCS102GA9J, FCS102G49J, FCS102GP, FCS101GX9J, FCS101GX, FCS102GX9J, FCS102GX, 5712-2-6, 5712-2-7, 5712-2-8, 5712-2-10, 5714-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5717-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5712-2-6L, 5712-2-7L...(Other models you can see in the webshop)		



vm nr.	541797	Ref. No.	006536
description	pressure control triggering pressure 0.5mbar pressure range 0.8/0.6mbar pressure connection horizontal gas technology connection 6mm 250V		
For models:	FCV/G20L3, FCVG202L3, FCV/G20L6, FCVG202L6, FCV/G201/1, FCV/G202/1, FCS201G4, FCS201GP, FCS202G4, FCS202GP, FCS201GX, FCS202GX, ECV/G20T4, ECVG202T4, ECV/G20T4J, ECV/G20T6, ECVG202T6, ACV/G20C4, ACVG202C4, ACVG202C6		



vm nr.	541352	Ref. No.	005746 0380072
description	pressure control triggering pressure 1.5mbar reset pressure 1.2mbar pressure range 1.5/1.2mbar pressure connection horizontal gas technology connection 6mm suitable for ZANUSSI		
For models:	FCVG6L3CJ, FCV/G6L3C, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCVG6L3CT, FCVG6L3CJ, FCS061G48J, FCS061GP, FCS061G3DI, FCS061G4, FCS061G4DT, FCS061G49J, 5721-2-7, 5721-2-10, ECV/G6T4C, ECV/G61/1, ECV/G61/1, RCV061G2, ACV/G6C3C, ZCV/G6T4C, ZCV/G61/1		

equipment-specific units

for convection ovens/combi-steamers

			
1			
vm nr.	699447	Ref. No.	0C1560
description	guide bushing ID ø 15.5mm L 17.5mm WS 27		

steam generators

			
1			
vm nr.	694312	Ref. No.	005234 0K0680
description	steam generator L 615mm W 100mm H 425mm		
For models:	FDV40E, FDV40EL, FCV/E20L3, FCVE202L3, FCV/E20L6, FCVE202L6, FVC/E201/1, FVC/E202/1, FCS201E4, FCS201EP, FCS202E4, FCS202EP, FCS201EX, FCS201EXLN, FCS202EX, 5714-3-7, 5714-3-8, 5714-3-8E, 5714-3-10, 5717-3-7, 5717-3-8, 5717-3-8E, 5717-3-10, 5717-3-8M, 5717-3-8C, 5717-3-8M, 5714-3-10F, 5714-3-10S, ECV/E20T4, ECVE202T4, ECV/E20T6, ECVE202T6, ACV/E20C4, ACVE202C4, ACVE20C6, ACV/E202/1, ZCV/E20T4, ZCV/E202/1, ZCV/E20T6, ZCV/E202/1		

injection nozzles

			
1			
vm nr.	692181	Ref. No.	053800
description	injection nozzle D1 ø 12.5mm D2 ø 15mm L 10mm brass		
For models:	FCFG6D, FCFE6D, FCFE6D, FCFG10, FCFG10D, FCFG10NL, FCFE10, FCFE10UK, FCFG20, FCFG20D, FCFG20F, PFCFG20, FCFE20, FCFE20UK, FCFG6, FCFG6F, PFCFG6, FCFE6, FCFE6UK, PFCFE6, FCF/G6, FCFG101, FCFG201, FCF/E6, FCF/E10, FCF/E20, FF/G6, FF/E10, FF/G10, FF/E20, FF/G20, COCO10G, COCO10E, COCO20G, COCO20E, COCO6G, COCO6E, COCVE423AF, FCFE061, FCFE101, FCFE201, ZOFCF/G10D, ZOFCF/G6D, ZOFCF/G20D		

spare parts and accessories

			
1			
vm nr.	698497	Ref. No.	006976
description	bumper H 16mm ext. ø 25 suitable for ELECTROLUX		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ061EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FCZ201EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ202ETA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ201EBA, FCZ202EBA, FCZ061EBH, FCZ101EBH, FCZ201EBH, FCZ061EBN, FCZ101EBN...(Other models you can see in the webshop)		

			
1			
vm nr.	700497	Ref. No.	054561
description	bush for door mechanism		
For models:	FCF02EV, FCF02EOEM, FCF/E3, FCF/E2, FCF/E2D, FCF/E2UK, FCF/E2, FCF/E2, COCO6G, COCO6E, FCF/E2D		

filters

			
1			
vm nr.	514425	Ref. No.	005133 056444 0C1740 0F0073 0K8367 30001886
description	drain filter ø 102mm		
For models:	FCZ061EAA, FCZ101EAA, FCZ201EAA, FCZ061EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FCZ201EAN, FCZ061ETA, FCZ101ETA, FCZ201ETA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ061GAG, FCZ101GAG, FCZ201GAG, FCZ061GAD, FCZ101GAD, FCZ201GAD, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ061EBA, FCZ101EBA, FCZ201EBA, FCZ061EBH, FCZ101EBH, FCZ201EBH, FCZ061EBN, FCZ101EBN, FCZ201EBN, FCZ061EBC, FCZ101EBC, FCZ201EBC, FCZ061EBA2, FCZ101EBA2, FCZ201EBA2, FCZ061EBH2, FCZ101EBH2, FCZ201EBH2, FCZ061EBN2, FCZ101EBN2...(Other models you can see in the webshop)		

housing and bezels

			
1			
vm nr.	699198	Ref. No.	0C4138
description	flange bore ø 9mm ø 74mm H 5mm		

			
1			
vm nr.	850115	Ref. No.	0C4109
description	insulation set for boiler thickness 6mm plastic		
For models:	FCZ061EAA, FCZ101EAA, FCZ061EAH, FCZ101EAH, FCZ061EAN, FCZ101EAN, FCZ061EBA, FCZ101EBA, FCZ061EBH, FCZ101EBH, FCZ101EBN, AOW101EA, AOW101EABU, AOS061EAAQ, AOS061EBAQ, AOS101EAAQ, AOS101EBAQ, AOS061EANQ, AOS061EBNQ, AOS101EANQ, AOS101EBNQ, AOS061EACQ, AOS061EBCQ, AOS101EACQ, AOS101EBCQ, AOS061EAHQ, AOS061EBHQ, AOS101EAHQ, AOS101EBHQ, AOS101EBEQ, AOS061EAMQ, AOS101EAMQ, AOS061EABQ, AOS101EABQ, EJN061EAA, EJN101EAA, RDR061EAA, RDR101EAA, EJN061EBA, EJN101EBA, RDR061EBA, RDR101EBA		

frame



1

vm nr.	693398	Ref. No.	057382 0H6890 0K3035 0KC541 12011869 727857
description	frame for level glass		
For models:	MFR/G360, MPN/GD761, MPN/GI761, MPN/GI760D, MPN/GD760, MPN/GD760F, MPN/GI760, MPN/GI760F, MM/G351, MM/G701, MM/G350, MM/G700, MM/G350F, MM/G700F, MM/G700E, MCP/G700, MCP/G701, MCP/G710, MCP/G711, MCP/G705, MCP/G706, FDV40G, FDV40GZ, FDV40GA, FDV20G, FDV20GZ, FDV20GA, RBR/G2FM, RBR/G2IM, RBK/G2FM, RMV/G1C, RMV/G2C, RF/G1S07, RF/G2D07, RFR/G1S07, RFR/G2D07, RFR/G1S14, RFR/G2D14, RF/G1S07, RF/G2D07, RFR/G1S07, RFR/G2D07, XBR/G2FM, XBR/G2IM, XBR/G2FM, XMV/G1C, XMV/G2C, XF/G1S07, XFR/G2D07, XFR/G1S07...(Other models you can see in the webshop)		

cleaning system

cleaning arms



1

vm nr.	693408	Ref. No.	007010 0C5503 0C8317
description	cleaning arm		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ061EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FCZ201EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ202ETA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ061EBH, FCZ101EBH, FCZ061EBN, FCZ101EBN, FCZ061EBC, FCZ101EBC, FCZ201EBC...(Other models you can see in the webshop)		
spare parts for	693408		
	vm nr.	693409	Ref. No. 007026
	 retainer clip for wash arm		

level glasses



1

vm nr.	697987	Ref. No.	055343
description	level glass ø 54mm L 83mm thickness 3.5mm		
For models:	FCV/G6L4, FCVE6-1U, FCVE6-3U, FCVE6-1, FCVE6-3, FCVE6-1UK, FCVE6-3UK, FCVG6-1, FCVG6-3, FCVG6-1UK, FCVG6-3UK, FCVE10-2, FCVE10-4, FCVE10-2UK, FCVE10-4UK, FCVG10-2, FCVG10-4, FCVG10-2UK, FCVG10-4UK, FCVE20-2, FCVE20-4, FCVE20-2UK, FCVE20-4UK, FCVG20-2, FCVG20-4, FCVG20-2UK, FCVG20-4UK, ECV/G6T4, FCV/E6-1, FCV/E6-1, FCV/G6-1, ZOFVC/G6-3, ZOFVC/E102, ZOFVC/E104, ZOFVC/G102, ZOFVC/G104, ZOFVC/E202, ZOFVC/E204, ZOFVC/G202, ZOFVC/G204, AFCV/G6-1, AFCV/G6-3, SCO/G6-3, ZCV/G6T4		

EQUIPMENT-SPECIFIC UNITS ELECTROLUX

hoses



1

vm nr.	697979	Ref. No.	0C5122
description	hose ID ø 29mm ED ø 39mm L 340mm		
For models:	FCZ061EAA, FCZ061EAH, FCZ061EAN, FCZ061ETA, FCZ061ETH, FCZ061ETN, FCZ061EBA, FCZ061EBH, FCZ061EBN, FCZ061EBC, FCZ061EBA2, FCZ061EBH2, FCZ061EBN2, FCZ061EBC2, FCZ061ECA, FCZ061ECH, FCZ061ECN, FCZ061ECA2, FCZ061ECH2, FCZ061ECN2, AOS061EAA1, AOS061EAH1, AOS061EAN1, AOS061EAC1, AOS061EAE1, AOS061EAF1, AOS061EAM1, AOS061EAB1, AOS061EAK1, AOS061EAT1, AOS061ETA1, AOS061ETH1, AOS061ETN1, AOS061ETC1, AOS061ETE1, AOS061ETF1, AOS061ETM1, AOS061ETK1, AOS061EBA1, AOS061EBH1, AOS061EBN1, AOS061EBC1, AOS061EBE1, AOS061EBF1, AOS061EBK1, AOS061EBA2, AOS061EBH2, AOS061EBN2, AOS061EBC2, AOS061EBE2...(Other models you can see in the webshop)		



1

vm nr.	697981	Ref. No.	006252 0C5006
description	hose ID ø 29mm ED ø 39mm L 860mm		
For models:	FDV40G, FDV40E, FDV40GZ, FDV40EL, FDV40GA, FCV/E101/1, FCV/E101/1, FCV/E102/1, FCV/E101/1, FCV/E102/1, FCV/G101/1, FVC/E101/1, FVC/G102/1, FVC/E102/1, FVC/E201/1, FVC/E202/1, FCS101E4J, FCS101EP4J, FCS101E4, FCS101G4, FCS101EP, FCS101G4DT, FCS102E4J, FCS101GP9J, FCS102EP4J, FCS101G49J, FCS102E4, FCS101GP, FCS102EP, FCS102G4, FCS102GA9J, FCS201EP, FCS102G49J, FCS202E4, FCS102GP, FCS202EP, FCS101EX4J, FCS101EXLN, FCS101EX, FCS102EX4J, FCS102EX, FCS201EX, FCS201EXLN, FCS202EX, FCS101GX9J, FCS101GX, FCS102GX9J, FCS102GX, 5714-3-7...(Other models you can see in the webshop)		



1

vm nr.	697982	Ref. No.	0C0869
description	hose ID ø 30mm ED ø 40mm L 1030mm		
For models:	FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, FCV/G201/1, FCS201G4, FCS201GP, FCS202G4, FCS202GP, FCS201GX, FCS202GX, 5714-2-7, 5714-2-8, 5714-2-10, 5714-2-7L, 5714-2-8L, 5714-2-10L, 5714-2-10F, 5714-2-10S		

			
1			
vm nr.	697980	Ref. No.	0C1223
description	hose ID ø 40mm ED ø 50mm L 450mm for combi-steamer		
For models:	FDV40G, FDV40GZ, FDV40GA, FCV/G202/1, FCS201EP, FCS202EP, FCS201GP, FCS202G4, FCS202GP, FCS201EX, FCS201EXLN, FCS202EX, 5714-2-7, 5714-2-8, 5714-2-10, 5714-2-7L, 5714-2-8L, 5714-2-10L		

			
1			
vm nr.	697978	Ref. No.	0C1344
description	hose ID ø 40mm ED ø 50mm L 52mm		
For models:	FDV20G, FDV20GZ, FDV20GA, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCV/G201/1, FVC/E201/1, FCS061G48J, FCS061GP, FCS061G3DI, FCS061G4, FCS061G4DT, FCS061G49J, FCS201E4, FCS201EP, FCS202E4, FCS201G4, FCS201GP, FCS202G4, FCS202GP, FCS201EX, FCS201GX, FCS202GX, 5714-2-7, 5714-2-8, 5714-2-10, 5721-2-7, 5721-2-10, 5714-2-7L, 5714-2-8L, 5714-2-10L, 5714-2-10F, 5714-2-10S, 5714-3-10F, 5714-3-10S, ECV/G61/1, ECV/G61/1, ZCV/G61/1		

drip water trays

			
1			
vm nr.	699201	Ref. No.	0C4242
description	spillage tray to clip L 600mm W 77mm H 22mm		

heat exchangers

			
1			
vm nr.	692323	Ref. No.	003881 215711
description	heat exchanger for convection oven		
For models:	FCV/G10L3, FCVG10L3T, FCV/G20L3, FCVG10L3J, FCV/G10L6JAP, FCV/G10L2, FCV/G10L6, FCV/G20L6, FCV/G101/1, FCV/G201/1, FCS101G2, FCS101G4, FCS101G4DT, FCS101GP9J, FCS101G49J, FCS101GP, FCS201G4, FCS201GP, FCS101GX9J, FCS101GX, FCS201GX, 5712-2-6, 5712-2-7, 5712-2-8, 5712-2-10, 5714-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5712-2-6L, 5712-2-7L, 5712-2-8L, 5712-2-10L, 5714-2-6L, 5714-2-7L, 5714-2-8L, 5714-2-10L, 5712-2-10F, 5712-2-10S, 5714-2-10F, 5714-2-10S, 5702-2-2, 5702-2-3, 5704-2-2, 5704-2-3, ECV/G10T4, ECV/G20T4, ECV/G10T4J, ECV/G20T4J, ECV/G10T6...(Other models you can see in the webshop)		

miscellaneous

			
1			
vm nr.	698500	Ref. No.	0C4310
description	bar L 435mm ø 9mm		
For models:	FCZ201EAA, FCZ202EAA, FCZ201EAH, FCZ201EAN, FCZ201ETA, FCZ202ETA, FCZ201ETH, FCZ201ETN, FCZ201GAG, FCZ202GAG, FCZ201GAD, FCZ202GAD, FCZ201GTG, FCZ202GTG, FCZ201GTD, FCZ202GTD, FCZ201EBA, FCZ202EBA, FCZ201EBH, FCZ201EBN, FCZ201EBC, FCZ201EBA2, FCZ202EBA2, FCZ201EBH2, FCZ201EBN2, FCZ201EBC2, FCZ201GBG, FCZ202GBG, FCZ201GBD, FCZ202GBD, FCZ201GBI, FCZ201GBG2, FCZ202GBG2, FCZ201GBD2, FCZ202GBD2, FCZ201GBI2, FCZ201ECA, FCZ202ECA, FCZ201ECH, FCZ201ECN, FCZ201ECA2, FCZ202ECA2, FCZ201ECH2, FCZ201ECN2, FCZ201GCG, FCZ202GCG, FCZ201GCD, FCZ202GCD, FCZ201GCG2, FCZ202GCG2...(Other models you can see in the webshop)		

			
1			
vm nr.	693429	Ref. No.	002662
description	bush		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ061EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FCZ201EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ202ETA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ201EBA, FCZ202EBA, FCZ061EBH, FCZ101EBH, FCZ201EBH, FCZ061EBN, FCZ101EBN...(Other models you can see in the webshop)		

			
1			
vm nr.	696445	Ref. No.	0C6228
description	connecting fitting D1 ø 25mm D2 ø 11.5mm L 20mm WS 27 thread M18x1		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ061EAH, FCZ101EAH, FCZ061EAN, FCZ101EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ202ETA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ061EBH, FCZ101EBH, FCZ061EBN, FCZ101EBN, FCZ061EBC, FCZ101EBC, FCZ061EBA2, FCZ101EBA2, FCZ102EBA2, FCZ201EBA2, FCZ202EBA2, FCZ061EBH2, FCZ101EBH2, FCZ201EBH2, FCZ061EBN2, FCZ101EBN2, FCZ201EBN2, FCZ061EBC2, FCZ101EBC2, FCZ201EBC2, FCZ101GBG2...(Other models you can see in the webshop)		



			
1			
vm nr.	650217	Ref. No.	0C4298
description	drip tray horizontal L 785mm plastic W 78mm H 12mm		
For models:	FCZ102EAA, FCZ102ETA, FCZ102GAG, FCZ102GAD, FCZ102GTG, FCZ102GTD, FCZ102EBA, FCZ102EBA2, FCZ102GBG, FCZ102GBD, FCZ102GBG2, FCZ102GBD2, FCZ102GBI2, FCZ102ECA, FCZ102ECA2, FCZ102GCG, FCZ102GCD, FCZ102GCG2, FCZ102GCD2, AOS102EAAQ, AOS102EBAQ, AOS102EANQ, AOS102EBNQ, AOS102GAGQ, AOS102GBGQ, AOS102GADQ, AOS102GBDQ, AOS102EAMQ, AOS102EABQ, AOS102GAPQ, AOS102EAA1, AOS102EAC1, AOS102EAS1, AOS062EAM1, AOS102EAM1, AOS062EAB1, AOS102EAB1, AOS102EAK1, AOS102EAT1, AOS102ETA1, AOS062ETM1, AOS102ETM1, AOS102ETK1, AOS102GAG1, AOS102GAD1, AOS062GAP1, AOS102GAP1, AOS102GAU1, AOS102GTG1, AOS102GTD1...(Other models you can see in the webshop)		

			
1			
vm nr.	697983	Ref. No.	006670
description	flange bore Ø 9mm D1 Ø 74mm D2 Ø 22mm L 68mm thickness 1mm		
For models:	FCV/G6L3TOWNGAS, FCV/G6L3, FCV/E101/1, FCV/E10L3JAP, FCV/E102/1L3JAP, FCV/E10L6JAP, FCV/E102/1L6JAP, FCV/G6L3JAP, FCV/G10L6JAP, FCV/G102/1L6JAP, FCV/E61/1, FCV/E61/1, FCV/E101/1, FCV/E101/1, FCV/E102/1, FCV/E61/1, FCV/E61/1, FCV/E101/1, FCV/E101/2, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCV/E10L3, FCV/E102/1, FCV/E102/1L3, FCV/G6L4, FCV/E101/1, FCV/G10L6, FCV/E10L6, FCV/G102/1L6, FCV/E102/1L6, FCV/G20L6, FCV/G20L6, FCV/G101/1, FCV/E101/1, FCV/G102/1, FCV/E102/1, FCV/G201/1, FCV/E201/1, FCV/G202/1, FCV/E202/1, FCV/G201-0, FCV/G202-0, FCS061E44J, FCS061G48J, FCS061GP, FCS061EP, FCS061G3DI, FCS061E3CI, FCS061G4...(Other models you can see in the webshop)		

			
1			
vm nr.	697985	Ref. No.	058730
description	flange for fan motor bore Ø 6.6mm Ø 230mm thickness 2.5mm		
For models:	FCFG20, FCFG20D, FCFG20F, PFCFG20, FCFE20, FCFE20UK, FCFG40, FCFG41, FCFG40D, FCFG40F, PFCFG40F, FCFE40, FCFE40D, FCFE40UK, PFCFE40F, FCFG20J, FCFG20J, FCFE20J, FCFE20J, FCFG40J, FCFG40J, FCFE40J, FCFE40J, FCFG20J, FCFG20J, FCFG41J, FCFG40J, FCVE20-2, FCVE20-4, FCVE203CE, FCVE20-2UK, FCVE20-4UK, FCVE20-P, FCVE20PUK, FCVG20-P, FCVG20PUK, FCFG201, FCFG202, FCFC202, FCFE202, ZOFCV/E202, ZOFCV/E204, FF/E40, AFCV/G201, AFCV/G203, SCO/G20-3, FF/E20, FF/G20, FF/G40, AFCF/E40...(Other models you can see in the webshop)		

			
1			
vm nr.	697984	Ref. No.	002872
description	flange for fan motor L 152mm W 152mm Ø 65mm thickness 1mm		
For models:	FCV/G10L3, FCVG10L3T, FCVG10L3, FCV/G20L3, FCVG20L3, FCVG10L3J, FCVG10L3J, FCV/G10L6JAP, FCV/G102/1L6JAP, FCV/G10L2, FCV/G10L6, FCV/G102/1L6, FCV/G20L6, FCVG20L6, FCV/G101/1, FCV/G102/1, FCV/G201/1, FCV/G202/1, FCS101G2, FCS101G4, FCS101G4DT, FCS101GP9J, FCS101G49J, FCS101GP, FCS102G4, FCS102GA9J, FCS102G49J, FCS102GP, FCS201G4, FCS201GP, FCS202G4, FCS202GP, FCS101GX9J, FCS101GX, FCS102GX9J, FCS102GX, FCS201GX, FCS202GX, 5712-2-6, 5712-2-7, 5712-2-8, 5712-2-10, 5714-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5717-2-6, 5714-2-7, 5714-2-8, 5714-2-10...(Other models you can see in the webshop)		

			
1			
vm nr.	697986	Ref. No.	058958
description	flange Ø 269mm		
For models:	FCVE20-2, FCVE20-4, FCVE203CE, FCVE20-2UK, FCVE20-4UK, FCVE20-P, FCVE20PUK, FCVG20-P, FCVG20PUK, ZOFCV/E202, ZOFCV/E204, AFCV/G201, AFCV/G203, SCO/G20-3		

			
1			
vm nr.	698582	Ref. No.	002634 0C7016
description	gasket conical D1 Ø 74mm D2 Ø 17mm thickness 11mm		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ061EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FCZ201EAN, FCZ061ETA, FCZ201ETA, FCZ202ETA, FCZ061ETH, FCZ201ETH, FCZ061ETN, FCZ201ETN, FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ201EBA, FCZ202EBA, FCZ061EBH, FCZ101EBH, FCZ201EBH, FCZ061EBN, FCZ101EBN, FCZ201EBN, FCZ061EBC, FCZ101EBC, FCZ201EBC...(Other models you can see in the webshop)		

			
vm nr.	694372	Ref. No.	OG3351 OKB679
description	gasket for hose for water inlet bore ø 14mm L 33mm for hose 6mm hose length 260mm		
For models:	7CO30, CCO30G, ECO312CF, OTS100		

			
vm nr.	693432	Ref. No.	002663 OF0082
description	gasket for knob		
For models:	EBS50, EBS50, EBS50, EBS50, EBV50, EBV50, EBV50, EBV50, EBS100, EBS100, EBS100, EBS100, EBV100, EBV100, EBV100, EBV100, EBV100, EBV-C100, EBV-C100, EBV-C100, EBV-C100, EBV-C100, EBV200, EBV200, EBV200, EBV200, EBV200, EBV-C200, EBV-C200, EBV-C200, EBV-C200, EBV300, EBV300, EBV300, EBV300, EBV300, EBV-C300, EBV-C300, EBV-C300, EBV-C300, FCV/G10L3, FCV/G6L3TOWNGAS, FCV/G6L3, FCVG10L3T, FCVG102L3, FCV/G20L3, FCVG202L3...(Other models you can see in the webshop)		

			
vm nr.	520866	Ref. No.	007117 516809501
description	hose connector brass straight thread 3/4" hose ø 30mm Qty 1 pcs		
For models:	FDV40G, FDV40GZ, FDV40GA, FDV20G, FDV20GZ, FDV20GA, FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ061EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FCZ201EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ202ETA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ201GAG, FCZ201GAD, FCZ201GTG, FCZ201GTD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ201EBA, FCZ202EBA, FCZ061EBH, FCZ101EBH, FCZ201EBH, FCZ061EBN, FCZ101EBN, FCZ201EBN, FCZ061EBC, FCZ101EBC, FCZ201EBC, FCZ061EBA2, FCZ101EBA2, FCZ102EBA2, FCZ201EBA2...(Other models you can see in the webshop)		

			
vm nr.	696444	Ref. No.	0C4975
description	injection pipe L-shape for combi-steamer L 555mm WS 27 thread M18 ø 8mm		
For models:	FCZ101EAA, FCZ101EAH, FCZ101EAN, FCZ101ETA, FCZ201ETA, FCZ101ETH, FCZ201ETH, FCZ101ETN, FCZ201ETN, FCZ101GTG, FCZ201GTG, FCZ101GTD, FCZ201GTD, FCZ101EBA, FCZ101EBH, FCZ101EBN, FCZ101EBC, FCZ201EBC, FCZ101EBA2, FCZ201EBA2, FCZ101EBH2, FCZ201EBH2, FCZ101EBN2, FCZ201EBN2, FCZ101EBC2, FCZ201EBC2, FCZ101GBI, FCZ201GBI, FCZ101GBG2, FCZ201GBG2, FCZ101GBD2, FCZ201GBD2, FCZ101GBI2, FCZ201GBI2, FCZ101ECA, FCZ201ECA, FCZ101ECH, FCZ201ECH, FCZ101ECN, FCZ201ECN, FCZ101ECA2, FCZ201ECA2, FCZ101ECH2, FCZ201ECH2, FCZ101ECN2, FCZ201ECN2, FCZ201GCG, FCZ201GCD, FCZ101GCG2, FCZ201GCG2...(Other models you can see in the webshop)		

			
vm nr.	601725	Ref. No.	0C3423
description	mounting clip		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ061EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FCZ201EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ202ETA, FCZ101ETH, FCZ061ETN, FCZ101ETN, FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ201EBA, FCZ202EBA, FCZ061EBH, FCZ101EBH, FCZ201EBH, FCZ061EBN, FCZ101EBN, FCZ201EBN, FCZ061EBC, FCZ101EBC, FCZ201EBC, FCZ061EBA2, FCZ101EBA2, FCZ102EBA2, FCZ201EBA2, FCZ202EBA2, FCZ061EBH2, FCZ101EBH2, FCZ061EBN2, FCZ101EBN2, FCZ061EBC2, FCZ101EBC2...(Other models you can see in the webshop)		

			
vm nr.	543008	Ref. No.	0C1117
description	non-return valve plastic ø 10mm Qty 1 pcs total length 10mm		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ061EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FCZ201EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ202ETA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ061EBH, FCZ101EBH, FCZ061EBN, FCZ101EBN, FCZ061EBC, FCZ101EBC, FCZ201EBC, FCZ201EBC...(Other models you can see in the webshop)		

			
vm nr.	693430	Ref. No.	051263 0F0147
description	nut thread M22x1.5 H 5mm WS 26 zinc-coated steel Qty 1 pcs		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ061EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FCZ201EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ202ETA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ201EBA, FCZ202EBA, FCZ061EBH, FCZ101EBH, FCZ201EBH, FCZ061EBN, FCZ101EBN...(Other models you can see in the webshop)		

			
vm nr.	693431	Ref. No.	002727
description	plain washer		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ061EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FCZ201EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ202ETA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ201EBA, FCZ202EBA, FCZ061EBH, FCZ101EBH, FCZ201EBH, FCZ061EBN, FCZ101EBN...(Other models you can see in the webshop)		

			
vm nr.	692446	Ref. No.	002091
description	reducer bore ø 0.6mm brass ø 12mm thickness 9mm code 6		
For models:	FCV/G6L3TOWNGAS, FCV/G6L3, FCV/E101/1, FCVE6L3J, FCV/G6L3JAP, FCVG6L3CJ, FCV/E61/1, FCV/G10L2, FCV/E10L2, FCV/E61/1, FCV/G6L3C, FCV/G61/1, FCVG6L3CT, FCVG6L3CJ, FCV/E6L3, FCV/E101/1, FCF/G6-0, FCFG101/0, FCFG102-0, FCFG201-0, FCFG202-0, FCF/E6-0, FCFE101-0, FCFE102-0, FCFE201-0, FCFE202-0, FCF061ELN, FCF101ELN, FCFG102-0T, FCF/G6-1-JAP, FCF/G101/1-1-JAP, FCF/G102/1-1-JAP, FCFE6-1J, FCFE101-1J, FCFE102-1J, FCF/G101/1, FCS061E44J, FCS061G48J, FCS061G3DI, FCS061E3CI, FCS101E2, FCS061G4DT, FCS061G49J, FCS101G2, FCVG10-1SG, 5702-2-2, 5702-2-3, 5702-3-2, 5702-3-3, ECF/G6/0...(Other models you can see in the webshop)		

			
vm nr.	520512	Ref. No.	0C1116
description	reducer WS 17 IT 1/4" ET 1/8" total length 28mm		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ061EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FCZ201EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ202ETA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ061EBH, FCZ101EBH, FCZ061EBN, FCZ101EBN, FCZ061EBC, FCZ101EBC, FCZ061EBA2...(Other models you can see in the webshop)		

			
vm nr.	696399	Ref. No.	0KB722
description	water container for combi-steamer L 400mm plastic W 238mm		
For models:	FCV31E3, 7CO30, CCO30G, ECO312CF, OTS100		

knobs

universal knobs

			
vm nr.	110253	Ref. No.	0A2207 0A2269 8335612010
description	knob switch zero mark t.max. °C ø 50mm shaft ø 6x4.6mm shaft flat upper black		
For models:	HGRV, 710-00-115, 710-00-115, 711-00-115, 711-00-115, 710-00-122, 710-00-122, 711-00-122, 711-00-122, 0WC142, 655-00-106, 655-00-107, 655-00-110, 656-00-106, KITCALDO		

			
1			
vm nr.	110932	Ref. No.	0E3019
description	knob switch zero mark t.max. °C ø 42mm shaft ø 6x4.6mm shaft flat upper black		
For models:	TW1ERECO, TW1ELECO, TW1SRECO, TW1SLECO, RT10ED, RT10ES, RT10SR, RT10SL, RT10ED/230, RT10ES/230, RT10ERF60, RT10ELF60, RT10ERF, RT10ELF, RT10ERBF60, RT10ELBF60, RT10ERG, RT10ELG, RT10EDH, RT10ESH, RT10SRB, RT10SLB, RT10ED/230H, RT10ES/230H, RT10ERBF, RT10ELBF, RT10ERBG, RT10ELBG, RT10EDECO, RT10ESECO, RT10SRC, RT10SLC, RT10ED/230E, RT10ES/230E, RT10ERCF, RT10ELCF, RT10ERCG, RT10ELCG, RT10EDHE, RT10ESHE, RT10SRCB, RT10SLCB, RT10ED/230HE, RT10ES/230HE, RT10ERCBF, RT10ELCBF, RT10ERCBG, RT10ELCBG, RT10ERASIA, RT10ELASIA...(Other models you can see in the webshop)		

miscellaneous

			
1			
vm nr.	111797	Ref. No.	0C0966
description	knob without symbol ø 54mm shaft ø 6x4.6mm shaft flat lower silver H 23mm		
For models:	FCS061GP, FCS061EP, FCS101E2, FCS101EP4J, FCS101EP, FCS101GP, FCS102EP4J, FCS101GP, FCS102EP, FCS102GA9J, FCS201EP, FCS102GP, FCS202EP, FCS201GP, FCS202GP, FCS061EXLN, FCS061EX, FCS101EX4J, FCS101EXLN, FCS101EX, FCS102EX4J, FCS102EX, FCS201EX, FCS201EXLN, FCS202EX, FCS101GX9J, FCS101GX, FCS102GX9J, FCS102GX, FCS201GX, FCS202GX		

accessories

button springs

			
1			
vm nr.	550132	Ref. No.	025245 058445 0M2312 0U0825 0U1421 214590700 214590701 51610700 BR83006
description	knob spring ø 6x4.6mm Qty 10 pcs		
For models:	TC1000, 134TCA0, TCD1000, TC1400, TCD1400, 4061410, TC1600, TC1610, TCD1600, TC2000, TCD2000, TC2010, LPS/75, RC/E320, RC/E320U, RC/E720, RC/E720, MCF/GE705, MCF/GE1055, MCF/GE700, MCFGE1050, MCF/GE700D, MCFGE1050D, MCF/E700D, MCF/E700, MCF/E700UK, MCF/E1050D, MCF/E1050, MC/E350D, MC/E350UK, MC/E700D, MC/E700UK, MC/E1050D, MCF/GE1055UK, MC/E350, MC/E700, MC/E1050, MI/E350, MI/E700, MIF/E700, MI/E350D, MI/E700D, MIF/E700D, MI/E360, MI/E710, MIF/E710, MI/E360D, MI/E710D, MIF/E710D...(Other models you can see in the webshop)		

gaskets

			
1			
vm nr.	110300	Ref. No.	059326
description	gasket		
For models:	HBR/G800, HBR/G805, HBR/G810, HBR/G815, HBR/G811, HBR/G816, HBR/G800UK, ZBR/G800, ZBR/G805, ZBR/G810, ZBR/G815, ZBR/G811, ZBR/G816, ZBR/G800UK, ABR/G800, ABR/G805, ABR/G810, ABR/G815, ABR/G811, ABR/G816, OBR/G800UK		

			
1			
vm nr.	693432	Ref. No.	002663 0F0082
description	gasket for knob		
For models:	EBS50, EBS50, EBS50, EBS50, EBV50, EBV50, EBV50, EBV50, EBV50, EBS100, EBS100, EBS100, EBS100, EBV100, EBV100, EBV100, EBV100, EBV100, EBV-C100, EBV-C100, EBV-C100, EBV-C100, EBV-C100, EBV200, EBV200, EBV200, EBV200, EBV200, EBV-C200, EBV-C200, EBV-C200, EBV-C200, EBV300, EBV300, EBV300, EBV300, EBV300, EBV-C300, EBV-C300, EBV-C300, EBV-C300, FCV/G10L3, FCV/G6L3TOWNGAS, FCV/G6L3, FCVG10L3T, FCVG10L3, FCV/G20L3, FCVG20L3...(Other models you can see in the webshop)		

			
1			
vm nr.	697975	Ref. No.	003955 0C3796
description	gasket for knob ED ø 16mm Qty 50 pcs		
For models:	FDV40G, FDV40E, FDV40GZ, FDV40EL, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, FCF02EV, FCF02E0EM, FCV/G10L3, FCV/G6L3TOWNGAS, FCV/G6L3, FCVG10L3T, FCVG10L3, FCV/G20L3, FCVG20L3, FCVE6L3J, FCV/E10L3JAP, FCV/E102/1L3JAP, FCV/G6L-3JAP, FCVG10L3J, FCVG10L3J, FCVG6L3CJ, FCV/E61/1, FCV/G10L2, FCV/E101/1, FCV/E10L2, FCV/E61/1, FCV/E101/2, FCV/G6L3C, FCV/G61/1, FCVG6L3CT, FCVG6L3CJ, FCV/E10L3, FCV/E102/1, FCV/E6L3, FCV/E102/1L3, FCV/E20L3, FCVE20L3, FCV/G6L4, FCV/E6L4, FCV/E101/1, FCV/G101/1, FVC/E101/1, FCV/G102/1, FVC/E102/1, FCV/G201/1...(Other models you can see in the webshop)		

			
1			
vm nr.	111607	Ref. No.	053816 0KE998
description	gasket knob D1 ø 14mm D2 ø 4mm thickness 3mm equiv. no. 53816 suitable for JUNO, ZANUSSI		
For models:	RC/E320, RC/E320U, RC/E720, RC/E720, MCF/GE705, MCF/GE1055, MCF/GE700, MCFGE1050, MCF/GE700D, MCFGE1050D, MCF/E700D, MCF/E700, MCF/E700UK, MCF/E1050D, MCF/E1050, MC/E350D, MC/E350UK, MC/E700D, MC/E700UK, MC/E1050D, MCF/GE1055UK, MC/E350, MC/E700, MC/E1050, MI/E350, MI/E700, MIF/E700, MI/E350D, MI/E700D, MIF/E700D, MI/E360, MI/E710, MIF/E710, MI/E360D, MI/E710D, MIF/E710D, MCF/GE702, MCFGE1052, MCF/GE700, MCF-GE1050, MBR/G710D, MBR/E710D, MBR/E700, MBR/E700UK, MBR/E716, MBR/E706, MFR/G350, MFR/G700, MFR/E350, MFR/E700...(Other models you can see in the webshop)		



miscellaneous



1

vm nr.	693429	Ref. No.	002662
description	bush		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ061EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FCZ201EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ202ETA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ201EBA, FCZ202EBA, FCZ061EBH, FCZ101EBH, FCZ201EBH, FCZ061EBN, FCZ101EBN...(Other models you can see in the webshop)		



1

vm nr.	693430	Ref. No.	051263 0F0147
description	nut thread M22x1.5 H 5mm WS 26 zinc-coated steel Qty 1 pcs		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ061EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FCZ201EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ202ETA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ201EBA, FCZ202EBA, FCZ061EBH, FCZ101EBH, FCZ201EBH, FCZ061EBN, FCZ101EBN...(Other models you can see in the webshop)		



1

vm nr.	693431	Ref. No.	002727
description	plain washer		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ061EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FCZ201EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ202ETA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ201EBA, FCZ202EBA, FCZ061EBH, FCZ101EBH, FCZ201EBH, FCZ061EBN, FCZ101EBN...(Other models you can see in the webshop)		

handles and hand wheels

door handles

door handles



1

vm nr.	694378	Ref. No.	0E3709 0KB730
description	door handle L 54mm W 25mm H 40mm black hole ø 4mm		
For models:	FCV31E3, 7CO30, CCO30G, ECO312CF, OTS100		

miscellaneous



1

vm nr.	700443	Ref. No.	025083
description	handle		
For models:	FCF/E3, FCF/E2, FCF/E2D, FCF/E2UK		
accessories for	700443		
	vm nr.	700452	Ref. No. 054854
 door catch with spigot			

accessories

end caps



1

vm nr.	518664	Ref. No.	0C4091
description	end cap for handle ø 32.5mm		

miscellaneous



1

vm nr.	690026	Ref. No.	004195
description	hand protection for door handle ED ø 36mm ID ø 12.3mm D1 ø 22.6-23.5mm		
For models:	ZCMDE6, ZCBDE12, ZCMDE4, ZCBDE8, ZCMDE9, ZCBDE18, ZCBDG8, ZCBDG12, ZCBDG18, FFPS16, FFPS32		

locks

face mounted latches

RAHRBACH



1

vm nr.	694369	Ref. No.	0H2207 0K7348 6183020179
description	catch series 6183 hinging left/right non lockable H 40mm W 35mm total length 190mm with door catch overall height 43mm		
spare parts for	694369		
vm nr.	700773	Ref. No.	—
description	door catch H 19mm adjustable L 38mm W 26mm mounting distance 20mm		

handle latches

universal

outside fixing

accessories



1

vm nr.	514390	Ref. No.	0C6978
description	spring for door handle ø 6mm L 54mm W 27.5mm		

inside fixing

accessories



1

vm nr.	514390	Ref. No.	0C6978
description	spring for door handle ø 6mm L 54mm W 27.5mm		



edgemoat latches

latches without handle

RAHRBACH



1

vm nr.	700082	Ref. No.	056464
description	door catch L 38mm W 18mm mounting distance 26mm		
For models:	FCFG6D, FCFE6D, FCFE6D, FCFG6, FCFG6F, PFCFG6, FCFE6, FCFE6UK, PFCFE6, FCVE6-1U, FCVE6-3U, FCVE6-1, FCVE6-3, FCVE6-3CE, FCVE6-1UK, FCVE6-3UK, FCFG6-1, FCFG6-3, FCFG6-1UK, FCFG6-3UK, FCF/G6, FCF/E6, FCV/E6-1, FCV/E6-1, FCV/G6-1, ZOFCV/G6-3, AFCV/G6-1, AFCV/G6-3, AFCF/E6, FF/G6, COCVE423AF, FCFE061, ZOFCF/G6D		

handle latches

CAFF/FERMOD



1

vm nr.	694365	Ref. No.	OK7679
description	handle latch L 150mm mounting distance 133mm complete with door catch for headed units H 40.5mm W 30mm type 791 total length 254mm overall height 67mm		
For models:	AR170, AR170, AR170, AR170, AR170, AR170, AR170, AR170, AR170, AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR340, AR340, AR340, AR340, AR340, AR340, AR340, AR340, AR340S, AR340S, AR340S, AR340S, AR340S, AR340S, AR340S, AR340S, AR340S		

producer-specific

INOXTREND



1

vm nr.	690146	Ref. No.	005107 0H6459 OK1669 234663 60050345 6200020900
description	handle latch L 172mm mounting distance 134mm non lockable heated units 6200 H 65mm type DUPLO total length 248mm		
For models:	5711-2-6, 5711-2-7, 5711-2-8, 5711-2-10, 5711-2-8CH, 5711-2-10CH, 5712-2-6, 5712-2-7, 5712-2-8, 5712-2-10, 5711-2-6L, 5711-2-7L, 5711-2-8L, 5711-2-10L, 5721-2-7, 5721-2-10, 5712-2-6L, 5712-2-7L, 5712-2-8L, 5712-2-10L, 5711-3-6, 5711-3-7, 5711-3-8, 5711-3-10, 5711-3-8CH, 5711-3-10CH, 5712-3-6, 5712-3-7, 5712-3-8, 5712-3-8E, 5712-3-10, 5712-3-8CH, 5712-3-10C, 5712-2-10F, 5712-2-10S, 5711-3-10F, 5711-3-10S, 5712-3-10F, 5712-3-10S, 5702-2-2, 5702-2-3, 5701-3-2, 5701-3-3, 5702-3-2, 5702-3-3, 5611-3-10, 5611-3-6, 5611-3-8, 5612-3-10, 5612-3-6...(Other models you can see in the webshop)		
accessories for	690146		
	vm nr.	690123	Ref. No. OK8039 OK8574 6200020921
	door catch with roller		
	vm nr.	693777	Ref. No. 0H6797 OK2347 60050346 60050493
	gasket H 6.6mm L 105mm W 45mm L1 78mm W1 25mm for handle		
	vm nr.	693778	Ref. No. 005176 0H6568 OK1952 242818
	door catch		

MODULAR



vm nr.	690146	Ref. No.	005107 0H6459 0K1669 234663 60050345 6200020900
description	handle latch L 172mm mounting distance 134mm non lockable heated units 6200 H 65mm type DUPLO total length 248mm		
For models:	5711-2-6, 5711-2-7, 5711-2-8, 5711-2-10, 5711-2-8CH, 5711-2-10CH, 5712-2-6, 5712-2-7, 5712-2-8, 5712-2-10, 5711-2-6L, 5711-2-7L, 5711-2-8L, 5711-2-10L, 5721-2-7, 5721-2-10, 5712-2-6L, 5712-2-7L, 5712-2-8L, 5712-2-10L, 5711-3-6, 5711-3-7, 5711-3-8, 5711-3-10, 5711-3-8CH, 5711-3-10CH, 5712-3-6, 5712-3-7, 5712-3-8, 5712-3-8E, 5712-3-10, 5712-3-8CH, 5712-3-10C, 5712-2-10F, 5712-2-10S, 5711-3-10F, 5711-3-10S, 5712-3-10F, 5712-3-10S, 5702-2-2, 5702-2-3, 5701-3-2, 5701-3-3, 5702-3-2, 5702-3-3, 5611-3-10, 5611-3-6, 5611-3-8, 5612-3-10, 5612-3-6...(Other models you can see in the webshop)		
accessories for	690146		
	vm nr.	690123	Ref. No. 0K8039 0K8574 6200020921
door catch with roller			
	vm nr.	693777	Ref. No. 0H6797 0K2347 60050346 60050493
gasket H 6.6mm L 105mm W 45mm L1 78mm W1 25mm for handle			
	vm nr.	693778	Ref. No. 005176 0H6568 0K1952 242818
door catch			


ZANUSSI



vm nr.	700461	Ref. No.	002086 0KE741
description	door catch L 22mm thread M5 ø 9mm with spigot total length 45mm thread L 23mm		
For models:	FCFG6D, FCFE6D, FCFE6D, FCFG6, FCFG6F, PFCFG6, FCFE6, FCFE6UK, PFCFE6, FCFE6J50, FCFE6J60, FCFG6J, FCFG6J, FCFG6J, FCFG6J, FCFE6-1U, FCFE6-3U, FCFE6-1, FCFE6-3, FCFE6-1UK, FCFE6-3UK, FCFG6-1, FCFG6-3, FCFG6-1UK, FCFG6-3UK, FCF/G6, FCF/E6, FCF/E6-1, FCF/E6-1, FCF/G6-1, ZOFCV/G6-3, AFCV/G6-1, AFCV/G6-3, SCO/G6-3, AFCV/E6, FF/G6, COCVE423AF, FCFE061, ZOFCF/G6D		



vm nr.	700487	Ref. No.	054560
description	torsion spring ø 10.8mm L2 5mm wire gauge ø 2.2mm L1 86mm L3 86mm		
For models:	COCO6G, COCO6E		



vm nr.	700467	Ref. No.	002647 0F0175 0K1663 0K8474 0KC474 0KZ752 1520148 60050284 6200020920 7TMB1520148
description	catch L 173mm H 40mm mounting distance 133/124mm W 30mm non lockable 6200 total length 170mm overall height 85mm		
For models:	FCV/G10L3, FCV/G6L3TOWNGAS, FCV/G6L3, FCVG10L3T, FCVG10L3, FCV/E101/1, FCFE6L3J, FCV/E10L3JAP, FCV/E102/1L3JAP, FCV/E10L-6JAP, FCV/E102/1L6JAP, FCV/G6L3JAP, FCVG10L3J, FCVG10L3J, FCV/G10L6JAP, FCV/G102/1L6JAP, FCVG6L3CJ, FCV/E61/1, FCV/G10L2, FCV/E61/1, FCV/E101/1, FCV/E101/1, FCV/E10L2, FCV/E102/1, FCV/E61/1, FCV/E61/1, FCV/E101/1, FCV/E101/2, FCV/G6L3C, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCVG6L3CT, FCVG6L3CJ, FCV/E10L3, FCV/E102/1, FCV/E6L3, FCV/E102/1L3, FCV/G6L4, FCV/E6L4, FCV/E101/1, FCV/G10L6, FCV/E10L6, FCV/G102/1L6, FCV/E102/1L6, FCV/E101/1, FCV/G101/1, FVC/E101/1, FCV/G102/1...(Other models you can see in the webshop)		
accessories for	700467		
	vm nr.	693937	Ref. No. 002717 002722 003090 003091 03303203 03304194 0A5320 0A5365 0F0029 0K1684 0K1685 0K8473 0K9180 0K9181 0K9340 0KE759 234705 60050286
door handle H 44mm L 220mm W 50mm plastic black			
	vm nr.	700468	Ref. No. 002650 0F0173 0KL740 1520893 51520893 7TMB1520893
door catch with roller			

Table continues overleaf

accessories for 700467	
	vm nr. 701412 Ref. No. —
cover cap plastic round ø 11mm black for catch thickness 8mm	

1 	
vm nr.	700468 Ref. No. 002650 0F0173 0KL740 1520893 51520893 7TMB1520893
description	door catch with roller
For models:	FCV/G10L3, FCV/G6L3TOWNGAS, FCV/G6L3, FCVG10L3T, FCVG102L3, FCV/E101/1, FCVE6L3J, FCV/E10L3JAP, FCV/E102/1L3JAP, FCV/E10L-6JAP, FCV/E102/1L6JAP, FCV/G6L3JAP, FCVG10L3J, FCVG102L3J, FCV/G10L6JAP, FCV/G102/1L6JAP, FCVG6L3CJ, FCV/E61/1, FCV/G10L2, FCV/E61/1, FCV/E101/1, FCV/E101/1, FCV/E10L2, FCV/E102/1, FCV/E61/1, FCV/E61/1, FCV/E101/1, FCV/E101/2, FCV/G6L3C, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCVG6L3CT, FCVG6L3CJ, FCV/E10L3, FCV/E102/1, FCV/E6L3, FCV/E102/1L3, FCV/G6L4, FCV/E6L4, FCV/E101/1, FCV/G10L6, FCV/E10L6, FCV/G102/1L6, FCV/E102/1L6, FCV/E101/1, FCV/G101/1, FVC/E101/1, FCV/G102/1...(Other models you can see in the webshop)

1 	
vm nr.	693937 Ref. No. 002717 002722 003090 003091 03303203 03304194 0A5320 0A5365 0F0029 0K1684 0K1685 0K8473 0K9180 0K9181 0K9340 0KE759 234705 60050286
description	door handle H 44mm L 220mm W 50mm plastic black
For models:	FDV40G, FDV40E, FDV40GZ, FDV40EL, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, FCV/G10L3, FCV/G6L3TOWNGAS, FCV/G6L3, FCVG10L3T, FCVG102L3, FCV/E101/1, FCV/G20L3, FCVG202L3, FCVE6L3J, FCV/E10L3JAP, FCV/E102/1L3JAP, FCV/E10L6JAP, FCV/E102/1L6JAP, FCV/G6L3JAP, FCVG10L3J, FCVG102L3J, FCV/G10L6JAP, FCV/G102/1L6JAP, FCVG6L3CJ, FCV/E61/1, FCV/G10L2, FCV/E61/1, FCV/E101/1, FCV/E101/1, FCV/E10L2, FCV/E102/1, FCV/E61/1, FCV/E61/1, FCV/E101/1, FCV/E101/2, FCV/G6L3C, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCVG6L3CT, FCVG6L3CJ, FCV/E10L3, FCV/E102/1, FCV/E6L3...(Other models you can see in the webshop)
accessories for 693937	
	vm nr. 700470 Ref. No. 003089 003826 03308000 0K9179
bracket for door handle	

accessories for 693937	
	vm nr. 700471 Ref. No. 003994 0G2001 0H6996
bushing for door handle	
	vm nr. 700472 Ref. No. 004098
flange for door handle brass L 95mm W 40mm H 15mm hole ø 14mm	

1 	
vm nr.	700469 Ref. No. 002648 003773 60050285
description	spring for door
For models:	FDV40G, FDV40E, FDV40GZ, FDV40EL, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, FCV/G10L3, FCV/G6L3TOWNGAS, FCV/G6L3, FCVG10L3T, FCVG102L3, FCV/E101/1, FCV/G20L3, FCVG202L3, FCVE6L3J, FCV/E10L3JAP, FCV/E102/1L3JAP, FCV/E10L6JAP, FCV/E102/1L6JAP, FCV/G6L3JAP, FCVG10L3J, FCVG102L3J, FCV/G10L6JAP, FCV/G102/1L6JAP, FCVG6L3CJ, FCV/E61/1, FCV/G10L2, FCV/E61/1, FCV/E101/1, FCV/E101/1, FCV/E10L2, FCV/E102/1, FCV/E61/1, FCV/E61/1, FCV/E101/1, FCV/E101/2, FCV/G6L3C, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCVG6L3CT, FCVG6L3CJ, FCV/E10L3, FCV/E102/1, FCV/E6L3...(Other models you can see in the webshop)

RAHRBACH

6188 ERGO series

1 	
vm nr.	690808 Ref. No. 002278
description	handle latch L 185mm mounting distance 150mm chrome-plated non lockable for headed units 6188 type ERGO
For models:	FVE3, FVE3, VAPE3
accessories for 690808	
	vm nr. 690110 Ref. No. —
base plate H 1mm L 38mm W 11mm mounting distance 26mm plastic	
	vm nr. 690111 Ref. No. —
base plate H 2mm L 38mm W 11mm mounting distance 26mm plastic	
	vm nr. 690114 Ref. No. —
base plate H 3.5mm L 185mm W 30mm mounting distance 150mm with inclination thread M5	
	vm nr. 700082 Ref. No. 056464
door catch L 38mm W 18mm mounting distance 26mm	

			
1			
vm nr.	700082	Ref. No.	056464
description	door catch L 38mm W 18mm mounting distance 26mm		
For models:	FCFG6D, FCVE6D, FCVE6D, FCFG6, FCFG6F, PFCFG6, FCVE6, FCVE6UK, PFCFE6, FCVE6-1U, FCVE6-3U, FCVE6-1, FCVE6-3, FCVE6-3CE, FCVE6-1UK, FCVE6-3UK, FCVG6-1, FCVG6-3, FCVG6-1UK, FCVG6-3UK, FCF/G6, FCF/E6, FCV/E6-1, FCV/E6-1, FCV/G6-1, ZOFCV/G6-3, AFCV/G6-1, AFCV/G6-3, AFCF/E6, FF/G6, COCVE423AF, FCVE061, ZOFCF/G6D		

6201 DUPLO series

			
1			
vm nr.	690123	Ref. No.	OK8039 OK8574 6200020921
description	door catch with roller		

drawer latches

RAHRBACH

6190 ERGO series

			
1			
vm nr.	700082	Ref. No.	056464
description	door catch L 38mm W 18mm mounting distance 26mm		
For models:	FCFG6D, FCVE6D, FCVE6D, FCFG6, FCFG6F, PFCFG6, FCVE6, FCVE6UK, PFCFE6, FCVE6-1U, FCVE6-3U, FCVE6-1, FCVE6-3, FCVE6-3CE, FCVE6-1UK, FCVE6-3UK, FCVG6-1, FCVG6-3, FCVG6-1UK, FCVG6-3UK, FCF/G6, FCF/E6, FCV/E6-1, FCV/E6-1, FCV/G6-1, ZOFCV/G6-3, AFCV/G6-1, AFCV/G6-3, AFCF/E6, FF/G6, COCVE423AF, FCVE061, ZOFCF/G6D		

			
1			
vm nr.	700082	Ref. No.	056464
description	door catch L 38mm W 18mm mounting distance 26mm		
For models:	FCFG6D, FCVE6D, FCVE6D, FCFG6, FCFG6F, PFCFG6, FCVE6, FCVE6UK, PFCFE6, FCVE6-1U, FCVE6-3U, FCVE6-1, FCVE6-3, FCVE6-3CE, FCVE6-1UK, FCVE6-3UK, FCVG6-1, FCVG6-3, FCVG6-1UK, FCVG6-3UK, FCF/G6, FCF/E6, FCV/E6-1, FCV/E6-1, FCV/G6-1, ZOFCV/G6-3, AFCV/G6-1, AFCV/G6-3, AFCF/E6, FF/G6, COCVE423AF, FCVE061, ZOFCF/G6D		

producer-specific

HAGOLA

			
1			
vm nr.	700082	Ref. No.	056464
description	door catch L 38mm W 18mm mounting distance 26mm		
For models:	FCFG6D, FCVE6D, FCVE6D, FCFG6, FCFG6F, PFCFG6, FCVE6, FCVE6UK, PFCFE6, FCVE6-1U, FCVE6-3U, FCVE6-1, FCVE6-3, FCVE6-3CE, FCVE6-1UK, FCVE6-3UK, FCVG6-1, FCVG6-3, FCVG6-1UK, FCVG6-3UK, FCF/G6, FCF/E6, FCV/E6-1, FCV/E6-1, FCV/G6-1, ZOFCV/G6-3, AFCV/G6-1, AFCV/G6-3, AFCF/E6, FF/G6, COCVE423AF, FCVE061, ZOFCF/G6D		

snap locks

universal

			
1			
vm nr.	690596	Ref. No.	057414 100906
description	snap lock L 60mm W 15mm H 36mm mounting distance 48/28mm spring thickness 1.5mm complete with door catch zamak		
For models:	BCFCV101/1, BCFCV102/1, BCFCV101/1, BCFCV102/1		

espagnolette locks

universal

			
1			
vm nr.	690837	Ref. No.	056551 OK2871 OKJ908 5401030 753020379
description	bolt piece L 75mm W 29mm H 28mm cam length 17.5mm cam width 10mm mounting distance 20/40mm		
For models:	FCVE10-2, FCVE10-4, FCVE103CE, FCVE10-2UK, FCVE10-4UK, FCVG10-2, FCVG10-4, FCVG10-5G, FCVG10-2, FCVG10-4D, FCVG10-2UK, FCVG10-4UK, FCVG10-2, FCVG10-4, FCVE20-2, FCVE20-4, FCVE203CE, FCVE20-P-V, FCVE20-2UK, FCVE20-4UK, FCVG20-2, FCVG20-4, FCVG20-2, FCVG20-4D, FCVG20-2UK, FCVG20-4UK, FCVG20-4, FCVG20-4D, FCVE20-V, FCVE20VUK, FCVE10-P, FCVE10PUK, FCVG10-P, FCVG10PUK, FCVE20-P, FCVE20PUK, C204200-3, C20230-3, C204400-3N, C206400-3N, C20T4/400-, C20P4200-3, C20P4230-3, C20P44003N, C20P64003N, C20PT4/400, FCVG20-P, FCVG20PUK, AFCV/G101, AFCV/G103...(Other models you can see in the webshop)		

			
1			
vm nr.	690041	Ref. No.	003822 0H6727 0K2246 251425 751020943
description	cam L 148mm mounting distance 32mm		
For models:	FDV40G, FDV40E, FDV40GZ, FDV40EL, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, FCZ201EAA, FCZ202EAA, FCZ201E-AH, FCZ201EAN, FCZ201ETA, FCZ202ETA, FCZ201ETH, FCZ201ETN, FCZ201GAG, FCZ202GAG, FCZ201GAD, FCZ202GAD, FCZ201GTG, FCZ202GTG, FCZ201GTD, FCZ202GTD, FCZ201EBA, FCZ202EBA, FCZ201EBH, FCZ201EBN, FCZ201EBC, FCZ201EBA2, FCZ202EBA2, FCZ201EBH2, FCZ201EBN2, FCZ201EBC2, FCZ201GBG, FCZ202GBG, FCZ201GBD, FCZ202GBD, FCZ201GBI, FCZ201GBG2, FCZ202GBG2, FCZ201GBD2, FCZ202GBD2, FCZ201GBI2, FCZ201ECA, FCZ202ECA, FCZ201ECH, FCZ201ECN...(Other models you can see in the webshop)		

			
2			
vm nr.	693797	Ref. No.	004104 0G1982 234701
description	console upper/lower for cam		
For models:	FDV40G, FDV40E, FDV40GZ, FDV40EL, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, FCV/G20L3, FCVG202L3, FCV/E20L3, FCVE202L3, FCV/G20L6, FCV/E20L6, FCVG202L6, FCVE202L6, FCV/G201/1, FVC/E201/1, FCV/G202/1, FVC/E202/1, FCFG201-0, FCFG202-0, FCFE201-0, FCFE202-0, FCF201ENS, FCS201E4, FCS201EP, FCS202E4, FCS202EP, FCS201G4, FCS201GP, FCS202G4, FCS202GP, FCS201EX, FCS201EXLN, FCS202EX, FCS201GX, FCS202GX, 5714-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5717-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5714-2-6L, 5714-2-7L...(Other models you can see in the webshop)		

			
1			
vm nr.	690838	Ref. No.	056571 0K2873 5401029
description	door catch with roller H 48mm L 50mm W 26mm mounting distance 28mm rollerø 10mm		
For models:	FCVE10-2, FCVE10-4, FCVE103CE, FCVE10-2UK, FCVE10-4UK, FCVG10-2, FCVG10-4, FCVG10-1SG, FCVG10-2, FCVG10-4D, FCVG10-2UK, FCVG10-4UK, FCVG10-2, FCVG10-4, FCVE20-2, FCVE20-4, FCVE203CE, FCVE20-P-V, FCVE20-2UK, FCVE20-4UK, FCVG20-2, FCVG20-4, FCVG20-2, FCVG20-4D, FCVG20-2UK, FCVG20-4UK, FCVG20-4, FCVG20-4D, FCVE20-V, FCVE20VUK, FCVE10-P, FCVE10PUK, FCVG10-P, FCVG10PUK, FCVE20-P, FCVE20PUK, FCVG20-P, FCVG20PUK, AFCV/G101, AFCV/G103, SCO/G10-3, AFCV/G201, AFCV/G203, SCO/G20-3, FCVG10-1SG, FCV/E20-V		

			
1			
vm nr.	690836	Ref. No.	056550 0K3031 5401028
description	latch gear L 17mm W 26mm H 1.5mm mounting distance 42mm shaft diameter 7x7mm		
For models:	FCVE10-2, FCVE10-4, FCVE103CE, FCVE10-2UK, FCVE10-4UK, FCVG10-2, FCVG10-4, FCVG10-1SG, FCVG10-2, FCVG10-4D, FCVG10-2UK, FCVG10-4UK, FCVG10-2, FCVG10-4, FCVE20-2, FCVE20-4, FCVE203CE, FCVE20-P-V, FCVE20-2UK, FCVE20-4UK, FCVG20-2, FCVG20-4, FCVG20-2, FCVG20-4D, FCVG20-2UK, FCVG20-4UK, FCVG20-4, FCVG20-4D, FCVE20-V, FCVE20VUK, FCVE10-P, FCVE10PUK, FCVG10-P, FCVG10PUK, FCVE20-P, FCVE20PUK, FCVG20-P, FCVG20PUK, AFCV/G101, AFCV/G103, SCO/G10-3, AFCV/G201, AFCV/G203, SCO/G20-3, FCVG10-1SG, FCV/E20-V		

producer-specific

ELECTROLUX

			
1			
vm nr.	700490	Ref. No.	005519 0H6728 0K1951 0K2247 0KE636 242817 60050439 72005302
description	door catch with roller		
For models:	FDV40G, FDV40E, FDV40GZ, FDV40EL, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, FCV/G20L3, FCVG202L3, FCV/E20L3, FCVE202L3, FCV/G20L6, FCV/E20L6, FCVG202L6, FCVE202L6, FCV/G201/1, FVC/E201/1, FCV/G202/1, FVC/E202/1, FCFG201-0, FCFG202-0, FCFE201-0, FCFE202-0, FCF201ENS, 5714-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5717-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5714-2-6L, 5714-2-7L, 5714-2-8L, 5714-2-10L, 5714-2-6L, 5714-2-7L, 5714-2-8L, 5714-2-10L, 5714-3-6, 5714-3-7, 5714-3-8, 5714-3-8E, 5714-3-10, 5717-3-6, 5717-3-7...(Other models you can see in the webshop)		

			
1			
vm nr.	693752	Ref. No.	0H6729 251427 60050440 750010188
description	door handle black plastic		

			
1			
 vm nr.	690042	Ref. No.	0H6928 0K2719 0KS851 280156 5401006 60050454 751020942
description	latch gear opening to the right shaft intake ø 8x8mm L 170mm W 40mm H 40mm		
For models:	5714-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5717-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5714-2-6L, 5714-2-7L, 5714-2-8L, 5714-2-10L, 5714-3-6, 5714-3-7, 5714-3-8, 5714-3-8E, 5714-3-10, 5717-3-6, 5717-3-7, 5717-3-8, 5717-3-8E, 5717-3-10, 5717-3-8M, 5717-3-8C, 5717-3-8M, 5714-2-10F, 5714-2-10S, 5714-3-10F, 5714-3-10S, 5704-2-2, 5704-2-3, 5707-2-2, 57074-2-3, 5704-3-2, 5704-3-3, 5707-3-2, 5707-3-3, 5614-3-10, 5614-3-6, 5614-3-8		
accessories for	690042		
	 vm nr.	690040	Ref. No. 0KS854 1951149 1951151
door catch with roller H 42mm L 40mm W 40mm zinc die cast mounting distance 26mm type 0751 series			
	 vm nr.	690041	Ref. No. 003822 0H6727 0K2246 251425 751020943
cam L 148mm mounting distance 32mm			
	 vm nr.	691050	Ref. No. —
bar ø 10mm for door latch L 113.5mm			

			
1			
vm nr.	700471	Ref. No.	003994 0G2001 0H6996
description	bushing for door handle		
For models:	FDV40G, FDV40E, FDV40GZ, FDV40EL, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, FCV/G20L3, FCVG20L3, FCV/E20L3, FCVE20L3, FCV/G20L6, FCV/E20L6, FCVG20L6, FCVE20L6, FCV/G201/1, FVC/E201/1, FCV/G202/1, FVC/E202/1, FCFG201-0, FCFG202-0, FCFE201-0, FCFE202-0, FCF201ENS, 5714-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5717-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5714-2-6L, 5714-2-7L, 5714-2-8L, 5714-2-10L, 5714-2-6L, 5714-2-7L, 5714-2-8L, 5714-2-10L, 5714-3-6, 5714-3-7, 5714-3-8, 5714-3-8E, 5714-3-10, 5717-3-6, 5717-3-7...(Other models you can see in the webshop)		

			
1			
vm nr.	693797	Ref. No.	004104 0G1982 234701
description	console upper/lower for cam		
For models:	FDV40G, FDV40E, FDV40GZ, FDV40EL, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, FCV/G20L3, FCVG20L3, FCV/E20L3, FCVE20L3, FCV/G20L6, FCV/E20L6, FCVG20L6, FCVE20L6, FCV/G201/1, FVC/E201/1, FCV/G202/1, FVC/E202/1, FCFG201-0, FCFG202-0, FCFE201-0, FCFE202-0, FCF201ENS, FCS201E4, FCS201EP, FCS202E4, FCS202EP, FCS201G4, FCS201GP, FCS202G4, FCS202GP, FCS201EX, FCS201EXLN, FCS202EX, FCS201GX, FCS202GX, 5714-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5717-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5714-2-6L, 5714-2-7L...(Other models you can see in the webshop)		

			
1			
vm nr.	700490	Ref. No.	005519 0H6728 0K1951 0K2247 0KE636 242817 60050439 72005302
description	door catch with roller		
For models:	FDV40G, FDV40E, FDV40GZ, FDV40EL, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, FCV/G20L3, FCVG20L3, FCV/E20L3, FCVE20L3, FCV/G20L6, FCV/E20L6, FCVG20L6, FCVE20L6, FCV/G201/1, FVC/E201/1, FCV/G202/1, FVC/E202/1, FCFG201-0, FCFG202-0, FCFE201-0, FCFE202-0, FCF201ENS, 5714-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5717-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5714-2-6L, 5714-2-7L, 5714-2-8L, 5714-2-10L, 5714-2-6L, 5714-2-7L, 5714-2-8L, 5714-2-10L, 5714-3-6, 5714-3-7, 5714-3-8, 5714-3-8E, 5714-3-10, 5717-3-6, 5717-3-7...(Other models you can see in the webshop)		

			
1			
vm nr.	694366	Ref. No.	0J0006 0K1618 0K1619 H23398500
description	flange for door handle brass L 95mm W 40mm H 28.5mm hole ø 14mm		
For models:	5714-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5717-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5714-2-6L, 5714-2-7L, 5714-2-8L, 5714-2-10L, 5714-3-6, 5714-3-7, 5714-3-8, 5714-3-8E, 5714-3-10, 5717-3-6, 5717-3-7, 5717-3-8, 5717-3-8E, 5717-3-10, 5717-3-8M, 5717-3-8C, 5717-3-8M, 5714-2-10F, 5714-2-10S, 5714-3-10F, 5714-3-10S, 5704-2-2, 5704-2-3, 5707-2-2, 57074-2-3, 5704-3-2, 5704-3-3, 5707-3-2, 5707-3-3, 5614-3-10, 5614-3-6, 5614-3-8		

			
1			
vm nr.	700491	Ref. No.	003990
description	gasket suitable for JUNO equiv. no. 03990 L 40mm W 35mm door catch thickness 1mm		
For models:	FDV40G, FDV40E, FDV40GZ, FDV40EL, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, FCFG201-0, FCFG202-0, FCFE201-0, FCFE202-0, FCF201ENS, 5714-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5717-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5714-2-6L, 5714-2-7L, 5714-2-8L, 5714-2-10L, 5714-2-6L, 5714-2-7L, 5714-2-8L, 5714-2-10L, 5714-3-6, 5714-3-7, 5714-3-8, 5714-3-8E, 5714-3-10, 5717-3-6, 5717-3-7, 5717-3-8, 5717-3-8E, 5717-3-10, 5717-3-8M, 5717-3-8C, 5717-3-8M, 5704-2-2, 5704-2-3, 5707-2-2, 57074-2-3, 5704-3-2, 5704-3-3...(Other models you can see in the webshop)		

			
1			
	690042	Ref. No.	0H6928 0K2719 0KS851 280156 5401006 60050454 751020942
description	latch gear opening to the right shaft intake ø 8x8mm L 170mm W 40mm H 40mm		
For models:	5714-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5717-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5714-2-6L, 5714-2-7L, 5714-2-8L, 5714-2-10L, 5714-3-6, 5714-3-7, 5714-3-8, 5714-3-8E, 5714-3-10, 5717-3-6, 5717-3-7, 5717-3-8, 5717-3-8E, 5717-3-10, 5717-3-8M, 5717-3-8C, 5717-3-8M, 5714-2-10F, 5714-2-10S, 5714-3-10F, 5714-3-10S, 5704-2-2, 5704-2-3, 5707-2-2, 57074-2-3, 5704-3-2, 5704-3-3, 5707-3-2, 5707-3-3, 5614-3-10, 5614-3-6, 5614-3-8		
accessories for	690042		
	vm nr.	690040	Ref. No. 0KS854 1951149 1951151
door catch with roller H 42mm L 40mm W 40mm zinc die cast mounting distance 26mm type 0751 series			
	vm nr.	690041	Ref. No. 003822 0H6727 0K2246 251425 751020943
cam L 148mm mounting distance 32mm			
	vm nr.	691050	Ref. No. —
bar ø 10mm for door latch L 113.5mm			

			
1			
vm nr.	690041	Ref. No.	003822 0H6727 0K2246 251425 751020943
description	cam L 148mm mounting distance 32mm		
For models:	FDV40G, FDV40E, FDV40GZ, FDV40EL, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, FCZ201EAA, FCZ202EAA, FCZ201E-AH, FCZ201EAN, FCZ201ETA, FCZ202ETA, FCZ201ETH, FCZ201ETN, FCZ201GAG, FCZ202GAG, FCZ201GAD, FCZ202GAD, FCZ201GTG, FCZ202GTG, FCZ201GTD, FCZ202GTD, FCZ201EBA, FCZ202EBA, FCZ201EBH, FCZ201EBN, FCZ201EBC, FCZ201EBA2, FCZ202EBA2, FCZ201EBH2, FCZ201EBN2, FCZ201EBC2, FCZ201GBG, FCZ202GBG, FCZ201GBD, FCZ202GBD, FCZ201GBI, FCZ201GBG2, FCZ202GBG2, FCZ201GBD2, FCZ202GBD2, FCZ201GBI2, FCZ201ECA, FCZ202ECA, FCZ201ECH, FCZ201ECN...(Other models you can see in the webshop)		

			
1			
vm nr.	693797	Ref. No.	004104 0G1982 234701
description	console upper/lower for cam		
For models:	FDV40G, FDV40E, FDV40GZ, FDV40EL, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, FCV/G20L3, FCVG202L3, FCV/E20L3, FCVE202L3, FCV/G20L6, FCV/E20L6, FCVG202L6, FCVE202L6, FCV/G201/1, FVC/E201/1, FCV/G202/1, FVC/E202/1, FCFG201-0, FCFG202-0, FCFE201-0, FCFE202-0, FCF201ENS, FCS201E4, FCS201EP, FCS202E4, FCS202EP, FCS201G4, FCS201GP, FCS202G4, FCS202GP, FCS201EX, FCS201EXLN, FCS202EX, FCS201GX, FCS202GX, 5714-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5717-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5714-2-6L, 5714-2-7L...(Other models you can see in the webshop)		

			
vm nr.	694382	Ref. No.	004099
description	espagnolette lock complete with flange L 1265mm		
For models:	FDV40G, FDV40E, FDV40GZ, FDV40EL, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, FCFG201-0, FCFG202-0, FCFE201-0, FCFE202-0, FCF201ENS, ECFG201-0, ECFG202-0, ECFE201-0, ECFE202-0, ECF201ENS, ACFG201-0, ACFG202-0, ACVE201-0, ACVE202-0, RCF201E, ZCF/G201/1, ZCF/G202/1, ZCF/E201/1-0, ZCF/E202/1-0		
spare parts for	694382		
	vm nr.	690041	Ref. No. 003822 0H6727 0K2246 251425 751020943
cam L 148mm mounting distance 32mm			
	vm nr.	690042	Ref. No. 0H6928 0K2719 0KS851 280156 5401006 60050454 751020942
latch gear opening to the right shaft intake ø 8x8mm L 170mm W 40mm H 40mm			
	vm nr.	693797	Ref. No. 004104 0G1982 234701
console upper/lower for cam			
	vm nr.	700472	Ref. No. 004098
flange for door handle brass L 95mm W 40mm H 15mm hole ø 14mm			

			
1			
vm nr.	700472	Ref. No.	004098
description	flange for door handle brass L 95mm W 40mm H 15mm hole ø 14mm		
For models:	FDV40G, FDV40E, FDV40GZ, FDV40EL, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, FCV/G20L3, FCVG202L3, FCV/E20L3, FCVE202L3, FCV/G20L6, FCV/E20L6, FCVG202L6, FCVE202L6, FCV/G201/1, FVC/E201/1, FCV/G202/1, FVC/E202/1, FCFG201-0, FCFG202-0, FCFE201-0, FCFE202-0, FCF201ENS, ECFG201-0, ECFG202-0, ECFE201-0, ECFE202-0, ECF201ENS, ECV/G20T4, ECV/E20T4, ECVG202T4, ECVG202T4, ECV/G20T4J, ECV/G20T6, ECV/E20T6, ECVG202T6, ECVG202T6, ACFG201-0, ACFG202-0, ACVE201-0, ACVE202-0, RCF201E, ACV/G20C4, ACVG202C4, ACV/E20C4, ACVE202C4...(Other models you can see in the webshop)		

			
1			
 vm nr.	690042	Ref. No.	OH6928 OK2719 OKS851 280156 5401006 60050454 751020942
description	latch gear opening to the right shaft intake ø 8x8mm L 170mm W 40mm H 40mm		
For models:	5714-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5717-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5714-2-6L, 5714-2-7L, 5714-2-8L, 5714-2-10L, 5714-3-6, 5714-3-7, 5714-3-8, 5714-3-8E, 5714-3-10, 5717-3-6, 5717-3-7, 5717-3-8, 5717-3-8E, 5717-3-10, 5717-3-8M, 5717-3-8C, 5717-3-8M, 5714-2-10F, 5714-2-10S, 5714-3-10F, 5714-3-10S, 5704-2-2, 5704-2-3, 5707-2-2, 57074-2-3, 5704-3-2, 5704-3-3, 5707-3-2, 5707-3-3, 5614-3-10, 5614-3-6, 5614-3-8		
accessories for	690042		
	 vm nr.	690040	Ref. No. OKS854 1951149 1951151
door catch with roller H 42mm L 40mm W 40mm zinc die cast mounting distance 26mm type 0751 series			
	 vm nr.	690041	Ref. No. 003822 OH6727 OK2246 251425 751020943
cam L 148mm mounting distance 32mm			
	 vm nr.	691050	Ref. No. —
bar ø 10mm for door latch L 113.5mm			

			
1			
vm nr.	692013	Ref. No.	052061 060920 OH6043 OK8575 60050373 727895
description	roll pin ø 3mm L 16mm		
For models:	MCF/G1090, MCF/G1095, MCF/G995, MR/G721, MR/G1071, MR/G1070, MR/G720, MR/G725, MR/G1075, MR/G726, MR/G1076, MFR/G350, MFR/G700, MFR/G350D, MFR/G700D, MFR/G350F, MFR/G700F, MFR/G350E, MFR/G700E, MFR/E355, MFR/E355UK, MFR/E355D, MFR/E705, MFR/E705UK, MFR/E705D, MFR/G740, MFR/E740, MFR/G350, MFR/G351, MFR/G700, MFR/G701, FDV40G, FDV40E, FDV40GZ, FDV40EL, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, RCF/G1095, RR/G720D, 7FTGC7L, 7FTGC1L, RR/G1070D, 7FTGC7M, RR/G1076, RFR/G350, RFR/G700...(Other models you can see in the webshop)		

			
1			
vm nr.	694407	Ref. No.	OK8572
description	bar for catch straight ø 10mm L 65mm		
For models:	C204200-3, C20230-3, C204400-3N, C206400-3N, C20T4/400-, C20P4200-3, C20P4230-3, C20P44003N, C20P64003N, C20PT4/400		

			
1			
vm nr.	700489	Ref. No.	005037
description	bar for door latch ø 10mm L 465mm		
For models:	FCV/G20L3, FCVG202L3, FCV/E20L3, FCVE202L3, FCV/G20L6, FCV/E20L6, FCVG202L6, FCVE202L6, FCV/G201/1, FVC/E201/1, FCV/G202/1, FVC/E202/1, FCS201E4, FCS201EP, FCS202E4, FCS202EP, FCS201G4, FCS201GP, FCS202G4, FCS202GP, FCS201EX, FCS201EXLN, FCS202EX, FCS201GX, FCS202GX, ECV/G20T4, ECV/E20T4, ECVG202T4, ECVE202T4, ECV/G20T4J, ECV/G20T6, ECV/E20T6, ECVG202T6, ECVE202T6, ACV/G20C4, ACVG202C4, ACV/E20C4, ACVE202C4, ACV/G20C6, ACVG202C6, ACVE202C6, ACV/E202/1, ZCV/G20T4, ZCV/E20T4, ZCV/G202/1, ZCV/E202/1, ZCV/G20T6, ZCV/E20T6, ZCV/G202/1, ZCV/E202/1		

			
1			
vm nr.	690837	Ref. No.	056551 OK2871 OKJ908 5401030 753020379
description	bolt piece L 75mm W 29mm H 28mm cam length 17.5mm cam width 10mm mounting distance 20/40mm		
For models:	FCVE10-2, FCVE10-4, FCVE103CE, FCVE10-2UK, FCVE10-4UK, FCVG10-2, FCVG10-4, FCVG10-5G, FCVG10-2, FCVG10-4D, FCVG10-2UK, FCVG10-4UK, FCVG10-2, FCVG10-4, FCVE20-2, FCVE20-4, FCVE203CE, FCVE20/P-V, FCVE20-2UK, FCVE20-4UK, FCVG20-2, FCVG20-4, FCVG20-2, FCVG20-4D, FCVG20-2UK, FCVG20-4UK, FCVG20-4, FCVG20-4D, FCVE20-V, FCVE20VUK, FCVE10-P, FCVE10PUK, FCVG10-P, FCVG10PUK, FCVE20-P, FCVE20PUK, C204200-3, C20230-3, C204400-3N, C206400-3N, C20T4/400-, C20P4200-3, C20P4230-3, C20P44003N, C20P64003N, C20PT4/400, FCVG20-P, FCVG20PUK, AFCV/G101, AFCV/G103...(Other models you can see in the webshop)		

			
1			
vm nr.	694413	Ref. No.	0F0145
description	espagnolette lock complete L 1010mm		
For models:	CS20ME4/200-3, CS20ME4/230-3, CS20ME6/230-3, CS20ME4/400-3N, CS20ME6/400-3N, CS20ME4/400-3NE, CS20ME4/400-3, CS-20ME4/440-3, CS20MT4/400-3N, CS20MT6/400-3N, CS20GE4/200-3, CS20GE4/230-3, CS20GE6/230-3, CS20GE4/400-3N, CS20GE6/400-3N, CS20GE4/400-3NE, CS20GE4/400-3, CS20GE4/440-3, CS-20GT4/400-3N, CS20GT6/400-3N, CS20LCE4/200-3, CS20LCE4/230-3, CS20LCE6/230-3, CS20LCE4/400-3N, CS20LCE6/400-3N, CS20LCE4/400-3N, CS20LCE4/400-3, CS20LCE4/440-3, CS20LCT4/400-3N, CS20LCT6/400-3N, C204200-3, C20230-3, C204400-3N, C206400-3N, C20T4/400-, C20P4200-3, C20P4230-3, C20P44003N, C20P64003N, C20PT4/400		

			
1			
vm nr.	692013	Ref. No.	052061 060920 OH6043 OK8575 60050373 727895
description	roll pin ø 3mm L 16mm		
For models:	MCF/G1090, MCF/G1095, MCF/G995, MR/G721, MR/G1071, MR/G1070, MR/G720, MR/G725, MR/G1075, MR/G726, MR/G1076, MFR/G350, MFR/G700, MFR/G350D, MFR/G700D, MFR/G350F, MFR/G700F, MFR/G350E, MFR/G700E, MFR/E355, MFR/E355UK, MFR/E355D, MFR/E705, MFR/E705UK, MFR/E705D, MFR/G740, MFR/E740, MFR/G350, MFR/G351, MFR/G700, MFR/G701, FDV40G, FDV40E, FDV40GZ, FDV40EL, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, RCF/G1095, RR/G720D, 7FTGC7L, 7FTGC1L, RR/G1070D, 7FTGC7M, RR/G1076, RFR/G350, RFR/G700...(Other models you can see in the webshop)		



			
1			
vm nr.	690041	Ref. No.	003822 0H6727 0K2246 251425 751020943
description	cam L 148mm mounting distance 32mm		
For models:	FDV40G, FDV40E, FDV40GZ, FDV40EL, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, FCZ201EAA, FCZ202EAA, FCZ201E-AH, FCZ201EAN, FCZ201ETA, FCZ202ETA, FCZ201ETH, FCZ201ETN, FCZ201GAG, FCZ202GAG, FCZ201GAD, FCZ202GAD, FCZ201GTG, FCZ202GTG, FCZ201GTD, FCZ202GTD, FCZ201EBA, FCZ202EBA, FCZ201EBH, FCZ201EBN, FCZ201EBC, FCZ201EBA2, FCZ202EBA2, FCZ201EBH2, FCZ201EBN2, FCZ201EBC2, FCZ201GBG, FCZ202GBG, FCZ201GBD, FCZ202GBD, FCZ201GBI, FCZ201GBG2, FCZ202GBG2, FCZ201GBD2, FCZ202GBD2, FCZ201GBI2, FCZ201ECA, FCZ202ECA, FCZ201ECH, FCZ201ECN...(Other models you can see in the webshop)		

			
1			
vm nr.	693797	Ref. No.	004104 0G1982 234701
description	console upper/lower for cam		
For models:	FDV40G, FDV40E, FDV40GZ, FDV40EL, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, FCV/G20L3, FCVG202L3, FCV/E20L3, FCVE202L3, FCV/G20L6, FCV/E20L6, FCVG202L6, FCVE202L6, FCV/G201/1, FVC/E201/1, FCV/G202/1, FVC/E202/1, FCFG201-0, FCFG202-0, FCFE201-0, FCFE202-0, FCF201ENS, FCS201E4, FCS201EP, FCS202E4, FCS202EP, FCS201G4, FCS201GP, FCS202G4, FCS202GP, FCS201EX, FCS201EXLN, FCS202EX, FCS201GX, FCS202GX, 5714-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5717-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5714-2-6L, 5714-2-7L...(Other models you can see in the webshop)		

			
1			
vm nr.	694366	Ref. No.	0J0006 0K1618 0K1619 H23398500
description	flange for door handle brass L 95mm W 40mm H 28.5mm hole ø 14mm		
For models:	5714-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5717-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5714-2-6L, 5714-2-7L, 5714-2-8L, 5714-2-10L, 5714-2-6L, 5714-2-7L, 5714-2-8L, 5714-2-10L, 5714-3-6, 5714-3-7, 5714-3-8, 5714-3-8E, 5714-3-10, 5717-3-6, 5717-3-7, 5717-3-8, 5717-3-8E, 5717-3-10, 5717-3-8M, 5717-3-8C, 5717-3-8M, 5714-2-10F, 5714-2-10S, 5714-3-10F, 5714-3-10S, 5704-2-2, 5704-2-3, 5707-2-2, 57074-2-3, 5704-3-2, 5704-3-3, 5707-3-2, 5707-3-3, 5614-3-10, 5614-3-6, 5614-3-8		

			
1			
vm nr.	692013	Ref. No.	052061 060920 0H6043 0K8575 60050373 727895
description	roll pin ø 3mm L 16mm		
For models:	MCF/G1090, MCF/G1095, MCF/G995, MR/G721, MR/G1071, MR/G1070, MR/G720, MR/G725, MR/G1075, MR/G726, MR/G1076, MFR/G350, MFR/G700, MFR/G350D, MFR/G700D, MFR/G350F, MFR/G700F, MFR/G350E, MFR/G700E, MFR/E355, MFR/E355UK, MFR/E355D, MFR/E705, MFR/E705UK, MFR/E705D, MFR/G740, MFR/E740, MFR/G350, MFR/G351, MFR/G700, MFR/G701, FDV40G, FDV40E, FDV40GZ, FDV40EL, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, RCF/G1095, RR/G720D, 7FTGC7L, 7FTGC1L, RR/G1070D, 7FTGC7M, RR/G1076, RFR/G350, RFR/G700...(Other models you can see in the webshop)		

			
1			
vm nr.	700489	Ref. No.	005037
description	bar for door latch ø 10mm L 465mm		
For models:	FCV/G20L3, FCVG202L3, FCV/E20L3, FCVE202L3, FCV/G20L6, FCV/E20L6, FCVG202L6, FCVE202L6, FCV/G201/1, FVC/E201/1, FCV/G202/1, FVC/E202/1, FCS201E4, FCS201EP, FCS202E4, FCS202EP, FCS201G4, FCS201GP, FCS202G4, FCS202GP, FCS201EX, FCS201EXLN, FCS202EX, FCS201GX, FCS202GX, ECV/G20T4, ECV/E20T4, ECVG202T4, ECVE202T4, ECV/G20T4J, ECV/G20T6, ECV/E20T6, ECVG202T6, ECVE202T6, ACV/G20C4, ACVG202C4, ACV/E20C4, ACVE202C4, ACV/G20C6, ACVG202C6, ACVE20C6, ACV/E202/1, ZCV/G20T4, ZCV/E20T4, ZCV/G202/1, ZCV/E202/1, ZCV/G20T6, ZCV/E20T6, ZCV/G202/1, ZCV/E202/1		

			
1			
vm nr.	691768	Ref. No.	005038
description	bar L 420mm ID ø 8mm ext. ø 10		
For models:	FCV/G20L3, FCVG202L3, FCV/E20L3, FCVE202L3, FCV/G20L6, FCV/E20L6, FCVG202L6, FCVE202L6, FCV/G201/1, FVC/E201/1, FCV/G202/1, FVC/E202/1, FCS201E4, FCS201EP, FCS202E4, FCS202EP, FCS201G4, FCS201GP, FCS202G4, FCS202GP, FCS201EX, FCS201EXLN, FCS202EX, FCS201GX, FCS202GX, ECV/G20T4, ECV/E20T4, ECVG202T4, ECVE202T4, ECV/G20T4J, ECV/G20T6, ECV/E20T6, ECVG202T6, ECVE202T6, ACV/G20C4, ACVG202C4, ACV/E20C4, ACVE202C4, ACV/G20C6, ACVG202C6, ACVE20C6, ACV/E202/1, ZCV/G20T4, ZCV/E20T4, ZCV/G202/1, ZCV/E202/1, ZCV/G20T6, ZCV/E20T6, ZCV/G202/1, ZCV/E202/1		

			
1			
vm nr.	690041	Ref. No.	003822 0H6727 0K2246 251425 751020943
description	cam L 148mm mounting distance 32mm		
For models:	FDV40G, FDV40E, FDV40GZ, FDV40EL, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, FCV/G20L3, FCVG202L3, FCV/E20L3, FCVE202L3, FCV/G20L6, FCV/E20L6, FCVG202L6, FCVE202L6, FCV/G201/1, FVC/E201/1, FCV/G202/1, FVC/E202/1, FCFG201-0, FCFG202-0, FCFE201-0, FCFE202-0, FCF201ENS, ECFG201-0, ECFG202-0, ECFE201-0, ECFE202-0, ECF201ENS, ECV/G20T4, ECV/E20T4, ECVG202T4, ECFE202T4, ECV/G20T4J, ECV/G20T6, ECV/E20T6, ECVG202T6, ECFE202T6, ACFG201-0, ACFG202-0, ACFE201-0, ACFE202-0, RCF201E, ACV/G20C4, ACVG202C4, ACV/E20C4, ACVE202C4...(Other models you can see in the webshop)		

			
2			
vm nr.	693797	Ref. No.	004104 0G1982 234701
description	console upper/lower for cam		
For models:	FDV40G, FDV40E, FDV40GZ, FDV40EL, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, FCV/G20L3, FCVG202L3, FCV/E20L3, FCVE202L3, FCV/G20L6, FCV/E20L6, FCVG202L6, FCVE202L6, FCV/G201/1, FVC/E201/1, FCV/G202/1, FVC/E202/1, FCFG201-0, FCFG202-0, FCFE201-0, FCFE202-0, FCF201ENS, FCS201E4, FCS201EP, FCS202E4, FCS202EP, FCS201G4, FCS201GP, FCS202G4, FCS202GP, FCS201EX, FCS201EXLN, FCS202EX, FCS201GX, FCS202GX, 5714-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5717-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5714-2-6L, 5714-2-7L...(Other models you can see in the webshop)		

1 			
vm nr.	694414	Ref. No.	005342
description	espagnolette lock complete with flange L 1310mm		
For models:	FCV/G20L3, FCVG202L3, FCV/E20L3, FCVE202L3, FCV/G20L6, FCV/E20L6, FCVG202L6, FCVE202L6, FCV/G201/1, FVC/E201/1, FCV/G202/1, FVC/E202/1, ECV/G20T4, ECV/E20T4, ECVG202T4, ECFE202T4, ECV/G20T4J, ECV/G20T6, ECV/E20T6, ECVG202T6, ECFE202T6, ACV/G20C4, ACVG202C4, ACV/E20C4, ACVE202C4, ACV/G20C6, ACVG202C6, ACVE20C6, ACV/E202/1, ZCV/G20T4, ZCV/E20T4, ZCV/G202/1, ZCV/E202/1, ZCV/G20T6, ZCV/E20T6, ZCV/G202/1, ZCV/E202/1		
accessories for	694414		
	vm nr.	700490	Ref. No. 005519 0H6728 0K1951 0K2247 0KE636 242817 60050439 72005302
door catch with roller			

			
1			
vm nr.	700472	Ref. No.	004098
description	flange for door handle brass L 95mm W 40mm H 15mm hole ø 14mm		
For models:	FDV40G, FDV40E, FDV40GZ, FDV40EL, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, FCV/G20L3, FCVG202L3, FCV/E20L3, FCVE202L3, FCV/G20L6, FCV/E20L6, FCVG202L6, FCVE202L6, FCV/G201/1, FVC/E201/1, FCV/G202/1, FVC/E202/1, FCFG201-0, FCFG202-0, FCFE201-0, FCFE202-0, FCF201ENS, ECFG201-0, ECFG202-0, ECFE201-0, ECFE202-0, ECF201ENS, ECV/G20T4, ECV/E20T4, ECVG202T4, ECFE202T4, ECV/G20T4J, ECV/G20T6, ECV/E20T6, ECVG202T6, ECFE202T6, ACFG201-0, ACFG202-0, ACFE201-0, ACFE202-0, RCF201E, ACV/G20C4, ACVG202C4, ACV/E20C4, ACVE202C4...(Other models you can see in the webshop)		

			
1			
vm nr.	692013	Ref. No.	052061 060920 0H6043 0K8575 60050373 727895
description	roll pin ø 3mm L 16mm		
For models:	MCF/G1090, MCF/G1095, MCF/G995, MR/G721, MR/G1071, MR/G1070, MR/G720, MR/G725, MR/G1075, MR/G726, MR/G1076, MFR/G350, MFR/G700, MFR/G350D, MFR/G700D, MFR/G350F, MFR/G700F, MFR/G350E, MFR/G700E, MFR/E355, MFR/E355UK, MFR/E355D, MFR/E705, MFR/E705UK, MFR/E705D, MFR/G740, MFR/E740, MFR/G350, MFR/G351, MFR/G700, MFR/G701, FDV40G, FDV40E, FDV40GZ, FDV40EL, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, RCF/G1095, RR/G720D, 7FTGC7L, 7FTGC1L, RR/G1070D, 7FTGC7M, RR/G1076, RFR/G350, RFR/G700...(Other models you can see in the webshop)		

miscellaneous

			
1			
vm nr.	700440	Ref. No.	003682
description	bolt for catch		
For models:	JCF/G6-1, JCF/G101/1-1, JCF/G102/1-1, JCF/E6-1, JCF/E101/1-1, JCF/E102/1-1, JCF/G6-2, JCF/G101/1-2, JCF/G102/1-2, JCF/E6-2, JCF/E101/1-2, JCF/E102/1-2		

			
1			
vm nr.	700452	Ref. No.	054854
description	door catch with spigot		
For models:	FCF02EV, FCF02EOEM, FCF/E3, FCF/E2, FCF/E2D, FCF/E2UK, FCF/E2, FCF/E2, FCF/E2D		



1

vm nr.	694374	Ref. No.	0A2413
description	guide ø 32/46mm ID ø 22.5/26mm L 40mm		
For models:	FF/E40, FF/E10, FF/G10, FF/E20, FF/G20, FF/G40, ACFE/E40		

hinges

oven hinges



1

vm nr.	700457	Ref. No.	056439 058934
description	opposite support oven hinge		
For models:	FCF/E4-OLD, FCF/E4D, FCFE4PH, FCF/E4OLD3, FCF/E4OLD4, FCF/E4OLD2, FCF/E4OLD1, FCF/E4D		



1

vm nr.	700456	Ref. No.	056339
description	oven hinge		
For models:	FCF/E4OLD4		
accessories for	700456		
	vm nr.	700457	Ref. No. 056439 058934
opposite support oven hinge			



1

vm nr.	701118	Ref. No.	006087
description	oven hinge lever length 126mm mounting ear position left L 155mm W 20mm Qty 1 pcs		
For models:	PPL5GG, PPFL5GG		



1

vm nr.	701015	Ref. No.	005186
description	oven hinge lever length 22mm L 209mm W 20mm Qty 1 pcs		
For models:	FCF/E4, FCF/E4-3KW, JCF/E4, JCF/E4, ECF/E4, ECF/E4-3KW, ACF/E4, ACF/E4-3KW, NCF/E4, ZCF/E4, ZCF/E4		



1

vm nr.	700014	Ref. No.	OK3592
description	oven hinge mounting distance 118mm mounting distance 2mm lug mounting 13mm lever length 119mm groove distance 13mm spring thickness 3.5mm mounting ear position right spring length 60mm L 154mm		
accessories for	700014		
	vm nr.	700003	Ref. No. 006091 OK3591
opposite support L 110mm W 12mm mounting distance 94mm			



1

vm nr.	701014	Ref. No.	058933
description	oven hinge mounting distance 155mm lever length 130mm groove distance 9mm spring thickness 3.5mm spring length 67mm W 20mm Qty 2 pcs		
For models:	FCF/E4-OLD, FCF/E4D, FCFE4PH, FCF/E4OLD3, FCF/E4OLD4, FCF/E4OLD2, FCF/E4OLD1, FCF/E4D		

door bearing

			
1			
vm nr.	701165	Ref. No.	003686
description	hinge L 49mm W 50mm H 74mm mounting pos. upper right Qty 1 pcs		
For models:	FCF/G6-0, FCF/E6-0, FCF061ELN, FCF6EHOR, FCF061ENS, FCF/G6-1-JAP, FCFE6-1J, ECF/G6/0, ECF/E6-0, ECF061ENS, ECF061ESM, ECF061ECV, ACF/G6-0, ACF/E6-0, JCF/G6-1, JCF/E6-1, JCF/G6-2, JCF/E6-2, RCF061G, RCF061E, NCF/G6-0, NCF/E6-0, ZCF/G6-0, ZCF/E6-0		

			
1			
vm nr.	701016	Ref. No.	003720
description	hinge L 61.5mm W 49mm H 74mm mounting pos. upper right		
For models:	FCFG101/0, FCFG102-0, FCFG201-0, FCFG202-0, FCFE101-0, FCFE102-0, FCFE201-0, FCFE202-0, FCF101ELN, FCFG10160H, FCF101ENS, FCF102ENS, FCF201ENS, FCFG102-0T, FCF/G101/1-1-JAP, FCF/G102/1-1-JAP, FCFE101-1J, FCFE102-1J, FCF/G101/1, ECFG101-0, ECFG102-0, ECFG201-0, ECFG202-0, ECFE101-0, ECFE102-0, ECFE201-0, ECFE202-0, ECF101ENS, ECF102ENS, ECF201ENS, ACFG101-0, ACFG102-0, ACFG201-0, ACFG202-0, ACFE101-0, ACFE102-0, ACFE201-0, ACFE202-0, ACFG10160H, JCF/G101/1-1, JCF/G102/1-1, JCF/E101/1-1, JCF/E102/1-1, JCF/G101/1-2, JCF/G102/1-2, JCF/E101/1-2, JCF/E102/1-2, RCF101G, RCF101E, RCF201E...(Other models you can see in the webshop)		

			
1			
vm nr.	701017	Ref. No.	0F0026
description	hinge L 68mm W 50mm H 72mm mounting pos. bottom right		
For models:	CS7ME4/200-3, CS7ME4/230-3, CS7ME4/400-3N, CS7ME6/400-3N, CS7ME4/400-3N/EO, CS7ME4/400-3/50HZ/MA, CS7ME4/440-3/60HZ/MA, CS7MT4/400-3N, CS7GE4/200-3, CS7GE4/230-3, CS7GE4/400-3N, CS7GE6/400-3N, CS7GE4/400-3N/EO, CS7GE4/400-3/50HZ/MA, CS7GE4/440-3/60HZ/MA, CS7GT4/400-3N, CS7LCE4/200-3, CS7LCE4/230-3, CS7LCE4/400-3N, CS7LCE6/400-3N, CS7LCE4/400-3N/EO, CS7LCE4/400-3/50HZ/M, CS7LCE4/440-3/60HZ/M, CS7LCT4/400-3N, CS10ME4/200-3, CS10ME4/230-3, CS10ME6/230-3, CS10ME4/400-3N, CS10ME6/400-3N, CS10ME4/400-3N/EO, CS10ME4/400-3/50HZ/M, CS10ME4/440-3/60HZ/M, CS10MT4/400-3N, CS10MT6/400-3N, CS10GE4/200-3, CS10GE4/230-3, CS10GE6/230-3, CS10GE4/400-3N, CS10GE6/400-3N, CS10GE4/400-3N/EO, CS10GE4/400-3/50HZ/M, CS10GE4/440-3/60HZ/M, CS10GT4/400-3N, CS10GT6/400-3N, CS10LCE4/200-3, CS10LCE4/230-3, CS10LCE6/230-3, CS10LCE4/400-3N, CS10LCE6/400-3N, CS10LCE4/400-3N/EO...(Other models you can see in the webshop)		

			
1			
vm nr.	700475	Ref. No.	002652 003721
description	hinge bearing L 125mm W 50mm H 18mm mounting pos. bottom right with bolt		
For models:	FCV/G10L3, FCV/G6L3TOWNGAS, FCV/G6L3, FCVG10L3T, FCVG102L3, FCV/E101/1, FCFE6L3J, FCV/E10L3JAP, FCV/E102/1L3JAP, FCV/E10L-6JAP, FCV/E102/1L6JAP, FCV/G6L3JAP, FCVG10L3J, FCVG102L3J, FCV/G10L6JAP, FCV/G102/1L6JAP, FCVG6L3CJ, FCV/E61/1, FCV/G10L2, FCV/E61/1, FCV/E101/1, FCV/E101/1, FCV/E10L2, FCV/E102/1, FCV/E61/1, FCV/E61/1, FCV/E101/1, FCV/E101/2, FCV/G6L3C, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCVG6L3CT, FCVG6L3CJ, FCV/E10L3, FCV/E102/1, FCV/E6L3, FCV/E102/1L3, FCV/G6L4, FCV/E6L4, FCV/E101/1, FCV/G10L6, FCV/E10L6, FCV/G102/1L6, FCV/E102/1L6, FCV/E101/1, FCV/G101/1, FVC/E101/1, FCV/G102/1...(Other models you can see in the webshop)		

			
1			
vm nr.	700476	Ref. No.	005694
description	hinge bearing mounting pos. bottom right with bolt		
For models:	FDV40G, FDV40E, FDV40GZ, FDV40EL, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, FVC/G20L3, FCVG20L3, FVC/E20L3, FVC/E20L3, FVC/G20L6, FVC/E20L6, FCVG20L6, FVC/E20L6, FCV/G201/1, FVC/E201/1, FCV/G202/1, FVC/E202/1, FCS201E4, FCS201EP, FCS202E4, FCS202EP, FCS201G4, FCS201GP, FCS202G4, FCS202GP, FCS201EX, FCS201EXLN, FCS202EX, FCS201GX, FCS202GX, ECV/G20T4, ECV/E20T4, ECVG20T4, ECV/E20T4, ECV/G20T4J, ECV/G20T6, ECV/E20T6, ECVG20T6, ECV/E20T6, ACV/G20C4, ACVG202C4, ACV/E20C4, ACVE202C4, ACV/G20C6, ACVG202C6...(Other models you can see in the webshop)		

			
1			
vm nr.	700511	Ref. No.	007091
description	hinge bearing mounting pos. bottom right with bolt		
For models:	CL221, AOS202EA2N, AOS202EB2N, AOS202EA, AOS202EB, AOS-201GA, AOS201GB, AOS202GB, AOS202GA		



For models:



For models:



For models:



For models:



1

vm nr.	700484	Ref. No.	007007
description	hinge bearing with bolt		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ061EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FC- Z201EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ202E- TA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ061IGAG, FCZ101IGAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ201EBA, FCZ202EBA, FCZ061EBH, FC- Z101EBH, FCZ201EBH, FCZ061EBN, FCZ101EBN...(Other models you can see in the webshop)		



1

vm nr.	690871	Ref. No.	005041
description	hinge bearing without bolt		
For models:	FCV/G20L3, FCVG202L3, FCV/E20L3, FCVE202L3, FCV/G20L6, FCV/E20L6, FCVG202L6, FCVE202L6, FCV/G201/1, FVC/E201/1, FCV/G202/1, FVC/E202/1, FCS201E, FCS201EP, FCS202E4, FCS202EP, FCS201G4, FCS201GP, FCS202G4, FCS202GP, FCS201EX, FCS201EXLN, FCS202EX, FCS201GX, FCS202GX, ECV/G20T4J, ACV/G20C4, ACVG202C4, ACV/E20C4, ACVE202C4, ACV/G20C6, ACVG202C6, ACVE20C6, ACV/E202/1		

miscellaneous



1

vm nr.	701020	Ref. No.	0C5463 0DF006
description	hinge for combi-steamer mounting pos. left		



1

vm nr.	701019	Ref. No.	0C5462 0KB714
description	hinge for combi-steamer mounting pos. right		

accessories

miscellaneous



1

vm nr.	700474	Ref. No.	002653 0F0153 0G1988 0K8484 0KE546 273804
description	disc for hinge corrugated		
For models:	FDV40G, FDV40E, FDV40GZ, FDV40EL, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, FCZ201EAA, FCZ202EAA, FCZ201E-AH, FCZ201EAN, FCZ201ETA, FCZ202ETA, FCZ201ETH, FCZ201ETN, FCZ201GAG, FCZ202GAG, FCZ201GAD, FCZ202GAD, FCZ201GTG, FCZ202GTG, FCZ201GTD, FCZ202GTD, FCZ201EBA, FCZ202EBA, FCZ201EBH, FCZ201EBN, FCZ201EBC, FCZ201EBA2, FCZ202EBA2, FCZ201EBH2, FCZ201EBN2, FCZ201EBC2, FCZ201GBG, FCZ202GBG, FCZ201GBD, FCZ202GBD, FCZ201GBI, FCZ201GBG2, FCZ202GBG2, FCZ201GBD2, FCZ202GBD2, FCZ201GBI2, FCZ201ECA, FCZ202ECA, FCZ201ECH, FCZ201ECN...(Other models you can see in the webshop)		



1

vm nr.	700478	Ref. No.	002645 0F0166 0K2944 0K8509 0K8738 0KE548 30000731
description	protector for glass door for hinge		
For models:	FCV/G10L3, FCV/G6L3TOWNGAS, FCV/G6L3, FCVG10L3T, FCVG102L3, FCV/E101/1, FCV/G20L3, FCVG202L3, FCVE6L3J, FCV/E10L3JAP, FCV/E102/1L3JAP, FCV/E10L6JAP, FCV/E102/1L6JAP, FCV/G6L-3JAP, FCVG10L3J, FCVG102L3J, FCV/G10L6JAP, FCV/G102/1L6JAP, FCVG6L3CJ, FCV/E61/1, FCV/G10L2, FCV/E61/1, FCV/E101/1, FCV/E101/1, FCV/E10L2, FCV/E102/1, FCV/E61/1, FCV/E61/1, FCV/E101/1, FCV/E101/2, FCV/G6L3C, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCVG6L3CT, FCVG6L3CJ, FCV/E10L3, FCV/E102/1, FCV/E6L3, FCV/E102/1L3, FCV/E20L3, FCVE202L3, FCV/G6L4, FCV/E6L4, FCV/E101/1, FCV/G10L6, FCV/E10L6, FCV/G102/1L6, FCV/E102/1L6...(Other models you can see in the webshop)		



fittings for catering equipment

drain taps

producer-specific

ELECTROLUX



1

vm nr.	540658	Ref. No.	053108 700610
description	ball valve connection 3/4" IT - 3/4" IT DN20 total length 69mm		
For models:	MFR/G350, MFR/G700, MFR/G350D, MFR/G700D, MFR/G350F, MFR/G700F, MFR/G350E, MFR/G700E, MFR/E355, MFR/E355UK, MFR/E355D, MFR/E705, MFR/E705UK, MFR/E705D, RFR/E1S12, RFR/E2D12, XFR/E1S12, XFR/E2D12, JFR/E1S12, JFR/E2D12, MFR/E1S12, MFR/E2D12, RFR/G350, RFR/G700, RFR/G350D, RFR/G700D, RFR/G350F, RFR/G700F, M35GFR, M70GFR, XFR/G350D, XFR/G700D, XFR/G350F, XFR/G700F, XFR/G351, CFR/G351, CFR/G700, RFR/G301, RFR/G300, RFR/G301, RFR/G701, RFR/G701F, HFR/G420, HFR/G420, HFR/G840, HFR/G840, HFR/G840, HFR/E420, HFR/E420UK, HFR/E840...(Other models you can see in the webshop)		



1

vm nr.	540978	Ref. No.	003378 728055
description	bracket		
For models:	MFR/E355, MFR/E355UK, MFR/E355D, MFR/E705, MFR/E705UK, MFR/E705D, MFR/G740, MFR/E740, MFR/G350, MFR/G351, MFR/G700, MFR/G701, RFR/G1S12, RFR/G2D12, RCP/E2S, XFR/G1S12, XFR/G2D12, JFR/G1S12, JFR/G2D12, MCP/E1SH, MCP/E1SUH, MCP/E2SUHS, MFR/G1S12, MFR/G2D12, MCP/E2S, MCP/E2SH, MCP/E2SUH, MCP/E2SUT, MCP/E2SHB, RFR/E356, RFR/E741, RFR/E701, RFR/G741, 7FRG03S, 7FRG07S, CFR/G741, CFR/E702, M35GFR, M70GFR, CFR/G351, CFR/G701, HFR/G410, HFR/G810, HFR/E410, HFR/E810, HFR/G411, HFR/E411, HFR/E412, HFR/E418, HFR/E818...(Other models you can see in the webshop)		



1

vm nr.	540979	Ref. No.	003377 727891
description	handle rod L 200mm for drain tap		
For models:	MFR/E355, MFR/E355UK, MFR/E355D, MFR/E705, MFR/E705UK, MFR/E705D, MFR/G740, MFR/E740, MFR/G350, MFR/G351, MFR/G700, MFR/G701, RFR/G1S12, RFR/G2D12, XFR/G1S12, XFR/G2D12, JFR/G1S12, JFR/G2D12, MFR/G1S12, MFR/G2D12, RFR/E356, RFR/E741, RFR/E701, RFR/G741, 7FRG03S, 7FRG07S, CFR/G741, CFR/E702, M35GFR, M70GFR, CFR/G351, CFR/G701, HFR/G410, HFR/G810, HFR/G410D, HFR/G810D, HFR/G410NL, HFR/G810NL, HFR/G411, ZFR/G410, ZFR/G810, ZFR/G410D, ZFR/G810D, ZFR/G411, AFR/G410, AFR/G810, M40GFR90, AFR/G411, AFR/G412, OFR/G810		

aerators and air bleeders



1

vm nr.	540949	Ref. No.	0H6420 0H9729 0H9963 0K2998 0K5385 0KG799 127296 19003294 670420
description	aerator and air bleeder thread 1/2" ET chrome-plated with O-ring L 15mm ø 25mm		
For models:	ACSGRT, GWACOE00RO, FWAA0MOORO, GWACOMOORO, IWKCOE0000, HWAHOEOORO, GWAHOEO000, GWAHOEOORO, FWAHOEOORO, BEN150EW87, HWAJOEOORO, GWAJOEOORO, FWAJOEOORO, BEN200EW87, GWAJOMOORO, FWFJOEX000, FWFJOEXORO, BEN300E.S35.H97, GWAKOE00RO, FWAKOE00RO, IWAKOMOORO, GWAKOMOORO, FWFKOEXORO, FWKKOE00RO, IVALOE0000, IVALOE00RO, BEN400E.S35.H97, BEN400EF97, FVALOE00RO, GVALOMOORO, IVAAOE0000, HVAAOEOORO, GVAAOEO000, GVAAOEOORO, FVAAOEOORO, IVKAOEO000, FVKAEOEOORO, HVABOEOORO, GVABOEO000, GVABOEOORO, FVAEOEOORO, FVFB0EXORO, IVKBOEO000, FVKBOEOORO, IVACOE00RO, BON080EF88, GVACOE00RO, FVACOE00RO, IVACOMOORO, GVACOMOORO...(Other models you can see in the webshop)		

drain taps

accessories



1

vm nr.	540222	Ref. No.	053809 0H6848 0K2958 0K3045 0TR613 68226012
description	O-ring EPDM thickness 2.62mm ID ø 47.3mm Qty 1 pcs		
For models:	FCFG101/0, FCFG102-0, FCFG201-0, FCFG202-0, FCFE101-0, FCFE102-0, FCFE201-0, FCFE202-0, FCF101ELN, FCFG10160H, FCF201ENS, FCFG102-0T, FCF/G101/1-1-JAP, FCF/G102/1-1-JAP, FCFE101-1J, FCFE102-1J, FCF/G101/1, FCFG6D, FCFE6D, FCFE6D, FCFG10, FCFG10D, FCFG10NL, FCFE10, FCFE10UK, FCFG20, FCFG20D, FCFG20F, PFCFG20, FCFE20, FCFE20UK, FCFG40, FCFG41, FCFG40D, FCFG40F, PFCFG40F, FCFE40, FCFE40D, FCFE40UK, PFCFE40F, FCFG6, FCFG6F, PFCFG6, FCFE6, FCFE6UK, PFCFE6, FCVE10, FCVE20, FCFE6J50, FCFE6J60...(Other models you can see in the webshop)		



safety valves



1

vm nr.	541458	Ref. No.	0G0122 0K2987 0K5784 0K5785 19013244 19013245 610515106 75701101
description	safety valve T1: 1/2" T2: 1/2" triggering pressure 1.3bar		
For models:	VARIOSTEAM/S-33.3/F, STEAM-O-MAT		

filters

accessories

fastening material



1

vm nr.	693914	Ref. No.	054905 0F0156
description	spring clip for drain filter		
For models:	MCP/E700, MCP/G700, MCP/E700D, MCP/G701, MCP/G710, MCP/G711, MCP/G705, MCP/G706, RCP/G1S, RCP/G2D, RCP/E1S, RCP/E2D, RCP/E2S, XCP/G1S, XCP/G2D, XCP/E1S, XCP/E2D, JCP/G1S, JCP/G2D, JCP/E1S, JCP/E2D, MCP/E1SH, MCP/E1SUH, MCP/E2SUHS, MCP/G1S, MCP/G2D, MCP/E1S, MCP/E2D, MCP/E2S, MCP/E2SH, MCP/E2SUH, MCP/E2SUT, MCP/E2SHB, ACPG25, 7CPE07P, 7CPG07P, RCP/G701, RCP/G706, M70EPC, M70GPC, M70GPC, XCP/G706, CCP/G700, CCP/E700, ECP/E1ELHU, PCP/G1S, PCP/G2D, PCP/E1S, PCP/E2D, PCP/E2SHP...(Other models you can see in the webshop)		
accessories for	693914		
vm nr.	694000	Ref. No.	004836 11101347
filter			

equipment feet and end caps

equipment feet

with screw mounting



1

vm nr.	701012	Ref. No.	0H2317
description	equipment foot tube ø 50mm H 95-165mm plastic Qty 1 pcs WS 45		
For models:	CS7ME4/200-3, CS7ME4/230-3, CS7ME4/400-3N, CS7ME6/400-3N, CS7ME4/400-3N/EO, CS7ME4/400-3/50HZ/MA, CS7ME4/440-3/60HZ/MA, CS7MT4/400-3N, CS7GE4/200-3, CS7GE4/230-3, CS7GE4/400-3N, CS7GE6/400-3N, CS7GE4/400-3N/EO, CS7GE4/400-3/50HZ/MA, CS7GE4/440-3/60HZ/MA, CS7GT4/400-3N, CS7LCE4/200-3, CS7LCE4/230-3, CS7LCE4/400-3N, CS7LCE6/400-3N, CS7LCE4/400-3N/EO, CS7LCE4/400-3/50HZ/M, CS7LCE4/440-3/60HZ/M, CS7LCT4/400-3N, C7E4/200-3, C7E4/230-3, C7E4/400-3N, C7E6/400-3N, C7PE4/200-3, C7PE4/230-3, C7PE4/400-3N, C7PT4/400-3N, AR85, AR85, AR85, AR85, AR85, AR85, AR85, AR85, AR6ES, AR6ES, AR6ES, AR6ES, AR6ES, AR6ES, AR6ES, AR6ES, AR6ES...(Other models you can see in the webshop)		

DERBY RUOTE

with bolt hole

chrome-plated steel



1

vm nr.	700200	Ref. No.	033657 F145D210023E
description	swivel castor ø 100mm bolt hole bolt hole ø 12mm housing chrome-plated sheet steel capacity 80kg bearing ball bearing wheel body polypropylene tread TPE tyres H 132mm wheel width 30mm Qty 1 pcs		
For models:	TG1000RL, TG1100RL, TG1200RL, TG1300RL, TG1400RL, TG1500RL, TG1600RL, TG1700RL, TG1800RL, TG1900RL, TG2000RL, TG1010RL, TG1110RL, TG1210RL, TG1210RL, TG1410RL, TG1510RL, TG1610RL, TG1710RL, TG1810RL, TG1910RL, TG2010RL, TG1000R, TG1100R, TG1200R, TG1300R, TG1400R, TG1500R, TG1600R, TG1700R, TG1800R, TG1900R, TG2000R, TG1010R, TG1110R, TG1210R, TG1310R, TG1410R, TG1510R, TG1610R, TG1710R, TG1810R, TG1910R, TG2010R, TLC1210H, TLC1810H, TLV1210, TLV1810H, TG1000P, TG1100...(Other models you can see in the webshop)		



			
1			
vm nr.	700207	Ref. No.	0E5373 OKB549 461208700 F135D7125.12
description	swivel castor ø 125mm bolt hole bolt hole ø 12mm housing chrome-plated sheet steel capacity 100kg bearing ball bearing wheel body polypropylene tread TPE tyres H 159mm wheel width 30mm Qty 1 pcs		
For models:	CS10ME4/200-3, CS10ME4/230-3, CS10ME6/230-3, CS10ME4/400-3N, CS10ME6/400-3N, CS10ME4/400-3N/EO, CS10ME4/400-3/50HZ/M, CS10ME4/440-3/60HZ/M, CS10MT4/400-3N, CS10MT6/400-3N, CS10GE4/200-3, CS10GE4/230-3, CS10GE6/230-3, CS10GE4/400-3N, CS10GE6/400-3N, CS10GE4/400-3N/EO, CS10GE4/400-3/50HZ/M, CS10GE4/440-3/60HZ/M, CS10GT4/400-3N, CS10GT6/400-3N, CS10LCE4/200-3, CS10LCE4/230-3, CS10LCE6/230-3, CS10LCE4/400-3N, CS10LCE6/400-3N, CS10LCE4/400-3N/EO, CS10LCE4/400-3/50HZ/, CS10LCE4/440-3/60HZ/, CS10LCT4/400-3N, CS10LCT6/400-3N, CS20ME4/200-3, CS20ME4/230-3, CS20ME6/230-3, CS20ME4/400-3N, CS20ME6/400-3N, CS20ME4/400-3NE, CS20ME4/400-3, CS20ME4/440-3, CS20MT4/400-3N, CS20MT6/400-3N, CS20GE4/200-3, CS20GE4/230-3, CS20GE6/230-3, CS20GE4/400-3N, CS20GE6/400-3N, CS20GE4/400-3NE, CS20GE4/400-3, CS20GE4/440-3, CS20GT4/400-3N, CS20GT6/400-3N...(Other models you can see in the webshop)		

stainless steel			
			
1			
vm nr.	700222	Ref. No.	0S1427
description	swivel castor ø 125mm bolt hole bolt hole ø 12mm housing SS capacity 100kg bearing ball bearing wheel body polypropylene tread TPE tyres H 159mm wheel width 30mm Qty 1 pcs		

with thread			
			
1			
vm nr.	710012 ¹	Ref. No.	0C1631
description	swivel castor with swivel brake ø 100mm thread housing chrome-plated steel capacity 80kg spigot hight 30mm spigot-ø M12mm bearing ball bearing wheel body polypropylene tread TPE tyres H 132mm wheel width 30mm -20 up to +60°C Qty 1 pcs		
For models:	FCZ201EAA, FCZ202EAA, FCZ201EAH, FCZ201EAN, FCZ201ETA, FCZ202ETA, FCZ201ETH, FCZ201ETN, FCZ201GAG, FCZ202GAG, FCZ201GAD, FCZ202GAD, FCZ201GTG, FCZ202GTG, FCZ201GTD, FCZ202GTD, FCZ201EBA, FCZ202EBA, FCZ201EBH, FCZ201EBN, FCZ201EBC, FCZ201EBA2, FCZ202EBA2, FCZ201EBH2, FCZ201EBN2, FCZ201EBC2, FCZ201GBG, FCZ202GBG, FCZ201GBD, FCZ202GBD, FCZ201GBI, FCZ201GBG2, FCZ202GBG2, FCZ201GBD2, FCZ202GBD2, FCZ201GBI2, FCZ201ECA, FCZ202ECA, FCZ201ECH, FCZ201ECN, FCZ201ECA2, FCZ202ECA2, FCZ201ECH2, FCZ201ECN2, FCZ201GCG, FCZ202GCG, FCZ201GCD, FCZ202GCD, FCZ201GCG2, FCZ202GCG2...(Other models you can see in the webshop)		

¹with swivel brake

miscellaneous

with bolt hole

ø125mm



1			
vm nr.	710005	Ref. No.	OK6717 461208704
description	swivel castor with swivel brake ø 125mm bolt hole ø10.5/13mm housing zinc-plated sheet steel capacity 100kg wheel width 30mm MANNER		
For models:	HCCS20W, HCCS20W, LOR, LOT440, LOT470, BUF8W, BUF12W, BUF8IW, BUF12IW, BUF8S, BUF12S, BUF8L, BUF12L, BUF8BM, BUF12BM, BUF8ROT, BUF12WOT, BUF81WOT, BUF12IWOT, BUF8BMOT, BUF12BMOT, BUF2BMOT, BUF3BMOT, BUF2BM, BUF3BM, LOT385, AR170, AR170, AR170, AR170, AR170, AR170, AR170, AR170, AR170, AR170, AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR340, AR340...(Other models you can see in the webshop)		

shelves and shelf rails

grates

universal

without upstand



1			
vm nr.	970120	Ref. No.	057468 GOC155 X330266113
description	grate W 325mm D 530mm GN 1/1 chrome-plated steel wire gauge frame 7mm lengthwise wires gauge 4mm crossing wires 1		
For models:	FCFG6D, FCFE6D, FCFE6D, FCFG6, FCFG6F, PFCFG6, FCFE6, FCFE6UK, PFCFE6, FCFE6J50, FCFE6J60, FCFG6J, FCFG6J, FCFG6J, FCFG6J, FCF/G6, FCF/E6, AFCF/E6, FF/G6, COCO6G, COCO6E, COCVC623AF, FCFE061, ZOFCF/G6D		
accessories for	970120		
	vm nr.	690330	Ref. No.
	rack L 1000mm W 22mm H 4mm aperture 3x8mm hole distance 12.5mm stainless steel		
	vm nr.	694700	Ref. No.
	shelf support L 31/28mm W 22mm H 18mm SS Qty 12 pcs		
	vm nr.	694701	Ref. No.
	shelf support L 31/28mm W 22mm H 17mm SS with hook Qty 12 pcs		

with upstand

			
vm nr.	970527	Ref. No.	025020 081883
description	grate GN 2/1 W 530mm D 650mm chrome-plated steel with hinge camp crossing wires 2 suitable for refrigerator		
For models:	ALP110, ALP120, ALP111, ALP220, ALP240, ALP221, ALN110, ALN120, ALN111, ALN220, ALN240, ALN221, ALNN220, ALP110UK, ALN110UK, ALNN220UK, ALF110, ALF220UK, ALNF220, ALF110, ALF120, ALF220, ALF240, ALNF220, ILP110, ILP110UK, ILN120, ILP111, ILP220, ILP220UK, ILP240, ILP221, ILN110, ILN110UK, ILN120, ILN111, ILN220, ILN220UK, ILN240, ILN221, ILNN220, ILNN220UK, ALP110UK, ALN110UK, ALNN220UK, ALF110UK, ALNF220UK, ILF110, ILF110, ILF120...(Other models you can see in the webshop)		
accessories for	970527		
vm nr.	690330	Ref. No.	—
description	rack L 1000mm W 22mm H 4mm aperture 3x8mm hole distance 12.5mm stainless steel		
vm nr.	694700	Ref. No.	—
description	shelf support L 31/28mm W 22mm H 18mm SS Qty 12 pcs		
vm nr.	694701	Ref. No.	—
description	shelf support L 31/28mm W 22mm H 17mm SS with hook Qty 12 pcs		

			
vm nr.	970528	Ref. No.	087343
description	grate GN 2/1 W 650mm D 530mm stainless steel with hinge camp crossing wires 2 suitable for refrigerator		

shelf rails and supports


producer-specific


			
vm nr.	690626	Ref. No.	031970
description	shelf support L 32mm W 14mm H 20mm		
For models:	TC1200TOP, TC1210TOP, TC1400TOP, TC1410TOP, TC1600TOP, TC1610TOP, TC1800TOP, TC1810TOP, TC2000TOP, TC2010TOP, TCD1200TOP, TCD1400TOP, TCD1600TOP, TCD1800TOP, TCD2000TOP, TF1400, TF1410, TF2000, TF2010, TN1000, TN1010, TN1200, TN1210, TN1400, TN1410, TN1600, TN1610, TN1800, TN1810, TN2000, TN2010, TND1000, TND1200S, TND1400, TND1600, TND1800, TND2000, TC1000, TC1010, TC1200, TC1210, TC1400, TC1410, TC1600, TC1610, TC1800, TC1810, TC2000, TC2010, TCD1000...(Other models you can see in the webshop)		


gaskets


gaskets for heated units

window seals


			
vm nr.	900270	Ref. No.	053754 054460 057397 057529 057655 057866
description	window gasket profile 1510 Qty 5m		
For models:	HBR/G800, HBR/G805, HBR/G801, HBR/G806, HBR/G810, HBR/G815, HBR/G811, HBR/G816, HBR/G800D, HBR/G805D, HBR/G801D, HBR/G806D, HBR/G810D, HBR/G815D, HBR/G811D, HBR/G816D, HBR/E800, HBR/E805, HBR/E801, HBR/E806, HBR/E810, HBR/E815, HBR/E811, HBR/E816, HBR/G800NL, HBR/G805NL, HBR/G810NL, HBR/G800UK, HBR/E800UK, HBR/G800, HBR/G805, HBR/G810, HBR/G815, HBR/G811, HBR/G816, HBR/E800, HBR/E805, HBR/E810, HBR/E815, HBR/E811, HBR/E816, HBR/G800UK, HBR/E800UK, ZBR/G800, ZBR/G805, ZBR/G801, ZBR/G806, ZBR/G810, ZBR/G815, ZBR/G811...(Other models you can see in the webshop)		

			
vm nr.	900591	Ref. No.	005109 0H6761 0K2280
description	window gasket profile 1550 Wmm L 3000mm		
For models:	5711-2-6, 5711-2-7, 5711-2-8, 5711-2-10, 5711-2-8CH, 5711-2-10CH, 5712-2-6, 5712-2-7, 5712-2-8, 5712-2-10, 5711-2-6L, 5711-2-7L, 5711-2-8L, 5711-2-10L, 5721-2-7, 5721-2-10, 5712-2-6L, 5712-2-7L, 5712-2-8L, 5712-2-10L, 5711-3-6, 5711-3-7, 5711-3-8, 5711-3-10, 5711-3-8CH, 5711-3-10CH, 5712-3-6, 5712-3-7, 5712-3-8, 5712-3-8E, 5712-3-10, 5712-3-8CH, 5712-3-10C, 5712-2-10F, 5712-2-10S, 5711-3-10F, 5711-3-10S, 5712-3-10F, 5712-3-10S, 5702-2-2, 5702-2-3, 5701-3-2, 5701-3-3, 5702-3-2, 5702-3-3		


			
vm nr.	901356	Ref. No.	0H2421 0K8006
description	window gasket profile 1653 L 1685mm Qty 1		
For models:	AR170, AR170, AR170, AR170, AR170, AR170, AR170, AR170, AR170, AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR340S, AR340S, AR340S, AR340S, AR340S, AR340S, AR340S, AR340S, AR10ES, AR10ES, AR10ES, AR10ES, AR10ES, AR10ES, AR10ES, AR10ES, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ES, AR10ES, AR10ES, AR10ES...(Other models you can see in the webshop)		




1			
vm nr.	900036	Ref. No.	0H6663 60050435
description	window gasket profile 1800 Qty supplied by meter		




1			
vm nr.	900190	Ref. No.	054557 055412
description	window gasket profile 1820 perimeter 1400mm Qty 1		
For models:	FCFG6D, FCFE6D, FCFE6D, FCFG6, FCFG6F, PFCFG6, FCFE6, FCFE6UK, PFCFE6, FCFE6J50, FCFE6J60, FCFG6J, FCFG6J, FCFG6J, FCFG6J, FCFE6-1U, FCFE6-3U, FCFE6-1, FCFE6-3, FCFE6-3CE, FCFE6-1UK, FCFE6-3UK, FCFG6-1, FCFG6-3, FCFG6-1UK, FCFG6-3UK, FCF/G6, FCF/E6, FCF/E6-1, FCF/E6-1, FCF/G6-1, ZOFCEV/G6-3, AFCV/G6-1, AFCV/G6-3, SCO/G6-3, AFCF/E6, FF/G6, COCO6G, COCO6E, COCCE423AF, FCFE061, ZOFCEV/G6D		




1			
vm nr.	900191	Ref. No.	055314
description	window gasket profile 1820 perimeter 2200mm Qty 1		
For models:	FCVE10-2, FCVE10-4, FCVE103CE, FCVE10-2UK, FCVE10-4UK, FCFG10-2, FCFG10-4, FCFG10-5G, FCFG10-2, FCFG10-4D, FCFG10-2UK, FCFG10-4UK, FCFG10-2, FCFG10-4, FCVE20/P-V, FCVE20-V, FCVE20VUK, FCVE10-P, FCVE10PUK, FCFG10-P, FCFG10PUK, ZOFCEV/E102, ZOFCEV/E104, ZOFCEV/G102, ZOFCEV/G104, AFCV/G101, AFCV/G103, SCO/G10-3, FCFG10-5G, FCF/E20-V		



1			
vm nr.	900272	Ref. No.	003680
description	window gasket profile 1830 L 1500mm Qty 1		
For models:	FCF/G6-0, FCF/E6-0, FCF061ELN, FCF6EHOR, FCF061ENS, FCF/G6-1-JAP, FCFE6-1J, ECF/G6-0, ECF/E6-0, ECF061ENS, ECF061ESM, ECF061ECV, ACF/G6-0, ACF/E6-0, JCF/G6-1, JCF/G6-2, RCF061G, RCF061E, NCF/G6-0, NCF/E6-0, ZCF/G6-0, ZCF/E6-0		




1			
vm nr.	900269	Ref. No.	003739
description	window gasket profile 1874 perimeter 2060mm Qty 1		
For models:	FCFG101/0, FCFG102-0, FCFG201-0, FCFG202-0, FCFE101-0, FCFE102-0, FCFE201-0, FCFE202-0, FCF101ELN, FCFG10160H, FCF101ENS, FCF102ENS, FCF201ENS, FCFG102-0T, FCF/G101/1-1-JAP, FCF/G102/1-1-JAP, FCFE101-1J, FCFE102-1J, FCF/G101/1, ECFG101-0, ECFG102-0, ECFG201-0, ECFG202-0, ECFE101-0, ECFE102-0, ECFE201-0, ECFE202-0, ECF101ENS, ECF102ENS, ECF201ENS, ACFG101-0, ACFG102-0, ACFG201-0, ACFG202-0, ACFE101-0, ACFE102-0, ACFE201-0, ACFE202-0, ACFG10160H, JCF/G101/1-1, JCF/G102/1-1, JCF/E101/1-1, JCF/E102/1-1, JCF/G101/1-2, JCF/G102/1-2, JCF/E101/1-2, JCF/E102/1-2, RCF101G, RCF101E, RCF201E...(Other models you can see in the webshop)		



1			
vm nr.	900186	Ref. No.	002878 0K2279 253249
description	window gasket profile 1875 perimeter 2000mm Qty 1		
For models:	FCV/G10L3, FCFG10L3T, FCFG102L3, FCF/E101/1, FCF/G20L3, FCFG202L3, FCF/E10L3JAP, FCF/E102/1L3JAP, FCF/E10L6JAP, FCF/E102/1L6JAP, FCFG10L3J, FCFG102L3J, FCF/G10L6JAP, FCF/G102/1L-6JAP, FCF/G10L2, FCF/E101/1, FCF/E101/1, FCF/E10L2, FCF/E102/1, FCF/E101/1, FCF/E101/2, FCF/E10L3, FCF/E102/1, FCF/E102/1L3, FCF/E20L3, FCFE202L3, FCF/E101/1, FCF/G10L6, FCF/E10L6, FCF/G102/1L6, FCF/E102/1L6, FCF/G20L6, FCF/E20L6, FCFG202L6, FCFE202L6, FCF/E101/1, FCF/G101/1, FCF/E101/1, FCF/G102/1, FCF/E102/1, FCF/G201/1, FCF/E201/1, FCF/G202/1, FCF/E202/1, FCFG101/0, FCFG102-0, FCFG201-0, FCFG202-0, FCFE101-0, FCFE102-0...(Other models you can see in the webshop)		

door seals




1			
vm nr.	900044	Ref. No.	0H6655 60050433
description	door seal profile 2030 W 414mm L 620mm external size Qty 1		


			
1			
vm nr.	900042 ¹	Ref. No.	0H6653
description	door seal profile 2030 W 414mm L 620mm external size Qty 1 long side open		

¹3-sided (long side open)

			
1			
vm nr.	900045	Ref. No.	0H6656 0KC477 246257 60050434
description	door seal profile 2030 W 620mm L 699mm external size Qty 1		


			
1			
vm nr.	900189	Ref. No.	053751
description	door seal profile 2260 W 645mm L 715mm external size Qty 1 10 x 2/1		
For models:	FCFG20, FCFG20D, FCFG20F, PFCFG20, FCFE20, FCFE20UK, FCFG201, FCF/E20, COCO20G, COCO20E, FCFE201, ZOFCF/G20D		


			
1			
vm nr.	900763	Ref. No.	0H2653 0K9170 1008202020 877921855 8779218554
description	door seal profile 2276 Qty supplied by meter		

			
1			
vm nr.	900152	Ref. No.	0H6668 0K2083 246166 60050424
description	door seal profile 2445 W 430mm L 630mm external size Qty 1		
For models:	5611-3-10, 5611-3-6, 5611-3-8		

			
1			
vm nr.	900587 ¹	Ref. No.	0K1833
description	door seal profile 2445 W 620mm L 715mm external size Qty 1		

¹3-sided (short side open)

			
1			
vm nr.	900153	Ref. No.	0G2086 0H6669 246167 60050426
description	door seal profile 2445 W 630mm L 735mm external size Qty 1		
For models:	5612-3-10, 5612-3-6, 5612-3-8		

			
1			
vm nr.	900170	Ref. No.	0H6641 246176
description	door seal profile 2445 W 650mm L 1350mm external size Qty 1		
For models:	5614-3-10, 5614-3-6, 5614-3-8		




vm nr.	900590	Ref. No.	005706 0H6521 60050350
description	door seal profile 2520 W 640mm L 730mm external size Qty 1 suitable for ELECTROLUX 640x730		
For models:	5712-2-6, 5712-2-7, 5712-2-8, 5712-2-10, 5712-2-6L, 5712-2-7L, 5712-2-8L, 5712-2-10L, 5712-3-6, 5712-3-7, 5712-3-8, 5712-3-8E, 5712-3-10, 5712-3-8CH, 5712-3-10C, 5712-2-10F, 5712-2-10S, 5712-3-10F, 5712-3-10S, 5702-2-2, 5702-2-3, 5702-3-2, 5702-3-3		


vm nr.	900434	Ref. No.	003995 005711
description	door seal profile 2520 W 655mm L 1400mm external size Qty 1 suitable for ELECTROLUX 660x1400		
For models:	FDV40G, FDV40E, FDV40GZ, FDV40EL, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, FCV/G20L3, FCVG202L3, FCV/E20L3, FCVE202L3, FCV/G20L6, FCV/E20L6, FCVG202L6, FCVE202L6, FCV/G201/1, FVC/E201/1, FCV/G202/1, FVC/E202/1, FCFG201-0, FCFG202-0, FCFE201-0, FCFE202-0, FCF201ENS, FCS201EA, FCS201EP, FCS202EA, FCS202EP, FCS201G4, FCS201GP, FCS202G4, FCS202GP, FCS201EX, FCS201EXLN, FCS202EX, FCS201GX, FCS202GX, 5714-2-7, 5714-2-8, 5714-2-10, 5714-2-7, 5714-2-8, 5714-2-10, 5714-2-7L, 5714-2-8L, 5714-2-10L, 5714-2-7L...(Other models you can see in the webshop)		

vm nr.	900160	Ref. No.	002654 004227 005712 0K1840 0KC476 0KE753 237387 543817600 60050293
description	door seal profile 2520 W 655mm L 725mm external size Qty 1 suitable for ELECTROLUX		
For models:	FCV/G10L3, FCVG10L3T, FCVG102L3, FCV/E101/1, FCV/E10L3JAP, FCV/E102/1L3JAP, FCV/E10L6JAP, FCV/E102/1L6JAP, FCVG10L3J, FCVG102L3J, FCV/G10L6JAP, FCV/G102/1L6JAP, FCV/G10L2, FCV/E101/1, FCV/E101/1, FCV/E10L2, FCV/E101/1, FCV/E101/2, FCV/E10L3, FCV/E102/1L3, FCV/E101/1, FCV/G10L6, FCV/E10L6, FCV/G102/1L6, FCV/E102/1L6, FCV/E101/1, FCV/G101/1, FVC/E101/1, FCV/G102/1, FVC/E102/1, FCFG101/0, FCFG102-0, FCFE101-0, FCFE102-0, FCF101ELN, FCFG10160H, FCF101ENS, FCF102ENS, FCFG102-OT, FCF/G101/1-1-JAP, FCF/G102/1-1-JAP, FCFE101-1J, FCFE102-1J, FCF/G101/1, FCS101E2, FCS101E44J, FCS101EP4J, FCS101G2, FCS101E4, FCS101G4...(Other models you can see in the webshop)		

vm nr.	900276	Ref. No.	0C0881 0C1473
description	door seal profile 2760 W 480mm L 1460mm outer plug size Qty 1 suitable for ELECTROLUX 1438x450		
For models:	FCZ201EAA, FCZ201EAH, FCZ201EAN, FCZ201ETA, FCZ201ETH, FCZ201ETN, FCZ201GAG, FCZ201GAD, FCZ201GTG, FCZ201GTD, FCZ201EBA, FCZ201EBH, FCZ201EBN, FCZ201EBC, FCZ201EBA2, FCZ201EBH2, FCZ201EBN2, FCZ201EBC2, FCZ201GBG, FCZ201GBD, FCZ201GBI, FCZ201GBG2, FCZ201GBD2, FCZ201GBI2, FCZ201ECA, FCZ201ECH, FCZ201ECN, FCZ201ECA2, FCZ201ECH2, FCZ201ECN2, FCZ201GCG, FCZ201GCD, FCZ201GCG2, FCZ201GCD2, AOS201GAEU, AOS201GAAU, AOS201EABU, AOS201EAFU, AOS201EA, AOS201EB, AOS201EA3J, AOS201EB3J, AOS201EA2N, AOS201EB2N, AOS201EB5M, AOS201EB6M, AOS201EA0H, AOS201EB0H, AOS201GA, AOS201GB...(Other models you can see in the webshop)		

vm nr.	900278	Ref. No.	006992 0C1496
description	door seal profile 2760 W 480mm L 505mm outer plug size Qty 1 suitable for ELECTROLUX 475x450		
For models:	FCZ061EAA, FCZ061EAH, FCZ061EAN, FCZ061ETA, FCZ061ETH, FCZ061ETN, FCZ061GAG, FCZ061GAD, FCZ061EBA, FCZ061EBH, FCZ061EBN, FCZ061EBC, FCZ061EBA2, FCZ061EBH2, FCZ061EBN2, FCZ061EBC2, FCZ061GBG, FCZ061GBD, FCZ061GBI, FCZ061ECA, FCZ061ECH, FCZ061ECN, FCZ061ECA2, FCZ061ECH2, FCZ061ECN2, FCZ061GCG, FCZ061GCD, AOS061GAEU, AOS061GAAU, AOS061EABU, AOS061EAFU, AOS061EA, AOS061EB, AOS061EA3J, AOS061EB3J, AOS061EA2N, AOS061EB2N, AOS061EB5M, AOS061EB6M, AOS061EA0H, AOS061EB0H, AOS061GA, AOS061GB, AOS061EAAQ, AOS061EBAQ, AOS061EANQ, AOS061EBNQ, AOS061EACQ, AOS061EBCQ, AOS061EAHQ...(Other models you can see in the webshop)		





1

vm nr.	900273	Ref. No.	054850
description	door seal profile 2970 L 1133mm Qty 1		
For models:	FCF02EV, FCF02EOEM, FCF/E3, FCF/E2, FCF/E2D, FCF/E2UK, FCF/E2, FCF/E2, FCF/E2D		

door seals with fixing hook



1

vm nr.	900027	Ref. No.	0E3680
description	door seal L 290mm W 260mm external size		
For models:	FCV31E3, 7CO30, CCO30G, ECO312CF, OTS100		



1

vm nr.	901699	Ref. No.	0C4159 3577252020
description	door seal W 410mm with 4 mounting clips H 340mm		
For models:	FCF/E4, FCF/E4-3KW, FCF4E, FCF4E-3KW, ECF4E, ECF4E3KW, ECF/E4, ECF/E4-3KW, ACF/E4, ACF/E4-3KW, ACF4E, ACF4E3KW		


door gaskets (wire reinforced)



1

vm nr.	900279	Ref. No.	005194 3565015041
description	oven gasket wire reinforced L 395mm W 285mm		

gaskets for tray rack trolleys




1

vm nr.	900150	Ref. No.	0H6661 246281
description	tray rack trolley gasket profile 4040 L 510mm Qty 1		
For models:	5614-3-10, 5614-3-6, 5614-3-8		



1

vm nr.	900592	Ref. No.	0H6662 0K2102
description	tray rack trolley gasket profile 4040 L 658mm Qty 1		
For models:	5714-3-6, 5714-3-7, 5714-3-8, 5714-3-8E, 5714-3-10, 5717-3-6, 5717-3-7, 5717-3-8, 5717-3-8E, 5717-3-10, 5717-3-8M, 5717-3-8C, 5714-2-10F, 5714-2-10S, 5714-3-10F, 5714-3-10S, 5704-2-2, 5704-2-3, 5707-2-2, 5707-2-3, 5704-3-2, 5704-3-3, 5707-3-2, 5707-3-3		



1

vm nr.	900580	Ref. No.	006176
description	tray rack trolley gasket profile 4055 L 660mm Qty 1		
For models:	5714-2-7, 5714-2-8, 5714-2-10, 5714-2-7, 5714-2-8, 5714-2-10, 5714-2-7L, 5714-2-8L, 5714-2-10L, 5714-2-7L, 5714-2-8L, 5714-2-10L, 5714-3-7, 5714-3-8, 5714-3-8E, 5714-3-10, 5717-3-7, 5717-3-8, 5717-3-8E, 5717-3-10, 5717-3-8M, 5717-3-8M		



1

vm nr.	900295	Ref. No.	0C0899 0C1484
description	tray rack trolley gasket profile 4100 L 610mm Qty 1		
For models:	AOS201GAEU, AOS201GAU, AOS201EABU, AOS201EAFU, AOS201EA, AOS201EB, AOS201EA3J, AOS201EB3J, AOS201EA2N, AOS201EB2N, AOS201EB5M, AOS201EB6M, AOS201EA0H, AOS201EB0H, AOS201GA, AOS201GB		

			
vm nr.	901631	Ref. No.	OC4121
description	tray rack trolley gasket profile 4100 L 660mm		
For models:	FCZ201EAA, FCZ201EAH, FCZ201EAN, FCZ201ETA, FCZ201ETH, FCZ201ETN, FCZ201GAG, FCZ201GAD, FCZ201GTG, FCZ201GTD, FCZ201EBA, FCZ201EBH, FCZ201EBN, FCZ201EBC, FCZ201EBA2, FCZ201EBH2, FCZ201EBN2, FCZ201EBC2, FCZ201GBG, FCZ201GBD, FCZ201GBI, FCZ201GBG2, FCZ201GBD2, FCZ201GBI2, FCZ201ECA, FCZ201ECH, FCZ201ECN, FCZ201ECA2, FCZ201ECH2, FCZ201ECN2, FCZ201GCG, FCZ201GCD, FCZ201GCG2, FCZ201GCD2, AOS201EAAQ, AOS201EBAQ, AOS201EANQ, AOS201EBNQ, AOS201EACQ, AOS201EBCQ, AOS201EAHQ, AOS201EBHQ, AOS201EBFQ, AOS201GAGQ, AOS201GBGQ, AOS201GADQ, AOS201GBDQ, AOS201GAIQ, AOS201GALQ, AOS201EAMQ...(Other models you can see in the webshop)		

			
vm nr.	900274	Ref. No.	OC1196 OC1890
description	tray rack trolley gasket profile 4100 L 745mm Qty 1		
For models:	AOS202GAEU, AOS202GAU, AOS202EA2N, AOS202EB2N, AOS202EA, AOS202EB, AOS202GB, AOS202GA		


			
vm nr.	901630	Ref. No.	OC4131
description	tray rack trolley gasket profile 4100 L 810mm		
For models:	FCZ202EAA, FCZ202ETA, FCZ202GAG, FCZ202GAD, FCZ202GTG, FCZ202GTD, FCZ202EBA, FCZ202EBA2, FCZ202GBG, FCZ202GBD, FCZ202GBG2, FCZ202GBD2, FCZ202ECA, FCZ202ECA2, FCZ202GCG, FCZ202GCD, FCZ202GCG2, FCZ202GCD2, AOS202EAAQ, AOS202EBAQ, AOS202EANQ, AOS202EBNQ, AOS202GAGQ, AOS202GBGQ, AOS202GADQ, AOS202GBDQ, AOS202GAPQ, AOS202EAA1, AOS202EAM1, AOS202EAB1, AOS202EAK1, AOS202EAT1, AOS202ETA1, AOS202ETM1, AOS202ETK1, AOS202GAG1, AOS202GAD1, AOS202GAP1, AOS202GAU1, AOS202GTG1, AOS202GTD1, AOS202GTP1, AOS202GTW1, AOS202EBA1, AOS202EBK1, AOS202EBA2, AOS202EBK2, AOS202GBG1, AOS202GBD1, AOS202GBG2...(Other models you can see in the webshop)		

boiling pan gaskets

			
vm nr.	900609	Ref. No.	OG0024 OK5574 19006893 740402
description	door seal profile 3030 ø 430mm		
For models:	VARIOSTEAM/S-33.3/F, STEAM-O-MAT		


O-rings


EPDM


			
vm nr.	510824	Ref. No.	052779
description	O-ring EPDM thickness 1.78mm ID ø 20.35mm Qty 1 pcs		
For models:	BF/E1S12, MCP/E700, MCP/G700, MCP/E700D, MCP/G701, MCP/G710, MCP/G711, MCP/G705, MCP/G706, RCP/E2S, MCP/E15H, MCP/E15UH, MCP/E2SUH, MCP/E2S, MCP/E2SH, MCP/E2SUH, MCP/E2SUT, MCP/E2SHB, 7CPE07P, 7CPG07P, RCP/G701, RCP/G706, M70EPC, M70GPC, M70GPC, XCP/G706, CCP/G700, CCP/E700, RCP/G700, RCPE700, KPI/G10, KPI/G15, KPI/E10, KPI/E15, KPD/G10, KPD/G15, KPD/G15A, KPI/G15A, KPI/E15A, KPI/G15H, KPI/E15H, KPI/G10H, KPI/E10H, HPN/G1810, HPN/G1815, HPN/G1815D, HPN/G1816, HPN/G1816, HPN/E1815D, HPN/E1810...(Other models you can see in the webshop)		


			
vm nr.	510303	Ref. No.	OC1935
description	O-ring EPDM thickness 1.78mm ID ø 6.75mm Qty 1 pcs		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ061EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FCZ201EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ202ETA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ061EBH, FCZ101EBH, FCZ061EBN, FCZ101EBN, FCZ061EBC, FCZ101EBC, FCZ201EBC...(Other models you can see in the webshop)		




 			
vm nr.	528223	Ref. No.	067292 0G1952 FAR0630340
description	O-ring EPDM thickness 2.62mm ID ø 11.91mm Qty 1 pcs		
For models:	C55, WT4, WT4B, WT4D, WT302, WT302/4.5, WT302F, WT302/60, WT4DB, WT46, C55A, WT303, WT303/4.5, WT303F, WT303/60, WT4D60, WT4DDG, LS5/1, LS5/1DP, LS5/3, LS5/3DP, LS5/1DP60, LS5/1DPAUS, LS5/1DPCS, WT1WSDP, WT2WSDP, WT2WSDPD, WT2WS, WT1, WT1WS, WT1TOP, WT2TOP, WT1/3DP, WT2/3DP, WT2DPAUS, CT92DXE, CT92SXE, CT92DXEUK, CT92SXEU, CT92DXV, CT92SXV, CT92DXVUK, CT92SXVUK, CT140EDX, CT140ESX, CT140EDXUK, CT140SXEU, CT140VUX, CT140VSX, CT141EDX...(Other models you can see in the webshop)		


 			
vm nr.	540222	Ref. No.	053809 0H6848 0K2958 0K3045 0TR613 68226012
description	O-ring EPDM thickness 2.62mm ID ø 47.3mm Qty 1 pcs		
For models:	FCFG101/0, FCFG102-0, FCFG201-0, FCFG202-0, FCFE101-0, FCFE102-0, FCFE201-0, FCFE202-0, FCF101ELN, FCFG10160H, FCF201ENS, FCFG102-0T, FCF/G101/1-1-JAP, FCF/G102/1-1-JAP, FCFE101-1J, FCFE102-1J, FCF/G101/1, FCFG6D, FCFE6D, FCFE6D, FCFG10, FCFG10D, FCFG10NL, FCFE10, FCFE10UK, FCFG20, FCFG20D, FCFG20F, PFCFG20, FCFE20, FCFE20UK, FCFG40, FCFG41, FCFG40D, FCFG40F, PFCFG40F, FCFE40, FCFE40D, FCFE40UK, PFCFE40F, FCFG6, FCFG6F, PFCFG6, FCFE6, FCFE6UK, PFCFE6, FCFE10, FCFE20, FCFE6J50, FCFE6J60...(Other models you can see in the webshop)		


 			
vm nr.	532612	Ref. No.	068799 0L0185 246077200
description	O-ring EPDM thickness 3.53mm ID ø 60.33mm Qty 1 pcs		
For models:	CT92DXE, CT92SXE, CT92DXEUK, CT92SXEU, CT92DXV, CT92SXV, CT92DXVUK, CT92SXVUK, WT60/GJ60, WT60/GJ50, PH10/12-RP, LS10, LS14EA, LS10UKDP, ET12E, LS10/60HZ, LS10CW, LS10INS, HT1200INS, LS14EAI, LS10N, LS10DP, LS10HD, LS14EAI/AU, LS14EA/60, LS10UK/1, LS10UK/3, LS12INS, LS12, LS12DP, LS12/60HZ, LS12CW, HT1200DEK, LS14EAASIA, LS14EA/G, WT60DP, WT60, WT60CW, WT60UKDPCW, WT60INS, WT60INSCW, WT60NAUCW, WT60NAU, LS10EA, WT60/60HZ, WT60/60HZC, WT60N, WT60NINS, LS12HD, LS14EAI/DD...(Other models you can see in the webshop)		

 			
vm nr.	510408	Ref. No.	046213 055533 067620 0H2559 0L2765 19006668 19006946
description	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		
For models:	MPN/EI760, MPNEI760UK, MPN/EI760D, MCP/E700, MCP/G700, MCP/E700D, MCP/G701, MCP/G710, MCP/G711, FDV40E, FDV40EL, FDV20E, FDV20EL, RPI/E240, RPI/E260, RPI/E260P, RCP/E25, XPI/E240, XPI/E260, XPI/E260P, JPI/E240, JPI/E260, MPI/E240, MPI/E260, MPI/E260P, MCP/E25, 7PIE06, RPN/EI760UK, RPN/EI760D, 7CPE07P, 7CPG07P, RCP/G701, M70EIKE, XPN/EI760UK, XPN/EI760D, M70EPC, M70GPC, M70GPC, CCP/G700, CCP/E700, XFV/E700, PPI/E260P, ECP/E1ELHU, PCP/E2SHP, PCP/E1ELH, OPI/E260P, OCP/E25, TPI/E260P, TCP/E1ELHU, TCP/E25...(Other models you can see in the webshop)		


Viton

 			
vm nr.	511300	Ref. No.	002873 0F0199 0G0014 0K2486 0K5556 0K8687 0K8840 1140203517 12044490 19006832 60050274
description	O-ring Viton thickness 3.53mm ID ø 28.17mm for 57 series for motor shaft		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ061EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FCZ201EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ202ETA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ201EBA, FCZ202EBA, FCZ061EBH, FCZ101EBH, FCZ201EBH, FCZ061EBN, FCZ101EBN...(Other models you can see in the webshop)		

			
vm nr.	532506	Ref. No.	007074
description	O-ring Viton thickness 3.53mm ID ø 29.75mm Qty 1 pcs		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ061EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FCZ201EAN, FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ061ECA, FCZ101ECA, FCZ102ECA, FCZ201ECA, FCZ202ECA, FCZ061ECH, FCZ101ECH, FCZ201ECH, FCZ061ECN, FCZ101ECN, FCZ201ECN, FCZ061GCG, FCZ101GCG, FCZ102GCG, FCZ201GCG, FCZ202GCG, FCZ061GCD, FCZ101GCD, FCZ102GCD, FCZ201GCD, FCZ202GCD, AOS061GAEU, AOS101GAEU, AOS102GAEU, AOS201GAEU, AOS202GAEU, AOS061GAU, AOS101GAU, AOS102GAU...(Other models you can see in the webshop)		

			
vm nr.	550530	Ref. No.	055323
description	O-ring Viton thickness 5.34mm ID ø 37.8mm Qty 1 pcs		
For models:	FDV20G, FDV20GZ, FDV20GA, 7CPE07P, 7CPG07P, M70EPC, M70GPC, FCV/G10L3, FCV/G6L3TOWNGAS, FCV/G6L3, FCVG10L3T, FCVG102L3, FCV/E101/1, FCV/G20L3, FCVE6L3J, FCV/E10L3JAP, FCV/E102/1L-3JAP, FCV/E10L6JAP, FCV/E102/1L6JAP, FCV/G6L3JAP, FCVG10L3J, FCVG102L3J, FCV/G10L6JAP, FCV/G102/1L6JAP, FCVG6L3CJ, FCV/E61/1, FCV/G10L2, FCV/E61/1, FCV/E101/1, FCV/E101/1, FCV/E10L2, FCV/E102/1, FCV/E61/1, FCV/E61/1, FCV/E101/1, FCV/E101/2, FCV/G6L3C, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCVG6L3CT, FCVG6L3CJ, FCV/E10L3, FCV/E102/1, FCV/E6L3, FCV/E102/1L3, FCV/E20L3, FCV/G6L4, FCV/E6L4...(Other models you can see in the webshop)		

			
vm nr.	528412	Ref. No.	002874 0F0200 0K2485 0K8686 60050326
description	O-ring Viton thickness 3.53mm ID ø 31.34mm Qty 1 pcs		
For models:	FDV40G, FDV40GZ, FDV40GA, FDV20G, FDV20GZ, FDV20GA, FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ061EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FCZ201EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ202GAD, FCZ101GTG, FCZ102GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ202GTD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ201EBA, FCZ202EBA, FCZ061EBH, FCZ101EBH, FCZ201EBH, FCZ061EBN...(Other models you can see in the webshop)		

			
vm nr.	550529	Ref. No.	055349
description	O-ring Viton thickness 3.53mm ID ø 34.52mm Qty 1 pcs		
For models:	FCV/G61/1, FCV/G61/1, FCV/G61/1, FCV/G6L4, FCS061GP, FCS061G4, FCVE6-1U, FCVE6-3U, FCVE6-1, FCVE6-3, FCVE6-1UK, FCVE6-3UK, FCVG6-1, FCVG6-3, FCVG6-1UK, FCVG6-3UK, FCVE10-2, FCVE10-4, FCVE103CE, FCVE10-2UK, FCVE10-4UK, FCVG10-2, FCVG10-4, FCVG10-5G, FCVG10-2, FCVG10-4D, FCVG10-2UK, FCVG10-4UK, FCVG10-2, FCVG10-4, FCVE20-2, FCVE20-4, FCVE203CE, FCVE20/P-V, FCVE20-2UK, FCVE20-4UK, FCVG20-2, FCVG20-4, FCVG20-2, FCVG20-4D, FCVG20-2UK, FCVG20-4UK, FCVG20-4, FCVG20-4D, FCVE20-V, FCVE20VUK, FCVE10-P, FCVE10PUK, FCVG10-P, FCVG10PUK...(Other models you can see in the webshop)		

sealing washers

copper gaskets

DIN-7603-A

			
vm nr.	528660	Ref. No.	0C4201
description	flat gasket copper ED ø 21mm ID ø 17mm thickness 1.5mm suitable for 3/8"		

PTFE gaskets

			
vm nr.	693745	Ref. No.	002624 0F0165 237382
description	gasket PTFE ED ø 20mm ID ø 15mm thickness 1mm Qty 1 pcs		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ061EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FCZ201EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ201EBA, FCZ202EBA, FCZ061EBH, FCZ101EBH, FCZ201EBH, FCZ061EBN, FCZ101EBN, FCZ201EBN...(Other models you can see in the webshop)		



shaft gaskets

miscellaneous



1

vm nr.	511301	Ref. No.	002699 0F0096 0K0447 0KE120 0KE540 60050273
description	shaft seal ID ø 16mm ED ø 38mm thickness 18mm		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ061EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FCZ201EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ202ETA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ201EBA, FCZ202EBA, FCZ061EBH, FCZ201EBH, FCZ061EBN, FCZ101EBN...(Other models you can see in the webshop)		

special gaskets

for combi-steamers



1

vm nr.	699813	Ref. No.	0C4101
description	gasket for burner L 130mm W 104mm graphite thickness 3.5mm hole distance 82mm		



1

vm nr.	699203	Ref. No.	002614
description	gasket L 60mm W 40mm thickness 2mm hole distance 45mm		



1

vm nr.	699199	Ref. No.	0C4093
description	gasket L 70mm W 70mm thickness 3mm		



1

vm nr.	699200	Ref. No.	0C4088
description	gasket L 71mm W 27mm thickness 9.5mm hole distance 50mm		

miscellaneous



1

vm nr.	693402	Ref. No.	002706 0K1836
description	boiler gasket		
For models:	FDV40G, FDV40GZ, FDV40GA, FDV20G, FDV20GZ, FDV20GA, FCV/G10L3, FCVG10L3T, FCVG10L3J, FCV/G20L3, FCVG20L3, FCVG10L3J, FCVG10L3J, FCV/G10L6JAP, FCV/G102/1L6JAP, FCV/G10L6, FCV/G102/1L6, FCV/G20L6, FCVG20L6, FCV/G201/1, FCV/G202/1, FCS101G4, FCS101G4DT, FCS101GP9J, FCS101G49J, FCS101GP, FCS102G4, FCS102GA9J, FCS102G49J, FCS102GP, FCS201G4, FCS201GP, FCS202G4, FCS202GP, FCS101GX9J, FCS101GX, FCS102GX9J, FCS102GX, FCS201GX, FCS202GX, 5712-2-6, 5712-2-7, 5712-2-8, 5712-2-10, 5714-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5717-2-6, 5714-2-7... (Other models you can see in the webshop)		



1

vm nr.	901629	Ref. No.	0C5834
description	flange gasket L 101mm W 83mm hole ø 6mm hole distance 7mm holes thickness 5mm for heating element		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ061EAH, FCZ101EAH, FCZ061EAN, FCZ101EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ202ETA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ061EBH, FCZ101EBH, FCZ061EBN, FCZ101EBN, FCZ061EBC, FCZ101EBC, FCZ201EBC, FCZ061EBA2, FCZ101EBA2, FCZ102EBA2, FCZ201EBA2, FCZ202EBA2, FCZ061EBH2, FCZ101EBH2, FCZ201EBH2, FCZ061EBN2, FCZ101EBN2, FCZ201EBN2, FCZ061EBC2, FCZ101EBC2, FCZ201EBC2, FCZ061ECA, FCZ101ECA, FCZ102ECA, FCZ061ECH, FCZ101ECH, FCZ061ECN, FCZ101ECN, FCZ061ECA2... (Other models you can see in the webshop)		
accessories for	901629		
	vm nr.	420284	Ref. No. 0C5841
	heating element 24000W 400V heating circuits 6 L 535mm W 60mm H 75mm 7 hole fixing connection male faston 6.3mm flange length 105mm flange width 87mm tube ø 8.4mm immersion heater number of thermostat sleeves 1 length thermostat sleeves 120mm thermostat sleeve eccentric, clinging thermostat sleeves ø 4.7mm		

			
1			
vm nr.	697971	Ref. No.	0C1048
description	gasket ED ø 148mm graphite thickness 3mm		
For models:	AOS102GAEU, AOS201GAEU, AOS202GAEU, AOS102GAAU, AOS201GAAU, AOS202GAAU, AOS101GA, AOS101GB, AOS201GA, AOS201GB, AOS102GB, AOS102GA, AOS202GB, AOS202GA		

			
1			
vm nr.	697969	Ref. No.	0C1111
description	gasket ED ø 84mm thickness 3mm hole distance 50mm		
For models:	AOS102GAEU, AOS201GAEU, AOS202GAEU, AOS102GAAU, AOS201GAAU, AOS202GAAU, AOS201GA, AOS201GB, AOS102GB, AOS102GA, AOS202GB, AOS202GA		

			
1			
vm nr.	697960	Ref. No.	0C1077
description	gasket ED ø 87mm ID ø 43mm graphite thickness 3mm		
For models:	AOS061GAEU, AOS061GAAU, AOS061GA, AOS061GB, AOS101GA, AOS061GAGQ, AOS061GBGQ, AOS061GADQ, AOS061GBDQ, AOS-061GAIQ, AOS061GALQ, AOS061GAPQ		

			
1			
vm nr.	697966	Ref. No.	0K2100
description	gasket ED ø 88mm ID ø 68mm rubber thickness 3mm hole distance 39mm		
For models:	FDV40G, FDV40GZ, FDV40GA, FDV20G, FDV20GZ, FDV20GA, FCVG202L3, FCVE202L3, FCVG202L6, FCVE202L6, FCV/G202/1, FVC/E202/1, FCS202E4, FCS201G4, FCS202G4, 5714-2-7, 5714-2-8, 5714-2-10, 5714-2-7L, 5714-2-8L, 5714-2-10L, ECVG202T4, ECVE202T4, ECVG202T6, ECVE202T6, ACVG202C4, ACVE202C4, ACVG202C6, ACV/E202/1, ZCV/G202/1, ZCV/E202/1, ZCV/E202/1		

			
1			
vm nr.	517456	Ref. No.	0C3442 0C7033
description	gasket for boiler ED ø 107mm thickness 5.5mm		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ061EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FCZ201EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ202ETA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ061EBH, FCZ101EBH, FCZ061EBN, FCZ101EBN, FCZ061EBC, FCZ101EBC, FCZ201EBC... (Other models you can see in the webshop)		

			
1			
vm nr.	697956	Ref. No.	003875
description	gasket for heat exchanger ID ø 70mm ceramic fibre thickness 3mm hole distance 85mm		
For models:	FCV/G10L3, FCVG10L3T, FCVG102L3, FCV/G20L3, FCVG202L3, FCVG10L3J, FCVG102L3J, FCV/G10L6JAP, FCV/G102/1L6JAP, FCV/G10L2, FCV/G10L6, FCV/G102/1L6, FCV/G20L6, FCVG202L6, FCV/G101/1, FCV/G102/1, FCV/G201/1, FCV/G202/1, FCS101G2, FCS101G4, FCS101G4DT, FCS101GP9J, FCS101G49J, FCS101GP, FCS102G4, FCS102GA9J, FCS102G49J, FCS102GP, FCS201G4, FCS201GP, FCS202G4, FCS202GP, FCS101GX9J, FCS101GX, FCS102GX9J, FCS102GX, FCS201GX, FCS202GX, 5712-2-6, 5712-2-7, 5712-2-8, 5712-2-10, 5714-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5717-2-6, 5714-2-7, 5714-2-8, 5714-2-10... (Other models you can see in the webshop)		

			
1			
vm nr.	697957	Ref. No.	002704
description	gasket for heat exchanger L 100mm W 100mm ID ø 55mm ceramic fibre thickness 3mm hole distance 78mm		
For models:	FCV/G10L3, FCVG10L3T, FCV/G20L3, FCVG10L3J, FCV/G10L6JAP, FCV/G10L2, FCV/G10L6, FCV/G20L6, ECV/G10T4, ECV/G20T4, ECV/G10T4J, ECV/G10T6, ECV/G20T6, RCV101G2, ACV/G10C2, ACV/G10C4, ACV/G20C4, ACV/G10C6, ACV/G20C6, NCV/G10L2, NCV/G10L4, ZCV/G10T4, ZCV/G20T4, ZCV/G10T6, ZCV/G20T6		



vm nr.	697967	Ref. No.	002629
description	gasket for heat exchanger L 100mm W 100mm ID ø 76mm thickness 2.5mm		
For models:	FCV/G10L3, FCVG10L3T, FCV/G20L3, FCVG10L3J, FCV/G10L6JAP, FCV/G10L2, FCV/G10L6, FCV/G20L6, ECV/G10T4, ECV/G20T4, ECV/G10T4J, ECV/G10T6, ECV/G20T6, RCV101G2, ACV/G10C2, ACV/G10C4, ACV/G20C4, ACV/G10C6, ACV/G20C6, NCV/G10L2, NCV/G10L4, ZCV/G10T4, ZCV/G20T4, ZCV/G10T6, ZCV/G20T6		




vm nr.	697964	Ref. No.	003873
description	gasket for heat exchanger L 100mm W 100mm ID ø 77mm thickness 5mm		
For models:	FCV/G10L3, FCVG10L3T, FCV/G20L3, FCVG10L3J, FCV/G10L6JAP, FCV/G10L2, FCV/G10L6, FCV/G20L6, FCV/G101/1, FCV/G201/1, FCS101G2, FCS101G4, FCS101G4DT, FCS101GP9J, FCS101G49J, FCS101GP, FCS201G4, FCS201GP, FCS101GX9J, FCS101GX, FCS201GX, 5712-2-6, 5712-2-7, 5712-2-8, 5712-2-10, 5714-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5712-2-6L, 5712-2-7L, 5712-2-8L, 5712-2-10L, 5714-2-6L, 5714-2-7L, 5714-2-8L, 5714-2-10L, 5712-2-10F, 5712-2-10S, 5714-2-10F, 5714-2-10S, 5702-2-2, 5702-2-3, 5704-2-2, 5704-2-3, ECV/G10T4, ECV/G20T4, ECV/G10T4J, ECV/G20T4J, ECV/G10T6...(Other models you can see in the webshop)		



vm nr.	697958	Ref. No.	0C2569
description	gasket ID ø 66.5mm ceramic fibre thickness 5mm		



vm nr.	697963	Ref. No.	003882
description	gasket L 139mm W 134mm rubber thickness 4mm		
For models:	FCVG102L3, FCVG202L3, FCVG102L3J, FCV/G102/1L6JAP, FCV/G102/1L6, FCVG202L6, FCV/G102/1, FCV/G202/1, FCS102G4, FCS102GA9J, FCS102G49J, FCS102GP, FCS202G4, FCS202GP, FCS102GX9J, FCS102GX, FCS202GX, 5717-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5714-2-6L, 5714-2-7L, 5714-2-8L, 5714-2-10L, 5707-2-2, 57074-2-3, ECVG102T4, ECVG202T4, ECV/G102/1T6, ECVG202T6, ACVG102C4, ACVG202C4, ACV/G102/1C6, ACVG202C6, NCV/G102/1, ZCV/G102/1, ZCV/G202/1, ZCV/G102/1T6, ZCV/G202/1		



vm nr.	697959	Ref. No.	005768
description	gasket L 163mm W 120mm graphite thickness 2mm		
For models:	FCV/G61/1, FCV/G61/1, FCV/G61/1, FCS061GP, FCS061G4, 5721-2-7, 5721-2-10, ECV/G61/1, ECV/G61/1, ZCV/G61/1		



vm nr.	697972	Ref. No.	0C3777
description	gasket L 230mm W 140mm ID ø 70mm ceramic fibre with aluminium foil thickness 5mm		
For models:	AOS202GAEU, AOS202GAU, AOS202GB, AOS202GA		



vm nr.	697961	Ref. No.	0C2812
description	gasket L 250mm W 125mm ID ø 107mm thickness 5mm hole distance 90mm		
For models:	AOS202GAEU, AOS202GAU		



vm nr.	697955	Ref. No.	003883
description	gasket L 275mm W 155mm thickness 3mm		
For models:	FCVG102L3, FCVG202L3, FCVG102L3J, FCV/G102/1L6JAP, FCV/G102/1L6, FCVG202L6, FCV/G102/1, FCV/G202/1, FCS102G4, FCS102GA9J, FCS102G49J, FCS102GP, FCS201G4, FCS202G4, FCS202GP, FCS102GX9J, FCS102GX, FCS202GX, 5717-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5714-2-6L, 5714-2-7L, 5714-2-8L, 5714-2-10L, 5707-2-2, 57074-2-3, ECVG102T4, ECVG202T4, ECV/G102/1T6, ECVG202T6, ACVG102C4, ACVG202C4, ACVG202C6, ZCV/G102/1, ZCV/G202/1, ZCV/G102/1T6, ZCV/G202/1		



vm nr.	697973	Ref. No.	005769
description	gasket L 280mm W 115mm ceramic fibre with aluminium foil thickness 2.5mm		
For models:	FCV/G61/1, FCV/G61/1, FCV/G61/1, FCS061GP, FCS061G4, 5721-2-7, 5721-2-10, ECV/G61/1, ECV/G61/1, ZCV/G61/1		



vrm nr.	697954	Ref. No.	OK8134 30000200
description	gasket L 38mm W 17mm thickness 1.5mm hole distance 26mm		
For models:	AR10ES, AR10ES, AR10ES, AR10ES, AR10ES, AR10ES, AR10ES, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ES, AR10ES, AR10ES, AR10ES, AR10ES, AR10ES, AR10ES, AR10ESP, AR10E- SP, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR10ESP, AR20ES, AR20ES, AR20ES, AR20ES, AR20ES, AR20ES, AR20ES, AR20ESP, AR20ESP, AR20E- SP, AR20ESP, AR20ESP, AR20ESP, AR20ESP, AR20ES...(Other models you can see in the webshop)		



vm nr.	697968	Ref. No.	0C1050
description	gasket L 68mm W 68mm thickness 3mm hole distance 50mm		
For models:	AOS061GAEU, AOS101GAEU, AOS201GAEU, AOS061GAU, AOS101GAU, AOS201GAU, AOS061GA, AOS061GB, AOS101GA, AOS101GB, AOS201GA, AOS201GB		



vm nr.	697965	Ref. No.	005754
description	gasket L 85mm W 80mm ID ø 51mm rubber thickness 4mm		
For models:	FCVG6L3CJ, FCV/G6L3C, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCVG6L3CT, FCVG6L3CJ, FCS061G48J, FCS061GP, FCS061G3DI, FCS061G4, FCS061G4DT, FCS061G49J, 5721-2-7, 5721-2-10, ECV/G6T4C, ECV/G61/1, ECV/G61/1, RCV061G2, ACV/G6C3C, ZCV/G6T4C, ZCV/G61/1		



vm nr.	693396	Ref. No.	057402 0H6716 0K3034 12011871 250617 727858
description	gasket level glass L 30mm W 30mm thickness 0.8mm equiv. no. 250617 suitable for JUNO		
For models:	MFR/G360, MPN/GD761, MPN/GI761, MPN/GI760D, MPN/GD760, MPN/GD760F, MPN/GI760, MPN/GI760F, MM/G351, MM/G701, MM/G350, MM/G700, MM/G350F, MM/G700F, MM/G700E, MCP/G700, MCP/G701, MCP/G710, MCP/G711, MCP/G705, MCP/G706, FDV40G, FDV40GZ, FDV40GA, FDV20G, FDV20GZ, FDV20GA, RBR/G2FM, RBR/G2IM, RBK/G2FM, RMV/G1C, RMV/G2C, RF/G1S07, RF/G2D07, RFR/G1S07, RFR/G2D07, RFR/G1S14, RFR/G2D14, RF/G1S07, RF/G2D07, RFR/G1S07, RFR/G2D07, XBR/G2FM, XBR/G2IM, XBK/G2FM, XMV/G1C, XMV/G2C, XF/G1S07, XRF/G2D07, XFR/G1S07...(Other models you can see in the webshop)		



accessories for		693396			
	vm nr.	693398	Ref. No.		057382 0H6890 OK3035 OKC541 12011869 727857
frame for level glass					



vm nr.	700491	Ref. No.	003990
description	gasket suitable for JUNO equiv. no. 03990 L 40mm W 35mm door catch thickness 1mm		
For models:	FDV40G, FDV40E, FDV40GZ, FDV40EL, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, FCFG201-0, FCFG202-0, FCFE201-0, FCFE202-0, FCF201ENS, 5714-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5717-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5714-2-6L, 5714-2-7L, 5714-2-8L, 5714-2-10L, 5714-2-6L, 5714-2-7L, 5714-2-8L, 5714-2-10L 5714-3-6, 5714-3-7, 5714-3-8, 5714-3-8E, 5714-3-10, 5717-3-6, 5717-3-7, 5717-3-8, 5717-3-8E, 5717-3-10, 5717-3-8M, 5717-3-8C, 5717-3-8M, 5704-2-2, 5704-2-3, 5707-2-2, 57074-2-3, 5704-3-2, 5704-3-3...(Other models you can see in the webshop)		



vm nr.	504732	Ref. No.	046360
description	gasket suitable for ZANUSSI equiv. no. 046360 L 47mm W 18.5mm thickness 3mm		
For models:	LS360DK, LS365F, LS365, LS365PH, LS500F, LS501F, LS540F, LS540DK, LS541F, LS360D, LS365D, LS360, LS365, LS360/63, LS365/63, LS367, LS720F, LSE720DK, LSE720PH, LS860F, LS860DK, LS860PH, LS1080F, LS1080UK, LS1080PH, LSE721F, LS861F, LS540, LS1080M, LS1080, LS1080D, LS1080UK, LS1080/63, LS500F, LS500UK, LS501, LS501UK, LS540D, LS540/63, LSE721, LS720, LSE720UK, LS721UK, LSE720D, LS541, LS860, LS860, LS860D, LS860UK, LS861UK...(Other models you can see in the webshop)		



1



vm nr.	693403	Ref. No.	003874 237394
description	gasket suitable for ZANUSSI hot air		
For models:	FCV/G10L3, FCVG10L3T, FCV/G20L3, FCVG10L3J, FCV/G10L6JAP, FCV/G10L2, FCV/G10L6, FCV/G20L6, FCV/G101/1, FCV/G201/1, FCS101G2, FCS101G4, FCS101G4DT, FCS101GP9J, FCS101G49J, FCS101GP, FCS201GP, FCS101GX9J, FCS101GX, FCS201GX, 5712-2-6, 5712-2-7, 5712-2-8, 5712-2-10, 5714-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5712-2-6L, 5712-2-7L, 5712-2-8L, 5712-2-10L, 5714-2-6L, 5714-2-7L, 5714-2-8L, 5714-2-10L, 5712-2-10F, 5712-2-10S, 5714-2-10F, 5714-2-10S, 5702-2-2, 5702-2-3, 5704-2-2, 5704-2-3, ECV/G10T4, ECV/G20T4, ECV/G10T4J, ECV/G20T4J, ECV/G10T6, ECV/G20T6...(Other models you can see in the webshop)		

1



vm nr.	697974	Ref. No.	003700
description	gasket U-shape ED ø 22.5mm ID ø 14.5mm		
For models:	DCS		

miscellaneous

1



vm nr.	900757	Ref. No.	0H6888 0K2603 275960 60050451
description	strengthening for gasket		
For models:	5611-3-10, 5611-3-6, 5611-3-8, 5612-3-10, 5612-3-6, 5612-3-8		

springs

torsion springs

1



vm nr.	700487	Ref. No.	054560
description	torsion spring ø 10.8mm L2 5mm wire gauge ø 2.2mm L1 86mm L3 86mm		
For models:	COCO6G, COCO6E		

1



vm nr.	700450	Ref. No.	054282
description	torsion spring ø 13mm L2 177mm wire gauge ø 2.5mm L1 10mm L3 177mm Qty 1 pcs		
For models:	FCF/G6-0, FCFG101/0, FCFG102-0, FCF/E6-0, FCFE101-0, FCFE102-0, FCF061ELN, FCF101ELN, FCF6EHOR, FCFG10160H, FCF061ENS, FCF101ENS, FCF102ENS, FCFG102-0T, FCF/G6-1-JAP, FCF/G101/1-1-JAP, FCF/G102/1-1-JAP, FCFE6-1J, FCFE101-1J, FCFE102-1J, FCF/G101/1, FCFG10, FCFG10D, FCFG10NL, FCFE10, FCFE10UK, FCFG20, FCFG20D, FCFG20F, PFCFG20, FCFE20, FCFE20UK, FCFG40, FCFG41, FCFG40D, FCFG40F, PFCFG40F, FCFE40, FCFE40D, FCFE40UK, PFCFE40F, FCVE10, FCVE20, FCFG10J, FCFG10J, FCFE10J, FCFE10J, FCFG20J, FCFG20J, FCFE20J...(Other models you can see in the webshop)		


compression springs

1



vm nr.	700445	Ref. No.	053757 0F0155
description	compression spring ø 21.7mm L 29mm wire gauge ø 1.5mm		
For models:	HCCS20W, HCCS20W, FCF/G6-0, FCFG101/0, FCFG102-0, FCF/E6-0, FCFE101-0, FCFE102-0, FCF061ELN, FCF101ELN, FCF6EHOR, FCFG10160H, FCF061ENS, FCF101ENS, FCF102ENS, FCFG102-0T, FCF/G6-1-JAP, FCF/G101/1-1-JAP, FCF/G102/1-1-JAP, FCFE6-1J, FCFE101-1J, FCFE102-1J, FCF/G101/1, FCFG10, FCFG10D, FCFG10NL, FCFE10, FCFE10UK, FCFG20, FCFG20D, FCFG20F, PFCFG20, FCFE20, FCFE20UK, FCFG40, FCFG41, FCFG40D, FCFG40F, PFCFG40F, FCFE40, FCFE40D, FCFE40UK, PFCFE40F, FCVE10, FCVE20, FCFG10J, FCFG10J, FCFE10J, FCFE10J, FCFG20J...(Other models you can see in the webshop)		

1



vm nr.	519544	Ref. No.	047489 30213076 514650700
description	compression spring ø 9.1mm L 28mm wire gauge ø 0.8mm		
For models:	LSDS51, LSDS5V, LS510, LS520, LS520D, LS520F, LS520M, LS520K, LS521, LS521D, LS521F, LS521M, LS521K, LS521, LS4, ZLS510, ZLS520, ZLS521, ALLS521, ALLS520, ALS510, C51, C52, C50, LS520ZD, LS521ZD, CF314, LS510MZ, LS520MZ, LS521MZ		

miscellaneous

1



vm nr.	700455	Ref. No.	055558
description	spring		
For models:	FCF02EV, FCF02EOEM, FCF/E3, FCF/E2, FCF/E2D, FCF/E2UK, FCF/E2, FCF/E2, FCF/E2D		



1			
vm nr.	691220	Ref. No.	053342 058444 0G2210
description	spring clip shaft diameter 6mm ømm L 17mm W 14mm H 5mm wire gauge ø 1.5mm		
For models:	ICP111, ICF110, ICF110, AP20, BC100A, BC100DA, BC100RA, BC100R-DA, BC180A, BC180DA, BC180RA, BC180RDA, BC180RPA, BC11, BC22, BC44, BC44H, BCF11, BCF22, BCF44, BCF44H, BCF100A, BCF100DA, BCF100RA, BCF100RDA, BCF180A, BCF180DA, BCF180RA, BCF180R-DA, BCF180RPA, AQC22U US, AQC31U US, AQC60U, AQC119U US, , , BC28A6, Crosswise, , , BCF15A6, , , ALP110, ALP120, ALP111, ALP220, ALP240, ALP221, ALN110...(Other models you can see in the webshop)		

manometers

1			
vm nr.	541798	Ref. No.	058941
description	manometer ø 52mm pressure range 0-6bar connection lower thread 1/4"		
For models:	FCV/G6L3TOWNGAS, FCV/G6L3, FCV/E101/1, FCVE6L3J, FCV/G6L3JAP, FCVG6L3CJ, FCV/E61/1, FCV/G10L2, FCV/E10L2, FCV/E61/1, FCV/G6L3C, FCV/G61/1, FCVG6L3CT, FCVG6L3CJ, FCV/E6L3, FCV/E101/1, FCS061E44J, FCS061G48J, FCS061G3DI, FCS061E3CI, FCS101E2, FCS061G4DT, FCS061G49J, FCS101G2, FCVG10-ISG, FCVMG62, ECV/G6T4C, ECV/E10IGP, RCV061G2, RCV061E2, RCV101G2, RCV101E2, ACV/G10C2, ACV/E10C2, ACV/G6C3, ACV/G6C3C, ACV/E6C3, NCV/G6L2, NCV/G10L2, NCV/E6L2, NCV/E10L2, FCVG10-ISG, ZCV/G6T4C		

1			
vm nr.	541460	Ref. No.	0H9970 0K2991 0K5402 129648 19003764 9877132KL16
description	manometer pressure range 0 up to 2.5bar marking 1.3		
For models:	VARIOSTEAM/S-33.3/F, STEAM-O-MAT		

hose reels and spray guns

spray guns

			
1			
vm nr.	542964	Ref. No.	00920003 0S0323 7RBF920003
description	spray gun for appliances 1/2" ET L 135mm		

				
1				
vm nr.	549332	Ref. No.	003167 7i003167 9030100	
description	spray gun for appliances 1/2" IT L 215mm type ZANUSSI			
accessories for	549332			
	vm nr.	520168	Ref. No.	—
double nipple nickel-plated brass thread 1/2" - 1/2" Qty 1 pcs				



1

vm nr.	548455	Ref. No.	0L0454 0L0677 4PP1840000
description	spray gun for appliances 3/8" IT		



1

vm nr.	542038	Ref. No.	003175 0K1055 903030 9030302
description	spray gun for appliances 3/8" IT L 135mm		
For models:	DCS		



1

vm nr.	520532	Ref. No.	003170
description	shower hose connections 3/8" L 1600mm EPDM t.max. 110°C burst p. 10bar for combi-steamer		
For models:	DCS		



1

vm nr.	540675	Ref. No.	003164
description	shower head		



1

vm nr.	542966	Ref. No.	003513 4PP0400000 9030070
description	wall holder for hand spray		

hose reels

appliance hose reels



1

vm nr.	542357	Ref. No.	0C4248
description	hose reel complete hose length 1.3m connection 1/8" hose ø 13mm		



1

vm nr.	545800	Ref. No.	0C1128 873835800
description	hose reel complete with spray gun hose length 1.6m		
For models:	AOS201EB, AOS201EB3J, AOS201EB2N, AOS202EB2N, AOS201EB0H, AOS202EB, AOS201GB, AOS202GB, AOS201EBAQ, AOS202EBAQ, AOS201EBNQ, AOS202EBNQ, AOS201EBCQ, AOS201EBHQ, AOS201EB-FQ, AOS201GBGQ, AOS202GBGQ, AOS201GBDQ, AOS202GBDQ		

dosing pumps

membrane dosing pumps

self-priming

LANG

accessories



1

vm nr.	101286	Ref. No.	053666
--------	--------	----------	--------

description	olive ID ø 6mm Qty 1 pcs		
-------------	--------------------------	--	--

accessories for	101286		
-----------------	--------	--	--



vm nr.	100909	Ref. No.	057821
--------	--------	----------	--------

union screw thread M10x1 for pipe ø 6mm Qty 1 pcs



vm nr.	101464	Ref. No.	—
--------	--------	----------	---

union nut thread M12x1 for pipe ø 6mm

accessories

mounting sets




vm nr.	361942	Ref. No.	0C1127
description	hose set detergent/rinse aid hose type 6x9mm hose length 2x2m PVC incl. container filter and screw connection		
For models:	FCZ201EAA, FCZ202EAA, FCZ201EAH, FCZ201EAN, FCZ201ETA, FCZ202ETA, FCZ201ETH, FCZ201ETN, FCZ201GAG, FCZ202GAG, FCZ201GAD, FCZ202GAD, FCZ201GTG, FCZ202GTG, FCZ201GTD, FCZ202GTD, FCZ201EBC, FCZ201EBA2, FCZ202EBA2, FCZ201EBH2, FCZ201EBN2, FCZ201EBC2, FCZ201GBI, FCZ201GBG2, FCZ202GBG2, FCZ201GBD2, FCZ202GBD2, FCZ201GBI2, FCZ201ECA, FCZ202ECA, FCZ201ECH, FCZ201ECN, FCZ201ECA2, FCZ202ECA2, FCZ201ECH2, FCZ201ECN2, FCZ201GCG, FCZ202GCG, FCZ201GCD, FCZ202GCD, FCZ201GCG2, FCZ202GCG2, FCZ201GCD2, FCZ202GCD2, AOS-201GAEU, AOS202GAEU, AOS201GAAU, AOS202GAAU, AOS201EABU, AOS201EAFU...(Other models you can see in the webshop)		

hoses

supply hoses

stainless steel flexi hoses


universal hoses



vm nr.	520008	Ref. No.	069571 0A6098 0S0151 0S0733 143016 252
description	flex hose SS braid straight-curved DN12 connection 1: 3/4" connection 2: 3/4" L 1500mm approval DVGW operating p. 10bar test pressure 32bar burst p. 95bar		
For models:	LTB11, LTB12, LTB22, LTB11UK, LTB12UK, LTB22UK, LTB11, LTB22, 910-00-021, 910-00-023, 910-00-031, 910-00-033, 911-00-022, 911-00-024, 911-00-032, 911-00-034, CRYSTAL 11, CRYSTAL 22		
accessories for	520008		
	vm nr.	520054	Ref. No. —
	flat gasket rubber ED ø 23.5mm ID ø 14mm thickness 2.3mm Qty 10 pcs		



vm nr.	520007	Ref. No.	048621 049540
description	flex hose SS braid straight-curved DN15 connection 1: 3/4" connection 2: 3/4" L 2500mm approval operating p. 10bar test pressure 32bar burst p. 95bar		
For models:	LS5/1DPAUS, LS5/1DPCS, WT38/M50, WT38WS, WT38MEDWS, WT37LEV/9, WT38DWS, WT38M50/4, WT38D, WT37, WT38, WT37/4.5, WT38/4.5, WT38C, WT38C60, WT38/4.5NW, WT37J60, WT37J50, LS6AH240U, WT30H208U, WT30H240U, WT30H208DU, WT30H240DU, WT30H208RU, WT30H240RU, LS6AH208DU, LS6AH208U, WT38/60, WT38/M60, WT38MED, LS6AH240DU, LS6AH208RU, LS6AH240RU, WT30M208U, WT30M240U, WT30M208DU, WT30M240DU, WT30M-208RU, WT30M240RU, WT30C208DU, WT30C240DU, WT38M60/4, WT30H208WS, WT30H240WS, WT32/4.5N, WT33/4.5N, WT38WL, WT34/4.5N, LS10D, LS10...(Other models you can see in the webshop)		



vm nr.	520533	Ref. No.	003166
description	flex hose SS straight-curved DN6 connection 1: 1/2" connection 2: 1/2" L 2500mm approval DVGW operating p. 10bar test pressure 32bar burst p. 95bar		



PVC supply hoses



vm nr.	520010	Ref. No.	005131 053789 066463 0C5562 0K2438 0S0150
description	supply hose PVC straight-curved DN13 connections 3/4" L 1500mm operating p. 10bar burst p. 32bar t.max. 90°C blue approval VDE flat seal		
For models:	FDV40G, FDV40E, FDV40GZ, FDV40EL, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, FCZ061EAA, FCZ061EAH, FCZ061E-AN, FCZ061EBA, FCZ061EBH, FCZ061EBN, FCZ061EBC, FCZ061ECA, FCZ061ECH, FCZ061ECN, FCV/G10L3, FCV/G6L3TOWNGAS, FCV/G6L3, FCVG10L3T, FCVG10L3, FCV/E101/1, FCV/G20L3, FCVG20L3, FCVE6L3J, FCV/E10L3JAP, FCV/E102/1L3JAP, FCV/E10L6JAP, FCV/E102/1L6JAP, FCV/G6L3JAP, FCVG10L3J, FCVG10L3J, FCV/G10L6JAP, FCV/G102/1L6JAP, FCVG6L3CJ, FCV/E61/1, FCV/G10L2, FCV/E61/1, FCV/E101/1, FCV/E101/1, FCV/E10L2, FCV/E102/1, FCV/E61/1, FCV/E61/1, FCV/E101/1, FCV/E101/2...(Other models you can see in the webshop)		
accessories for	520010		
	vm nr.	520053	Ref. No. —
	screen connection 3/4" D1 ø 26mm D2 ø 15mm Qty 10 pcs rubber thickness 8mm		
	vm nr.	520054	Ref. No. —
	flat gasket rubber ED ø 23.5mm ID ø 14mm thickness 2.3mm Qty 10 pcs		



vm nr.	520011	Ref. No.	047605 048816 049378 0K1135 0L1031 0L1887 0S0153 830607400
description	supply hose PVC straight-curved DN13 connections 3/4" L 2000mm operating p. 10bar burst p. 32bar t.max. 90°C approval VDE flat seal		
For models:	LS32, LS32/4.5, LS32UK/RP, LS32F, LV32F, C55, LV32/60, WT4, WT4B, WT4D, WT302, WT302/4.5, WT302UK/RP, WT302F, WT302/60, WT4DB, WT46, WT4DG, WT4WS1, LS33, LS33/4.5, LS33UK/RP, LS33F, LV33F, C55A, LS33/60, WT4BWS, WT4DWS1, WT4BDWS, WT303, WT303/4.5, WT303UK/RP, WT303F, WT303/60, NUC3DD, WT4D60, WT4DDG, EUC1, EUC1DP, EUC1WS, EUC1DPWS, EUC3, EUC3WS, EUC3DP, EUC3DPWS, EUC1G, EUC1DP60, EUC3DD, ZUCADDROW, ZUCADDROW6...(Other models you can see in the webshop)		



vm nr.	520888	Ref. No.	060933 0S0152
description	supply hose PVC straight-straight DN14 connections 3/4" L 1500mm operating p. 10bar burst p. 32bar t.max. 90°C grey approval VDE flat seal		
For models:	LB8G, LB8G/63, LB8GF, LB8GPH, LB8G, LB8GPHm, LB80EPH, LB80E, LB120EPH, LB120E, LB160EPH, LB160E, LB160V, CLB160E, CLB160V, LB70E, LB110E, LB80E, LB8G, LB70E, LB120E, LB160EZ, LB160V, CLB160E, CLB160V, EWM120, EWM160		

pre-rinse hoses

PVC braided hoses



vm nr.	520531	Ref. No.	0C4539 0S1262
description	shower hose L 1400mm silicone FDA-BGA compliant		

industrial hoses

Niplaflex hoses



vm nr.	530719	Ref. No.	055345 055445
description	hose ID ø 11mm ED ø 18mm L 0.4m operating p. 10bar burst p. 30bar t.max. 110°C		
For models:	MBR/G710D, MBR/E710D, MBR/G700, MBR/G700F, MBR/E700, MBR/E700UK, MBR/G700UK, MBR/G701, MBR/G706, MBR/G701UK, MBR/G751, MBR/G756, MBR/E716, MBR/E706, MCP/E700, MCP/G700, MCP/E700D, MCP/G701, MCP/G710, MCP/G711, RCP/E2S, MCP/E1SH, MCP/E1SUH, MCP/E2SUHS, MCP/E2S, MCP/E2SH, MCP/E2SUH, MCP/E2SUT, MCP/E2SHB, RBR/G710D, 7BRE60XN, RBR/G700, RBR/G700F, 7BRE60X, RBR/E700UK, 7BRG60, 7BRG60X, RBR/G701UK, RBR/G751, RBR/G756, RBR/E716, RBR/E706, 7CPE07P, 7CPG07P, RCP/G701, XBR/G710D, XBR/E710D, XBR/G700, XBR/G710, M70EBP...(Other models you can see in the webshop)		

			
1			
vm nr.	530561	Ref. No.	002707 086085 0C3165 0C4158 0F0092 0K2439 0K8058 0K8734 1ID027 263246 28190001 60050353
description	pressure hose ID ø 10mm ED ø 17mm L 5m thickness 3.5mm operating p. 10bar burst p. 30bar t.max. 110°C		
For models:	FDV40G, FDV40E, FDV40GZ, FDV40EL, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, RPD/G240, RPD/G260, RPI/G260, RPI/E240, RPI/E260, RPI/G260P, RPI/E260P, RBV/G2, RBV/E2, XPD/G240, XPD/G260, XPI/G260, XPI/E240, XPI/E260, XPI/G260P, XPI/E260P, XBV/G2, XBV/E2, JPD/G240, JPD/G260, JPI/G260, JPI/E240, JPI/E260, JBV/G2, JBV/E2, MPD/G240, MPD/G260, MPI/G260, MPI/E240, MPI/E260, MPI/G260P, MPI/E260P, MBV/G2, MBV/E2, PPD/G260, PPI/G260P, PPI/E260P, PBV/G2, PB/E1, PB/E2...(Other models you can see in the webshop)		

formed hoses

straight

			
1			
vm nr.	504626	Ref. No.	045457 045768 045806 068640
description	formed hose D1 ø 55mm D2 ø 45mm L 300mm dishwasher straight		
For models:	LS32, LS32/4.5, LS32UK/RP, LS32F, LV32F, C55, LV32/60, WT302, WT302/4.5, WT302UK/RP, WT302F, WT302/60, WT4DG, WT4WS1, LS33, LS33/4.5, LS33UK/RP, LS33F, LV33F, C55A, LS33/60, WT4BWS, WT4DWS1, WT4BDWS, WT303, WT303/4.5, WT303UK/RP, WT303F, WT303/60, EUC1WS, EUC1DPWS, EUC3WS, EUC3DPWS, LS5/1WS, LS5/1WSDP, LS5/3WS, LS5/3WSDP, LS5/3WSDPD, LB5DPG, NUC1WS, NUC1DPWS, NUC3WS, NUC3DPWS, NUC3DDWS, LS360F, LS360DK, LS365F, LS365, LS365PH, LS500F...(Other models you can see in the webshop)		

fittings, hose and pipe connectors

hose connectors

without screw connection

			
1			
vm nr.	501210	Ref. No.	047431 0KW990
description	Y-piece plastic hose ø 10-10-10mm		
For models:	FDV40G, FDV40E, FDV40GZ, FDV40EL, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, RPI/E240, RPI/E260, RPI/G260P, RPI/E260P, RCP/E2S, XPI/E240, XPI/E260, XPI/G260P, XPI/E260P, JPI/E240, JPI/E260, MCP/E1SH, MCP/E1SUH, MCP/E2SUHS, MPI/E240, MPI/E260, MPI/G260P, MPI/E260P, MCP/E2S, MCP/E2SH, MCP/E2SUH, MCP/E2SUT, MCP/E2SHB, PPD/G260, PPI/G260P, PPI/E260P, OPD/G260, OPI/G260P, OPI/E260P, TPD/G260, TPI/G260P, TPI/E260P, KPI/G10, KPI/G15, KPI/E10, KPI/E15, KPD/G10, KPD/G15, KPD/G15A, KPI/G15A...(Other models you can see in the webshop)		

hose connectors

brass

			
1			
vm nr.	520866	Ref. No.	007117 516809501
description	hose connector brass straight thread 3/4" hose ø 30mm Qty 1 pcs		
For models:	FDV40G, FDV40GZ, FDV40GA, FDV20G, FDV20GZ, FDV20GA, FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ061EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FCZ201EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ202ETA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ201GAG, FCZ201GAD, FCZ201GTG, FCZ201GTD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ201EBA, FCZ202EBA, FCZ061EBH, FCZ101EBH, FCZ201EBH, FCZ061EBN, FCZ101EBN, FCZ201EBN, FCZ061EBC, FCZ101EBC, FCZ201EBC, FCZ061EBA2, FCZ101EBA2, FCZ102EBA2, FCZ201EBA2...(Other models you can see in the webshop)		

stainless steel

			
1			
vm nr.	542346	Ref. No.	0C4198
description	hose connector thread 1/4" with O-ring hose ø 5mm stainless steel Qty 1 pcs		



valves and tank inlets

ball valves

universal

ball valves with butterfly handle



1

vm nr.	540658	Ref. No.	053108 700610
description	ball valve connection 3/4" IT - 3/4" IT DN20 total length 69mm		
For models:	MFR/G350, MFR/G700, MFR/G350D, MFR/G700D, MFR/G350F, MFR/G700F, MFR/G350E, MFR/G700E, MFR/E355, MFR/E355UK, MFR/E355D, MFR/E705, MFR/E705UK, MFR/E705D, RFR/E1S12, RFR/E2D12, XFR/E1S12, XFR/E2D12, JFR/E1S12, JFR/E2D12, MFR/E1S12, MFR/E2D12, RFR/G350, RFR/G700, RFR/G350D, RFR/G700D, RFR/G350F, RFR/G700F, M35GFR, M70GFR, XFR/G350D, XFR/G700D, XFR/G350F, XFR/G700F, XFR/G351, CFR/G351, CFR/G700, RFR/G301, RFR/G300, RFR/G301, RFR/G701, RFR/G701F, HFR/G420, HFR/G420, HFR/G840, HFR/G840, HFR/G840, HFR/E420, HFR/E420UK, HFR/E840...(Other models you can see in the webshop)		

ball valves with lever handle



1

vm nr.	520280	Ref. No.	010369 0901/2 098215 0H6385 0KF802 0T3680 231205 430033 500305 60050400
description	ball valve connection 1/2" IT - 1/2" IT DN15 total length 50mm with lever handle handle length 85mm		
For models:	RPNV740, RPNV760, RPN/V740, RPN/V760, 5611-3-10, 5611-3-6, 5611-3-8, 5612-3-10, 5612-3-6, 5612-3-8, 5614-3-10, 5614-3-6, 5614-3-8		

ball valves electric



1

vm nr.	401140	Ref. No.	005026 0K1518 60050497
description	ball valve inlet 1" IT outlet 1" IT with plug 230V L 152mm 50/60Hz closed off-current mode of operation electric connection cable 200mm size DN25		
For models:	FCVG202L3, FCV/G20L6, FCV/E20L6, FCVG202L6, FCVE202L6, FCV/G201/1, FVC/E201/1, FVC/E202/1, 5712-2-7, 5712-2-8, 5712-2-10, 5714-2-7, 5714-2-8, 5714-2-10, 5717-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5712-2-7L, 5712-2-8L, 5712-2-10L, 5714-2-7L, 5714-2-8L, 5714-2-10L, 5714-2-6L, 5714-2-7L, 5714-2-8L, 5714-2-10L, 5711-3-7, 5711-3-8, 5711-3-10, 5711-3-8CH, 5711-3-10CH, 5712-3-7, 5712-3-8, 5712-3-8E, 5712-3-10, 5712-3-8CH, 5712-3-10C, 5714-3-7, 5714-3-8, 5714-3-8E, 5714-3-10, 5717-3-6, 5717-3-7, 5717-3-8, 5717-3-8E, 5717-3-10, 5717-3-8M, 5717-3-8C...(Other models you can see in the webshop)		



1

vm nr.	400293	Ref. No.	059004 0L0949
description	ball valve inlet 3/4" IT outlet 3/4" IT electric 24V 50/60Hz cable length 250mm		
For models:	FCVE10-P, FCVE10PUK, FCVG10-P, FCVG10PUK, FCVE20-P, FCVE20PUK, FCVG20-P, FCVG20PUK		

			
1			
vm nr.	401139	Ref. No.	002713 0C0882 0F0171 0K1526 0K8453 0K9349 2255318 60050290 696804201 867016 8670160
description	ball valve inlet 3/4" IT outlet 3/4" IT with plug 230V L 65mm 50/60Hz closed off-current mode of operation electric connection cable 200mm		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ061EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FCZ201EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ202ETA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ201EBA, FCZ202EBA, FCZ061EBH, FCZ101EBH, FCZ201EBH, FCZ061EBN, FCZ101EBN...(Other models you can see in the webshop)		

water softeners

automatic softeners

with Autotrol control Logix 255/740 (timer)

			
1			
vm nr.	530843	Ref. No.	0S0716 0S1079 AA05 AAX05
description	softener automatic type GIX8 container capacity 8l amount of resin 5.6l salt amount/regeneration 1kg capacity at 16°dH/20°e/29°fH 1120l W 250mm L 480mm H 540mm connection 3/4" operation pressure 2-8bar water temperature 6-25°C flow rate 1500l/h with control Autotrol 255/740 (timer) supply 230VAC with timer		
spare parts for	530843		
	vm nr.	402775	Ref. No. —
PCB with timer type 740 LOGIX suitable for GIX8			
	vm nr.	520136	Ref. No. 0S0333
ion-exchange resin type Dowex HCR-S/S 25l 20.5kg			

spare parts for	530843		
	vm nr.	520306	Ref. No. —
overflow stock type CABLT/MINI/MAXI			
	vm nr.	520309	Ref. No. —
container SS connection 2 1/2" 8l			
	vm nr.	520318	Ref. No. —
gasket set suitable for CABLT/MINI/MAXI			
	vm nr.	520322	Ref. No. —
O-ring			
	vm nr.	520521	Ref. No. —
control head complete for softener suitable for GIX 5/8/12			
	vm nr.	520522	Ref. No. —
cover for control head suitable for GIX 5/8/12			
	vm nr.	520523	Ref. No. —
camshaft for softener suitable for GIX 5/8/12			
	vm nr.	520524	Ref. No. —
spring for cam shaft suitable for GIX 5/8/12			
	vm nr.	520525	Ref. No. —
sensor optic for softener suitable for GIX 5/8/12			
	vm nr.	520526	Ref. No. —
connection cable for sensor suitable for GIX 5/8/12			
	vm nr.	520527	Ref. No. —
O-ring EPDM thickness 5.34mm ID ø 24.77mm Qty 1 pcs			
	vm nr.	520528	Ref. No. —
valve set for softener suitable for GIX 5/8/12			
	vm nr.	520529	Ref. No. —
lid for softener suitable for GIX 5/8 + ISI 5/8			
	vm nr.	520530	Ref. No. —
O-ring EPDM thickness 3.53mm ID ø 36.1mm Qty 1 pcs			
	vm nr.	530037	Ref. No. —
O-ring set suitable for CABLT/MINI/MAXI			
	vm nr.	530041	Ref. No. —
power supply unit 6W primary 230V 50Hz secondary 12VACV 0.5A suitable for Autotrol 255/440 255/460			
	vm nr.	530216	Ref. No. —
gear motor 4W 11V 50/60Hz for softener suitable for GIX 5/8/12 0.8/1rpm			
	vm nr.	530238	Ref. No. —
regenerant salt type BROXETTEN content 25kg format tablets			
	vm nr.	530240	Ref. No. —
ion-exchange resin PURE type PC002 25l 20.5kg			
	vm nr.	530273	Ref. No. —
ion-exchange resin type Dowex HCR-S/S 6l 5kg			

Table continues overleaf



spare parts for 530843				
	vm nr.	530274	Ref. No.	—
ion-exchange resin type Dowex HCR-5/S 9l 7.5kg				
	vm nr.	530275	Ref. No.	—
container L 435mm W 240mm H 320mm for GIX8				
	vm nr.	530312	Ref. No.	—
filter type CABLT/MINI/MAXI				
	vm nr.	530316	Ref. No.	—
ball type CABLT/MINI/MAXI				
	vm nr.	530402	Ref. No.	—
bracket holding fork type CABLT/MINI/MAXI				
	vm nr.	530831	Ref. No.	—
cover salt tank suitable for GIX 8/ISI 8				
accessories for 530843				
	vm nr.	510836	Ref. No.	—
supply filter thread 3/4" ET - 3/4" IT total length 76mm plastic				
	vm nr.	515143	Ref. No.	—
hose nipple suitable for high temperature pipe DN50 for hose ID 8/10/13/19/25mm straight polypropylene				
	vm nr.	515144	Ref. No.	—
hose nipple suitable for high temperature pipe DN40 for hose ID 8/10/13/19/25mm straight polypropylene				
	vm nr.	520007	Ref. No.	048621 049540
flex hose SS braid straight-curved DN15 connection 1: 3/4" connection 2: 3/4" L 2500mm approval operating p. 10bar test pressure 32bar burst p. 95bar				
	vm nr.	520169	Ref. No.	—
double nipple brass thread 3/4" - 3/4" Qty 1 pcs				
	vm nr.	530238	Ref. No.	—
regenerant salt type BROXETTEN content 25kg format tablets				
	vm nr.	530628	Ref. No.	—
water shock arrestor connection 3/4" - 3/4" operating p. up to 10bar water hammer max. 50bar t.max. 90°C damping range 3-50bar brass				
	vm nr.	530844	Ref. No.	—
Chlorine generator for softener for Autotrol 255/740 255/760				
	vm nr.	540039	Ref. No.	—
pipe aerator inlet 3/4" outlet 3/4" approval DVGW				

water filters

BRITA

water filters

PURITY C Quell ST

carbonate hardness reduction specifically for coffee and vending machines



vm nr.	530835	Ref. No.	051056
description water filter BRITA type PURITY C500 Quell ST capacity 4125-6800l flow rate 100l/h operation p max 8.6bar water temperature +4 up to +30°C filter power 10µm decarbonisation			
accessories for 530835			
	vm nr.	520540	Ref. No. —
flex hose connections 3/8" L 1500mm SS braid straight-straight with ball valve DN8			
	vm nr.	520541	Ref. No. —
flex hose SS braid straight-curved DN8 connection 1: 3/4" connection 2: 3/8" L 1500mm approval DVGW operating p. 10bar test pressure 32bar burst p. 95bar			
	vm nr.	520542	Ref. No. —
reducer IT 3/8" ET 3/4" plastic total length 30mm WS 22 with gasket Qty 1 pcs			
	vm nr.	530055	Ref. No. —
flow meter with digital display connection 3/8" IT - 3/8" ET total length 81mm flow rate 10-100l/h operation p max 8bar water temperature 4-30°C ambient temperature max. 0-60°C cable length 1500mm display 6 digits			
	vm nr.	530836	Ref. No. —
filter head BRITA connection 3/8" type PURITY C blend 30% water temperature +4 up to +30°C decarbonisation for coffee machine/combi-steamer			
	vm nr.	530837	Ref. No. —
filter head connection 3/8" type PURITY C blend 0-70% decarbonisation for coffee machine/combi-steamer			
	vm nr.	530838	Ref. No. —
filter head connection John Guest 8mm type PURITY C blend 0-70% universal with wall holder			
	vm nr.	530840	Ref. No. —
wall holder suitable for PURITY C Qty 1 pcs			
	vm nr.	530841	Ref. No. —
cover suitable for PURITY C Qty 1 pcs			
	vm nr.	543007	Ref. No. —
backflow preventer plastic thread 3/8" IT - 3/8" ET total length 46mm Qty 1 pcs			

Table continues overleaf

accessories for	530835			
	vm nr.	800031	Ref. No.	—
	measuring device carbonate hardness			

PURITY Clean

partial desalination for dishwashers

1				
vm nr.	530379	Ref. No.	050682 050801	
description	water filter BRITA type Purity 1200 Clean capacity 12000l flow rate 600l/h operation p max 6bar water temperature +4 up to +60°C ø 288mm H 550mm partial desalination for dishwashers flow rate 5l/min			
spare parts for	530379			
	vm nr.	530378	Ref. No.	—
	filter cartridge BRITA type Purity 1200 Clean capacity 12000l flow rate 600l/h operation p max 6bar water temperature +4 up to +60°C ø 550mm H 288mm partial desalination for dishwashers			
accessories for	530379			
	vm nr.	520584	Ref. No.	—
	flex hose SS straight-curved DN12 connection 1: 3/4" connection 2: 3/4" L 2000mm approval DVGW operating p. 10bar test pressure 32bar burst p. 95bar			

water cycle components

non-return valves

1				
vm nr.	543034	Ref. No.	0C2312	
description	non-return valve plastic total length 22mm Qty 1 pcs ø 19.5mm			

ancillary products

clamps

hose clamps

DIN 3017 - W2

1				
vm nr.	520111	Ref. No.	0L0266	
description	hose clamp ø 10-16mm width 9mm Qty 10 pcs DIN 3017			
1				
vm nr.	520114	Ref. No.	0KB299	
description	hose clamp ø 20-32mm width 9mm Qty 10 pcs DIN 3017			
1				
vm nr.	520115	Ref. No.	047578 0L0367	
description	hose clamp ø 25-40mm width 9mm Qty 10 pcs DIN 3017			
For models:	EBS50., EBS50H, EBS100., EBS100H, EBS150., EBS150H, EBS200., EBS200H, EBS300., EBS300H, EBVS0., EBVS50H, EBVS100., EBVS100H, EBVS150., EBVS150H, EBVS200., EBVS200H, EBVS300., EBVS300H, EBVC50., EBVC50H, EBVC100., EBVC100H, EBVC150., EBVC150H, EBVC200., EBVC200H, EBVC300., EBVC300H, EBP100., EBP100M, EBP150., EBP150M, EBP200., EBP200M, EBP300., EBP300M, EBPC100., EBPC100M, EBPC150., EBPC150M, EBPC200., EBPC200M, EBPC300., EBPC300M, MED50H, MED100H, MED150H, MED200H...(Other models you can see in the webshop)			
1				
vm nr.	520117	Ref. No.	0L0193	
description	hose clamp stainless steel ø 40-60mm width 9mm Qty 5 pcs DIN 3017			
For models:	LU7PDP, LU7ADP, LU7ADPWS, WTU40PDP, WTU40ADP, WTU40ADPWS, WTU40ADPD, WT60/GJ60, WT60/GJ50, PH10/12-RP, LS14EA, ET12E, LS14EAI, LS14EAI/AU, LS14EA/60, LS14EAASIA, LS14EA/G, LS10EA, LS14EAI/DD, WT65E, WT65EB, WT65EI, ECOTEMP12S, WT65E-BI, WT65EBIA, WT65EIA, WT65E60, WT65EB60, WT65EBIDG, WT65E-BASIA, WT65EIM50, WT65EIM60, LS14EADP/G, WT65MED, WT65EJ50, WT65EJ60, LS14AH240U, WT65H208U, WT65H240U, LS14H208DU, LS14AH208U, LS14H240DU, LS14H208RU, LS14H240RU, WT65H-208DU, WT65H240DU, WT65H208RU, WT65H240RU, WT65M208U, WT65M240U...(Other models you can see in the webshop)			



DIN 3017 - W4



1

vm nr.	520120	Ref. No.	049888
description	hose clamp SS W4 ø 12-20mm width 9mm Qty 1 pcs DIN 3017		
For models:	WT60/GJ60, WT60/GJ50, PH10/12-RP, LS14EA, ET12E, LS14EAI, LS14EAI/AU, LS14EA/60, LS14EAASIA, LS14EA/G, LS10EA, LS14EAI/DD, WT65E, WT65EB, WT65EI, ECOTEMP12S, WT65EBI, WT65EBIA, WT65EIA, WT65E60, WT65EB60, WT65EBIDG, WT65EBASIA, WT65EIM50, WT65EIM60, LS14EADP/G, WT65MED, WT65EJ50, WT65EJ60, LS14AH240U, WT65H208U, WT65H240U, LS14H208DU, LS14AH208U, LS14H240DU, LS14H208RU, LS14H240RU, WT65H208DU, WT65H240DU, WT65H208RU, WT65H240RU, WT65M208U, WT65M240U, WT65M208DU, WT65M240DU, WT65M208RU, WT65M240RU, LS14EAWS, LS14ADPWSG, LS14EAIWS...(Other models you can see in the webshop)		



1

vm nr.	541090	Ref. No.	053808
description	thermometer mounting ø 52mm t.max. 350°C 0 up to +350°C probe ø 6.5mm probe L 22mm capillary pipe 1450mm		
For models:	FC1G, FC2G, RF/G1680, RF/G2480, FCFG6D, FCFE6D, FCFE6D, FCFG10, FCFG10D, FCFG10NL, FCFE10, FCFE10UK, FCFG20, FCFG20D, FCFG20F, PFCFG20, FCFE20, FCFE20UK, FCFG40, FCFG41, FCFG40D, FCFG40F, PFCFG40F, FCFE40, FCFE40D, FCFE40UK, PFCFE40F, FCFG6, FCFG6F, PFCFG6, FCFE6, FCFE6UK, PFCFE6, FCFE10, FCFE20, FCFE6-1U, FCFE6-3U, FCFE6-1, FCFE6-3, FCFE6-1UK, FCFE6-3UK, FCFG6-1, FCFG6-3, FCFG6-1UK, FCFG6-3UK, FCFE10-2, FCFE10-4, FCFE10-2UK, FCFE10-4UK, FCFG10-2...(Other models you can see in the webshop)		

measuring equipment

thermometers

built-in thermometers

ø52mm



1

vm nr.	541582	Ref. No.	056383
description	thermometer mounting ø 52mm t.max. 350°C +50 up to +350°C probe ø 6mm probe L 17mm capillary pipe 1700mm		
For models:	FCFG101/0, FCFG102-0, FCFG201-0, FCFG202-0, FCFE101-0, FCFE102-0, FCFE201-0, FCFE202-0, FCF101ELN, FCFG10160H, FCF201ENS, FCFG102-0T, FCF/G101/1-1-JAP, FCF/G102/1-1-JAP, FCFE101-1J, FCFE102-1J, FCF/G101/1, FCFE6J50, FCFE6J60, FCFG10J, FCFG10J, FCFE10J, FCFE10J, FCFG20J, FCFG20J, FCFE20J, FCFE20J, FCFG40J, FCFG40J, FCFE40J, FCFE40J, FCFG6J, FCFG6J, FCFG6J, FCFG6J, FCFG10J, FCFG10J, FCFG20J, FCFG20J, FCFG41J, FCFG40J, ECFG101-0, ECFG102-0, ECFG201-0, ECFG202-0, ECFE101-0, ECFE102-0, ECFE201-0, ECFE202-0, ECF201ENS...(Other models you can see in the webshop)		

ø60mm



1

vm nr.	379593	Ref. No.	057622 058081
description	thermometer mounting ø 60mm t.max. 300°C 50-300°C probe ø 4mm probe L 135mm capillary pipe 1050mm		
For models:	M70EIKE, XPN/EI760UK		



1

vm nr.	541054	Ref. No.	004162
description	thermometer mounting ø 60mm t.max. 500°C 0 up to +500°C probe ø 10mm probe L 80mm capillary pipe 700mm		
For models:	ZCMME6, ZCBME12, ZCMME4, ZCBME8, ZCMME9, ZCBME18		

various



1

vm nr.	381358	Ref. No.	OKU570 OKZQ05
description	thermostat t.max. 120°C temperature range 0-120°C 1-pole 1CO probe ø 8.5mm probe L 32mm capillary pipe 1600mm mounting ø 60mm		
For models:	HCCS20W, HCCS20W, A-O-H/S, A-O-H/W, A-O-H/PT, A-O-H/M50, A-O-H/M60, HC-CS, HC-CS		

fastening material

screws

countersunk screws



vm nr.	501370	Ref. No.	OK8911
description	countersunk screw thread M6 L 50mm SS DIN 963/ISO 2009 Qty 1 pcs intake slotted head ø 11mm		
For models:	CS7ME4/200-3, CS7ME4/230-3, CS7ME4/400-3N, CS7ME6/400-3N, CS7ME4/400-3N/EO, CS7ME4/400-3/50HZ/MA, CS7ME4/440-3/60HZ/ MA, CS7MT4/400-3N, CS7GE4/200-3, CS7GE4/230-3, CS7GE4/400-3N, CS7GE6/400-3N, CS7GE4/400-3N/EO, CS7GE4/400-3/50HZ/MA, CS7GE4/440-3/60HZ/MA, CS7GT4/400-3N, CS7LCE4/200-3, CS7L- CE4/230-3, CS7LCE4/400-3N, CS7LCE6/400-3N, CS7LCE4/400-3N/EO, CS7LCE4/400-3/50HZ/M, CS7LCE4/440-3/60HZ/M, CS7LCT4/400-3N, CS10ME4/200-3, CS10ME4/230-3, CS10ME6/230-3, CS10ME4/400-3N, CS10ME6/400-3N, CS10ME4/400-3N/EO, CS10ME4/400-3/50HZ/M, CS10ME4/440-3/60HZ/M, CS10MT4/400-3N, CS10MT6/400-3N, CS10GE4/200-3, CS10GE4/230-3, CS10GE6/230-3, CS10GE4/400-3N, CS10GE6/400-3N, CS10GE4/400-3N/EO, CS10GE4/400-3/50HZ/M, CS10GE4/440-3/60HZ/M, CS10GT4/400-3N, CS10GT6/400-3N, CS10L- CE4/200-3, CS10LCE4/230-3, CS10LCE6/230-3, CS10LCE4/400-3N, CS10LCE6/400-3N, CS10LCE4/400-3N/EO...(Other models you can see in the webshop)		

grub screws

DIN 916/ISO 4029



vm nr.	504734	Ref. No.	046258
description	grub screw thread M4 L 6mm black DIN 916 intake internal hexagon WS 2 Qty 1 pcs		
For models:	RTV/G720, RTV/G720, RTFG720, RTF/G720F, RTF/G1020, RTF/G1030, RTF/G1020F, KPI/G15H, KPI/G10H, QPI/G15H, QPI/G10H, WPI/G15H, WPI/G101/1, FCV/E101/1, FCV/E10L6JAP, FCV/E102/1L6JAP, FCV/ G10L6JAP, FCV/G720/1L6JAP, FCV/E61/1, FCV/E101/1, FCV/E102/1, FCV/E61/1, FCV/E101/1, FCV/G61/1, FCV/G10L6, FCV/E10L6, FCV/ G102/1L6, FCV/E102/1L6, FCV/G20L6, FCV/E20L6, FCVG202L6, FCVE202L6, FCS061GP, FCS101EP4J, FCS101EP, FCS101GP9J, FCS102EP4J, FCS101GP, FCS102EP, FCS102GA9J, FCS201EP, FC- S102GP, FCS202EP, FCS201GP, FCS202GP, FCS061E4, FCS101EX4J, FCS101EXLN, FCS101EX, FCS102EX4J...(Other models you can see in the webshop)		

miscellaneous



vm nr.	700442	Ref. No.	025033 052220 0G6450 727728
description	thread bolt thread M6 L 32mm thread L 13mm head ø 8mm for rail		
For models:	MCF/G705, MCF/G1055, MCF/G700, MCF/G1050, MCF/G705E, MCF/G1055E, MCF/G700D, MCF/G700, MCF/G705F, MCF/G1055F, MCF/G705NL, MCF/GE705, MCF/GE1055, MCF/GE700, MCFGE1050, MCF/GE700D, MCFGE1050D, MCF/G1050D, MCFG1055NL, MCF/E700D, MCF/E700, MCF/E700UK, MCF/E1050D, MCF/E1050, MCF/GE1055UK, MI/E350, MI/E700, MIF/E700, MI/E350D, MI/E700D, MIF/E700D, MI/E360, MI/E710, MIF/E710, MI/E360D, MI/E710D, MIF/E710D, MCF/G995, MCF/G702, MCF/GE702, MCF/G1052, MCFGE1052, MCF/G700, MCF/GE700, MCF/G1050, MCFGE1050, MR/E350D, MR/E350UK, MR/E360, MR/E700D... (Other models you can see in the webshop)		

nuts

knurled nuts



vm nr.	697970	Ref. No.	056150
description	knurled nut thread M6 ø 20mm H 7.7mm SS		
For models:	FCV/G6L3TOWNGAS, FCV/G6L3, FCVE6L3J, FCV/G6L3JAP, FCVG6L3CJ, FCV/E61/1, FCV/E61/1, FCV/E61/1, FCV/E61/1, FCV/G6L3C, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCV/G61/1, FCVG6L3CT, FCVG6L3CJ, FCV/E6L3, FCV/G6L4, FCV/E6L4, FCF6EHOR, FCS061E44J, FCS-061G48J, FCS061GP, FCS061EP, FCS061G3DI, FCS061E3CI, FCS061G4, FCS061G4DT, FCS061G49J, FCS061E4J, FCS061EXLN, FCS061EX, FCFE6J50, FCFE6J60, FCFG6J, FCFG6J, FCFG6J, FCFG6J, FCFE6-1U, FCFVE6-3U, FCFVE6-1, FCFVE6-3, FCFVE6-3CE, FCFVE6-1UK, FCFVE6-3UK, FCFVG6-1, FCFVG6-3, FCFVG6-1UK, FCFVG6-3UK, 5711-2-6...(Other models you can see in the webshop)		

hexagonal nuts

DIN 934 / ISO 4032/8673



vm nr.	511212	Ref. No.	0K4516
description	hexagonal nut thread M6 H 5mm WS 10 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs		

hexagonal nuts metric (without norm)



vm nr.	101345	Ref. No.	020997 0F0146 727748
description	nut thread M15x1 H 3mm WS 19 brass Qty 1 pcs		
For models:	MCF/G705, MCF/G1055, MCF/G700, MCF/G1050, MCF/G705E, MCF/G1055E, MCF/G700D, MCF/G700, MCF/G705F, MCF/G1055F, MCF/G705NL, MCF/G1050D, MCFG1055NL, MCF/G1095, MCF/G995, MCF/G702, MCF/G1052, MCF/G700, MCF/G1050, MR/G351, MR/G701, MR/G721, MR/G1071, MR/G350, MR/G350F, MR/G350NL, MR/G350E, MR/G360, MR/G360F, MR/G700, MR/G700F, MR/G700NL, MR/G700E, MR/G710, MR/G710F, MR/G1070, MR/G720, MR/G715, MR/G725, MR/G1075, MR/G361, MR/G711, MR/G716, MR/G726, MR/G1076, MFR/G350, MFR/G700, MFR/G350D, MFR/G700D, MFR/G360...(Other models you can see in the webshop)		



1

vm nr.	693430	Ref. No.	051263 0F0147
description	nut thread M22x1.5 H 5mm WS 26 zinc-coated steel Qty 1 pcs		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ061EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FCZ201EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ202ETA, FCZ061ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ061GAG, FCZ101GAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ201EBA, FCZ202EBA, FCZ061EBH, FCZ101EBH, FCZ201EBH, FCZ061EBN, FCZ101EBN...(Other models you can see in the webshop)		



2

vm nr.	102067	Ref. No.	055033 0992014
description	nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1		
For models:	MBR/E710D, MBR/E700, MBR/E700UK, MBR/G701, MBR/G706, MBR/G701UK, MBR/G751, MBR/G756, MBR/E716, RBR/E706, XBR/E710D, M70EBP, XBR/E710, XBR/G701, M70GBP, XBR/G701UK, XBR/G751, XBR/G756, CBR/G700, CBR/E700, XBR/E716, XBR/E706, HR/G420D, HR/G820D, HR/G420, HR/G820, HR/G821, HBR/G800, HBR/G805, HBR/G801, HBR/G806, HBR/G810, HBR/G815, HBR/G811, HBR/G816, HBR/G800D, HBR/G805D, HBR/G801D, HBR/G806D, HBR/G810D...(Other models you can see in the webshop)		

washers

washers

DIN 125A



1

vm nr.	560112	Ref. No.	0E1119
description	plain washer ID ø 5.3mm ED ø 10mm thickness 1mm SS Qty 20 pcs DIN 125A for thread M5		

DIN 9021



1

vm nr.	560116	Ref. No.	0C5312
description	plain washer ID ø 5.3mm ED ø 15mm thickness 1.5mm SS Qty 20 pcs DIN 9021 for thread M5		

miscellaneous



1

vm nr.	560461	Ref. No.	OK7389
description	disc ID ø 20mm ED ø 30mm thickness 2mm stainless steel Qty 1 pcs		
For models:	AR170, AR170, AR170, AR170, AR170, AR170, AR170, AR170, AR170, AR170, AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR170S, AR340, AR340, AR340, AR340, AR340, AR340, AR340, AR340, AR340, AR340S, AR340S, AR340S, AR340S, AR340S, AR340S, AR340S, AR340S, AR340S, AR340S, AR10ES, AR10ES, AR10ES, AR10ES, AR10ES, AR10ES, AR10ES, AR10E- SP...(Other models you can see in the webshop)		



1

vm nr.	693431	Ref. No.	002727
description	plain washer		
For models:	FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ201EAA, FCZ202EAA, FCZ201EAH, FCZ101EAH, FCZ201EAH, FCZ061EAN, FCZ101EAN, FC- Z201EAN, FCZ061ETA, FCZ101ETA, FCZ102ETA, FCZ201ETA, FCZ202E- TA, FCZ201ETH, FCZ101ETH, FCZ201ETH, FCZ061ETN, FCZ101ETN, FCZ201ETN, FCZ061GAG, FCZ201GAG, FCZ102GAG, FCZ201GAG, FCZ202GAG, FCZ061GAD, FCZ101GAD, FCZ102GAD, FCZ201GAD, FCZ202GAD, FCZ101GTG, FCZ102GTG, FCZ201GTG, FCZ202GTG, FCZ101GTD, FCZ102GTD, FCZ201GTD, FCZ202GTD, FCZ061EBA, FCZ101EBA, FCZ102EBA, FCZ201EBA, FCZ202EBA, FCZ061EBH, FC- Z101EBH, FCZ201EBH, FCZ061EBN, FCZ101EBN...(Other models you can see in the webshop)		



1

vm nr.	690844	Ref. No.	055475 056416 0K2973
description	plain washer plastic		
For models:	FCVE6-1U, FCVE6-3U, FCVE6-1, FCVE6-3, FCVE6-3CE, FCVE6-1UK, FCVE6-3UK, FCVG6-1, FCVG6-3, FCVG6-1UK, FCVG6-3UK, FCVE10-2, FCVE10-4, FCVE103CE, FCVE10-2UK, FCVE10-4UK, FCVG10-2, FCVG10-4, FCVG10-1SG, FCVG10-2, FCVG10-4D, FCVG10-2UK, FCVG10-4UK, FCVG10-2, FCVG10-4, FCVE20-2, FCVE20-4, FCVE203CE, FCVE20/P-V, FCVE20-2UK, FCVE20-4UK, FCVG20-2, FCVG20-4, FCVG20-2, FCVG20-4D, FCVG20-2UK, FCVG20-4UK, FCVG20-4D, FCVG20-4D, FCVE20-V, FCVE20VUK, FCVE10-P, FCVE10PUK, FCVG10-P, FCVG10PUK, FCVE20-P, FCVE20PUK, FCVG20-P, FCVG20PUK, FCVE6-1...(Other models you can see in the webshop)		

tooth lock washers

DIN 6798A



1

vm nr.	560229	Ref. No.	0Q0008 0TH044
description	tooth lock washer ID ø 5.2mm ED ø 10mm SS DIN/ISO DIN 6798A Qty 1 pcs for thread M5		

fasteners

clamps

hose clamps

DIN 3017 - W2



1

vm nr.	520111	Ref. No.	OL0266
description	hose clamp ø 10-16mm width 9mm Qty 10 pcs DIN 3017		



1

vm nr.	520114	Ref. No.	OKB299
description	hose clamp ø 20-32mm width 9mm Qty 10 pcs DIN 3017		



1

vm nr.	520115	Ref. No.	047578 OL0367
description	hose clamp ø 25-40mm width 9mm Qty 10 pcs DIN 3017		
For models:	EBS50., EBS50H, EBS100., EBS100H, EBS150., EBS150H, EBS200., EBS200H, EBS300., EBS300H, EBV50., EBV50H, EBV100., EBV100H, EBV150., EBV150H, EBV200., EBV200H, EBV300., EBV300H, EBVC50, EBVC50H, EBVC100, EBVC100H, EBVC150, EBVC150H, EBVC200, EBVC200H, EBVC300, EBVC300H, EBP100., EBP100M, EBP150, EBP150M, EBP200., EBP200M, EBP300., EBP300M, EBPC100, EBPC100M, EBPC150, EBPC150M, EBPC200, EBPC200M, EBPC300, EBPC300M, MED50H, MED100H, MED150H, MED200H...(Other models you can see in the webshop)		



1

vm nr.	520117	Ref. No.	OL0193
description	hose clamp stainless steel ø 40-60mm width 9mm Qty 5 pcs DIN 3017		
For models:	LU7PDP, LU7ADP, LU7ADPWS, WTU40PDP, WTU40ADP, WTU40ADPWS, WTU40ADPD, WT60/GJ60, WT60/GJ50, PH10/12-RP, LS14EA, ET12E, LS14EAI, LS14EAI/AU, LS14EA/60, LS14EAASIA, LS14EA/G, LS10EA, LS14EAI/DD, WT65E, WT65EB, WT65EI, ECOTEMP12S, WT65E-BI, WT65EBIA, WT65EIA, WT65E60, WT65EB60, WT65EBIDG, WT65E-BASIA, WT65EIM50, WT65EIM60, LS14EADP/G, WT65MED, WT65EJ50, WT65EJ60, LS14AH240U, WT65H208U, WT65H240U, LS14H208DU, LS14AH208U, LS14H240DU, LS14H208RU, LS14H240RU, WT65H-208DU, WT65H240DU, WT65H208RU, WT65H240RU, WT65M208U, WT65M240U...(Other models you can see in the webshop)		

DIN 3017 - W4



1

vm nr.	520120	Ref. No.	049888
description	hose clamp SS W4 ø 12-20mm width 9mm Qty 1 pcs DIN 3017		
For models:	WT60/GJ60, WT60/GJ50, PH10/12-RP, LS14EA, ET12E, LS14EAI, LS14EAI/AU, LS14EA/60, LS14EAASIA, LS14EA/G, LS10EA, LS14EAI/DD, WT65E, WT65EB, WT65EI, ECOTEMP12S, WT65EBI, WT65E-BIA, WT65EIA, WT65E60, WT65EB60, WT65EBIDG, WT65EBASIA, WT65EIM50, WT65EIM60, LS14EADP/G, WT65MED, WT65EJ50, WT65EJ60, LS14AH240U, WT65H208U, WT65H240U, LS14H208DU, LS14AH208U, LS14H240DU, LS14H208RU, LS14H240RU, WT65H-208DU, WT65H240DU, WT65H208RU, WT65H240RU, WT65M208U, WT65M240U, WT65M208DU, WT65M240DU, WT65M208RU, WT65M-240RU, LS14EAWs, LS14ADPWSG, LS14EAIWS...(Other models you can see in the webshop)		

roll pins



1

vm nr.	692013	Ref. No.	052061 060920 0H6043 0K8575 60050373 727895
description	roll pin ø 3mm L 16mm		
For models:	MCF/G1090, MCF/G1095, MCF/G995, MR/G721, MR/G1071, MR/G1070, MR/G720, MR/G725, MR/G1075, MR/G726, MR/G1076, MFR/G350, MFR/G700, MFR/G350D, MFR/G700D, MFR/G350F, MFR/G700F, MFR/G350E, MFR/G700E, MFR/E355, MFR/E355UK, MFR/E355D, MFR/E705, MFR/E705UK, MFR/E705D, MFR/G740, MFR/E740, MFR/G350, MFR/G351, MFR/G700, MFR/G701, FDV40G, FDV40E, FDV40GZ, FDV40EL, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, RCF/G1095, RR/G720D, 7FTGC7L, 7FTGC1L, RR/G1070D, 7FTGC7M, RR/G1076, RFR/G350, RFR/G700...(Other models you can see in the webshop)		



consumables

sealants and adhesives

high temperature silicone



1

vm nr.	890258	Ref. No.	059611
description	high temperature silicone TOMABOND TB77 -40 up to +250°C t.max. 300°C anthracite cartridge 310ml		
description	Tomabond TB 77 - cartridge 310ml - anthracite Special neutral adhesive sealant with extraordinary quality and workability characteristics. Suitable for producing bonds and seals with high thermal loads in numerous materials such as ABS, PA, PC, PMMA, Al (including anodised), stainless steel, zinc sheet, glass, ceramic, natural stone counters and many composite materials. Non-corrosive to metal or electronic parts, good grease resistance, high adhesion (1.1 N/mm ²) Temperature-resistant from -40 °C to +250 °C (short-term to +300 °C)		
For models:	V350, V700, V1050, V1400		

fuses

fine fuses



1

vm nr.	358666	Ref. No.	0W3499
description	fine fuse size ø5x20mm 0.315A fast-acting rated 250V Qty 10 pcs		
For models:	C240, C260, D1000V, T1000, T1000, T1000, C24001, C240R01, C26001, C260R01, C290R01, C260R02, C240R02		



1

vm nr.	358610	Ref. No.	002347 058869 0W3317
description	fine fuse size ø5x20mm 10A fast-acting rated 250V Qty 10 pcs		
For models:	FCZ102EAA, FCZ102ETA, FCZ102GAG, FCZ102GAD, FCZ101GTG, FCZ102GTG, FCZ101GTD, FCZ102GTD, FCZ102EBA, FCZ102EBA2, FCZ102GBG, FCZ102GBD, FCZ061GBI, FCZ101GBI, FCZ101GBG2, FCZ102GBG2, FCZ101GBD2, FCZ102GBD2, FCZ101GBI2, FCZ102GBI2, FCZ102ECA, FCZ102ECA2, FCZ102GCG, FCZ102GCD, FCZ101GCG2, FCZ102GCG2, FCZ101GCD2, FCZ102GCD2, FCFE201-0, FCFE202-0, FCF201ENS, FCFM62E, FCFM62EUK, FCFM62, 5714-2-7, 5714-2-8, 5714-2-10, 5717-2-6, 5714-2-7, 5714-2-8, 5714-2-10, 5714-2-7L, 5714-2-8L, 5714-2-10L, 5714-2-6L, 5714-2-7L, 5714-2-8L, 5714-2-10L, 5714-3-6, 5714-3-7...(Other models you can see in the webshop)		



1

vm nr.	358532	Ref. No.	0A8438
description	fine fuse size ø5x20mm 2A fast-acting rated 250V Qty 10 pcs		
For models:	BC100A, BC100DA, BC100RA, BC100RDA, BC180A, BC180DA, BC180RA, BC180RDA, BC180PA, BCF100A, BCF100DA, BCF100RA, BCF100RDA, BCF180A, BCF180DA, BCF180RA, BCF180RDA, BCF180RPA, BCW201R, BCFW201R, BC120A, BC120RA, BCF120A, BCF120RA, BLAST C/FREEZER, BLAST C/FREEZER, BLAST C/FREEZER, BLAST C/FREEZER, BLAST C/FREEZER, BLAST C/FREEZER, BLAST C/FREEZER, BC0144, BC072, ESB72R, ESB144R, ESBF70, ESBF70R, ESBF144, ESBF144R, AOCP2028R, AOCP2028RD, AOCP2028RT, AOFP2028R, AOFP2028RD, AOFP2028RT, EABPR101, EABC101R, AOFP5201CR, BLAST C/FREEZER, BLAST C/FREEZER...(Other models you can see in the webshop)		



1

vm nr.	358677	Ref. No.	053741 057783 083602 088227 090017 0H0516 0KD887 0KP602 0KP604 0KT789 60050226 728014
description	fine fuse size ø5x20mm 4A fast-acting rated 250V Qty 10 pcs		
For models:	BCF11, AQC119U US, , , BCW061, BCFW061, BCF11, BCWS061T, BC56VA, Crosswise 20, BC56HA, BCF64A, Crosswise 20, BCF56HA, BCFWS061, BCFWS061T, BLAST C/FREEZER, MBR/E710D, MBR/E700, MBR/E700UK, MBR/E716, MBR/E706, MFR/E350, MFR/E700, MFR/E370, MFR/E350UK, MFR/E700UK, MFR/E370UK, MFR/E370D, MFR/E350D, MFR/E700D, MFR/E355, MFR/E355UK, MFR/E355D, MFR/E705, MFR/E705UK, MFR/E705D, MFR/E740, RBR/E2FM, RBR/E2IM, RBK/E2FM, RCP/E2S, XBR/E2FM, XBR/E2IM, XBR/E2FM, JBR/E2FM, MBR/E2FM, MBR/E2IM, MBK/E2FM, MCP/E2S...(Other models you can see in the webshop)		