



Reservedele til

**HOUNÖ**

2017




# heating elements

## heating elements for heated cabinets

|                                                                                                             |                                                                                                                                                                                                             |          |                  |
|-------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------------|
| <div> <div>1</div>  </div> |                                                                                                                                                                                                             |          |                  |
| vm nr.                                                                                                      | 420215                                                                                                                                                                                                      | Ref. No. | 032033<br>072417 |
| description                                                                                                 | heating element 3300W 235V heating circuits 1 L 50mm W 550mm H 38mm flange length 50mm flange width 26mm connection cable tube ø 8.5mm cable length 1800mm flange connection hole ø 5mm dry heating element |          |                  |

## immersion heating elements

### with compression flange 50 x 26mm

|                                                                                                                                                                                               |                                                                                                                                                                                                           |          |                    |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------------------|
| <div> <div>1</div>   </div> |                                                                                                                                                                                                           |          |                    |
| vm nr.                                                                                                                                                                                        | 419129                                                                                                                                                                                                    | Ref. No. | 072406<br>20720278 |
| description                                                                                                                                                                                   | heating element 1300W 230V heating circuits 1 flange 50x26mm L 380mm W 60mm L1 31mm L2 345mm W1 20mm W2 33mm compression flange cable length 1500mm tube ø 8.5mm fittings                                 |          |                    |
| accessories for                                                                                                                                                                               | 419129                                                                                                                                                                                                    |          |                    |
|                                                                                                                                                                                               | vm nr.                                                                                                                                                                                                    | 520562   | Ref. No. 070101    |
|                                                                                                                                                                                               | <div>  gasket L 44mm W 21mm D1 ø 9mm D2 ø 9mm hole ø 5.5mm thickness 4mm for heating element suitable for HOUNÖ </div> |          |                    |

### with expansion flange 70 x 18mm

|                                                                                                            |                                                                                                                                        |          |        |
|------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------|----------|--------|
| <div><div>1</div></div> |                                                                                                                                        |          |        |
| vm nr.                                                                                                     | 419165                                                                                                                                 | Ref. No. | 072415 |
| description                                                                                                | heating element 5000W 235V heating circuits 2 flange 70x18mm L 325mm W 63mm connection male faston 6.3mm tube ø 8.5mm expansion flange |          |        |

|                                                                                                            |                                                                                                                                                                                 |          |        |
|------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------|
| <div><div>1</div></div> |                                                                                                                                                                                 |          |        |
| vm nr.                                                                                                     | 419131                                                                                                                                                                          | Ref. No. | 031917 |
| description                                                                                                | heating element 5000W 235V heating circuits 2 flange 70x18mm L 325mm W 63mm with probe K 1100 connection male faston 6.3mm tube ø 8.5mm expansion flange connection length 35mm |          |        |

## miscellaneous

|                                                                                                              |                                             |          |          |
|--------------------------------------------------------------------------------------------------------------|---------------------------------------------|----------|----------|
| <div> <div>1</div>  </div> |                                             |          |          |
| vm nr.                                                                                                       | 511653                                      | Ref. No. | 20600007 |
| description                                                                                                  | gasket silicone L 82mm W 82mm thickness 3mm |          |          |

|                                                                                                              |                                                                                                                                                                                                                                                                                                                                    |          |                                  |
|--------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------------------------------|
| <div> <div>1</div>  </div> |                                                                                                                                                                                                                                                                                                                                    |          |                                  |
| vm nr.                                                                                                       | 420371                                                                                                                                                                                                                                                                                                                             | Ref. No. | 20700045<br>20700047<br>30720643 |
| description                                                                                                  | heating element 7500W 240-415V heating circuits 3 L 200mm W 40mm H 65mm number of thermostat sleeves 2 thermostat sleeves ø 5.6mm length thermostat sleeves 200mm thermostat sleeve upper hole distance 600mm hole ø 6.6mm cable length 590mm connection cable immersion heater flange width 820mm flange length 820mm SS included |          |                                  |
| accessories for                                                                                              | 420371                                                                                                                                                                                                                                                                                                                             |          |                                  |
|                                                                                                              | vm nr.                                                                                                                                                                                                                                                                                                                             | 511653   | Ref. No. 20600007                |
|                                                                                                              | <div>  gasket silicone L 82mm W 82mm thickness 3mm </div>                                                                                                                                                                                        |          |                                  |

|                                                                                                                |                                                                                                                                                                                                                                                                                                                                                      |          |                   |
|----------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------------------|
| <div> <div>1</div>  </div> |                                                                                                                                                                                                                                                                                                                                                      |          |                   |
| vm nr.                                                                                                         | 420148                                                                                                                                                                                                                                                                                                                                               | Ref. No. | 20700028          |
| description                                                                                                    | heating element 9000W 240V heating circuits 3 L 202mm W 38mm H 66mm number of thermostat sleeves 2 thermostat sleeves ø 5.4mm length thermostat sleeves 180mm thermostat sleeve eccentric, clinging tube ø 6.3mm hole distance 60/64mm hole ø 6.5mm cable length 590mm connection cable flange immersion heater flange width 82mm flange length 82mm |          |                   |
| accessories for                                                                                                | 420148                                                                                                                                                                                                                                                                                                                                               |          |                   |
|                                                                                                                | vm nr.                                                                                                                                                                                                                                                                                                                                               | 511653   | Ref. No. 20600007 |
|                                                                                                                | <div>  gasket silicone L 82mm W 82mm thickness 3mm </div>                                                                                                                                                                                                         |          |                   |

## heating elements for convection

|                                                                                   |                                                                                                                                                                                                    |          |                      |
|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------------------|
|  |                                                                                                                                                                                                    |          |                      |
| 1                                                                                 |                                                                                                                                                                                                    |          |                      |
| vm nr.                                                                            | 420419                                                                                                                                                                                             | Ref. No. | 20700009<br>20700059 |
| description                                                                       | heating element 9000W 240V heating circuits 3 ID ø 395mm ED ø 405mm L 422mm H 120mm W1 148mm H1 50mm H2 87mm flange length 156mm flange width 25mm hole distance 25mm connection F6.3 hole ø 6.1mm |          |                      |

|                                                                                   |                                                                                                                                                                                              |          |        |
|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------|
|  |                                                                                                                                                                                              |          |        |
| 1                                                                                 |                                                                                                                                                                                              |          |        |
| vm nr.                                                                            | 420175                                                                                                                                                                                       | Ref. No. | 072404 |
| description                                                                       | heating element 1650W 230V heating circuits 1 L 565mm W 55mm L1 32mm L2 530mm W2 30mm flange length 50mm flange width 26mm tube ø 8mm cable length 1500mm W1 23mm convection heating element |          |        |

## thermostats

## bi-metal thermostats

|                                                                                     |                                                                                                   |          |          |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|----------|----------|
|  |                                                                                                   |          |          |
| 1                                                                                   |                                                                                                   |          |          |
| vm nr.                                                                              | 390963                                                                                            | Ref. No. | 20800087 |
| description                                                                         | bi-metal thermostat hole distancemm switch-off temp. 120°C 1NC 1-pole 10A 250V connection F6.3 M4 |          |          |

## control and safety thermostats

## EGO

## safety thermostats

## 55.32\_series

|                                                                                     |                                                                                                                                        |          |        |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------|----------|--------|
|  |                                                                                                                                        |          |        |
| 1                                                                                   |                                                                                                                                        |          |        |
| vm nr.                                                                              | 375988                                                                                                                                 | Ref. No. | 062550 |
| description                                                                         | safety thermostat switch-off temp. 305°C 3-pole probe ø 6mm probe L 77mm capillary pipe isolatedmm gland nut starting temperature 20°C |          |        |

## JUMO

## safety thermostats

|                                                                                   |                                                                                                                                                     |          |          |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|
|  |                                                                                                                                                     |          |          |
| 1                                                                                 |                                                                                                                                                     |          |          |
| vm nr.                                                                            | 375969                                                                                                                                              | Ref. No. | 20800022 |
| description                                                                       | safety thermostat switch-off temp. 135°C 1-pole 1CO 16A probe ø 4mm probe L 150mm capillary pipe 1500mm capillary pipe isolated 580mm shaft ø 5.4mm |          |          |

|                                                                                    |                                                                                                                                                                                                    |          |                                               |
|------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------------------------------------------|
|  |                                                                                                                                                                                                    |          |                                               |
| 1                                                                                  |                                                                                                                                                                                                    |          |                                               |
| vm nr.                                                                             | 370763                                                                                                                                                                                             | Ref. No. | 20800011<br>20820011<br>30820046<br>602031/80 |
| description                                                                        | safety thermostat switch-off temp. 350°C 1-pole 1CO 2.5A probe ø 5mm probe L 48mm capillary pipe 950mm capillary pipe isolated 500mm gland nut probe SS copper screw connection M12 230V 602031/80 |          |                                               |

## switches and momentary switches

## magnetic switches

|                                                                                      |                                                                          |          |                      |
|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------|----------|----------------------|
|  |                                                                          |          |                      |
| 1                                                                                    |                                                                          |          |                      |
| vm nr.                                                                               | 381268                                                                   | Ref. No. | 20820012<br>20820014 |
| description                                                                          | magnetic switch probe L 57mm 1NO connection plug cable length 800mm Reed |          |                      |



## miscellaneous



1

|             |                                                                                             |          |          |
|-------------|---------------------------------------------------------------------------------------------|----------|----------|
| vm nr.      | 348039                                                                                      | Ref. No. | 30800016 |
| description | magnetic switch 1NO connection cable L 65mm L1 38mm L2 64mm mounting distance 50mm for door |          |          |

## encoders and potentiometers



1

|             |                                                  |          |                      |
|-------------|--------------------------------------------------|----------|----------------------|
| vm nr.      | 403484                                           | Ref. No. | 20900026<br>30900064 |
| description | encoder cable length 90mm shaft 6mm shaft L 10mm |          |                      |

## lamps

### screw-on/push-on fit

#### light bulbs

##### for ovens



1

|             |                                                                                                  |          |        |
|-------------|--------------------------------------------------------------------------------------------------|----------|--------|
| vm nr.      | 359610                                                                                           | Ref. No. | 065010 |
| description | light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips |          |        |

#### halogen lamp

##### for socket G4 / G6.35 / G9



1

|             |                                                    |          |        |
|-------------|----------------------------------------------------|----------|--------|
| vm nr.      | 359596                                             | Ref. No. | 065016 |
| description | halogen lamp socket G4 12V 10W temp.-resist. 500°C |          |        |



1

|             |                                                    |          |        |
|-------------|----------------------------------------------------|----------|--------|
| vm nr.      | 359599                                             | Ref. No. | 065012 |
| description | halogen lamp socket G4 12V 20W temp.-resist. 500°C |          |        |

## oven lamps

### producer-specific oven lamps

#### HOUNÖ



1

|             |                                               |          |          |
|-------------|-----------------------------------------------|----------|----------|
| vm nr.      | 360618                                        | Ref. No. | 20120131 |
| description | lamp glass with rubber gasket mounting ø 85mm |          |          |



1

|             |                                                                                                |          |                  |
|-------------|------------------------------------------------------------------------------------------------|----------|------------------|
| vm nr.      | 357092                                                                                         | Ref. No. | 066019<br>066020 |
| description | lamp socket socket G4 ø 17mm H 9mm with 2 hole fixing mounting distance 12mm cord length 450mm |          |                  |



1

|             |                                           |          |        |
|-------------|-------------------------------------------|----------|--------|
| vm nr.      | 694503                                    | Ref. No. | 014575 |
| description | gasket ø 82mm hole ø 51mm for lamp lenses |          |        |



1

|                 |                                                     |          |        |
|-----------------|-----------------------------------------------------|----------|--------|
| vm nr.          | 694502                                              | Ref. No. | 037519 |
| description     | lamp glass metal glass with frame and gasket ø 85mm |          |        |
| accessories for | 694502                                              |          |        |
| vm nr.          | 694503                                              | Ref. No. | 014575 |
| description     | gasket ø 82mm hole ø 51mm for lamp lenses           |          |        |



1

|             |                                                                                                |          |                  |
|-------------|------------------------------------------------------------------------------------------------|----------|------------------|
| vm nr.      | 357092                                                                                         | Ref. No. | 066019<br>066020 |
| description | lamp socket socket G4 ø 17mm H 9mm with 2 hole fixing mounting distance 12mm cord length 450mm |          |                  |

## lamps

### light bulbs



1

|             |                                                                                                  |          |        |
|-------------|--------------------------------------------------------------------------------------------------|----------|--------|
| vm nr.      | 359610                                                                                           | Ref. No. | 065010 |
| description | light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips |          |        |

### halogen lamps

#### for socket G4 / G6.35 / G9



1

|             |                                                    |          |        |
|-------------|----------------------------------------------------|----------|--------|
| vm nr.      | 359596                                             | Ref. No. | 065016 |
| description | halogen lamp socket G4 12V 10W temp.-resist. 500°C |          |        |



1

|             |                                                    |          |        |
|-------------|----------------------------------------------------|----------|--------|
| vm nr.      | 359599                                             | Ref. No. | 065012 |
| description | halogen lamp socket G4 12V 20W temp.-resist. 500°C |          |        |

## alarm devices

### alarm units



1

|             |                            |          |          |
|-------------|----------------------------|----------|----------|
| vm nr.      | 353000                     | Ref. No. | 30800047 |
| description | alarm device 2 hole fixing |          |          |

## contactors

### ABB

#### power contactors



1

|             |                                                                                                                                                                 |          |        |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------|
| vm nr.      | 381262                                                                                                                                                          | Ref. No. | 061625 |
| description | power contactor resistive load 20A 24VAC (AC3/400V) 12A/4kW main contacts 2x3NO auxiliary contacts 2x1NO connection screw connection type VB6-30-10 / VB7-30-10 |          |        |



1

|             |                                                                                                                                               |          |        |
|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------|----------|--------|
| vm nr.      | 380107                                                                                                                                        | Ref. No. | 061624 |
| description | power contactor resistive load 25A 24VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NC connection screw connection type A9-30-01 |          |        |



1

|             |                                                                                                                                              |          |       |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
| vm nr.      | 381264                                                                                                                                       | Ref. No. | 61248 |
| description | power contactor resistive load 40A 24VAC (AC3/400V) 26A/11kW main contacts 4NO auxiliary contacts connection screw connection type A26-40-00 |          |       |



1

|             |                                                                                                                                                  |          |       |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------|
| vm nr.      | 381265                                                                                                                                           | Ref. No. | 61265 |
| description | power contactor resistive load 55A 24VAC (AC3/400V) 30A/15kW main contacts 3NO auxiliary contacts 1NO connection screw connection type A30-30-10 |          |       |

#### auxiliary contacts



1

|             |                                                                                                  |          |       |
|-------------|--------------------------------------------------------------------------------------------------|----------|-------|
| vm nr.      | 380126                                                                                           | Ref. No. | 61626 |
| description | auxiliary contact contacts 1NC AC1 16A AC15 3A connection screw connection for contactors A9-A50 |          |       |



## solid state relays

## CELDUC



1

|             |                                                                                               |          |                                  |
|-------------|-----------------------------------------------------------------------------------------------|----------|----------------------------------|
| vm nr.      | 402974                                                                                        | Ref. No. | 20800086<br>30800037<br>30820013 |
| description | solid state relay CELDUC 2 phase 50A 24-600V 10-30VDC L 58mm W 45mm plug screw type SOB965660 |          |                                  |

## probes

## producer-specific probes

## probes



1

|             |                                                                                                                                                    |          |        |
|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------|
| vm nr.      | 379777                                                                                                                                             | Ref. No. | 062500 |
| description | temperature probe Pt100 cable silicone probe -100 up to 450°C cable -50 up to +180°C connection 2-wire thread 5/16 probe ø4x75mm cable length 1.2m |          |        |



1

|             |                                                                                                                                                                   |          |          |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|
| vm nr.      | 381229                                                                                                                                                            | Ref. No. | 20800174 |
| description | temperature probe Pt100 cable Vetrotex probe -100 up to 450°C cable -50 up to +350°C connection 2-wire thread probe ø3.5x170mm cable length 0.4m -50 up to +350°C |          |          |

## core probes



1

|             |                                                                                                                                                                           |          |          |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|
| vm nr.      | 381267 <sup>1</sup>                                                                                                                                                       | Ref. No. | 30800053 |
| description | core temperature probe Pt100 cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection plug probe ø4x100mm thread cable length 1m handle ømm handle length 50mm |          |          |

<sup>1</sup>multipoint probe

1

|             |                                                                                                                                                                                                |          |          |
|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|
| vm nr.      | 381228 <sup>1</sup>                                                                                                                                                                            | Ref. No. | 30800054 |
| description | core temperature probe thermocouple K (NiCr-Ni) cable PTFE probe -50 up to 1150°C cable -40 up to +250°C connection plug probe ø4x128mm thread cable length 1.5m handle ømm handle length 50mm |          |          |

<sup>1</sup>multipoint probe

## electronics

## frequency converters



1

|             |                                                                                                               |          |          |
|-------------|---------------------------------------------------------------------------------------------------------------|----------|----------|
| vm nr.      | 403483                                                                                                        | Ref. No. | 20800211 |
| description | frequency converter 200-240V 50/60Hz L 125mm W 43mm H 144mm output frequency 0-250Hz 6.9A output current 2.2A |          |          |



1

|             |                                                                                                        |          |          |
|-------------|--------------------------------------------------------------------------------------------------------|----------|----------|
| vm nr.      | 403482                                                                                                 | Ref. No. | 20800084 |
| description | frequency converter with heat sink 200-240V 50/60Hz output frequency 0-250Hz 10.8A output current 4.3A |          |          |

## PCBs

|                                                                                   |                                                                |          |                     |
|-----------------------------------------------------------------------------------|----------------------------------------------------------------|----------|---------------------|
|  |                                                                |          |                     |
| 1                                                                                 |                                                                |          |                     |
| vm nr.                                                                            | 404020                                                         | Ref. No. | 3090002<br>30900059 |
| description                                                                       | display combi-steamer Slim/Visual Cooking L 10.4mm W 144mm TFT |          |                     |
| accessories for                                                                   | 404020                                                         |          |                     |
|                                                                                   | vm nr.                                                         | 698525   | Ref. No. 30900013   |
|                                                                                   | ribbon cable L 120mm for display                               |          |                     |

|                                                                                   |                                                          |          |          |
|-----------------------------------------------------------------------------------|----------------------------------------------------------|----------|----------|
|  |                                                          |          |          |
| 1                                                                                 |                                                          |          |          |
| vm nr.                                                                            | 404022                                                   | Ref. No. | 30900014 |
| description                                                                       | display PCB combi-steamer Visual Cooking L 133mm W 139mm |          |          |

|                                                                                     |                                                                               |          |          |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------|----------|----------|
|  |                                                                               |          |          |
| 1                                                                                   |                                                                               |          |          |
| vm nr.                                                                              | 404024                                                                        | Ref. No. | 20900002 |
| description                                                                         | main PCB combi-steamer Visual Cooking L 348mm W 100mm type 20 90 0002 Rev:2.2 |          |          |

|                                                                                     |                                                                                  |          |          |
|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|----------|----------|
|  |                                                                                  |          |          |
| 1                                                                                   |                                                                                  |          |          |
| vm nr.                                                                              | 404021                                                                           | Ref. No. | 30900008 |
| description                                                                         | PCB combi-steamer Visual Cooking W 140mm for combi-steamer H 140mm type Ver 1.67 |          |          |

## solenoid valves

## solenoid valves (water)

| RPE                                                                                |                                                                                                                                             |          |            |
|------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|
|  |                                                                                                                                             |          |            |
| 1                                                                                  |                                                                                                                                             |          |            |
| vm nr.                                                                             | 370760                                                                                                                                      | Ref. No. | 30520037   |
| description                                                                        | solenoid valve double straight 24VAC inlet 3/4" outlet 10mm DN10 t.max. 90°C plastic output B yesl/min flow regulating valve outlet B white |          |            |
| spare parts for                                                                    | 370760                                                                                                                                      |          |            |
|                                                                                    | vm nr.                                                                                                                                      | 370774   | Ref. No. — |
|                                                                                    |  solenoid coil RPE 24VAC                                   |          |            |

|                                                                                    |                                                                                                                                                                 |          |            |
|------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|
|  |                                                                                                                                                                 |          |            |
| 1                                                                                  |                                                                                                                                                                 |          |            |
| vm nr.                                                                             | 370758                                                                                                                                                          | Ref. No. | 30520192   |
| description                                                                        | solenoid valve double straight 24VAC inlet 3/4" outlet 10mm input 10-12l/min DN10 t.max. 90°C plastic output B 1-1.25l/min flow regulating valve outlet B white |          |            |
| spare parts for                                                                    | 370758                                                                                                                                                          |          |            |
|                                                                                    | vm nr.                                                                                                                                                          | 370774   | Ref. No. — |
|                                                                                    |  solenoid coil RPE 24VAC                                                     |          |            |

## special outlet

|                                                                                      |                                                   |          |          |
|--------------------------------------------------------------------------------------|---------------------------------------------------|----------|----------|
|  |                                                   |          |          |
| 1                                                                                    |                                                   |          |          |
| vm nr.                                                                               | 371228                                            | Ref. No. | 20720230 |
| description                                                                          | solenoid valve double 24V outlet 6.5mm inlet 3/4" |          |          |

|                                                                                      |                                                                                 |          |          |
|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|----------|----------|
|  |                                                                                 |          |          |
| 1                                                                                    |                                                                                 |          |          |
| vm nr.                                                                               | 371229                                                                          | Ref. No. | 20720228 |
| description                                                                          | solenoid valve single 24V inlet 3/4mm outlet 6.5mm input 10l/min RPE inlet 3/4" |          |          |

|                                                                                   |                                                           |          |          |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------|----------|----------|
|  |                                                           |          |          |
| 1                                                                                 |                                                           |          |          |
| vm nr.                                                                            | 371227                                                    | Ref. No. | 20720234 |
| description                                                                       | solenoid valve triple 24V outlet 6.5mm DN10 RPE inlet 3/4 |          |          |

#### solenoid valves with reducers

##### single

|                                                                                   |                                                                                                                                             |          |          |
|-----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|
|  |                                                                                                                                             |          |          |
| 1                                                                                 |                                                                                                                                             |          |          |
| vm nr.                                                                            | 370761                                                                                                                                      | Ref. No. | 30520034 |
| description                                                                       | solenoid valve single straight 24VAC inlet 3/4" outlet 11mm DN10 t.max. 90°C plastic output A yesl/min flow regulating valve outlet B white |          |          |

##### 2-fold

|                                                                                   |                                                                                                                                         |          |        |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|----------|--------|
|  |                                                                                                                                         |          |        |
| 1                                                                                 |                                                                                                                                         |          |        |
| vm nr.                                                                            | 374008                                                                                                                                  | Ref. No. | 032110 |
| description                                                                       | solenoid valve double straight 24V inlet 3/4" outlet 14mm input 10-12l/min RPE plastic output A 1.2l/min output B 1.2l/min inlet 3/4"mm |          |        |

##### 3-fold

|                                                                                     |                                                                                                                                                                                                   |          |        |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------|
|  |                                                                                                                                                                                                   |          |        |
| 1                                                                                   |                                                                                                                                                                                                   |          |        |
| vm nr.                                                                              | 374002                                                                                                                                                                                            | Ref. No. | 032111 |
| description                                                                         | solenoid valve 3-fold, with reducer straight 24V inlet 3/4" outlet 14mm t.max. 60°C output A 1.2l/min output B 1.2l/min flow regulating valve outlet A white flow regulating valve outlet B white |          |        |

|                                                                                     |                                                                                                                                      |          |          |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|----------|----------|
|  |                                                                                                                                      |          |          |
| 1                                                                                   |                                                                                                                                      |          |          |
| vm nr.                                                                              | 370764                                                                                                                               | Ref. No. | 30520180 |
| description                                                                         | solenoid valve triple straight 24V inlet 3/4" outlet 10mm DN10 t.max. 60°C TP output C 1.2l/min flow regulating valve outlet C white |          |          |

##### 4-fold

|                                                                                   |                                                                                                                                            |          |                      |
|-----------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|----------|----------------------|
|  |                                                                                                                                            |          |                      |
| 1                                                                                 |                                                                                                                                            |          |                      |
| vm nr.                                                                            | 370762                                                                                                                                     | Ref. No. | 30500054<br>30520181 |
| description                                                                       | solenoid valve 4-fold with sensor 24V inlet 3/4" outlet 10.5mm t.max. 90°C reducer output D 1.20l/min flow regulating valve outlet D white |          |                      |

## pressure switches

### for combi-steamers

|                                                                                    |                                                                                                                                                    |          |          |
|------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|
|  |                                                                                                                                                    |          |          |
| 1                                                                                  |                                                                                                                                                    |          |          |
| vm nr.                                                                             | 543032                                                                                                                                             | Ref. No. | 32720056 |
| description                                                                        | differential pressure switch pressure range 0.2-1.5mbar pressure connection ø 4.7mm DUNGS protection IP54 ambient temperature max. -10 up to +85°C |          |          |

|                                                                                     |                                                                                                        |          |                    |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|----------|--------------------|
|  |                                                                                                        |          |                    |
| 1                                                                                   |                                                                                                        |          |                    |
| vm nr.                                                                              | 348047                                                                                                 | Ref. No. | 071138<br>30220071 |
| description                                                                         | pressure control pressure range 0-3mbar complete connection 6mm p max 0.025bar pressure connection 6mm |          |                    |

|                                                                                     |                                                                               |          |                    |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------|----------|--------------------|
|  |                                                                               |          |                    |
| 1                                                                                   |                                                                               |          |                    |
| vm nr.                                                                              | 543023                                                                        | Ref. No. | 308000145<br>62565 |
| description                                                                         | pressure control reset pressure 1.5bar connection 1/8" suitable for HOUNO 1NC |          |                    |

## fans

### axial fans

#### import



1

|                                                                                   |                                                                                                                                                          |          |            |
|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|
| vm nr.                                                                            | 601080 <sup>1</sup>                                                                                                                                      | Ref. No. | 60211      |
| description                                                                       | axial fan L 119mm W 119mm H 38mm 230VAC 50/60Hz 23/20W bearing ball bearing connection male faston 2.8mm metal ADDA fan wheel ø 110mm temp.-resist. 70°C |          |            |
| accessories for                                                                   | 601080                                                                                                                                                   |          |            |
|  | vm nr.                                                                                                                                                   | 550898   | Ref. No. — |
|                                                                                   | connecting cable cable length 2000mm connection F 2.8 connection distance 7.9mm for axial flow fan                                                       |          |            |
|  | vm nr.                                                                                                                                                   | 692519   | Ref. No. — |
|                                                                                   | guard L 120mm W 120mm plastic                                                                                                                            |          |            |

<sup>1</sup>with ball bearings

### hot air motors



1

|             |                                                                             |          |       |
|-------------|-----------------------------------------------------------------------------|----------|-------|
| vm nr.      | 602004                                                                      | Ref. No. | 60306 |
| description | fan wheel blades 12 D1 ø 350mm D2 ø 13mm D3 ø 16mm H1 133mm H2 14mm H3 32mm |          |       |

## pumps

### drain pumps

#### HANNING



1

|             |                                                                                                                                      |          |                      |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------|----------|----------------------|
| vm nr.      | 501441                                                                                                                               | Ref. No. | 20520270<br>20700034 |
| description | drain pump reinforced version inlet ø 24mm outlet ø 24mm 200-240V input current 0.4A 38W 50/60Hz max. 15min break time 45min HANNING |          |                      |

## fuses

### line circuit breakers

#### miscellaneous



1

|             |                                                                            |          |        |
|-------------|----------------------------------------------------------------------------|----------|--------|
| vm nr.      | 358114                                                                     | Ref. No. | 061407 |
| description | line circuit breaker 3-pole 6A tripping type C rated 400V connection screw |          |        |

## electric accessories

### cables

#### ribbon cables

#### group 10



1

|             |                                  |          |          |
|-------------|----------------------------------|----------|----------|
| vm nr.      | 698525                           | Ref. No. | 30900013 |
| description | ribbon cable L 120mm for display |          |          |

## equipment-specific units

### for convection ovens/combi-steamers

#### miscellaneous



1

|             |                      |          |          |
|-------------|----------------------|----------|----------|
| vm nr.      | 698521               | Ref. No. | 20400238 |
| description | plug L 35.4mm ø 13mm |          |          |



locks

handle latches

universal

outside fixing

accessories



1

|                                                                                                                                   |        |          |        |
|-----------------------------------------------------------------------------------------------------------------------------------|--------|----------|--------|
| vm nr.                                                                                                                            | 694066 | Ref. No. | 069020 |
| description door catch with spigot 2-stage L 28mm W 14mm H 15mm H1 16mm total length 51mm thread M8 thread L 23mm stainless steel |        |          |        |



1

|                                                          |        |          |        |
|----------------------------------------------------------|--------|----------|--------|
| vm nr.                                                   | 514390 | Ref. No. | 069023 |
| description spring for door handle ø 6mm L 54mm W 27.5mm |        |          |        |

inside fixing

accessories



1

|                                                                                                                                   |        |          |        |
|-----------------------------------------------------------------------------------------------------------------------------------|--------|----------|--------|
| vm nr.                                                                                                                            | 694066 | Ref. No. | 069020 |
| description door catch with spigot 2-stage L 28mm W 14mm H 15mm H1 16mm total length 51mm thread M8 thread L 23mm stainless steel |        |          |        |



1

|                                                          |        |          |        |
|----------------------------------------------------------|--------|----------|--------|
| vm nr.                                                   | 514390 | Ref. No. | 069023 |
| description spring for door handle ø 6mm L 54mm W 27.5mm |        |          |        |

producer-specific

HOUNÖ



1

|        |        |          |                                                                                                                                              |
|--------|--------|----------|----------------------------------------------------------------------------------------------------------------------------------------------|
| vm nr. | 694607 | Ref. No. | 20400207<br>20410019<br>20420227<br>20420262<br>20420313<br>30400030<br>30400032<br>30410004<br>30420013<br>30420853<br>30420854<br>30421088 |
|--------|--------|----------|----------------------------------------------------------------------------------------------------------------------------------------------|

description catch for combi-steamer mounting distance 50mm HOUNÖ

spare parts for 694607



|        |        |          |                      |
|--------|--------|----------|----------------------|
| vm nr. | 694848 | Ref. No. | 30420245<br>30420840 |
|--------|--------|----------|----------------------|

door catch with spigot 2-stage L 70mm W 25mm H 44mm mounting distance 50mm



|        |        |          |                                                                                            |
|--------|--------|----------|--------------------------------------------------------------------------------------------|
| vm nr. | 694851 | Ref. No. | 069022<br>30400031<br>30400034<br>30420694<br>30420849<br>30420850<br>30420864<br>30421087 |
|--------|--------|----------|--------------------------------------------------------------------------------------------|

catch kit



1

|        |        |          |                                                                                            |
|--------|--------|----------|--------------------------------------------------------------------------------------------|
| vm nr. | 694851 | Ref. No. | 069022<br>30400031<br>30400034<br>30420694<br>30420849<br>30420850<br>30420864<br>30421087 |
|--------|--------|----------|--------------------------------------------------------------------------------------------|

description catch kit

spare parts for 694851



|        |        |          |                      |
|--------|--------|----------|----------------------|
| vm nr. | 694848 | Ref. No. | 30420245<br>30420840 |
|--------|--------|----------|----------------------|

door catch with spigot 2-stage L 70mm W 25mm H 44mm mounting distance 50mm



1

|                                                                                                                                   |        |          |        |
|-----------------------------------------------------------------------------------------------------------------------------------|--------|----------|--------|
| vm nr.                                                                                                                            | 694066 | Ref. No. | 069020 |
| description door catch with spigot 2-stage L 28mm W 14mm H 15mm H1 16mm total length 51mm thread M8 thread L 23mm stainless steel |        |          |        |

|                                                                                   |                                                                            |          |                      |
|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------|----------|----------------------|
|  |                                                                            |          |                      |
| 1                                                                                 |                                                                            |          |                      |
| vm nr.                                                                            | 694848                                                                     | Ref. No. | 30420245<br>30420840 |
| description                                                                       | door catch with spigot 2-stage L 70mm W 25mm H 44mm mounting distance 50mm |          |                      |

|                                                                                   |                                                                                                 |          |                 |
|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|----------|-----------------|
|  |                                                                                                 |          |                 |
| 1                                                                                 |                                                                                                 |          |                 |
| vm nr.                                                                            | 701415                                                                                          | Ref. No. | 30420698        |
| description                                                                       | door handle L 171mm W 40mm handle ø 25mm spring length 38mm SS mounting thread M5 flange ø 39mm |          |                 |
| spare parts for                                                                   | 701415                                                                                          |          |                 |
|  | vm nr.                                                                                          | 514390   | Ref. No. 069023 |
|                                                                                   | spring for door handle ø 6mm L 54mm W 27.5mm                                                    |          |                 |

|                                                                                    |                                              |          |        |
|------------------------------------------------------------------------------------|----------------------------------------------|----------|--------|
|  |                                              |          |        |
| 1                                                                                  |                                              |          |        |
| vm nr.                                                                             | 514390                                       | Ref. No. | 069023 |
| description                                                                        | spring for door handle ø 6mm L 54mm W 27.5mm |          |        |

## edgmount latches

### handle latches

### producer-specific

### HOUNÖ

|                                                                                     |                                                                                                                             |          |                           |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|----------|---------------------------|
|  |                                                                                                                             |          |                           |
| 1                                                                                   |                                                                                                                             |          |                           |
| vm nr.                                                                              | 694784                                                                                                                      | Ref. No. | 034317                    |
| description                                                                         | catch L 172mm mounting distance 124/133mm chrome-plated non lockable heated units 6200 H 65mm type DUPLO total length 248mm |          |                           |
| accessories for                                                                     | 694784                                                                                                                      |          |                           |
|  | vm nr.                                                                                                                      | 690123   | Ref. No. 037967<br>069012 |
|                                                                                     | door catch with roller                                                                                                      |          |                           |

## RAHRBACH


### 6201 DUPLO series


|                                                                                   |                        |          |                  |
|-----------------------------------------------------------------------------------|------------------------|----------|------------------|
|  |                        |          |                  |
| 1                                                                                 |                        |          |                  |
| vm nr.                                                                            | 690123                 | Ref. No. | 037967<br>069012 |
| description                                                                       | door catch with roller |          |                  |


## gaskets


### gaskets for heated units

### door seals

|                                                                                    |                                                                                       |          |        |
|------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----------|--------|
|  |                                                                                       |          |        |
| 1                                                                                  |                                                                                       |          |        |
| vm nr.                                                                             | 901440                                                                                | Ref. No. | 037063 |
| description                                                                        | door seal profile 2073 W 490mm L 560mm external size Qty 1 suitable for HOUNÖ 1.06-99 |          |        |


|                                                                                      |                                                            |          |        |
|--------------------------------------------------------------------------------------|------------------------------------------------------------|----------|--------|
|  |                                                            |          |        |
| 1                                                                                    |                                                            |          |        |
| vm nr.                                                                               | 901459                                                     | Ref. No. | 037065 |
| description                                                                          | door seal profile 2073 W 490mm L 810mm external size Qty 1 |          |        |

|                                                                                      |                                                            |          |        |
|--------------------------------------------------------------------------------------|------------------------------------------------------------|----------|--------|
|  |                                                            |          |        |
| 1                                                                                    |                                                            |          |        |
| vm nr.                                                                               | 901652                                                     | Ref. No. | 037066 |
| description                                                                          | door seal profile 2073 W 495mm L 955mm external size Qty 1 |          |        |




1

|             |                                                                           |          |       |
|-------------|---------------------------------------------------------------------------|----------|-------|
| vm nr.      | 901853                                                                    | Ref. No. | 32903 |
| description | door seal profile 2073 W 530mm L 605mm outer plug size suitable for HOUNÖ |          |       |




1

|             |                                                            |          |                      |
|-------------|------------------------------------------------------------|----------|----------------------|
| vm nr.      | 901387                                                     | Ref. No. | 20300234<br>30300134 |
| description | door seal profile 2735 W 490mm L 550mm external size Qty 1 |          |                      |




1

|             |                                                            |          |                      |
|-------------|------------------------------------------------------------|----------|----------------------|
| vm nr.      | 902106                                                     | Ref. No. | 20300235<br>30300135 |
| description | door seal profile 2735 W 490mm L 690mm external size Qty 1 |          |                      |



1

|             |                                                            |          |                      |
|-------------|------------------------------------------------------------|----------|----------------------|
| vm nr.      | 901386                                                     | Ref. No. | 20300236<br>30300136 |
| description | door seal profile 2735 W 490mm L 820mm external size Qty 1 |          |                      |




1

|             |                                                                            |          |                      |
|-------------|----------------------------------------------------------------------------|----------|----------------------|
| vm nr.      | 901854                                                                     | Ref. No. | 20300241<br>30300139 |
| description | door seal profile 2735 W 495mm L 1470mm outer plug size suitable for HOUNÖ |          |                      |

## O-rings

### EPDM



1

|             |                                                     |          |          |
|-------------|-----------------------------------------------------|----------|----------|
| vm nr.      | 532453                                              | Ref. No. | 32700106 |
| description | O-ring EPDM thickness 2.62mm ID ø 21.89mm Qty 1 pcs |          |          |

## special gaskets

### miscellaneous



1

|             |                                             |          |          |
|-------------|---------------------------------------------|----------|----------|
| vm nr.      | 511653                                      | Ref. No. | 20600007 |
| description | gasket silicone L 82mm W 82mm thickness 3mm |          |          |

## hose reels and spray guns

### spray guns



1

|             |                                     |          |        |
|-------------|-------------------------------------|----------|--------|
| vm nr.      | 542075                              | Ref. No. | 041063 |
| description | spray gun for appliances hose ø 7mm |          |        |

## dosing pumps

### accessories

#### hose couplings

##### metal



1

|        |        |          |        |
|--------|--------|----------|--------|
| vm nr. | 361502 | Ref. No. | 016821 |
|--------|--------|----------|--------|

|             |                                                                             |  |  |
|-------------|-----------------------------------------------------------------------------|--|--|
| description | screw pipe fitting straight nickel-plated brass thread 3/8" ET hose ø 6x8mm |  |  |
|-------------|-----------------------------------------------------------------------------|--|--|

accessories for 361502



|                                                 |        |          |   |
|-------------------------------------------------|--------|----------|---|
| vm nr.                                          | 532533 | Ref. No. | — |
| O-ring EPDM thickness 1.5mm ID ø 17mm Qty 1 pcs |        |          |   |

## hoses

### industrial hoses

#### nylon hoses



1

|        |        |          |                    |
|--------|--------|----------|--------------------|
| vm nr. | 570146 | Ref. No. | 059003<br>30500498 |
|--------|--------|----------|--------------------|

|             |                                                                                       |  |  |
|-------------|---------------------------------------------------------------------------------------|--|--|
| description | nylon hose ID ø 4mm ED ø 6mm L 1m operating p. 10bar burst p. 50bar t.max. 100°C blue |  |  |
|-------------|---------------------------------------------------------------------------------------|--|--|

## fittings, hose and pipe connectors

### hose connectors

#### nickel-plated brass



1

|        |        |          |        |
|--------|--------|----------|--------|
| vm nr. | 361502 | Ref. No. | 016821 |
|--------|--------|----------|--------|

|             |                                                                             |  |  |
|-------------|-----------------------------------------------------------------------------|--|--|
| description | screw pipe fitting straight nickel-plated brass thread 3/8" ET hose ø 6x8mm |  |  |
|-------------|-----------------------------------------------------------------------------|--|--|

accessories for 361502



|                                                 |        |          |   |
|-------------------------------------------------|--------|----------|---|
| vm nr.                                          | 532533 | Ref. No. | — |
| O-ring EPDM thickness 1.5mm ID ø 17mm Qty 1 pcs |        |          |   |

## fastening material

### screws

#### hexagonal screws



1

|        |        |          |       |
|--------|--------|----------|-------|
| vm nr. | 560088 | Ref. No. | 55618 |
|--------|--------|----------|-------|

|             |                                                                                |  |  |
|-------------|--------------------------------------------------------------------------------|--|--|
| description | hexagonal screw thread M6 thread L 20mm SS WS 10 Qty 20 pcs DIN 933 / ISO 4017 |  |  |
|-------------|--------------------------------------------------------------------------------|--|--|

#### side bolts



1

|        |        |          |                  |
|--------|--------|----------|------------------|
| vm nr. | 560052 | Ref. No. | 055511<br>055514 |
|--------|--------|----------|------------------|

|             |                                                                        |  |  |
|-------------|------------------------------------------------------------------------|--|--|
| description | side bolts thread M5 L 10mm SS Qty 20 pcs intake slotted head ø 12.5mm |  |  |
|-------------|------------------------------------------------------------------------|--|--|



**A**

|               |   |
|---------------|---|
| alarm devices | 5 |
| axial fans    | 9 |

**B**

|                      |      |
|----------------------|------|
| bi-metal thermostats | 3, 3 |
|----------------------|------|

**C**

|            |   |
|------------|---|
| cables     | 9 |
| contactors | 5 |

**D**

|              |    |
|--------------|----|
| door seals   | 11 |
| dosing pumps | 13 |
| drain pumps  | 9  |

**E**

|                      |    |
|----------------------|----|
| edgemount latches    | 11 |
| electric accessories | 9  |

**F**

|                    |    |
|--------------------|----|
| fans               | 9  |
| fastening material | 13 |
| fuses              | 9  |

**G**

|                          |    |
|--------------------------|----|
| gaskets for heated units | 11 |
|--------------------------|----|

**H**

|                                      |    |
|--------------------------------------|----|
| halogen lamp                         | 4  |
| handle latches                       | 11 |
| heating elements                     | 2  |
| heating elements for convection      | 3  |
| heating elements for heated cabinets | 2  |
| hexagonal screws                     | 13 |
| hose connectors                      | 13 |
| hose couplings                       | 13 |
| hoses                                | 13 |
| hot air motors                       | 9  |

**I**

|                            |    |
|----------------------------|----|
| immersion heating elements | 2  |
| industrial hoses           | 13 |

**L**

|             |   |
|-------------|---|
| lamps       | 4 |
| light bulbs | 4 |

**M**

|                   |   |
|-------------------|---|
| magnetic switches | 3 |
|-------------------|---|

**N**

|             |    |
|-------------|----|
| nylon hoses | 13 |
|-------------|----|

**O**

|            |    |
|------------|----|
| O-rings    | 12 |
| oven lamps | 4  |

**P**

|                   |   |
|-------------------|---|
| pressure switches | 8 |
| probes            | 6 |
| pumps             | 9 |

**R**

|               |   |
|---------------|---|
| ribbon cables | 9 |
|---------------|---|

**S**

|                                 |      |
|---------------------------------|------|
| safety thermostats              | 3, 3 |
| screws                          | 13   |
| side bolts                      | 13   |
| solenoid valves                 | 7    |
| solid state relays              | 6    |
| spray guns                      | 12   |
| spray guns with external thread | 12   |
| switches and momentary switches | 3    |

**T**

|             |   |
|-------------|---|
| thermostats | 3 |
|-------------|---|