



Reservedele til

ROSINOX


2018



heating elements

immersion heating elements

3 hole flange ø57.5mm

						
1						
Varenummer Varenummer		415021	Ref. No.		RX94810958 RX94813728	
description		heating element 6000W 230V mounting ø 57.5mm heating circuits 3 L 343mm W 37mm H 50mm number of thermostat sleeves 1 thermostat sleeves ø 7mm length thermostat sleeves 294mm thermostat sleeve not clinging tube ø 8.5mm hole distance 72mm hole ø 8mm connection M5 3 hole flange				
spare parts for		415021				
		Varenummer Varenummer	510409	Ref. No.		RX94807294
		O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs				
accessories for		415021				
		Varenummer Varenummer	550002	Ref. No.		—
		tension strap H 10mm L 21mm W 10mm hole ø 6.5mm for heating element				

with expansion flange 70 x 18mm



1

Varenummer Varenummer	415465	Ref. No.	27318591 RX27318591	
description	heating element 3000W 230V heating circuits 2 flange 70x18mm L 365mm W 65mm connection male faston 6.3mm tube ø 8.5mm immersion heater expansion flange			
accessories for	415465			
	Varenummer Varenummer	379078	Ref. No.	—
	temperature probe thermocouple K (NiCr-Ni) cable silicone probe -50 up to 1150°C cable -50 up to +180°C connection 2-wire thread probe ø1.5x100mm cable length 1.8m			



1

Varenummer Varenummer	415466	Ref. No.	27318583 RX27318583
description	heating element 6000W 230V heating circuits 2 flange 70x18mm L 365mm W 65mm connection male faston 6.3mm tube ø 8.5mm immersion heater expansion flange connection length 32mm		
accessories for	415466		
	Varenummer Varenummer	379078	Ref. No. —
	temperature probe thermocouple K (NiCr-Ni) cable silicone probe -50 up to 1150°C cable -50 up to +180°C connection 2-wire thread probe ø1.5x100mm cable length 1.8m		

heating elements for convection

				
1				
Varenummer Varenummer		415251	Ref. No.	94806387 RX94806387
description		heating element 2500W 230V heating circuits 1 ID ø 178mm ED ø 190mm L 242mm H 35mm L1 46mm W1 31mm H1 10mm H2 25mm flange length 70mm flange width 22mm hole distance 56mm connection male faston 6.3mm horizontal tube ø 6.3mm convection heating element hole ø 5mm rectangular flange		
spare parts for		415251		
		Varenummer Varenummer	510368	Ref. No. —
gasket L 70mm W 23.5mm hole ø 5mm hole distance 56mm FIBER thickness 2mm for heating element				

1

Varenummer Varenummer	418131	Ref. No.	RX94814229
description	heating element 6000W 230V heating circuits 3 ID ø 217mm ED ø 231mm L 271mm H 90mm L1 41mm W1 103mm H1 24mm H2 66mm flange length 140mm flange width 22mm hole distance 63mm tube ø 6.3mm convection heating element hole ø 5mm rectangular flange		



1

Varenummer Varenummer	415911	Ref. No.	27307982 RX27307982	
description	heating element 9000W 230V heating circuits 4 ID ø 310mm ED ø 333mm L 410mm H 115mm L1 77mm W1 75mm H1 15mm H2 100mm thread M14x1.5 8 hole fixing connection male faston 6.3mm tube ø 8.5mm convection heating element			
accessories for	415911			
	Varenummer Varenummer	510417	Ref. No.	—
	flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs			
	Varenummer Varenummer	520228	Ref. No.	—
	tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14			
	Varenummer Varenummer	520230	Ref. No.	—
	nut thread M14x1.5 H 5mm WS 19 zinc-coated steel Qty 1 pcs			
	Varenummer Varenummer	521101	Ref. No.	—
	nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs			

Table continues overleaf

accessories for	415911			
	Varennummer Varennummer	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm				

				
	1			
Varennummer Varennummer	415469	Ref. No.	27307974 RX27307974	
description	heating element 2000W 220V heating circuits 1 L 95mm W 520mm connection length 24mm connection male faston 6.3mm tube ø 6.3mm thread M14x1.5 2 hole fixing convection heating element mounting distance 514mm			
accessories for	415469			
	Varennummer Varennummer	510417	Ref. No.	—
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs				
	Varennummer Varennummer	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14				
	Varennummer Varennummer	520230	Ref. No.	—
nut thread M14x1.5 H 5mm WS 19 zinc-coated steel Qty 1 pcs				
	Varennummer Varennummer	521101	Ref. No.	—
nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs				
	Varennummer Varennummer	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm				

				
	1			
Varennummer Varennummer	415554	Ref. No.	27307966 RX27307966	
description	heating element 2500W 230V heating circuits 1 L 148mm W 534mm connection male faston 6.3mm tube ø 6.3mm thread M14x1.5 2 hole fixing convection heating element mounting distance 528mm			
spare parts for	415554			
	Varennummer Varennummer	510420	Ref. No.	—
gasket copper ED ø 19.9mm ID ø 14.3mm thickness 2mm Qty 1 pcs				
accessories for	415554			
	Varennummer Varennummer	510417	Ref. No.	—
flat gasket fibre ED ø 20mm ID ø 14mm thickness 2mm Qty 1 pcs				
	Varennummer Varennummer	520228	Ref. No.	—
tooth lock washer ID ø 15.3mm ED ø 24mm steel Qty 1 pcs for thread M14				
	Varennummer Varennummer	520230	Ref. No.	—
nut thread M14x1.5 H 5mm WS 19 zinc-coated steel Qty 1 pcs				
	Varennummer Varennummer	521101	Ref. No.	—
nut thread M14x1.5 H 5mm WS 19 SS Qty 1 pcs				
	Varennummer Varennummer	550262	Ref. No.	—
flat gasket copper ED ø 20mm ID ø 14mm thickness 2mm				

accessories

washers

				
	1			
Varennummer Varennummer	560112	Ref. No.	94813766 RX94813766	
description	plain washer ID ø 5.3mm ED ø 10mm thickness 1mm SS Qty 20 pcs DIN 125A for thread M5			

				
	1			
Varennummer Varennummer	560333	Ref. No.	RX94801651	
description	plain washer ID ø 6.4mm ED ø 12mm thickness 1.6mm SS Qty 1 pcs DIN 125A for thread M6			

sealing washers

O-rings

				
	1			
Varennummer Varennummer	510408	Ref. No.	RX94807781	
description	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs			

flange gaskets

				
	1			
Varennummer Varennummer	551240	Ref. No.	RX94820023	
description	gasket L 129mm W 87mm D1 ø 12mm D2 ø 7mm 12 holes graphite thickness 1mm			
accessories for	551240			
	Varennummer Varennummer	519647	Ref. No.	—
counterflange ø 8mm perforation ø 13mm L 130mm W 88mm suitable for convection heating element 12 holes				



energy regulators

EGO

1-circuit



1

Varenummer Varenummer	380015	Ref. No.	94812641 RX94812641
description	energy regulator 230V 13A single-circuit turn direction right shaft ø 6x4.6mm shaft L 23mm mounting thread M4 power release 6-100% no. 50.57021.010		

thermostats

control and safety thermostats

EGO

control thermostats

55.10/19_series



1

Varenummer Varenummer	375231	Ref. No.	94805249 RX94805249
description	thermostat t.max. 90°C temperature range 30-90°C 1-pole 1NO 16A probe ø 6mm probe L 130mm capillary pipe 900mm capillary pipe isolated 600mm gland nut M9x1 shaft L 18mm shaft position upper rotation 270°		

55.13_series



1

Varenummer Varenummer	375401	Ref. No.	24848269 RX24848269
description	thermostat t.max. 185°C temperature range 97-185°C 1-pole 1NO 16A probe ø 6mm probe L 87mm capillary pipe 1430mm capillary pipe isolated 1100mm gland nut M9x1 shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		



1

Varenummer Varenummer	375085	Ref. No.	24848145 RX24848145
description	thermostat t.max. 90°C temperature range 0-90°C 1-pole 1CO 16A probe ø 3.1mm probe L 247mm capillary pipe 1430mm capillary pipe isolated 1400mm gland nut shaft ø 6x4.6mm shaft L 18mm shaft position upper probe material SS		

55.34_series



1

Varenummer Varenummer	375192	Ref. No.	94805645 RX94805645
description	thermostat t.max. 300°C temperature range 50-300°C 3-pole 3NO 16A probe ø 3mm probe L 219mm capillary pipe 900mm capillary pipe isolated 800mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		




1


Varenummer Varenummer	375038	Ref. No.	94032588 RX94032588
description	thermostat t.max. 300°C temperature range 50-300°C 3-pole 3NO 16A probe ø 6mm probe L 79mm capillary pipe 1740mm capillary pipe isolated 800mm gland nut shaft ø 6x4.6mm shaft L 23mm shaft position upper rotation 270°		
accessories for	375038		
	Varenummer Varenummer	110123	Ref. No. —
	knob thermostat t.max. 300°C ø 50mm shaft ø 6x4.6mm shaft flat upper black temperature range 50-300°C rotation 270°		

safety thermostats

51._ series



Varenummer Varenummer	375090	Ref. No.	24848111 RX24848111
description	safety thermostat switch-off temp. 365°C 2-pole 16A probe ø 4mm probe L 120mm capillary pipe 1170mm capillary pipe isolated 1100mm gland nut probe SS		



Varenummer Varenummer	375344	Ref. No.	94800158 RX94800158
description	safety thermostat switch-off temp. 360°C 1-pole 0.5A probe ø 4mm probe L 120mm capillary pipe 1500mm capillary pipe isolated 1500mm gland nut probe		

55.13_ series




Varenummer Varenummer	375830	Ref. No.	RX94050481
description	safety thermostat switch-off temp. 365°C 1-pole 1NC 16A probe ø 3mm probe L 160mm capillary pipe 1730mm capillary pipe isolated 1710mm gland nut probe		



Varenummer Varenummer	375684	Ref. No.	94814230 RX94814230
description	safety thermostat switch-off temp. 360°C 1-pole 20A probe ø 11mm probe L 16mm capillary pipe 900mm capillary pipe isolated 900mm gland nut probe screw-in probe probe thread M14x1		

55.32_ series




Varenummer Varenummer	375277	Ref. No.	94805413 RX94805413
description	safety thermostat switch-off temp. 150°C 3-pole 3NC 20A probe ø 6mm probe L 79mm capillary pipe 900mm capillary pipe isolated 700mm gland nut probe		

56._ series



Varenummer Varenummer	390797	Ref. No.	RX24848343
description	safety thermostat switch-off temp. 157°C 1-pole 16A probe ø 6mm probe L 62mm capillary pipe 1520mm capillary pipe isolated 1380mm gland nut probe		



1

Varenummer Varenummer	375889	Ref. No.	RX94820005
description	safety thermostat switch-off temp. 360°C 1-pole 16A probe ø 15mm probe L 6.5mm capillary pipe 1140mm capillary pipe isolated 1100mm gland nut probe		
accessories for	375889		
Varenummer Varenummer	518669	Ref. No.	RX94820006
gasket	PTFE ED ø 21mm ID ø 15mm thickness 3.5mm		

accessories



1

Varenummer Varenummer	518669	Ref. No.	RX94820006
description	gasket PTFE ED ø 21mm ID ø 15mm thickness 3.5mm		
accessories for	518669		
Varenummer Varenummer	375889	Ref. No.	RX94820005
safety thermostat	switch-off temp. 360°C 1-pole 16A probe ø 15mm probe L 6.5mm capillary pipe 1140mm capillary pipe isolated 1100mm gland nut probe		

control thermostats with operation switch

55.34_ series



1

Varenummer Varenummer	375246	Ref. No.	RX94090032
description	thermostat t.max. 645°C temperature range 100-615/645°C 2-pole 2NO 16A probe ø 4mm probe L 230mm capillary pipe 1100mm capillary pipe isolated 600mm gland nut shaft ø 6x4.6mm shaft L 25mm shaft position lower rotation 270° outer switch 2NO probe material copper		

accessories

connecting bows



1

Varenummer Varenummer	550060	Ref. No.	RX94002813
description	connecting bow long for thermostat Qty 1 pcs		

switches and momentary switches

rocker/momentary rocker switches

30x22mm



1

Varenummer Varenummer	301003	Ref. No.	94805496 RX94805496
description	rocker switch mounting measurements 30x22mm green 2NO 250V 16A illuminated 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65		
accessories for	301003		
Varenummer Varenummer	301036	Ref. No.	—
protective cover	internal size 30x22mm for rocker switch mounting measurementsmm		

push/momentary push switches

ø18.2mm



1

Varenummer Varenummer	346508	Ref. No.	26645481 RX26645481
description	momentary push switch mounting ø 18.2mm black 1NC/1NO 250V 2A connection screw ambient temperature max. 85°C protection IP40		

ø25mm



1

Varenummer Varenummer	345038	Ref. No.	94805173 RX94805173
description	momentary push switch mounting ø 25mm black 2NO 250V 16A connection male faston 6.3mm ambient temperature max. 85°C protection IP40		

microswitches

lever actuated



1

Varenummer Varenummer	345254	Ref. No.	94812476 RX94812476
description	microswitch with lever 250V 16A 1CO connection male faston 6.3mm ambient temperature max. 120°C mounting distance 22mm actuating force: 60g lever length 58mm		



1

Varenummer Varenummer	345257	Ref. No.	RX94810935
description	microswitch with lever 250V 16A 1CO connection male faston 6.3mm L 29mm L1 33mm ambient temperature max. 120°C mounting distance 22mm actuating force: 130g lever length 31.5mm		

pin-plunger actuated

M12



1

Varenummer Varenummer	345350	Ref. No.	RX94806130
description	microswitch with plunger mounting distance 22mm thread M12x0.75 thread L 16mm 250V 16A 1CO connection male faston 6.3mm stroke 4mm ambient temperature max. 125°C type EF83161.3 actuating force: 66g		
accessories for	345350		
	Varenummer Varenummer	345351	Ref. No. —
nut thread M12x0.75 H 1.6mm WS 14 chrome-plated brass Qty 1 pcs			

M16



1

Varenummer Varenummer	345047	Ref. No.	RX94050119
description	microswitch with plunger thread M16x1 thread L 27mm 250V 5A 1NO connection cable stroke 5mm ambient temperature max. 85°C with cable type 837333 actuating force: 400g		
accessories for	345047		
	Varenummer Varenummer	698490	Ref. No. RX94029824
cover ED ø 17mm suitable for 345047			

system switches (ROLD)



1

Varenummer Varenummer	346201	Ref. No.	94804119 RX94804119
description	element holder mounting measurements 28.5x77.5mm grey three-fold element holder		



1

Varenummer Varenummer	345601	Ref. No.	94813812 RX94813812
description	indicator lamp holder V ø 11mm		



1

Varenummer Varenummer	347193	Ref. No.	94810898 RX94810898
description	momentary switch unit 1NO 250V 16A connection male faston 6.3mm		



1

Varenummer Varenummer	345606	Ref. No.	RX94813834
description	momentary switch unit 2CO 250V 16A connection male faston 6.3mm		



1

Varenummer Varenummer	345605	Ref. No.	94804143 94810976 RX94804143 RX94810976
description	switch 2CO 250V 16A connection male faston 6.3mm		



cam switches

on/off



1

Varenummer Varenummer	300088	Ref. No.	94805363 RX94805363
description	cam switch 2 operating positions 4NO sequence 0-1 16A shaft ø 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		



1

Varenummer Varenummer	300020	Ref. No.	94805256 RX94805256
description	cam switch 4 operating positions 2NO sequence 0-1-0-1 16A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		
accessories for	300020		
	Varenummer Varenummer	110135	Ref. No. —
rosette knob up to ø 52mm			
	Varenummer Varenummer	110231	Ref. No. —
knob switch 0-1-0-1 t.max.°C ø 50mm shaft ø 6x4.6mm shaft flat upper black			

4-position



1

Varenummer Varenummer	300103	Ref. No.	RX273349196
description	cam switch 4 operating positions 1NO/2CO sequence 0-1-2-3 32A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		



1

Varenummer Varenummer	300104	Ref. No.	RX27334937
description	cam switch 4 operating positions 3NO/1CO sequence 0-1-2-3 32A shaft ø 6x4.6mm shaft L 23mm connection screw ceramic		

7-position



1

Varenummer Varenummer	300106	Ref. No.	RX94015021
description	cam switch 7 operating positions 1NO/2CO sequence 0-1-2-3-4-5-6 32A shaft ø 6x4.6mm shaft L 23mm connection screw 7-position shaft flat upper		


4 operating positions



1

Varenummer Varenummer	300049	Ref. No.	27338144 RX27338144
description	cam switch 4 operating positions 8NO sequence 0-1-2-3 16A shaft ø 6x4.6mm shaft L 17mm connection male faston 6.3mm		

6 operating positions



1

Varenummer Varenummer	300051	Ref. No.	27338136 RX27338136
description	cam switch 6 operating positions 2NO sequence 1-0-2-3-4-5 6A shaft ø 6x4.6mm shaft L 33mm connection male faston 6.3mm plastic		

operation switches



1

Varenummer Varenummer	300002	Ref. No.	RX94806098
description	cam switch 2 operating positions 2NO 16A sequence 0-1 shaft $\varnothing$ 6x4.6mm shaft L 23mm connection male faston 6.3mm ceramic		



1

Varenummer Varenummer	300080	Ref. No.	94805892 RX94805892
description	cam switch 2 operating positions 4NO 16A sequence 0-1 shaft $\varnothing$ 6x4.6mm shaft L 23mm connection screw operation switch ceramic ambient temperature max. 150°C		

accessories for 300080



Varenummer Varenummer	551456	Ref. No.	—
gasket for switch ED $\varnothing$ 14mm ID $\varnothing$ 2.5mm thickness 3.5mm white			



1

Varenummer Varenummer	300200	Ref. No.	RX94015070
description	operation switch 2 operating positions 2NO 16A sequence 0-1 shaft $\varnothing$ 6x4.6mm shaft L 23mm connection male faston 6.3mm operation switch ceramic		

rotary switches

TELEMECANIQUE (Schneider Electric)



1


Varenummer Varenummer	300047	Ref. No.	27338060 RX27338060
description	rotary switch 4 operating positions 9-pole		

magnetic switches

40x13mm



1




Varenummer Varenummer	345990	Ref. No.	94808292 RX94808292
description	magnetic switch L 40mm W 13mm 1NO 250V 0.04A P max. 10W connection male faston 6.3mm cable length 2000mm		

65x20mm



1



Varenummer Varenummer	345116	Ref. No.	RX94807161
description	magnetic switch L 65mm W 20mm 1NO 250V 0.4A P max. 100W connection cable cable length 3000mm		
accessories for	345116		
Varenummer Varenummer	345399	Ref. No.	—
magnet $\varnothing$ 3.3mm L 40mm H 8mm W 13mm hole distance 30mm M3			

ø 5.22mm




1

Varenummer Varenummer	347011	Ref. No.	RX94820059
description	magnetic switch 250V 0.04A P max. 10W probe L 26mm 1NO cable length 1000mm		

accessories

magnets



1

Varenummer Varenummer	345336	Ref. No.	94809266 RX94809266
description	magnet ø 4.8mm L 63mm H 11mm W 18.8mm hole distance 51mm M4		

control equipment

JKN (Square D)

rotary switches



1

Varenummer Varenummer	110260	Ref. No.	27338078 RX27338078
description	rotary selector mounting measurements ø22mm		
accessories for	110260		
	Varenummer Varenummer	110261	Ref. No. —
	rotary selector		

TELEMECANIQUE (EFA)

XB2 series

rotary switches



1

Varenummer Varenummer	345223	Ref. No.	94800885 RX94800885
description	rotary selector mounting measurements ø22mm black latching sequence 1-0-2		

encoders and potentiometers



1

Varenummer Varenummer	401338	Ref. No.	RX94814233
description	encoder		



1

Varenummer Varenummer	300247	Ref. No.	94050333 RX94050333
description	potentiometer 2.2kOhm rotation 270° shaft ø 6mm shaft L 16mm thread M10x0.75 plug type coded cable length 150mm		

lamps

indicator lights

indicator lights 2-piece (lens and indicator lamp)

indicator light lenses

ø10mm (type SRZ-3)



1

Varenummer Varenummer	359123	Ref. No.	RX94810956
description	indicator light housings mounting measurements ø10mm green round Qty 1 pcs		
accessories for	359123		
	Varenummer Varenummer	359132	Ref. No. 94813811 RX94813811
	indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C		

indicator lamps for socket type SRZ / SDK / SDY / SFK

1 			
Varenummer Varenummer	359130	Ref. No.	94801073 94809845 RX94801073 RX94809845
description		indicator lamp 230V clear connection male faston 6.3mm ø 8mm	

1 			
Varenummer Varenummer	359132	Ref. No.	94813811 RX94813811
description		indicator lamp green 250V connection male faston 6.3mm protection IP54 ambient temperature max. 85°C	

indicator lights 3-piece (housing, lens and bulb)
lamps
light bulbs

1 			
Varenummer Varenummer	359598	Ref. No.	27610302 RX27610302
description		light bulb socket Ba15d 230V 5-7W ø 16mm L 35mm	

1 			
Varenummer Varenummer	359608	Ref. No.	27610153 RX27610153
description		light bulb socket E14 10/15W 230V ø 16mm L 51mm lens L 31mm Qty 1 pcs	

1 			
Varenummer Varenummer	359597	Ref. No.	27610286 RX27610286
description		light bulb socket T10 24V 2W ø 10mm L 28mm	

neon light bulbs

1 			
Varenummer Varenummer	359585	Ref. No.	RX27610179
description		neon light bulb socket E10 230V green ø 10mm L 28mm	
accessories for		359585	
	Varenummer Varenummer	359060	Ref. No. —
lamp socket mounting measurements ø16.2mm socket E10 connection screw			

accessories for		359585	
	Varenummer Varenummer	359685	Ref. No. —
lamp socket mounting measurements ø16.2mm socket E10			

indicator lights (complete)
ø10mm
with plug-in socket

1 			
Varenummer Varenummer	359140	Ref. No.	94812468 RX94812468
description		indicator light ø 10mm yellow 230V connection male faston 6.3mm Qty 1 pcs	

ø12mm
with screw socket

1 			
Varenummer Varenummer	359048	Ref. No.	RX94806353
description		indicator light ø 12mm 230V yellow connection male faston 6.3mm	

1 			
Varenummer Varenummer	359291	Ref. No.	RX94806346
description		indicator light ø 12mm 400V green connection male faston 6.3mm	

ø13mm
with plug-in socket

1 			
Varenummer Varenummer	359045	Ref. No.	94801529 RX94801529
description		indicator light ø 13mm clear 230V connection male faston 6.3mm temp.-resist. 120°C Qty 1 pcs	

1 			
Varenummer Varenummer	359141	Ref. No.	94801511 RX94801511
description		indicator light ø 13mm red 230V connection male faston 6.3mm temp.-resist. 120°C Qty 1 pcs	

1 			
Varenummer Varenummer	359143	Ref. No.	94801537 RX94801537
description		indicator light ø 13mm yellow 230V connection male faston 6.3mm temp.-resist. 120°C Qty 1 pcs	



screw-on/push-on fit

neon light bulbs



1

Varenummer Varenummer	359585	Ref. No.	RX27610179
description	neon light bulb socket E10 230V green ø 10mm L 28mm		
accessories for	359585		
	Varenummer Varenummer	359060	Ref. No. —
	lamp socket mounting measurements ø16.2mm socket E10 connection screw		
	Varenummer Varenummer	359685	Ref. No. —
	lamp socket mounting measurements ø16.2mm socket E10		

light bulbs

for ovens



1

Varenummer Varenummer	359610	Ref. No.	RX27610120
description	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips		

for indicator lights



1

Varenummer Varenummer	359598	Ref. No.	27610302 RX27610302
description	light bulb socket Ba15d 230V 5-7W ø 16mm L 35mm		



1

Varenummer Varenummer	359608	Ref. No.	27610153 RX27610153
description	light bulb socket E14 10/15W 230V ø 16mm L 51mm lens L 31mm Qty 1 pcs		



1

Varenummer Varenummer	359597	Ref. No.	27610286 RX27610286
description	light bulb socket T10 24V 2W ø 10mm L 28mm		

halogen lamp

for socket G4 / G6.35 / G9



1

Varenummer Varenummer	359599	Ref. No.	RX94820004
description	halogen lamp socket G4 12V 20W temp.-resist. 500°C		

oven lamps

universal oven lamps

mounting diameter 35.5mm



1

Varenummer Varenummer	359701	Ref. No.	27610104 RX27610104
description	lamp socket socket E14 220-230V mounting ø 35.5mm connection male faston 6.3mm 15W		
accessories for	359701		
	Varenummer Varenummer	359705	Ref. No. —
	oven lamp glass thr.ø 33.5mm ø 52mm hard glas temp.-resist. 350°C		
	Varenummer Varenummer	359709	Ref. No. RX27610112
	oven lamp glass thr.ø 33.5mm ø 42mm hard glas temp.-resist. 350°C		
	Varenummer Varenummer	359721	Ref. No. RX24390700
	gasket silicone ED ø 48mm ID ø 39.5mm thickness 5mm Qty 1 pcs		
	Varenummer Varenummer	359942	Ref. No. —
	oven lamp glass thr.ø 33.5mm ø 41mm hard glas temp.-resist. 350°C		



1

Varenummer Varenummer	359709	Ref. No.	RX27610112
description	oven lamp glass thr.ø 33.5mm ø 42mm hard glas temp.-resist. 350°C		



1

Varenummer Varenummer	359721	Ref. No.	RX24390700
description	gasket silicone ED ø 48mm ID ø 39.5mm thickness 5mm Qty 1 pcs		

55x70mm



1

Varenummer Varenummer	359375	Ref. No.	94814234 RX94814234
description	lamp socket complete version socket E14 mounting measurements 55x70mm		

lamps

light bulbs



1

Varenummer Varenummer	359610	Ref. No.	RX27610120
description	light bulb t.max. 300°C socket E14 15W 230V ø 22mm L 47mm lens L 20mm for oven lamp type Philips		

halogen lamps

for socket G4 / G6.35 / G9



1

Varenummer Varenummer	359599	Ref. No.	RX94820004
description	halogen lamp socket G4 12V 20W temp.-resist. 500°C		

timers

electric timers



1

Varenummer Varenummer	350001	Ref. No.	27298066 RX27298066
description	timer 2CO at 250V 16A permanent position yes impulse electric shaft ø 6x4.6mm shaft L 22mm mounting distance 28mm connection rear 2-pole operation time 120min		

with time spread



1

Varenummer Varenummer	350074	Ref. No.	RX27298215
description	timer MS65 operation time 120min time spread 30min 1CO/2NO/1NC at 250V 16A permanent position yes impulse electric shaft ø 6x4.6mm shaft L 22mm mounting distance 28mm connection lateral Invensys 4-pole shaft position lower°		

alarm devices

buzzers



1

Varenummer Varenummer	350050	Ref. No.	94027794 RX94027794
description	buzzer 230VAC connection male faston 6.3mm screw mounting thread M4 60dB		

contactors

GENERAL ELECTRIC (AEG)

power contactors



1

Varenummer Varenummer	380267	Ref. No.	27400308 RX27400308
description	power contactor resistive load 110A 230VAC (AC3/400V) 65A/30kW main contacts 3NO auxiliary contacts connection screw connection type AEG LS30K 00A type GE CL07A 300		
accessories for	380267		
	Varenummer Varenummer	380268	Ref. No. —
	auxiliary contact contacts 1NO for contactors CL+LS_K connection screw AC-12 10A type AEG HS07K 10 type GE BCLF 10		
	Varenummer Varenummer	380269	Ref. No. —
	auxiliary contact contacts 1NC AC15 6A for contactors CL+LS_K connection screw AC-12 10A type AEG HS07K 01 type GE BCLF 01		
	Varenummer Varenummer	380270	Ref. No. —
	auxiliary contact contacts 1NO/1NC for contactors CL+LS_K connection screw AC-12 10A type AEG HS08K 11 type GE BCLL 11		
	Varenummer Varenummer	380271	Ref. No. —
	auxiliary contact contacts 2NO for contactors CL+LS_K connection screw AC-12 10A type AEG HS08K 20 type GE BCLL 20		

			
1			
Varenummer Varenummer	380239	Ref. No.	94804408 94813830 RX94804408 RX94813830
description	power contactor resistive load 20A 230VAC (AC3/400V) 8.4A/4kW main contacts 3NO auxiliary contacts 1NC connection screw connection type LS05 01A type AEG LS05 01A type GE MC1A 301A		

			
1			
Varenummer Varenummer	380238	Ref. No.	94814048 RX94814048
description	power contactor resistive load 20A 230VAC (AC3/400V) 8.4A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type LS0510A type AEG LS0510A type GE MC1A 310A		

			
1			
Varenummer Varenummer	380244	Ref. No.	27400324 RX27400324
description	power contactor resistive load 25A 230VAC (AC3/400V) 9A/4kW main contacts 3NO auxiliary contacts 1NO connection screw connection type AEG LS4K 10A type GE CL00A 310		

			
1			
Varenummer Varenummer	380265	Ref. No.	27400282 RX27400282
description	power contactor resistive load 60A 230VAC (AC3/400V) 32A/16kW main contacts 3NO auxiliary contacts 1NO connection screw connection type AEG LS15K 00A type GE CL04A 310 H 98mm L 87mm W 55mm		

			
1			
Varenummer Varenummer	380695	Ref. No.	RX27400290
description	power contactor resistive load 90A 230VAC (AC3/400V) 50A/22kW main contacts 3NO auxiliary contacts connection screw connection type AEG LS22K 00A type GE CL06A 300		
accessories for	380695		
	Varenummer Varenummer	380268	Ref. No. —
	auxiliary contact contacts 1NO for contactors CL+LS_K connection screw AC-12 10A type AEG HS07K 10 type GE BCLF 10		
	Varenummer Varenummer	380269	Ref. No. —
	auxiliary contact contacts 1NC AC15 6A for contactors CL+LS_K connection screw AC-12 10A type AEG HS07K 01 type GE BCLF 01		
	Varenummer Varenummer	380270	Ref. No. —
	auxiliary contact contacts 1NO/1NC for contactors CL+LS_K connection screw AC-12 10A type AEG HS08K 11 type GE BCLL 11		
	Varenummer Varenummer	380271	Ref. No. —
	auxiliary contact contacts 2NO for contactors CL+LS_K connection screw AC-12 10A type AEG HS08K 20 type GE BCLL 20		

motor protection circuit breakers

			
1			
Varenummer Varenummer	380940	Ref. No.	94810902 RX94810902
description	motor protection circuit breaker type GPS1BSAH setting range 2.5-4A DIN rail contacts screw clamp		

TELEMECANIQUE (Schneider Electric)
power contactors


1

Varenummer Varenummer	380979	Ref. No.	RX94019155
description	power contactor resistive load 40A 230VAC (AC3/400V) 25A/11kW main contacts 3NO auxiliary contacts 1NO/1NC connection screw connection type LC1D25P7		

ABL SURSUM
motor protection circuit breakers



1

Varenummer Varenummer	380301	Ref. No.	RX94810904
description	motor protection circuit breaker type Mbs25-025 setting range 1.6- 2.5A (AC3/400V) 1.1kW		

relays
power relays
with bracket mounting


1

Varenummer Varenummer	380312	Ref. No.	94804291 RX94804291
description	power relays FINDER 230VAC 10A 3CO connection male faston 4.8mm bracket mounting dimensions 52x32.2x36.5mm manuf. no. 60.63.8.230.0000		



1

Varenummer Varenummer	380139	Ref. No.	94807054 94813866 RX94807054 RX94813866
description	power relays FINDER 230VAC 16A 2CO connection F6.3 bracket mounting dimensions 68x38.2x35.8mm manuf. no. 62.82.8.230.0000		



1

Varenummer Varenummer	380808	Ref. No.	RX94813837
description	power relays FINDER 230VAC 16A 3CO connection male faston 6.3mm bracket mounting manuf. no. 62.83.8.230.0000		

relay sockets


1

Varenummer Varenummer	380137	Ref. No.	94800943 RX94800943
description	relay socket 8-pole connection plug-in connection round 8-pole dimensions 65x28x40mm 380V voltage AC 10A Italiana Relè manuf. no. ZVE8		
accessories for	380137		
	Varenummer Varenummer	380805	Ref. No. —
	support bracket		



level relays

GICAR



1

Varenummer Varenummer	400018	Ref. No.	RX94812666
description	level relay 230V voltage AC connection F6.3 type RL30/3ES/F/G		

time relays

time relays



1

Varenummer Varenummer	381008	Ref. No.	RX27470236
description	time relay CROUZET MAS5-88826014 time range 0.1s-100h 24-240VAC 0.7A		

electronic controllers

miscellaneous

universal controllers



1

Varenummer Varenummer	379020	Ref. No.	24848236 RX24848236
description	electronic controller Pt100 steam control		

probes

universal probes

temperature probes



1

Varenummer Varenummer	379130 ¹	Ref. No.	94814231 RX94814231
description	temperature probe Pt100 cable Vetrotex probe -200 up to +600°C cable -50 up to +350°C probe ø6x100mm cable length 1.4m without screw connection 3-wire resistance at 0°C 100Ohm		

¹3-wire

1

Varenummer Varenummer	379831	Ref. No.	94050341 RX94050341
description	temperature probe thermocouple J (Fe-CuNi) cable Vetrotex probe -50 up to +750°C cable -50 up to +350°C probe ø4x100mm cable length 1m cable colours black/white 2-wire		

producer-specific probes

probes



1

Varenummer Varenummer	379075	Ref. No.	24849093 RX24849093
description	temperature probe Pt100 cable silicone probe -100 up to 450°C cable -50 up to +180°C connection 2-wire thread M6 probe ø4x100mm cable length 1.5m		



1

Varenummer Varenummer	379070	Ref. No.	24849036 RX24849036
description	temperature probe Pt100 cable silicone probe -50 up to +250°C cable -50 up to +180°C connection 2-wire thread probe ø4x75mm cable length 1.7m		



1

Varenummer Varenummer	379087	Ref. No.	RX94820007
description	temperature probe thermocouple K (NiCr-Ni) cable silicone probe -50 up to 1150°C cable -50 up to +180°C connection male faston 2.8mm thread probe ø1x30mm cable length 1.6m		

core probes



1

Varenummer Varenummer	378358	Ref. No.	RX94820008
description	core temperature probe		



1


Varenummer Varenummer	381425	Ref. No.	24849135 24849168 RX24849135 RX24849168
description	core temperature probe Pt100 cable PTFE probe -40 up to +250°C cable -40 up to +250°C connection 2-wire probe ø3.2x100mm thread M12 cable length 2.8m handle ø 10mm handle length 80mm		

electronics


PCBs




Varenummer Varenummer	400107	Ref. No.	27450238 RX27450238
description	control PCB combi-steamer CM101 edition CM v. 4.91-97		



Varenummer Varenummer	402619	Ref. No.	RX94820035
description	keypad PCB combi-steamer 1121/2021 L 350mm W 121mm with display		



Varenummer Varenummer	401661	Ref. No.	94814232 94814236 RX94814232 RX94814236
description	keypad PCB combi-steamer MVE04 kit		



Varenummer Varenummer	400110	Ref. No.	27450220 RX27450220
description	PCB combi-steamer level control		




Varenummer Varenummer	403130	Ref. No.	9402358 94023587 RX94023587
description	PCB combi-steamer TVTS L 90mm W 70mm level control		

solenoid valves

solenoid valves (water)

ELBI

straight



Varenummer Varenummer	373009	Ref. No.	RX94804671
description	solenoid valve double straight 24V inlet 3/4" outlet 13.5mm DN10 t.max. 90°C duty cycle 100% ELBI		



Varenummer Varenummer	373020	Ref. No.	94809795 RX94809795
description	solenoid valve double angled 230VAC inlet 3/4" outlet 14mm input 10l/min DN10 t.max. 90°C duty cycle 100% ELBI flow regulating valve inlet white		

MÜLLER

medium temperature: 90°C
duty cycle: 100%



Varenummer Varenummer	370117	Ref. No.	RX94820016
description	solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm DN10 t.max. 90°C duty cycle 100% MÜLLER		

spare parts for	370117		
Varenummer Varenummer	370133	Ref. No.	—
description	solenoid valve body single straight inlet 3/4" outlet 11.5mm DN10 t.max. 90°C duty cycle 100% MÜLLER 230V		

Table continues overleaf

spare parts for 370117				
	Varenummer Varenummer	371002	Ref. No.	—
solenoid valve holder MÜLLER flange support				
	Varenummer Varenummer	371009	Ref. No.	—
compression spring for solenoid coil				
	Varenummer Varenummer	371011	Ref. No.	—
solenoid coil 230VAC connection with cable cable length 2000mm				
	Varenummer Varenummer	371017	Ref. No.	—
solenoid coil 24VAC 50/60Hz connection male faston 6.3mm				
	Varenummer Varenummer	371122	Ref. No.	—
solenoid valve filter ø 19mm H 10mm suitable for MÜLLER				
	Varenummer Varenummer	501161	Ref. No.	—
tap head for solenoid valve holder for solenoid coils				
accessories for 370117				
	Varenummer Varenummer	371010	Ref. No.	—
solenoid coil 230VAC connection with cable cable length 2000mm				
	Varenummer Varenummer	371037	Ref. No.	—
solenoid coil 24VAC 50/60Hz connection male faston 6.3mm				
	Varenummer Varenummer	371038	Ref. No.	—
solenoid coil 230VAC connection appliance plug				

with cable connection

	1			
Varenummer Varenummer	370006	Ref. No.	RX24720054	
description solenoid valve triple straight 230VAC inlet 3/4" outlet 12.5mm DN10 t.max. 90°C duty cycle 100% MÜLLER cable length 2000mm				
spare parts for 370006				
	Varenummer Varenummer	370132	Ref. No.	—
solenoid valve body triple straight inlet 3/4" outlet 11.5mm DN10 t.max. 90°C duty cycle 100% MÜLLER 230V				
	Varenummer Varenummer	371002	Ref. No.	—
solenoid valve holder MÜLLER flange support				
	Varenummer Varenummer	371009	Ref. No.	—
compression spring for solenoid coil				
	Varenummer Varenummer	371010	Ref. No.	—
solenoid coil 230VAC connection with cable cable length 2000mm				
	Varenummer Varenummer	371011	Ref. No.	—
solenoid coil 24VAC 50/60Hz connection male faston 6.3mm				
	Varenummer Varenummer	371122	Ref. No.	—
solenoid valve filter ø 19mm H 10mm suitable for MÜLLER				
	Varenummer Varenummer	501161	Ref. No.	—
tap head for solenoid valve holder for solenoid coils				

accessories for 370006				
	Varenummer Varenummer	371017	Ref. No.	—
solenoid coil 230VAC connection male faston 6.3mm				
	Varenummer Varenummer	371037	Ref. No.	—
solenoid coil 24VAC 50/60Hz connection male faston 6.3mm				
	Varenummer Varenummer	371038	Ref. No.	—
solenoid coil 230VAC connection appliance plug				

RPE

solenoid valves with reducers

single

	1			
Varenummer Varenummer	374105	Ref. No.	RX94814226	
description solenoid valve single straight 230VAC inlet 3/4" outlet 13 input 10-12l/min t.max. 25°C duty cycle 100% RPE type B plastic flow regulating valve outlet green flow regulating valve inlet white				

TP

	1			
Varenummer Varenummer	370021	Ref. No.	RX94807480	
description solenoid valve double straight 230VAC inlet 3/4" outlet 11.5mm DN10 TP flow regulating valve inlet white				
spare parts for 370021				
	Varenummer Varenummer	371013	Ref. No.	—
solenoid coil TP 230VAC 50/60Hz				
accessories for 370021				
	Varenummer Varenummer	371220	Ref. No.	—
reducer TP flow rate 3l/min red tolerance ±15%				
	Varenummer Varenummer	371221	Ref. No.	—
reducer TP flow rate 5.5l/min yellow tolerance ±15%				
	Varenummer Varenummer	371222	Ref. No.	—
reducer TP flow rate 6l/min grey tolerance ±15%				
	Varenummer Varenummer	371223	Ref. No.	—
reducer TP flow rate 10l/min white tolerance ±15%				
	Varenummer Varenummer	371224	Ref. No.	—
reducer TP flow rate 12l/min bronze tolerance ±15%				
	Varenummer Varenummer	371225	Ref. No.	—
reducer TP flow rate 16l/min light brown tolerance ±15%				

Table continues overleaf

accessories for 370021				
	Varenummer Varenummer	371226	Ref. No.	—
reducer TP flow rate 20l/min red tolerance ±15%				
	Varenummer Varenummer	371230	Ref. No.	—
reducer TP flow rate 0.25l/min red tolerance ±25%				
	Varenummer Varenummer	371231	Ref. No.	—
reducer TP flow rate 0.35l/min violet tolerance ±25%				
	Varenummer Varenummer	371232	Ref. No.	—
reducer TP flow rate 0.5l/min orange tolerance ±25%				
	Varenummer Varenummer	371233	Ref. No.	—
reducer TP flow rate 0.8l/min white tolerance ±25%				
	Varenummer Varenummer	371234	Ref. No.	—
reducer TP flow rate 1l/min light blue tolerance ±25%				
	Varenummer Varenummer	371235	Ref. No.	—
reducer TP flow rate 1.2l/min brown tolerance ±25%				
	Varenummer Varenummer	371236	Ref. No.	—
reducer TP flow rate 1.5l/min light brown tolerance ±25%				
	Varenummer Varenummer	371237	Ref. No.	—
reducer TP flow rate 2.5l/min yellow tolerance ±25%				
	Varenummer Varenummer	371238	Ref. No.	94810058 RX94810058
reducer TP flow rate 3.4l/min dark green tolerance ±25%				
	Varenummer Varenummer	371239	Ref. No.	—
reducer TP flow rate 5l/min black tolerance ±25%				
	Varenummer Varenummer	371240	Ref. No.	—
reducer TP flow rate 8l/min blue tolerance ±20%				

 componenti per elettrosolenoidi  1				
Varenummer Varenummer		370018	Ref. No.	94809282 RX94809282
description		solenoid valve single straight 230VAC inlet 3/4" outlet 14mm DN10 TP		
spare parts for		370018		
	Varenummer Varenummer	371013	Ref. No.	—
solenoid coil TP 230VAC 50/60Hz				
accessories for		370018		
	Varenummer Varenummer	371220	Ref. No.	—
reducer TP flow rate 3l/min red tolerance ±15%				
	Varenummer Varenummer	371221	Ref. No.	—
reducer TP flow rate 5.5l/min yellow tolerance ±15%				

accessories for 370018				
	Varenummer Varenummer	371222	Ref. No.	—
reducer TP flow rate 6l/min grey tolerance ±15%				
	Varenummer Varenummer	371223	Ref. No.	—
reducer TP flow rate 10l/min white tolerance ±15%				
	Varenummer Varenummer	371224	Ref. No.	—
reducer TP flow rate 12l/min bronze tolerance ±15%				
	Varenummer Varenummer	371225	Ref. No.	—
reducer TP flow rate 16l/min light brown tolerance ±15%				
	Varenummer Varenummer	371226	Ref. No.	—
reducer TP flow rate 20l/min red tolerance ±15%				
	Varenummer Varenummer	371230	Ref. No.	—
reducer TP flow rate 0.25l/min red tolerance ±25%				
	Varenummer Varenummer	371231	Ref. No.	—
reducer TP flow rate 0.35l/min violet tolerance ±25%				
	Varenummer Varenummer	371232	Ref. No.	—
reducer TP flow rate 0.5l/min orange tolerance ±25%				
	Varenummer Varenummer	371233	Ref. No.	—
reducer TP flow rate 0.8l/min white tolerance ±25%				
	Varenummer Varenummer	371234	Ref. No.	—
reducer TP flow rate 1l/min light blue tolerance ±25%				
	Varenummer Varenummer	371235	Ref. No.	—
reducer TP flow rate 1.2l/min brown tolerance ±25%				
	Varenummer Varenummer	371236	Ref. No.	—
reducer TP flow rate 1.5l/min light brown tolerance ±25%				
	Varenummer Varenummer	371237	Ref. No.	—
reducer TP flow rate 2.5l/min yellow tolerance ±25%				
	Varenummer Varenummer	371238	Ref. No.	94810058 RX94810058
reducer TP flow rate 3.4l/min dark green tolerance ±25%				
	Varenummer Varenummer	371239	Ref. No.	—
reducer TP flow rate 5l/min black tolerance ±25%				
	Varenummer Varenummer	371240	Ref. No.	—
reducer TP flow rate 8l/min blue tolerance ±20%				

			
Varenummer Varenummer	370015	Ref. No.	94805520 RX94805520 RX94813749
description	solenoid valve single angled 230VAC inlet 3/4" outlet 11.5mm DN10 TP		
accessories for	370015		
	Varenummer Varenummer	371220	Ref. No. —
reducer TP flow rate 3l/min red tolerance ±15%			
	Varenummer Varenummer	371221	Ref. No. —
reducer TP flow rate 5.5l/min yellow tolerance ±15%			
	Varenummer Varenummer	371222	Ref. No. —
reducer TP flow rate 6l/min grey tolerance ±15%			
	Varenummer Varenummer	371223	Ref. No. —
reducer TP flow rate 10l/min white tolerance ±15%			
	Varenummer Varenummer	371224	Ref. No. —
reducer TP flow rate 12l/min bronze tolerance ±15%			
	Varenummer Varenummer	371225	Ref. No. —
reducer TP flow rate 16l/min light brown tolerance ±15%			
	Varenummer Varenummer	371226	Ref. No. —
reducer TP flow rate 20l/min red tolerance ±15%			
	Varenummer Varenummer	371230	Ref. No. —
reducer TP flow rate 0.25l/min red tolerance ±25%			
	Varenummer Varenummer	371231	Ref. No. —
reducer TP flow rate 0.35l/min violet tolerance ±25%			
	Varenummer Varenummer	371232	Ref. No. —
reducer TP flow rate 0.5l/min orange tolerance ±25%			
	Varenummer Varenummer	371233	Ref. No. —
reducer TP flow rate 0.8l/min white tolerance ±25%			
	Varenummer Varenummer	371234	Ref. No. —
reducer TP flow rate 1l/min light blue tolerance ±25%			
	Varenummer Varenummer	371235	Ref. No. —
reducer TP flow rate 1.2l/min brown tolerance ±25%			
	Varenummer Varenummer	371236	Ref. No. —
reducer TP flow rate 1.5l/min light brown tolerance ±25%			
	Varenummer Varenummer	371237	Ref. No. —
reducer TP flow rate 2.5l/min yellow tolerance ±25%			
	Varenummer Varenummer	371238	Ref. No. 94810058 RX94810058
reducer TP flow rate 3.4l/min dark green tolerance ±25%			

accessories for	370015		
	Varenummer Varenummer	371239	Ref. No. —
reducer TP flow rate 5l/min black tolerance ±25%			
	Varenummer Varenummer	371240	Ref. No. —
reducer TP flow rate 8l/min blue tolerance ±20%			

solenoid valves with reducers

			
Varenummer Varenummer	370628	Ref. No.	94050168 RX94050168
description	solenoid valve double straight 230VAC inlet 3/4" input 16l/min DN10 TP plastic outlet 11.5mm		

metal

MÜLLER

2-way

			
Varenummer Varenummer	370069 ¹	Ref. No.	RX94820014 RX94820015
description	solenoid valve 2-ways 230VAC inlet 1/8" IT outlet 1/8" IT L 30mm water MÜLLER DN10		

¹with adjusting screw

PARKER

3-way

121 KS8358 series

			
Varenummer Varenummer	370709	Ref. No.	94052347 RX94052347
description	solenoid valve brass 3-ways 230V voltage AC connection 1/4" IT L 77mm coil type 4818653D		

pressure switches

for steam control

			
Varenummer Varenummer	541074	Ref. No.	94814247 RX94814247
description	pressure control ø 45mm triggering pressure 0.5bar reset pressure 0.35bar pressure connection vertical steam control pressure range 0.35/0.51bar connection 1/8" pressure connection 1/8"		

electrodes

			
Varenummer Varenummer	403131	Ref. No.	9402351 94023512 RX94023512
description	level electrode 1/4" total length 330mm probe L 270mm insulated probe length 24mm connection M4 ø 4mm		

			
Varenummer Varenummer	400171	Ref. No.	RX94812665
description	level electrode 1/4" total length 350mm probe L 325mm insulated probe length 26mm connection male faston 6.3mm stainless steel ø 2.5mm		

			
Varenummer Varenummer	400021	Ref. No.	24849150 RX24849150
description	level electrode PG9 total length 110mm probe L 70/47/24mm insulated probe length 62/38/16mm with 3 probes connection grip connection		


1 			
Varenummer Varenummer	400022	Ref. No.	24849143 RX24849143
description	level electrode PG9 total length 135mm probe L 89/59/28mm insulated probe length 80mm with 3 probes connection grip connection		
accessories for	400022		
	Varenummer Varenummer	379729	Ref. No. —
connection cable L 1230mm 4-pole for level electrode plug type coded			
	Varenummer Varenummer	550574	Ref. No. —
nut thread PG9 H 3mm WS 28 nickel-plated brass Qty 1 pcs mounting ømm cable ømm			

fans

hot air motors

			
Varenummer Varenummer	601856	Ref. No.	RX94814228
description	fan motor 220-240V 1 phase 50/60Hz 0.075kW 2800/3200rpm speeds 1 L1 85mm L2 30mm L3 23mm L4 12mm D1 ø 8x6mm D2 ø 8mm 0.6A suitable capacitor 5µF/400V		
accessories for	601856		

Varenummer Varenummer	601856	Ref. No.	RX94814228	
description	fan motor 220-240V 1 phase 50/60Hz 0.075kW 2800/3200rpm speeds 1 L1 85mm L2 30mm L3 23mm L4 12mm D1 ø 8x6mm D2 ø 8mm 0.6A suitable capacitor 5µF/400V			
accessories for	601856			
	Varenummer Varenummer	365017	Ref. No.	94807807 RX94801305 RX94807807
operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection				
	Varenummer Varenummer	560129	Ref. No.	—
hexagonal nut thread M5 H 4mm WS 8 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs				

			
Varenummer Varenummer	601049	Ref. No.	27490051 RX27490051
description	fan wheel D1 ø 280mm H1 125mm blades 12 D2 ø 11mm D3 ø 16mm H2 37mm		

1

Varenummer Varenummer	601503	Ref. No.	RX94050051
description	fan wheel D1 ø 350mm H1 125mm blades 12 D2 ø 13mm D3 ø 16mm		
accessories for	601503		
	Varenummer Varenummer	500505	Ref. No. —
fan motor 220-240/380-415V 3 phase 50/60Hz 0.16-0.26kW 1440/1700rpm speeds 2 L1 140mm L2 27mm L3 35mm M10R IT 1.2/0.7A Cos(φ) 0.63 type L7zAw4D-014 D1 ø 17mm D2 ø 13mm			



motors

accessories

fan wheels




1

Varenummer Varenummer	601749	Ref. No.	RX94810520
description	fan wheel ø 174mm shaft intake ø 11mm H 54.5mm		

pumps

drain pumps

HANNING



1

Varenummer Varenummer	500044	Ref. No.	RX27500297
description	drain pump 100W 230V inlet ø 30mm outlet ø 24mm 50Hz type BE28B4-017 HANNING		
spare parts for	500044		
	Varenummer Varenummer	510168	Ref. No. —
	fan wheel shaft intake ø 5mm ø 62mm H 14mm		

booster pumps II

accessories



1

Varenummer Varenummer	365017	Ref. No.	94807807 RX94801305 RX94807807
description	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		

condensators & interference suppression filters

operating capacitors

plastic



1

Varenummer Varenummer	365014	Ref. No.	94814010 RX94814010
description	operating capacitor capacity 12.5µF 450V tolerance 5%Hz ambient temperature max. -25 to +85°C ø 35mm L 70mm M8 plastic connection male faston 6.3mm 45S.C3DS.12.5 protection		



1

Varenummer Varenummer	365224	Ref. No.	RX94051638
description	operating capacitor capacity 25µF 420V tolerance 5% 50/60Hz ø 45mm L 75mm M8 plastic connection male faston 6.3mm		



1

Varenummer Varenummer	365017	Ref. No.	94807807 RX94801305 RX94807807
description	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		

filters

interference suppression filters




1

Varenummer Varenummer	365047	Ref. No.	94808409 RX94808409
description	interference suppression filter capacity 0.33µF(X2)+2x0.015µF		

fuses

fine fuses

			
1			
Varenummer Varenummer	358677	Ref. No.	RX27630268
description	fine fuse size ø5x20mm 4A fast-acting rated 250V Qty 10 pcs		

			
1			
Varenummer Varenummer	358607	Ref. No.	27630086 RX27630086
description	fine fuse size ø5x20mm 6.3A slow-acting rated 250V Qty 10 pcs		

fine fuse holders

			
1			
Varenummer Varenummer	550105	Ref. No.	27630110 RX27630110
description	rail-mounted terminal WIELAND type WK10/SIU 5X20 /V0 suitable fuse ø5x20mm 1.0-16mm ² 10A rated 250V		

screw locks

D0-system (NEOZED)

			
1			
Varenummer Varenummer	358045	Ref. No.	RX27630227
description	fuse size D02 35A rated 250/400V E18 ø 15mm L 36mm Qty 10 pcs		

fuse holders

			
1			
Varenummer Varenummer	358059	Ref. No.	27635200 RX27635200
description	fuse holder suitable fuse D01 ø 24mm mounting ø 14mm 1-pole-pole 16A rated 400V L 30mm		

electric accessories

terminals

porcelain clamps

			
1			
Varenummer Varenummer	550116	Ref. No.	RX94018090
description	porcelain terminal block 3-pole 10mm ² hole distance 16mm max. 30A max 450V L 52mm W 30mm H 23mm mounting distance 16mm Qty 1 pcs		

connection terminals with screw/faston connections

			
1			
Varenummer Varenummer	550411	Ref. No.	94810223 RX94810223
description	power terminal block 6-pole max. 40A max 450V connection ø6mm ² / F6.3 temp.-resist. 150°C cross section 6mm ²		

rail-mounted terminals

WIELAND

rail-mounted terminals type 9700A

			
1			
Varenummer Varenummer	550376	Ref. No.	27045137 RX27045137
description	rail-mounted terminal WIELAND type 9700A/16 S35 2.5-35mm ² top-hat rail 35mm grey W 16mm L 59mm		

fuse terminal blocks

			
1			
Varenummer Varenummer	550105	Ref. No.	27630110 RX27630110
description	rail-mounted terminal WIELAND type WK10/SIU 5X20 /V0 suitable fuse ø5x20mm 1.0-16mm ² 10A rated 250V		



gas taps

PEL

21S series



1

Varenummer Varenummer	109125	Ref. No.	9402051 94020518 RX94020518
description	gas tap PEL type 21S gas inlet M16x1.5 (tube ø 10mm) bypass nozzle ø 0mm gas outlet M16x1.5 (tube ø 10/8mm) thermocouple connection M9x1 pilot connection M10x1 shaft ø 6x4.6mm shaft L 40/16mm shaft flat lower		
spare parts for	109125		
	Varenummer Varenummer	100909	Ref. No. —
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	Varenummer Varenummer	101060	Ref. No. —
magnet unit standard L 39mm D1 ø 15.4mm D2 ø 11mm suitable for PEL20-21/JUNKERS/EGA			
	Varenummer Varenummer	101231	Ref. No. —
thermocouple nut T1: M9x1 T2: M18x1			
	Varenummer Varenummer	101278	Ref. No. —
olive for pipe ø 10mm Qty 1 pcs			
	Varenummer Varenummer	101286	Ref. No. —
olive ID ø 6mm Qty 1 pcs			
	Varenummer Varenummer	101300	Ref. No. —
union nut thread M16x1.5 tube ø 10mm			
	Varenummer Varenummer	106202	Ref. No. —
bypass nozzle type PEL20/21 bore ø 0mm thread M5x0.5			
accessories for	109125		
	Varenummer Varenummer	100909	Ref. No. —
union screw thread M10x1 for pipe ø 6mm Qty 1 pcs			
	Varenummer Varenummer	101231	Ref. No. —
thermocouple nut T1: M9x1 T2: M18x1			
	Varenummer Varenummer	101278	Ref. No. —
olive for pipe ø 10mm Qty 1 pcs			
	Varenummer Varenummer	101286	Ref. No. —
olive ID ø 6mm Qty 1 pcs			
	Varenummer Varenummer	101300	Ref. No. —
union nut thread M16x1.5 tube ø 10mm			

gas valves and ignition boxes

gas control valves


SIT

ELETTROSIT



1

Varenummer Varenummer	101127	Ref. No.	RX94024965
description	gas valve SIT type ELETTROSIT 230V gas inlet 3/4" gas outlet 3/4" thermocouple connection M9x1 pilot connection M10x1 lateral equiv. no. 0.810.175		
spare parts for	101127		
	Varenummer Varenummer	101312	Ref. No. 94034683 RX94034683
microswitch			
	Varenummer Varenummer	101352	Ref. No. —
solenoid coil 230V 50Hz suitable for ELETTROSIT			
accessories for	101127		
	Varenummer Varenummer	100006	Ref. No. —
piezoelectric igniter suitable for ELETTROSIT body plastic blowing connection ø2.4mm ø 14mm			
	Varenummer Varenummer	100904	Ref. No. —
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	Varenummer Varenummer	100905	Ref. No. —
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	Varenummer Varenummer	101301	Ref. No. —
gas connection thread 1/2" straight ELETTROSIT screw with O-ring			
	Varenummer Varenummer	101303	Ref. No. —
gas connection straight thread 3/4" ELETTROSIT			
	Varenummer Varenummer	101309	Ref. No. —
extension			

NOVASIT

1

Varenummer Varenummer	101162	Ref. No.	9402374 RX94023744
description	gas valve SIT series Novasit 820 230V 50Hz gas inlet 1/2" gas outlet 1/2" thermocouple connection M9x1 pilot connection M10x1 ignition pressure 3-5mbar pressure range 3-30mbar pressure regulator connection blind equiv. no. 0.820.010		
spare parts for	101162		
	Varenummer Varenummer	101065	Ref. No. —
	magnet unit with cable L 44mm D1 ø 30mm D2 ø 20mm suitable for NOVASIT		
	Varenummer Varenummer	101313	Ref. No. RX27440130
	solenoid coil 230V 50Hz		
accessories for	101162		
	Varenummer Varenummer	100006	Ref. No. —
	piezoelectric igniter suitable for ELETTROSIT body plastic blowing connection ø2.4mm ø 14mm		
	Varenummer Varenummer	101305	Ref. No. —
	gas connection straight 1/2" flange 45x45mm ELETTROSIT/V4400/4600/4605 suitable for SIT/HONEYWELL hole distance 36x36mm		
	Varenummer Varenummer	101306	Ref. No. —
	gas connection angled flange 45x45mm hole distance 36x36mm 1/2" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL		
	Varenummer Varenummer	101307	Ref. No. —
	gas connection straight flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL		
	Varenummer Varenummer	101308	Ref. No. RX94051554
	gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL		
	Varenummer Varenummer	101312	Ref. No. 94034683 RX94034683
	microswitch		
	Varenummer Varenummer	101314	Ref. No. —
	solenoid coil 24V 50Hz		
	Varenummer Varenummer	101317	Ref. No. —
	plug with cable L 1000mm suitable for NOVASIT		
	Varenummer Varenummer	101318	Ref. No. —
	cover cap for solenoid coil suitable for NOVASIT		

accessories

1

Varenummer Varenummer	101308	Ref. No.	RX94051554
description	gas connection angled flange 45x45mm hole distance 36x36mm 3/4" ELETTROSIT/V4400/4600/4605 screw with O-ring suitable for SIT/HONEYWELL		


1

Varenummer Varenummer	101312	Ref. No.	94034683 RX94034683
description	microswitch		


1

Varenummer Varenummer	101313	Ref. No.	RX27440130
description	solenoid coil 230V 50Hz		
accessories for	101313		
	Varenummer Varenummer	550896	Ref. No. —
	gasket with screw gas valves NOVASIT		

ignition boxes
HONEYWELL

1

Varenummer Varenummer	104598	Ref. No.	RX94045529
description	ignition box HONEYWELL type S4565XXXXX electrodes 3 waiting times safety time 10s 220-240V 4VA 50/60Hz		



ignition parts

pilot burners

SIT

100 series



1

Varenummer Varenummer	106906	Ref. No.	94034659 RX94027471 RX94034659
description	pilot burner SIT type 100 series 3 flames nozzle ø 0.2mm gas connection 6mm		
spare parts for	106906		
	Varenummer 100245	Ref. No.	—
pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75			
	Varenummer 100855	Ref. No.	RX94028602 RX94028604
pilot burner bracket triple			
	Varenummer 100885	Ref. No.	—
air mixing sleeve for pilot burner Qty 1 pcs			
	Varenummer 100916	Ref. No.	—
compression spring for pilot burner Qty 1 pcs			
	Varenummer 100917	Ref. No.	—
gasket for pilot burner Qty 1 pcs aluminium ID ø 8.5mm ED ø 11mm thickness 1.2mm			
	Varenummer 100918	Ref. No.	—
screw for pilot burner			
	Varenummer 107162	Ref. No.	—
pilot burner cap SIT 3 flames Hmm Lmm Qty 1 pcs			
	Varenummer 107701	Ref. No.	—
pilot burner bottom part SIT 100 series nozzle ø 0.2mm			
accessories for	106906		
	Varenummer 100245	Ref. No.	—
pilot burner nozzle LPG code 20 bore ø 0.2mm Qty 1 pcs thread M8x0.75			
	Varenummer 100246	Ref. No.	—
pilot burner nozzle natural gas bore ø 0.35mm Qty 1 pcs thread M8x0.75			
	Varenummer 100904	Ref. No.	—
locking screw M10x1 for pipe ø 4mm Qty 1 pcs			
	Varenummer 100905	Ref. No.	—
locking screw M10x1 for pipe ø 6mm Qty 1 pcs			
	Varenummer 102110	Ref. No.	—
pilot tube copper pipe ø 4mm thickness 1mm L 3000mm			
	Varenummer 102111	Ref. No.	—
pilot tube copper pipe ø 6mm thickness 1mm L 3000mm			

accessories for	106906		
	Varenummer 107171	Ref. No.	94812644 RX94812644
pilot burner nozzle SIT natural/liquid gas bore ø 0.25mm Qty 1 pcs			
	Varenummer 107700	Ref. No.	—
pilot burner bottom part SIT 100 series nozzle ø 0.25mm			
	Varenummer 107702	Ref. No.	—
pilot burner bottom part SIT 100 series nozzle ø 0.35mm			

accessories

pilot burner brackets

universal



1

Varenummer Varenummer	100855	Ref. No.	RX94028602 RX94028604
description	pilot burner bracket triple		
accessories for	100855		
	Varenummer 100855	Ref. No.	RX94028602 RX94028604
pilot burner bracket triple			
	Varenummer 100886	Ref. No.	—
pilot burner bracket suitable for 100 series 3-piece			
	Varenummer 100888	Ref. No.	—
screw bolt for pilot burner			

ignition electrodes



1

Varenummer Varenummer	100706	Ref. No.	RX94034642 RX94805207
description	ignition electrode connection M4 Qty 1 pcs		

Varenummer Varenummer	100707	Ref. No.	94027729 RX94027729
description	ignition electrode D1 ø 7mm D2 ø 9mm connection ø2.4mm L1 14mm L2 6mm BL1 18mm BL2 3mm BL3 23mm to clip Qty 1 pcs		

140 - 145 -150 series

Varenummer Varenummer	107114 ¹	Ref. No.	94805041 RX94805041
description	pilot burner SIT type 140 series 2 flames nozzle ømm gas connectionmm		
spare parts for	107114		
	Varenummer Varenummer	100907	Ref. No. 94805090 RX94805090
description	screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple		
accessories for	107114		
	Varenummer Varenummer	100204	Ref. No. —
description	pilot burner nozzle SIT LPG code 14 bore ø 0.18/0.20mm Qty 1 pcs suitable for 140 series		
	Varenummer Varenummer	100205	Ref. No. RX822140380
description	pilot burner nozzle SIT LPG code 19 bore ø 0.23/0.26mm Qty 1 pcs suitable for SIT 150 series		
	Varenummer Varenummer	100206	Ref. No. —
description	pilot burner nozzle SIT natural gas code 36 bore ø 0.60/0.55mm Qty 1 pcs suitable for SIT 150 series		
	Varenummer Varenummer	100207	Ref. No. RX822140120 RX94806072
description	pilot burner nozzle SIT natural gas code 27 bore ø 0.40/0.38mm suitable for SIT 140 series		
	Varenummer Varenummer	100216	Ref. No. —
description	pilot burner nozzle SIT natural gas code 38 bore ø 0.45mm Qty 1 pcs suitable for SIT 150 series		
	Varenummer Varenummer	100701	Ref. No. RX94805066 RX94805306 RX94805686
description	ignition electrode connection M4 Qty 1 pcs		
	Varenummer Varenummer	100801	Ref. No. —
description	gasket for pilot burner Qty 1 pcs		
	Varenummer Varenummer	100897	Ref. No. —
description	olive for pipe ø 4mm Qty 1 pcs for pilot burner		
	Varenummer Varenummer	100898	Ref. No. —
description	olive for pipe ø 6mm Qty 1 pcs for pilot burner		

¹incl. thermocouple fitting

accessories for	107114		
	Varenummer Varenummer	100906	Ref. No. 94805082 RX94805082
description	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		
	Varenummer Varenummer	100908	Ref. No. 94812587 RX94812587
description	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		
	Varenummer Varenummer	100909	Ref. No. —
description	union screw thread M10x1 for pipe ø 6mm Qty 1 pcs		
	Varenummer Varenummer	102110	Ref. No. —
description	pilot tube copper pipe ø 4mm thickness 1mm L 3000mm		
	Varenummer Varenummer	102111	Ref. No. —
description	pilot tube copper pipe ø 6mm thickness 1mm L 3000mm		

AEM

pilot burners

Varenummer Varenummer	107528	Ref. No.	RX94044477
description	pilot burner 1 flame natural gas nozzle ø 0.4mm gas connection 6mm		


producer-specific pilot burners

ROSINOX

Varenummer Varenummer	107528	Ref. No.	RX94044477
description	pilot burner 1 flame natural gas nozzle ø 0.4mm gas connection 6mm		




electrodes




Varenummer Varenummer	100701	Ref. No.	RX94805066 RX94805306 RX94805686
description	ignition electrode connection M4 Qty 1 pcs		
accessories for	100701		
	Varenummer Varenummer	100906	Ref. No. 94805082 RX94805082
	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		



Varenummer Varenummer	100706	Ref. No.	RX94034642 RX94805207
description	ignition electrode connection M4 Qty 1 pcs		




Varenummer Varenummer	102907	Ref. No.	9404421 RX94044214
description	ignition electrode D1 ø 7mm connection F 2.8x0.8mm L1 6mm L2 6mm L3 16mm BL1 50mm to clip		



Varenummer Varenummer	100707	Ref. No.	94027729 RX94027729
description	ignition electrode D1 ø 7mm D2 ø 9mm connection ø2.4mm L1 14mm L2 6mm BL1 18mm BL2 3mm BL3 23mm to clip Qty 1 pcs		



Varenummer Varenummer	106996	Ref. No.	RX94820030
description	ignition electrode flange length 60mm flange width 22mm D1 ø 9mm L1 17mm L2 45mm L3 6mm L4 34/10mm BL1 37mm BL2 32mm cable length 350mm connection ø 4mm		
accessories for	106996		
	Varenummer Varenummer	699472	Ref. No. —
	gasket ignition electrode ID ø 13mm hole ø 6mm L 60mm W 22mm suitable for ELOMA graphite		



Varenummer Varenummer	106525	Ref. No.	94814239 RX94814239
description	ignition electrode set Qty 2 flange length 23mm flange width 15/17mm D1 ø 7/9.5mm L1 80/45mm BL1 33/48mm BL2 57/47mm connection F2.8x0.8 fixing dimensions ø4.5mm		

1			
Varenummer Varenummer	106997	Ref. No.	RX94820029
description	monitoring electrode connection Ø F6.3mm flange length 23mm flange width 16mm D1 Ø 7mm L1 60mm L2 44mm L4 12mm L3 60mm BL1 35mm BL2 25mm connection F6.3x0.8 cable length 450mm fixing dimensions Ø5mm		

1			
Varenummer Varenummer	109120	Ref. No.	94051521 RX94051521
description	monitoring electrode flange length 48mm D1 Ø 8mm flange width 22.5mm L1 62mm BL1 11mm BL2 8mm connection male faston 6.3mm		

1			
Varenummer Varenummer	100906	Ref. No.	94805082 RX94805082
description	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		

ignition cables

pre-assembled cables

1			
Varenummer Varenummer	100176	Ref. No.	94805322 RX94805074 RX94805322
description	ignition cable cable length 1000mm connection Ø2.4mm / Ø4mm permanent temperature 200°C		

1			
Varenummer Varenummer	100019	Ref. No.	94805694 RX94805694
description	ignition cable cable length 900mm connection Ø2.4mm / Ø4mm		

ignition units

1			
Varenummer Varenummer	101002	Ref. No.	RX94027802
description	ignition unit outputs 2 230VAC dimensions 88x23x34mm mounting distance 73mm inlet F6.3x0.8 outlet F2.8x0.8 0.6VA 50/60Hz		

1			
Varenummer Varenummer	102388	Ref. No.	94039229 94805116 RX94039229 RX94805116
description	ignition unit outputs 4 230VAC dimensions 111x23x34mm mounting distance 100mm inlet F6.3x0.8 outlet F2.8x0.8 type WAC-T4 0.6VA 50/60Hz		

1			
Varenummer Varenummer	102389	Ref. No.	94805124 RX94805124
description	ignition unit outputs 6 230VAC dimensions 135x23x34mm mounting distance 123mm inlet F6.3x0.8 outlet F2.8x0.8 0.6VA 50/60Hz		

ignition switches

1			
Varenummer Varenummer	345038	Ref. No.	94805173 RX94805173
description	momentary push switch mounting Ø 25mm black 2NO 250V 16A connection male faston 6.3mm ambient temperature max. 85°C protection IP40		




thermocouples

plug-in thermocouples


plug-in thermocouples standard

with barrel socket $\varnothing 6(6.5)$ mm

thermocouples SIT



Varenummer Varenummer	107612	Ref. No.	RX94024973
description	thermocouple SIT M9x1 L 1000mm plug connection $\varnothing 6.0(6.5)$ mm		




Varenummer Varenummer	107614	Ref. No.	RX94015112
description	thermocouple SIT M9x1 L 1500mm plug connection $\varnothing 6.0(6.5)$ mm		

threaded thermocouples

threaded thermocouples standard


with socket with thread M8x1

SIT



Varenummer Varenummer	107632	Ref. No.	RX94028529
description	thermocouple SIT M8x1 L 1000mm M8x1		

accessories for	107632		
Varenummer Varenummer	102067	Ref. No.	—
nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1			



Varenummer Varenummer	107636	Ref. No.	94805025 RX94805025
description	thermocouple SIT M9x1 L 600mm M8x1		

accessories for	107636		
Varenummer Varenummer	102067	Ref. No.	—
nut thread M8x1 H 3mm brass Qty 1 pcs type SEF 1			

gas nozzles

pilot burner nozzles

pilot burner nozzles POLIDORO



Varenummer Varenummer	106703	Ref. No.	RX94034519
description	pilot burner nozzle POLIDORO natural gas code 27.2 bore $\varnothing$ 2x0.27mm Qty 1 pcs		

pilot burner nozzles SIT

100 series



Varenummer Varenummer	107171	Ref. No.	94812644 RX94812644
description	pilot burner nozzle SIT natural/liquid gas bore $\varnothing$ 0.25mm Qty 1 pcs		

140/150 series



Varenummer Varenummer	100205	Ref. No.	RX822140380
description	pilot burner nozzle SIT LPG code 19 bore $\varnothing$ 0.23/0.26mm Qty 1 pcs suitable for SIT 150 series		



Varenummer Varenummer	100207	Ref. No.	RX822140120 RX94806072
description	pilot burner nozzle SIT natural gas code 27 bore $\varnothing$ 0.40/0.38mm suitable for SIT 140 series		

screw connections

olives



Varenummer Varenummer	101248	Ref. No.	94810978 RX94810978
--------------------------	--------	----------	------------------------

description olive for pipe $\varnothing$ 12mm L 9.5mm brass Qty 1 pcs suitable for PEL

accessories for	101248		
Varenummer Varenummer	101251	Ref. No.	—
union nut thread M20x1.5 for pipe $\varnothing$ 12mm			



			
1			
Varenummer Varenummer	101246	Ref. No.	94812588 RX94812588
description	olive for pipe ø 4mm Qty 1 pcs		
accessories for	101246		
			
Varenummer Varenummer	100908	Ref. No.	94812587 RX94812587
union screw thread M10x1 for pipe ø 4mm Qty 1 pcs			

union screws

			
1			
Varenummer Varenummer	100906	Ref. No.	94805082 RX94805082
description	screw connection thread M10x1 for ignition electrode brass Qty 1 pcs WS 10		

			
1			
Varenummer Varenummer	100907	Ref. No.	94805090 RX94805090
description	screw connection thread M10x1 Qty 1 pcs type SEF 1 ømm for thermocouple		



1

Varenummer Varenummer	100908	Ref. No.	94812587 RX94812587
description	union screw thread M10x1 for pipe ø 4mm Qty 1 pcs		
accessories for	100908		
	Varenummer Varenummer	100897	Ref. No. —
olive for pipe ø 4mm Qty 1 pcs for pilot burner			
	Varenummer Varenummer	101246	Ref. No. 94812588 RX94812588
olive for pipe ø 4mm Qty 1 pcs			
	Varenummer Varenummer	101280	Ref. No. —
olive for pipe ø 4mm Qty 1 pcs			
	Varenummer Varenummer	101282	Ref. No. —
olive for pipe ø 4mm L 7.4mm Qty 1 pcs			

equipmentspecific units for convection ovens/combi-steamers

spare parts and accessories

			
1			
Varenummer Varenummer	698483	Ref. No.	RX94003753
description	bearing bolt L 17mm ø 12.2mm WS 15 ext. ø M8		

			
1			
Varenummer Varenummer	512418	Ref. No.	RX94050556
description	cotter pin D1 ø 8.6mm hole ø 5.5mm Qty 1 pcs total length 40.4mm		

			
1			
Varenummer Varenummer	512417	Ref. No.	RX94020211
description	hexagonal nut WS 16 thread M10 black suitable for ROSINOX Qty 1m		

miscellaneous

			
1			
Varenummer Varenummer	510558	Ref. No.	24556078 RX24556078
description	connection for pump		

			
1			
Varenummer Varenummer	694527	Ref. No.	24390627 RX24390627
description	gasket rubber ED ø 57mm ID ø 39mm thickness 4mm for com- bi-steamer Qty 1 pcs suitable for RATIONAL		



knobs

producer-specific knobs

ROSINOX



Varenummer Varenummer	111479	Ref. No.	9403093 94030939 RX94030939
description knob ø 38mm shaft ø 16x16mm chrome			
accessories for 111479			
	Varenummer Varenummer	111481	Ref. No. 9400687 94006871 RX94006871
knob adapter shaft ø 8x8mm for water tap			

accessories

covers



Varenummer Varenummer	111510	Ref. No.	RX94820043
description lid t.max.°C°C ø 37mm shaft ømm shaft flat silver for knob ELOMA			
accessories for 111510			
	Varenummer Varenummer	111498	Ref. No. —
knob t.max.°C°C ø 48mm shaft ø 6.5mm shaft flat blue			

knob adaptors



Varenummer Varenummer	111482	Ref. No.	9400683 94006830 RX94006830
description knob adapter shaft ø 6x4.6mm for gas tap			

locks

turning lever locks

universal

RAHRBACH



Varenummer Varenummer	700098	Ref. No.	26728212 RX26728212
description door catch mounting pos. right off-set 38mm L 110mm H 74mm W 33mm mounting distance 68/68mm series 1750			
spare parts for 700098			
	Varenummer Varenummer	690136	Ref. No. RX22705073
sliding plate mounting pos. right L 28mm H 3mm W 21mm H2 12.5mm			
accessories for 700098			
	Varenummer Varenummer	514281	Ref. No. —
base plate L 110mm W 35mm for door catch thickness 10mm			



Varenummer Varenummer	690136	Ref. No.	RX22705073
description sliding plate mounting pos. right L 28mm H 3mm W 21mm H2 12.5mm			

STUV




Varenummer Varenummer	700098	Ref. No.	26728212 RX26728212
description door catch mounting pos. right off-set 38mm L 110mm H 74mm W 33mm mounting distance 68/68mm series 1750			
spare parts for 700098			
	Varenummer Varenummer	690136	Ref. No. RX22705073
sliding plate mounting pos. right L 28mm H 3mm W 21mm H2 12.5mm			
accessories for 700098			
	Varenummer Varenummer	514281	Ref. No. —
base plate L 110mm W 35mm for door catch thickness 10mm			

edgmount latches

handle latches

CAFF/FERMOD




1

Varenummer Varenummer	700060	Ref. No.	RX94026168
description	handle latch L 150mm mounting distance 133mm non lockable heated units G 791		
accessories for	700060		
	Varenummer Varenummer	700061	Ref. No. —
	door catch L 58mm W 20mm H 35mm mounting distance 42mm chrome-plated brass for headed units		
	Varenummer Varenummer	700062	Ref. No. —
	handle protection heated units		

STUV

3.30.016x.x series



1

Varenummer Varenummer	700063	Ref. No.	RX26728030
description	handle latch L 155mm mounting distance 124/138mm non lockable refrigeration units 3.30.0164		
accessories for	700063		
	Varenummer Varenummer	700064	Ref. No. RX26728022
	door catch H 40mm L 28mm W 22mm		

door catches



1

Varenummer Varenummer	700064	Ref. No.	RX26728022
description	door catch H 40mm L 28mm W 22mm		

walk-in fridge catches

STUV

3.31.015x.x series



1

Varenummer Varenummer	700072	Ref. No.	26728261 RX26728261
description	door catch H 17mm L 84mm W 53mm mounting distance 68mm zinc die cast with wedge heated units		

snap locks

producer-specific

ROSINOX



1

Varenummer Varenummer	700072	Ref. No.	26728261 RX26728261
description	door catch H 17mm L 84mm W 53mm mounting distance 68mm zinc die cast with wedge heated units		



1

Varenummer Varenummer	690101	Ref. No.	26728253 RX26728253
description	snap lock L 85mm W 40mm mounting distance 68mm heated units H 63mm type 1750 series		



equipment feet and end caps

equipment feet

with screw mounting




1

Varenummer Varenummer	513287	Ref. No.	RX94809563
description	equipment foot tube ø 60mm thread M12 thread L 33mm H 155-235mm SS size 2" Qty 1 pcs		

gaskets

gaskets for heated units


window seals



1


Varenummer Varenummer	900056	Ref. No.	RX24390502
description	window gasket profile 1570 Qty supplied by meter		

door seals




1

Varenummer Varenummer	900174	Ref. No.	RX24390288
description	door seal profile 2210 L 4200mm Qty 1		




1

Varenummer Varenummer	901561	Ref. No.	9405030 94050309 RX94050309
description	door seal profile 2228 Qty supplied by meter		




1

Varenummer Varenummer	902240	Ref. No.	24390379 RX24390379
description	door seal profile 2230 W 470mm L 485mm external size Qty 1		




1

Varenummer Varenummer	902241	Ref. No.	24390338 RX24390338
description	door seal profile 2230 W 480mm L 725mm external size Qty 1		



1

Varenummer Varenummer	900865	Ref. No.	RX94820000
description	door seal profile 2449 W 490mm L 520mm Qty 1		



1

Varenummer Varenummer	901483	Ref. No.	RX94820002
description	door seal profile 2449 W 520mm L 1505mm Qty 1		

Varenummer Varenummer	900497	Ref. No.	RX94820001
description	door seal profile 2449 W 520mm L 775mm Qty 1		

Varenummer Varenummer	902492	Ref. No.	RX94820003
description	door seal profile 2736 W 695mm L 1000mm outer plug size Qty 1 suitable for ELOMA 12-21 silicone		

Varenummer Varenummer	900489	Ref. No.	94814225 RX94814225
description	door seal profile 2770/2771 H 440mm W 600mm outer plug size Qty 1		

gaskets for tray rack trolleys			
Varenummer Varenummer	900055	Ref. No.	24390510 RX24390510
description	tray rack trolley gasket profile 4020 Qty supplied by meter silicone foam		

O-rings

EPDM

ø1.78mm

Varenummer Varenummer	510824	Ref. No.	94807450 RX94807450
description	O-ring EPDM thickness 1.78mm ID ø 20.35mm Qty 1 pcs		

Varenummer Varenummer	510303	Ref. No.	94800778 RX94800778
description	O-ring EPDM thickness 1.78mm ID ø 6.75mm Qty 1 pcs		

Varenummer Varenummer	504574	Ref. No.	RX94813741 RX94813762
description	O-ring EPDM thickness 1.78mm ID ø 9.25mm Qty 1 pcs		

ø5.34mm

Varenummer Varenummer	510408	Ref. No.	RX94807781
description	O-ring EPDM thickness 5.34mm ID ø 47mm Qty 1 pcs		

Varenummer Varenummer	510409	Ref. No.	RX94807294
description	O-ring EPDM thickness 5.34mm ID ø 56.52mm Qty 1 pcs		



sealing washers

rubber gaskets



Varenummer Varenummer	694527	Ref. No.	24390627 RX24390627
description	gasket rubber ED ø 57mm ID ø 39mm thickness 4mm for combi-steamer Qty 1 pcs suitable for RATIONAL		

PTFE gaskets



Varenummer Varenummer	518669	Ref. No.	RX94820006
description	gasket PTFE ED ø 21mm ID ø 15mm thickness 3.5mm		
accessories for	518669		
	Varenummer Varenummer	375889	Ref. No. RX94820005
	safety thermostat switch-off temp. 360°C 1-pole 16A probe ø 15mm probe L 6.5mm capillary pipe 1140mm capillary pipe isolated 1100mm gland nut probe		

silicone gaskets



Varenummer Varenummer	359721	Ref. No.	RX24390700
description	gasket silicone ED ø 48mm ID ø 39.5mm thickness 5mm Qty 1 pcs		

sealing cords

round



Varenummer Varenummer	510572	Ref. No.	RX24390296
description	sealing cord ø 10mm greased L 0.2m Qty 1		

special gaskets

miscellaneous



Varenummer Varenummer	510566	Ref. No.	24390320 RX24390320
description	gasket suitable for RATIONAL equiv. no. 50120537 L 70mm W 70mm electrode thickness 4mm		



Varenummer Varenummer	510671	Ref. No.	RX24390544
description	gasket suitable for RATIONAL for drain Qty 1m ED ø 124mm ID ø 51mm rubber thickness 4mm hole distance 87mm		

thermostat gaskets



Varenummer Varenummer	518669	Ref. No.	RX94820006
description	gasket PTFE ED ø 21mm ID ø 15mm thickness 3.5mm		
accessories for	518669		
	Varenummer Varenummer	375889	Ref. No. RX94820005
	safety thermostat switch-off temp. 360°C 1-pole 16A probe ø 15mm probe L 6.5mm capillary pipe 1140mm capillary pipe isolated 1100mm gland nut probe		

transmission technology and ball bearings

ball bearings

deep-groove ball bearings 2RS



Varenummer Varenummer	523522	Ref. No.	RX94008067
description	deep-groove ball bearing type 6004-2RS shaft ø 20mm ED ø 42mm W 12mm with sealing discs deep-groove ball bearing DIN 625-1		

springs

torsion springs



Varenummer Varenummer	690095	Ref. No.	94814244 RX94814244
description	torsion spring ø 6mm L2 15mm wire gauge ø 0.9mm L1 2x6mm L3 15mm Qty 1 pcs for closing hub		



manometers

			
Varenummer Varenummer	541876	Ref. No.	RX94809357
description	manometer ø 49mm pressure range 0-4bar connection lower marking adjustable thread 1/4"		

hose reels and spray guns

spray guns

			
Varenummer Varenummer	520729	Ref. No.	25177072 RX25177072
description	shower hose connections 1/2" L 2800mm SS operating p. 10bar burst p. 90bar t.max. 90°C approval DVGW with flexible fabric		

dosing pumps

accessories

container filters with non-return valve

			
Varenummer Varenummer	361058	Ref. No.	94045172 RX94045172
description	container filter with non-return valve SS hose ø 4x6mm ø 20mm L 56mm		

hoses

supply hoses

stainless steel flexi hoses

universal hoses

			
Varenummer Varenummer	520633	Ref. No.	RX94050507 RX94814124
description	flex hose SS braid straight-straight DN10 connections 1/2" L 2000mm approval DVGW operating p. 10bar test pressure 32bar burst p. 95bar		

pre-rinse hoses

stainless steel flexi hoses

			
Varenummer Varenummer	520729	Ref. No.	25177072 RX25177072
description	shower hose connections 1/2" L 2800mm SS operating p. 10bar burst p. 90bar t.max. 90°C approval DVGW with flexible fabric		

formed hoses

straight

			
Varenummer Varenummer	530603	Ref. No.	RX24556094
description	steam hose ID ø 60mm ED ø 68mm L 120mm Qty 1 for combi-steamer		

fittings, hose and pipe connectors

hose connectors

without screw connection

			
Varenummer Varenummer	501210	Ref. No.	94809241 RX94809241
description	Y-piece plastic hose ø 10-10-10mm		



fittings

reducers



1

Varenummer Varenummer	520177	Ref. No.	94814405 RX94814405
description	reducer thread 1/4" ET - 1/8" IT nickel-plated brass total length 13mm WS 17		

hose connectors

nickel-plated brass



1

Varenummer Varenummer	520201	Ref. No.	94813991 RX94813991
description	hose connector nickel-plated brass straight thread 1/4" hose ø 12mm Qty 1 pcs		

valves and tank inlets

ball valves

universal

ball valves with butterfly handle



1

Varenummer Varenummer	540658	Ref. No.	RX94032687
description	ball valve connection 3/4" IT - 3/4" IT DN20 total length 69mm		

water cycle components

pressure reduction valves

pressure reduction valves

producer-specific



1

Varenummer Varenummer	520502	Ref. No.	RX94820013
description	pressure reduction valve Norgren series R91 connection 1/8" default settingbar setting range 0.1-3bar p max 10bar t.max. 50°C brass		
accessories for	520502		
	Varenummer Varenummer	541979	Ref. No. —
manometer ø 40mm pressure range 0-4bar connection at the rear in the centre thread 1/8"			
	Varenummer Varenummer	542449	Ref. No. —
manometer ø 40mm pressure range 0-6bar connection at the rear in the centre thread 1/8"			

supply filters



1

Varenummer Varenummer	520262	Ref. No.	94024528 RX94024528
description	supply filter thread 3/4" IT - 3/4" IT total length 70mm red brass DN20 mesh opening 0.4mm		

ancillary products

clamps

hose clamps

DIN 3017 - W2



1

Varenummer Varenummer	520118	Ref. No.	94814009 RX94814009
description	hose clamp ø 50-70mm width 9mm Qty 5 pcs DIN 3017		



fastening material

screws

cylinder head bolts

DIN 912/ISO 4762



1

Varenummer Varenummer	560402	Ref. No.	RX94803210
description	cylinder head bolt thread M5 thread L 10mm L 15.5mm WS 4 SS Qty 1 pcs intake hexagonal DIN 912/ISO 4762		

grub screws

miscellaneous



1

Varenummer Varenummer	560458	Ref. No.	94027281 RX94027281
description	grub screw thread M4 L 5mm intake slotted Qty 1 pcs		

washers

spring washers



1

Varenummer Varenummer	696429	Ref. No.	26160135 RX26160135
description	spring washer ID ø 20.5mm ED ø 40mm steel Qty 1 pcs		

washers

DIN 125A



1

Varenummer Varenummer	560112	Ref. No.	94813766 RX94813766
description	plain washer ID ø 5.3mm ED ø 10mm thickness 1mm SS Qty 20 pcs DIN 125A for thread M5		



1

Varenummer Varenummer	560333	Ref. No.	RX94801651
description	plain washer ID ø 6.4mm ED ø 12mm thickness 1.6mm SS Qty 1 pcs DIN 125A for thread M6		

fasteners

clamps

hose clamps

DIN 3017 - W2



1

Varenummer Varenummer	520118	Ref. No.	94814009 RX94814009
description	hose clamp ø 50-70mm width 9mm Qty 5 pcs DIN 3017		

retaining rings

DIN 6799



1

Varenummer Varenummer	507015	Ref. No.	94803012 RX94803012
description	retaining ring E D1 ø 7mm D2 ø 14mm SS DIN 6799 thickness 0.9mm for shaft ø 8-11mm		

consumables

sealants and adhesives

high temperature silicone



1

Varenummer Varenummer	890050	Ref. No.	RX94032679
description	high temperature silicone NOVASIL S76 acetoxy-curing -40 up to +265°C t.max. 280°C anthracite cartridge 310ml		
description	Novasil S56 - cartridge 310ml - anthracite - Developed for applications in the home appliance industry: - Gluing of oven door seals - Gluing of mounting brackets for cooker fascias, oven door seals and handles - Attachment of elastic seals, e.g. to oven doors Temperature resistance: -40°C to +265°C		



fuses

fine fuses



1

Varenummer Varenummer	358677	Ref. No.	RX27630268
--------------------------	--------	----------	------------

description fine fuse size ø5x20mm 4A fast-acting rated 250V Qty 10 pcs



1

Varenummer Varenummer	358607	Ref. No.	27630086 RX27630086
--------------------------	--------	----------	------------------------

description fine fuse size ø5x20mm 6.3A slow-acting rated 250V Qty 10 pcs

screw locks

D0-system (NEOZED)



1

Varenummer Varenummer	358045	Ref. No.	RX27630227
--------------------------	--------	----------	------------

description fuse size D02 35A rated 250/400V E18 ø 15mm L 36mm Qty 10 pcs

A

alarm devices 13

B

ball valves 38

booster pumps II 22

C

cam switches 8

clamps 38, 39

condensators & interference suppression filters 22

consumables 39

contactors 13

container filters 37

control equipment 10

control thermostats 4

cylinder head bolts 39

D

door catches 33

door seals 34

dosing pumps 37

drain pumps 22

E

edgemount latches 33

electric accessories 23

electric timers 13

electrodes 21

electronic controllers 16

energy regulators 4

F

fans 21

fasteners 39

fastening material 39

filters 22

fine fuses 40

fittings 38

formed hoses 37

fuses 23, 40

G

gas control valves 24

gas nozzles 30

gas taps 24

gaskets for heated units 34

gaskets for tray rack trolleys 35

GEV 2

grub screws 39

H

halogen lamp 12

handle latches 33

heating elements 2

heating elements for convection 2

high temperature silicone 39

hose clamps 38, 39

hose connectors 37, 38

hoses 37

hot air motors 21

I

ignition boxes 25

ignition cables 29

ignition switches 29

ignition units 29

immersion heating elements 2

indicator lights 10

indicator lights (complete) 11

L

lamps 10

light bulbs 12

M

magnetic switches 9

microswitches 7

motors 22

N

neon light bulbs 11, 12

O

operating capacitors 22

O-rings 35

oven lamps 12

P

pilot burners 26

pre-rinse hoses 37

pressure reduction valves 38, 38

pressure switches 21

probes 16

pumps 22

push/momentary push switches 6

R

reducers 38

relays 15

retaining rings 39

rocker/momentary rocker switches 6

rotary switches 9

S

safety thermostats	5
screw locks	40
screws	39
sealants and adhesives	39
sealing cords	36
sealing washers	36
silicone	39
snap locks	33
solenoid valves	17
spray guns	37
spring washers	39
stainless steel flexi hoses	37, 37
supply filters	38, 38
supply hoses	37
switches and momentary switches	6
system switches (ROLD)	7

T

temperature probes	16
terminals	23
thermocouples	30
thermostat gaskets	36
thermostats	4
time relays	16
timers	13
turning lever locks	32

U

universal hoses	37
universal probes	16

V

valves and tank inlets	38
------------------------	----

W

walk-in fridge catches	33
washers	39
water cycle components	38
window seals	34